


Shaw® EMCON/OWT, INC.

DATE SEPT 2004
 DWN S.E.R.
 APPR _____
 REV _____
 PROJECT NO.
 844835

FIGURE 1
 CRAZY HORSE LANDFILL
 MONTEREY COUNTY, CALIFORNIA
 JOINT TECHNICAL DOCUMENT
 SITE LOCATION MAP

EXPLANATION:

- ◊ EVALUATION MONITORING PROGRAM (EMP) MONITORING WELL
- CORRECTIVE ACTION PROGRAM (CAP) MONITORING WELL
- ⊙ DETECTION MONITORING PROGRAM (DMP) MONITORING WELL
- DUAL - CAP AND EXTRACTION WELL
- ★ PIEZOMETER
- ⊕ EXTRACTION WELL
- ▲ SURFACE WATER MONITORING STATION
- ▲ SOIL PORE GAS MONITORING PROBE
- ★ RESIDENTIAL WELL USED IN DMP
- ⊔ RECHARGE GALLERY
- APPROXIMATE PROPERTY BOUNDARY
- APPROXIMATE LIMIT OF REFUSE






Figure 2

SITE MONITORING POINTS AND TREATMENT SYSTEMS LOCATION MAP
 SECOND SEMIANNUAL 2005
 WATER QUALITY MONITORING REPORT
 CRAZY HORSE CLASS III LANDFILL, SALINAS, CA

GeoLogic Associates
 Geologists, Hydrogeologists, and Engineers

DRAWN BY: V. DATE: MARCH 2006 JOB NO. 2005-174

BASE MAP (AS OF 3/30/05) PROVIDED BY SYGMA



EXPLANATION:

- EVALUATION MONITORING PROGRAM (EMP) MONITORING WELL
- CORRECTIVE ACTION PROGRAM (CAP) MONITORING WELL
- DETECTION MONITORING PROGRAM (DMP) MONITORING WELL
- ★ PIEZOMETER

(384.82)
 OCTOBER 2005 GROUNDWATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL (FAMSL)

(NA)
 NOT ACCESSIBLE

— 400 —
 LINE OF EQUAL GROUNDWATER ELEVATION OF AROMAS SAND AQUIFER IN FAMSL; DASHED WHERE INFERRED

— 310 —
 LINE OF EQUAL GROUNDWATER ELEVATION OF ALLUVIAL AQUIFER IN FAMSL; DASHED WHERE INFERRED

→
 DIRECTION OF GROUNDWATER FLOW

 APPROXIMATE PROPERTY BOUNDARY

- - -
 APPROXIMATE LIMIT OF REFUSE

GEOLGY (FROM GEOMATRIX, 2004):
 Qaf REFUSE FILL
 Qal ALLUVIUM AND COLLUVIUM
 Qas AROMAS SAND
 Tpt TRANSITION ZONE OF THE PURISHIMA FORMATION

 APPROXIMATE GEOLOGIC CONTACT, DOTTED WHERE CONCEALED

Kgr GRANITICS } CRETACEOUS

GRAPHIC SCALE
 125 0 62.5 125 250
 (in feet)

BASE MAP (AS OF 3/30/05) PROVIDED BY SYSWA

Figure 3

AROMAS AND ALLUVIAL AQUIFERS POTENTIOMETRIC SURFACE MAP
 SECOND SEMIANNUAL 2005
 WATER QUALITY MONITORING REPORT
 CRAZY HORSE CLASS III LANDFILL, SALINAS, CA

GeoLogic Associates
 Geologists, Hydrogeologists, and Engineers
 DRAWN BY: V. DATE: MARCH 2006 JOB NO. 2005-174



EXPLANATION:

- EVALUATION MONITORING PROGRAM (EMP) MONITORING WELL
- CORRECTIVE ACTION PROGRAM (CAP) MONITORING WELL
- DETECTION MONITORING PROGRAM (DMP) MONITORING WELL
- (23.32) OCTOBER 2005 TOTAL VOLATILE ORGANIC COMPOUNDS (VOC) CONCENTRATION IN MICROGRAMS PER LITER ($\mu\text{g}/\text{L}$)
- (ND) NOT DETECTED
- (NA) NOT AVAILABLE
- 20 — LINE OF EQUAL TOTAL VOC CONCENTRATION IN $\mu\text{g}/\text{L}$; DASHED WHERE INFERRED
- - - - - APPROXIMATE PROPERTY BOUNDARY
- — — — — APPROXIMATE LIMIT OF REFUSE

BASE MAP (AS OF 3/30/05) PROVIDED BY SISWA




Figure 4

APPROXIMATE EXTENT OF TOTAL VOLATILE ORGANIC COMPOUNDS IN GROUNDWATER (AROMAS SAND AQUIFER)
 SECOND SEMIANNUAL 2005
 WATER QUALITY MONITORING REPORT
 CRAZY HORSE CLASS III LANDFILL, SALINAS, CA

GeoLogic Associates
 Geologists, Hydrogeologists, and Engineers

DRAWN BY: VL DATE: MARCH 2006 JOB NO. 2005-174