



**California Regional Water Quality Control Board  
Central Coast Region**



**Linda S. Adams.**  
Secretary for  
Environmental Protection

895 Aerovista Place, Suite 101, San Luis Obispo, California 93401-7906  
(805) 549-3147 • Fax (805) 543-0397  
<http://www.waterboards.ca.gov/centralcoast>

**Arnold Schwarzenegger**  
Governor

April 6, 2010

Regina C Henry  
Cemex USA, Inc.  
920 Memorial City Way, Suite 100  
Houston, TX 77024

Dear Ms. Henry:

**WASTE DISCHARGE REQUIREMENTS ORDER NO. R3-2010-0008, (NPDES PERMIT NO. CA0048682), CEMEX USA CEMENT PLANT, DAVENPORT, SANTA CRUZ COUNTY – ORDER NO. R3-2010-0008**

At its public meeting on March 18, 2010, the Central Coast Water Board adopted Order No. R3-2010-0009, Waste Discharge Requirements for the South County Regional Wastewater Authority (reissued NPDES Permit No. CA0049964).

The permit will also be posted online at:

[http://www.waterboards.ca.gov/centralcoast/board\\_decisions/adopted\\_orders/index.shtml](http://www.waterboards.ca.gov/centralcoast/board_decisions/adopted_orders/index.shtml)

If you have any questions, please call **Mike Higgins at 805/542-4649** or Burton Chadwick at 805/542-4786.

Sincerely,

Roger W. Briggs  
Executive Officer

Attachments: WDR Order No. R3-2010-0008

cc: (with electronic attachments)

David Smith, U. S. EPA Region IX (Smith.davidw@epa.gov)  
SWRCB – DWQ (NPDES\_Wastewater@waterboards.ca.gov and dmr@waterboards.ca.gov)  
Jae Kim, Tetra Tech ([jae.kim@tetrattech-ffx.com](mailto:jae.kim@tetrattech-ffx.com))

cc: (without attachment)

John Ricker  
Santa Cruz County Health Services  
Environmental Health  
701 Ocean Street, Room 312  
Santa Cruz, CA 95060

S:\NPDES\NPDES Facilities\Santa Cruz Co\Cemex Cement\R3-2010-0008\ADOPTED COVER LETTER.doc

**California Environmental Protection Agency**