

---

## Central Coast Regional Water Quality Control Board

June 18, 2013

Leif Utegaard, Chief Operator  
Santa Lucia Community Services District  
Santa Lucia Preserve Wastewater Treatment Plant  
[Leifu@santaluciapreserve.com](mailto:Leifu@santaluciapreserve.com)

Dear Mr. Utegaard:

### **SANTA LUCIA COMMUNITY SERVICES DISTRICT – MASTER WATER RECYCLING REQUIREMENTS**

Thank you for your Report of Waste Discharge and Title 22 Engineering Reports regarding the Santa Lucia Community Services District's upgraded water recycling facility. Based upon your submittals, my staff has prepared a report that proposes rescission of existing Order Nos. 98-60 and 98-61, concurrent with adoption of Order No. 2013-0020.

We intend on presenting the proposed rescissions and adoption to the Water Board for its consideration at a regularly scheduled public meeting in San Luis Obispo on **September 12 and 13, 2013**. We encourage all interested parties to review the enclosed staff report and orders, and then submit comments and concerns in writing no later than **July 19, 2013**. The Water Board has also posted the draft order on the Central Coast Water Board's website:

[http://www.waterboards.ca.gov/centralcoast/board\\_decisions/tentative\\_orders/](http://www.waterboards.ca.gov/centralcoast/board_decisions/tentative_orders/)

Interested persons are invited to submit comments in writing to the Central Coast Water Board at its office in San Luis Obispo or via electronic mail at [centralcoast@waterboards.ca.gov](mailto:centralcoast@waterboards.ca.gov) no later than **July 19, 2013**. All comments received prior to that date will be considered in the formulation of staff recommendations regarding the waste discharge. The Central Coast Water Board will not accept written comments or other written submittals on the draft Order after **July 19, 2013**, unless the Chair of the Central Coast Water Board rules that exclusion would create a hardship, and that the late submission will not prejudice any party or the Central Coast Water Board. Any person submitting late comments or other submittals must explain why such materials were not submitted by **July 19, 2013**. The Chair of the Central Coast Water Board will rule on late submittals at or before the hearing. Late submittals that consist of evidence (as opposed to policy statements or comments) are generally prejudicial unless all parties and Central Coast Water Board staff have time to consider the evidence before the hearing.

Interested persons are invited to attend the hearing and may make oral comments relevant to the proposed action. Oral comments should summarize written comments. The Chair of the Central Coast Water Board will impose time limits on oral comments.

The Report of Waste Discharge, related documents, and all comments received may be inspected and copied at the office of the Central Coast Water Board, 895 Aerovista Place, Suite 101, San Luis Obispo, California 93401-5427, on weekdays between the hours of 8:00 a.m. and

5:00 p.m. Please direct comments and questions to **Tom Kukol at (805) 549-3689** or Christopher Rose at (805) 542-4770 at this office.

Please bring the foregoing to the attention of any persons known to you who would be interested in this matter.

If you have any questions, please contact **Tom Kukol** at **[Tom.Kukol@waterboards.ca.gov](mailto:Tom.Kukol@waterboards.ca.gov)** or **(805) 549-3689**.

Sincerely,

Kenneth A. Harris, Jr.  
Interim Executive Officer

Enclosures: 1. Staff Report  
2. Order No. 98-60  
3. Order No. 98-61  
4. Order No. Order No. 2013-0020

cc: Richard LeWarne  
Monterey County  
Environmental Health Division  
Drinking Water Protection Services  
[lewarner@co.monterey.ca.us](mailto:lewarner@co.monterey.ca.us)

Jan R. Sweigert, P.E., District Engineer  
California Department of Public Health  
Drinking Water Program  
District 05 - Monterey  
1 Lower Ragsdale Dr.  
Bldg.1, Suite 120  
Monterey CA 93940  
[Jan.Sweigert@cdph.ca.gov](mailto:Jan.Sweigert@cdph.ca.gov)

Randy Barnard, P.E., Senior Sanitary Engineer  
CDPH Recycled Water Treatment Specialist  
California Department of Public Health  
1350 Front St., Rm. 2050,  
San Diego, CA 92101  
[Randy.Barnard@cdph.ca.gov](mailto:Randy.Barnard@cdph.ca.gov)

Steve Shimek, Executive Director  
Monterey Coastkeeper/The Otter Project  
[exec@otterproject.org](mailto:exec@otterproject.org)