
Central Valley Regional Water Quality Control Board

24 July 2013

John L. Smith
Oakstone Winery, Inc.
6460 Slug Gulch Road
Fair Play, CA 95684

RESCISSION OF COVERAGE UNDER CONDITIONAL WAIVER OF WASTE DISCHARGE REQUIREMENTS FOR SMALL FOOD PROCESSORS AND SMALL WINERIES WITHIN THE CENTRAL VALLEY REGION (ORDER R5-2009-0097-0014), OAKSTONE WINERY, INC., EL DORADO COUNTY

On 13 July 2010, the Executive Officer of the Central Valley Regional Water Quality Control Board issued a Notice of Applicability granting coverage under the Conditional Waiver of Waste Discharge Requirements for Small Food Processors and Small Wineries within the Central Valley Region, Order No. R5-2009-0097, to Oakstone Winery, Inc. You were assigned Order R5-2009-0097-0014.

On 19 March 2013, we received your request to terminate coverage under Order R5-2009-0097. Your letter states that Oakstone Winery burned down last spring and you will not make wine any more at this facility. Based on this information, Order R5-2009-0097-0014 is hereby rescinded.

If you have any questions, please contact Ms. Lixin Fu at (916) 464 4689 or lfu@waterboards.ca.gov.

Original signed by Ken Landau for

PAMELA C. CREEDON
Executive Officer

cc: Mr. Gordon Innes, State Water Board, Division of Water Quality, Sacramento
El Dorado County Environmental Management Dept., Placerville
Dan Hinrichs, DJH Engineering, Placerville