FARNSWORTH & VAN COTT
LAW OFFICES OF
VAN COTT, RITER & FARNSWORTH
SUITE 1311
WALKER BANK BUILDING
SALT LAKE CITY, UTAH

WALDEMAR VAN COTT, 1900-1940
W. D. RITER, 1906-1922
P. T. FARNSWORTH, JR.
WALDEMAR O. VAN COTT
GRANT H. BAGLEY
EDGAR C. JENSEN
S. N. CORNWALL
SAM STEPHENSON, JR.

April 25, 1944

International Smelting and Refining Co.,
Kearns Building,
Salt Lake City.

ATT'N Miss Hurst

Gentlemen:

We hand you herewith Abstract of Title covering the Two Pounder, Three Pounder, Red Bird No. 1, Red Bird No. 13 and Panama No. 6 Lodes of the Walker Mining Company last certified to June 7, 1935; also Field Notes covering survey of the above mentioned claims.

Yours very truly,

2
Encl.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

ABSTRACT OF TITLE

TO

Those certain Quartz Mining Claims situate in the County of Plumas, State of California, and being usually known as and called the

TWO POUNDER LODE

THREE POUNDER LODE

RED BIRD NO. 1 LODE

RED BIRD NO. 13 LODE

PANAMA NO. 6 LODE

D A T E D

Quincy, California,

June 7th. 1935.

COMPILED BY

PLUMAS COUNTY ABSTRACT COMPANY

L. L. CLOUGH, MGR.

QUINCY, CALIFORNIA

ABSTRACT OF TITLE

to

Those certain Quartz Mining Claims situate in the County of Plumas, State of California, and being usually known as and called the

TWO POUNDER LODE

THREE POUNDER LODE

RED BIRD NO. 1 LODE

RED BIRD NO. 13 LODE

PANAMA NO. 6 LODE

D A T E D

Quincy, California,

June 7th. 1935.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF LOCATION

Notice is hereby given, that the undersigned, having complied with the requirements of Section 2324 of the Revised Statutes of the United States, and the Local Laws, Customs and Regulations of this District, has located Fifteen Hundred Feet in length by 600 feet in width, on this the

TWO POUNDER

Lode, Vein or Deposit, bearing Gold, Silver, Copper, Lead and other valuable minerals, situated in Indian Township in the No Organized Mining District, Plumas County, State of California, the location b eing described and marked on the ground as follows, to wit:

Beginning 10 feet S 14° 09' E of this location (Discovery) Monument, at the South end center monument, and running thence S 57° 23 W. 316.3 feet to SW corner monument No. 1; thence N 14° 09' W 1500 feet to NW corner monument No. 2; thence N 57° 23' E 316.3 feet to North end center monument; thence N 57° 23' E 316.3 feet to NE corner monument No. 3; thence S 14° 09E 1500 feet to SE corner monument No. 4; thence S 57° 23' W 316.3 feet to place of beginning; including all Dips, Spurs, Angles and Variations. The south end line of this claim joins the north end line of the One Pounder Claim. The east side line of Piute No. 1 Claim of the Walker Mining Co. joins the west side line of this claim. The above described Mining Claim shall be known as the TWO POUNDER.

Located this 1st day of July, 1928.

Names of Locators: A. B. Hardwick.

Witness: J. A. Finlay.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

No. 793 Recorded at request of A. B. Hardwick, July 25, 1928, at 23 min. past 10 A. M. Compared.

M. Ella Peter Recorder

(In Vol. 17 of QUARTZ CLAIMS, at Page 303)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF LOCATION.

Notice is hereby given that the undersigned, having complied with the requirements of Section 2324 of the Revised Statutes of the United States, and the Local Laws, Customs and Regulations of this District, has located Fifteen Hundred feet in length by 600 feet in width, on this the

THREE POUNDER

Lode, Vein or Deposit, bearing Gold, Silver, Copper, Lead and other valuable minerals, situated about ½ mi. south of Section corner 19-20-29-30-T 25 N. -R 12 E in the no organized Mining District, Plumas County, State of Calif, the location being described and marked on the ground as follows, to wit:

Beginning 10 feet S 14° 09' E. of this location (Discovery) Monument, at the south end center monument, and running thence S 57° 23' W 316.3 feet to SW corner monument No. 1; thence N. 14° 09' W 1500 feet to NW corner monument No. 2; thence N 57° 23' E 316.3 feet to North end center monument; thence N 57° 23' E 316.3 feet to NE corner monument No. 3; thence S 14° 09' E 1500 feet to SE corner monument No. 4; thence S 57° 23 W 316.3 feet to place of beginning; including all Dips, Spurs, Angles and Variations.

The West side line of this claim joins the east side line of the Two Pounder Claim. The above described Mining Claim shall be known as the THREE POUNDER

Located this 1st day of July 1928

Names of Locators: A. B. Hardwick

Witness: J. A. Finlay

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

No. 794 Recorded at request of A. B. Hardwick July 25, 1928, at 24 min. past 10 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 17 of QUARTZ CLAIMS, at Page 303)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

A. B. Hardwick and Fay Hardwick, his wife, of Salt Lake City, Utah,) D E E D
)
to
) Dated:- Aug. 8th. 1928.
Walker Mining Company, a corporation of Arizona duly authorized to do and doing business in the State of California.) Consd., $10.00
) Vol. 62 Page 32

" Grant, bargain, sell, remise, release and forever Quitclaim "

All those certain rights to land, mining claims and property containing gold, silver, lead, copper and other precious metals, situate in no organized Mining District, Plumas County, State of California, viz:

Two Pounder and Three Pounder

(Now follows mention of Mining Claims not included under search.)

said above named mining claims being more fully described in the notices of location thereof, which said notices of location were duly recorded in the Office of the County Recorder of Plumas County, California, on July 25, 1928, in Volume 17 of Quartz Claims pages 302 to 318 inclusive.

Together with all metals, ores, gold and silver bearing quartz, rock and earth therein; and all dips and spurs, rights, privileges and franchises, tenements, hereditaments and appurtenances thereto incident or belonging, or therewith used and enjoyed, and all the estate, right, title, interest, property, claim and demand whatsoever, legal and equitable, as well in possession as in expectancy, of the part_ of the first part, of, in or to said premises, and every part thereof.

To have and to hold the same unto the party of the second

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

part, its successors and assigns forever.

And the said Fay Hardwick hereby relinquishes all her rights of survivorship, dower and substitute for dower, and grants and releases all interest and estates whatsoever, whether vested or inchoate and forever bars the same.

In Witness Whereof, etc.

A. B. Hardwick (Seal)

Fay Hardwick. (Seal)

Signed, Sealed and Delivered in
Presence of Audrey N. Atkins
B. R. Howell.

ACKNOWLEDGED:- Aug. 8th. 1928.

A. B. Hardwick and Fay Hardwick, his wife, acknowledged before Audrey N. Atkins, a Notary Public in and for Salt Lake City, Utah. (Cert. of acknowledgment, " STATE OF CALIFORNIA " form, in usual form and sealed.) " Commission expires Sept. 15, 1929. "

RECORDED:- July 3rd. 1929.

At request of Plumas County Abstract Co. in Vol. 62 of DEEDS, at Page 32, Plumas Co. Cal. Records.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTE BY ABSTRACTERS:-

A Certified Copy of the Articles of Incorporation of the WALKER MINING COMPANY, a Corporation organized under the Laws of the State of Arizona on October 18th. 1913 was filed in the Office of the County Clerk of Plumas Co. Cal., on February 24th. 1914, and bears the following endorsement:

" Filed in the Office of the Secretary of State of the State of California on Feb. 18th. 1914.

Frank C. Jordan

Secretary of State

By Frank H. Cory, Deputy".

PLUMAS COUNTY ABSTRACT CO.

By .....

MANAGER.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF QUARTZ MINING LOCATION

(Amended)

Notice is hereby given that the undersigned corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and regulations thereunder, and with the local customs, laws and regulations, has located and hereby claims under the name of

TWO POUNDER LODE

Fifteen Hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running 11.9 feet in a Southerly direction and 1486.15 feet in a northerly direction together with 300 feet of surface ground on each side of said lode line.

The said location is situated in no organized Mining District, Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows, to wit:

Beginning at the Discovery Monument:- Thence Southerly 11.9 feet to the South End Center Stake Thence Southwesterly 315.73 feet to the S. W. corner. Identical with Cor. Nos. 4-2 Sur. No. 5582A Piute No. 1 and Digger Lodes, Thence Northerly 1498.05 feet to the N. W. corner, identical with Cor. No. 1 Sur. No. 5582A Piute No. 1 lode. Thence Northeasterly 315.73 feet to the North End Center Stake Thence Northeasterly 315.48 feet to the N. E. Corner. An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement. Thence Southerly 1498.05 feet to the S. E.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Corner. An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement. Thence Southwesterly 315.48 feet to the South End Center Stake, the place of closure.

This being the same lode located July 1st. 1928, and recorded July 25th. 1928 in Volume 17, page 303 (Quartz) in the office of the County Recorder of Plumas County, State of California.

Tis additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the point of discovery this 14th day of September, A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer Agent.

Witnesses. W. F. Toole

H. Morstang.

No. 547 Recorded at request of Walker Mining Co. by J. A. Ingols September 15, 1932 at 32 min. past 10 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 19 of QUARTZ CLAIMS, at Page 259)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF QUARTZ MINING LOCATION

AMENDED

Notice is hereby given that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and regulations thereunder and with the local customs laws and regulations, has located and hereby claims under the name of

THREE POUNDER LODE

fifteen hundred linear feet of this ledge, commencing at this notice posted at the point of Discovery and running lo.32 feet in a Southerly direction and 1487.73 feet in a Northerly direction together with 300 feet of surface ground on each side of said lode line.

The said location is situated in no organized Mining District, Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows, to wit:

Beginning at the Discovery Monument:- Thence Southerly 10.32 feet to the South End Center Stake Thence Southwesterly 315.73 feet to the S. W. Corner, Identical with S. E. cor. Two Pounder Lode An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence Northerly 1498.05 feet to the N. W. Corner. Identical with N. E. Cor. Two Pounder Lode. An iron pipe 1.25 inches in diam. painted red, set in the ground in cement. Thence Northeasterly 315.73 feet to the North End center stake. Thence Northeasterly 315.73 feet to the N. E. Corner. An iron pipe

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

1.25 inches in diam., painted red, set in the ground in cement. Thence Southerly 1498.05 feet to the S. E. corner. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence southwesterly 315.73 feet to the South End Center Stake, the place of closure.

This being the same lode located July 1st. 1928, and recorded July 25th. 1928, in Volume 17, page 303 (Quartz) in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the Point of Discovery this 14th. day of September, A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer, Agent.

Witnesses: W. F. Toole

H. Morstang.

No. 548 Recorded at request of Walker Mining Co., by J. A. Ingols, September 15, 1932 at 33 min. past 10 A. M. Compared.

M. Ella Peter Recorder.

(In Vol. 19 of QUARTZ CLAIMS, at Page 260)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF QUARTZ LOCATION.

Notice is hereby given that the undersigned, citizens of the United States, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and the regulations thereunder and with the local customs, laws and regulations, has located and hereby claim under the name of the

RED BIRD #1 (One) QUARTZ CLAIM

600 x 1500 linear feet of this ledge, commencing at this notice, posted at the point of discovery, and running on the line of the lode five feet in Northerly direction, and 1495 feet in a Southerly direction, together with 300 feet of surface ground on each side of said lode line.

The said location is situated in T. 25 N. R. 12 E., Plumas County, California, on surveyed ground of the United States, and particularly described as follows, to wit:

Comencing at this discovery and running northerly 5 ft. thence easterly 300 ft. to N. E. Corner post No 1 thence southerly 1500 ft to SE. corner post No 2 thence Westerly 600 ft to SW. corner post No 3 thence northerly 1500 ft to NW corner post No 4 thence easterly 300 ft thence southerly five feet to place of beginning. The discovery of this the Red Bird #one claim is about 300 ft. easterly and thence about 1500 ft northerly from the NW corner post of the Rob Extention lode claim U. S. Patent No. 4865 The Panama No one claim joins it on the south and the Digger Claim on the west.

Dated and posted at the point of discovery, this 15 day of

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

August A. D., 1926.

Walke_ Mining Company Locators

By H. O. Bemis Agent

Witness H. A. Geisendofer

No. 1065 Recorded at request of Walker Mng. Co. Sept. 7, 1926, at 30 min. past 9 A. M. Compared.

H. L. Cate, Recorder.

(In Vol. 17 of QUARTZ CLAIMS, at Page 59)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF QUARTZ MINING LOCATION

AMENDED

Notice is hereby given that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty Two of the Revised Statutes of the United States and Regulations thereunder and with the local customs, laws and regulations, has located and hereby claims under the name of

RED BIRD NO. 1 LODE

Fifteen Hundred linear feet of this ledge, commencing at this notice, posted at the point of discovery and running 10.8 feet in a Northerly direction and 1488.79 feet in a Southerly direction together with 300 deet of surface ground on each side of said lode line.

The said location is situated in no organized Mining District, Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows, to wit:

Beginning at the Discovery Monument :- Thence Northerly 10.8 feet to the North end Center Stake Identical with the South End Center Stake Two Pounder Lode. Thence Northeasterly 315.48 feet to the N. E. corner. Identical with S. E. Cor. Two Pouhder Lode and S. W. Cor. Three Pounder Lode Thence Southerly 1499.59 feet to S. E. corner. Identical with Cor. No. 2 Sur. No. 5582A Panama No. 1 lode. Thence Southwesterly 315.48 feet to South end Center Stake Thence Southwesterly 315.73 feet to S. W. Corner. Identical with Cor. No. 1 Sur.No. 4865 Rob Extension lode and

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

with Cor. Nos. 1-1 Sur. No. 5582A Digger and Panama No. 1 lodes. Thence Northerly 1499.59 feet to N. W. corner. Identical with Cor. Nos. 4-2 Sur. No. 5582A Piute No. 1 and Digger lodes and with S. W. Cor. Two Pounder lode. Thence Northeasterly 315.73 feet to North End Center Stake, the place of closure.

This being the same lode located August 15th. 1926, and recorded September 7th. 1926 in Volume 17 page 59, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the point of discovery this 14th. day of September, A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer Agent

Witnesses: W. F. Toole

H. Morstang

No. 549 Recorded at request of Walker Mining Co. by J. A. Ingols September 15, 1932, at 34 min. past 10 A. M. Compared.

M. Ella Peter Recorder.

(In Vol. 19 of QUARTZ CLAIMS, at Page 261.)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF LOCATION.

Notice is hereby given, that the undersigned, having complied with the requirements of Section 2324 of the Revised Statutes of the United States, and the local laws, customs, and regulations of this district, has located fifteen hundred feet in length by 600 feet in width, on this the

RED BIRD NO. 13

Lode, Vein or Deposit, bearing Gold, Silver, Copper, Lead and other valuable minerals, situated in Indian Township in the unorganized mining district, Plumas County, State of California, the location being described and marked on the ground as follows, to wit:

Beginning 1439 feet S 14° 09' E. of this location (Discovery) Monument, at the south end center monument, and running thence S 57° 23' W 316.285 feet to S. W. corner monument No. 1; thence N 14° 09' W 1500 feet to N. W. corner monument No. 2; thence N. 57° 23' E 316.285 feet to North end center monument; thence N 57° 23' E 316.285 feet to N. E. corner monument No. 3; thence S 14° 09' E 1500 feet to S. E. corner monument No. 4; thence S 57° 23' W 316.285 feet to place of beginning; including all Dips, Spurs, Angles and Variations.

The north end line of this claim coincides with the south end line of the Three Pounder claim of the A. B. Hardwick locations, the west side line of this claim coincides with the east side line of the One Pounder claim of the A. B. Hardwick location.

The above described Mining Claim shall be known as the Red Bird No. 13 Located this 30th day of May, 1929.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Names of Locators: A. B. Hardwick

Witness D. D. MacLellan.

No. 2135 Recorded at request of A. B. Hardwick, June 22, 1929, at 4 min. past 9 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 18 of QUARTZ CLAIMS, at Page 2)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF LOCATION.

Notice is hereby given that the undersigned, having complied with the requirements of Section 2324 of the Revised Statutes of the United States, and the Local Laws, Customs and Regulations of this District, has located Fifteen hundred feet in length by 600 feet in width, on this the

PANAMA NO. 6

Lode, Vein or Deposit, bearing Gold, Silver, copper, lead and other valuable minerals, situated in Indian Township in the unorganized Mining District, Plumas County, State of California, the location being described and marked on the ground as follows, to wit:

Beginning 42 feet S. 14° 09' E of this location (Discovery) Monument, at the south end center monument, and running thence S. 57° 23' W 316.28 feet to S W corner monument No. 1; thence N 14° 09' W 1500 feet to N. W. corner monument No. 2; thence N. 57° 23' E 316.28 feet to North end center monument; thence N 57° 23' E 316.28 feet to N.E. corner monument No. 3; thence S 14° 09' E 1500 feet to S. E corner monument No. 4; thence S. 57° 23' W 316.28 feet to place of beginning; including all Dips, Spurs, Angles and Variations.

The west side line of this claim coincides with the east side line of Panama No. 1 of the Walker Mining Co.

The above described Mining Claim shall be known as the PANAMA NO 6 Located this 30th day of May, 1929.

Names of Locators A. B. Hardwick

Witness: D. D. MacLellan.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

No. 2133 Recorded at request of A. B. Hardwick, June 22, 1929, at 1 min. past 9 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 18 of QUARTZ CLAIMS, at Page 1)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

A. B. Hardwick and Fay Hardwick his wife, of Salt Lake City, Utah) D E E D

to

Walker Mining Company, a Corporation of Arizona, duly authorized to do and doing business in the State of California.) Dated:- July 19th. 1929.
) Consd., $350.00
) Vol. 62 Page 83

" Grant, bargain, sell, remise, release and forever Quitclaim "

All those certain rights to land, mining claims and property containing gold, silver, lead, copper and other precious metals, situate in no organized Mining District, Plumas County, State of California, viz:

Panama No. 6 and Red Bird No. 13

(Now follows mention of mining claims not included under search.)

Said above named mining claims are more fully described in the notice of location thereof, which said notices of location of said Panama No. 6, and Red Bird No. 13 mining claims were duly recorded in the office of said County Recorder on June 22, 1929, in Vol. 18 of Quartz Claims, pages 1 and 2.

Together with all metals, ores, gold and silver bearing quartz, rock and earth therein; and all dips and spurs, rights, privileges and franchises, tenements, hereditaments and appurtenances thereto incident or belonging or therewith used and enjoyed, and all the estate, right, title, interest, property, claim and demand whatsoever, legal and equitable as well in possession as in expectancy, of the part_ of the first part, of, in or to said premises, and every part thereof.

To have and to hold the same unto the party of the second

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

part, its successors and assigns forever.

And the said Fay Hardwick hereby relinquishes all her rights of survivorship, dower and substitute for dower, and grants and releases all interest and estates whatsoever, whether vested or inchoate, and forever bars the same.

In Witness Whereof, etc.

A. B. Hardwick (Seal)

Fay Hardwick (Seal)

Signed, Sealed and Delivered in presence of Audrew N. Atkins.

ACKNOWLEDGED:- July 19th. 1929.

A. B. Hardwick and Fay Hardwick, his wife, acknowledged before Audrew N. Atkins, a Notary Public in and for Salt Lake City, Utah. (Cert. of acknowledgment, " STATE OF CALIFORNIA " form, in usual form and sealed.)

RECORDED:- July 31st. 1929.

At request of Plumas County Abstract Co., in Vol. 62 of DEEDS, at Page 83, Plumas Co. Cal. Records.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF QUARTZ MINING LOCATION

AMENDED

Notice is hereby given that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

RED BIRD NO. 13 LODE

fifteen hundred lonear feet of this ledge, commencing at this notice, posted at the point of discovery and running 13.93 feet in a Northerly direction and 1485.66 feet in a Southerly direction together with 300 feet of surface ground on each side of said lode line.

The said location is situated in no organized mining District, Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows, to wit: Beginning at the Discovery Monument:-

Thence Northerly 13.93 feet to the North End center Stake Identical with the South End Center stake Three Pounder lode. Thence Northeasterly 315.73 feet to the N. E. corner. Identical with S. E. Cor. Three Pounder Lode. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence Southerly 1499.59 feet to the S. E. corner. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence Southwesterly 315.73 feet to the South End Center stake Thence Southwesterly 315.73 feet to the S. W. corner. Identical with Cor. No. 2

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Sur. No. 5582 A Panama No. 1 lode. Thence Northerly 1499.59 feet to the N. W. corner. Identical with S. E. Cor. Two Pounder Lode and S. W. Cor. Three Pounder Lode. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement. Thence Northeasterly 315.73 feet to the North End center stake the place of closure.

This being the same lode located May 30tj 1929 and recorded June 22nd. 1929, in Volume 18, page 2 in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired riths but for the purpose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the Point of Discovery this 14th day of September A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer Agent

Witnesses: W. F. Toole

H. Morstang

No. 550 Recorded at request of Walker Mining Co. by J. A. Ingols September 15, 1932 at 55 min. past 10 A. M. Compared.

M. Ella Peter Recorder

(In Vol. 19 of QUARTZ CLAIMS, at Page 262.)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF QUARTZ MINING LOCATION

AMENDED

Notice is hereby given that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty two of the Revised Statutes of the United States and tge regulations thereunder, and with the local customs, laws and regulations has located and hereby claims under the name of

PANAMA NO. 6 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the point of Discovery and running 17.7 feet in a Southerly direction and 1451.73 feet in a Northerly direction together with 300 feet of surface ground on each side of said lode line.

The said Location is situated in no organized Mining District Indian Township, Plumas County, State of California, on surveyed land of the United States and is particularly described as follows to wit:

Beginning at the Discovery Monument: Thence Southerly 17.7 feet to the South End Center Stake. Thence Southwesterly 315.73 feet to the S. W. Corner. Identical with Cor. No. 3 Sur. No. 5582A Panama No. 1 Lode Thence Northerly 1469.43 feet to the N. W. Corner, identical with Cor. No. 2 Sur. No. 5582A Panama No. 1 lode and with S. E. Cor. Red Bird No. 1 Lode and with S. W. Cor. Red Bird No. 13 Lode thence Northeasterly 315.73 feet to North end Center Stake identical with South End Center stake Red Bird No. 13 lode Thence Northeasterly 315.73 feet to N. E. Cor. Identical

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

with S. E. Cor. Red Bird No. 13 lode An iron pipe 1.25 inches in diam. painted red, set in the ground in cement. Thence southerly 1469.43 feet to the S. E. Cor. An iron pipe 1.25 inches in diam. painted red, set in the ground in cement. Thence Southwesterly 315.73 feet to the south end center Stake the place of closure.

This being the same lode located May 30th. 1929 and recorded June 22nd. 1929 in Volume 18, page 2 in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

Dated and posted on the lode at the point of discovery this 14th. day of September A. D. 1932.

Walker Mining Company

By H. A. Geisendorfer Agent

Witnesses: W. F. Toole

H. Morstang

No. 551 Recorded at request of Walker Mining Co. by J. A. Ingols September 15, 1932, at 36 min. past 10 A. M. Compared.

M. Ella Peter, Recorder.

(In Vol. 19 of QUARTZ CLAIMS, at Page 263.)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

ABSTRACTER'S CERTIFICATE.

State of California,)
County of Plumas.) SS.

WE HEREBY CERTIFY, that the foregoing Twenty-six (26) Pages contain full, true and correct copies of the following Notices of Location as of record in the Office of the County Recorder of Plumas County, California.

TWO POUNDER LODE, the Notice of Location of which was recorded on July 25th. 1928, in Vol. 17 of Quartz Claims, at Page 303, Plumas Co. Cal., Records.

TWO POUNDER LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz Claims, at Page 259, Plumas Co. Cal., Records.

THREE POUNDER LODE, the Notice of Location of which was recorded on July 25th. 1928, in Vol. 17 of Quartz Claims, at Page 303, Plumas Co. Cal., Records.

THREE POUNDER LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz Claims, at Page 260, Plumas Co. Cal, Records.

RED BIRD #1 (One) Quartz Claim, the Notice of Location of which was recorded on Sept. 7th. 1926, in Vol. 17 of Quartz Claims, at Page 59, Plumas Co., Records.

RED BIRD NO. 1 LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Claims, at Page 261, Plumas Co. Cal., Records.

RED BIRD NO. 13 LODE, the Notice of Location of which was recorded on June 22nd. 1929, in Vol. 18 of Quartz Claims, at Page 2, Plumas Co. Cal., Records.

RED BIRD NO. 13 LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz Claims, at Page 262, Plumas Co. Cal., Records.

PANAMA NO. 6 LODE, the Notice of Location of which was recorded on June 22nd. 1929, in Vol. 18 of Quartz Claims, at Page 1, Plumas Co. Cal., Records.

PANAMA NO. 6 LODE, the Amended Notice of Location of which was recorded on Sept. 15th. 1932, in Vol. 19 of Quartz Claims, at Page 263, Plumas Co. Cal., Records.

ALSO, a full, true and correct Abstract of all Conveyances deeds, judgments, decrees or muniments of Title from the parties named in said Notices of Location, their successors in interest or assigns, from the dates of said Notices of Location as the same appear of record in the Office of said County Recorder.

WITNESS, Our hand and Private Seal this 7th. day of June, A. D. 1935.

PLUMAS COUNTY ABSTRACT CO.,

By L. L. Clough

MANAGER.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

4-683

DEPARTMENT OF THE INTERIOR

GENERAL LAND OFFICE

MINERAL SURVEY No. 6137

Sacramento Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Walker Mining Company

Known As The

TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and PANAMA No.6 LODES

No organized Mining District,

Plumas County, California

Sections 29, 30 and 32, Township 25 North, Range 12 East, M.D.M.

Surveyed under instructions dated September 22, 1932.

by James A. Ingols
U. S. Mineral Surveyor.

Claim located (See back of this sheet), ~~19~~

Survey commenced October 10, 1932.

Survey completed October 26, 1932.

Address of claimant's attorneys: Van Cott Riter & Farnsworth,
Walker Bank Building,
Salt Lake City, Utah.

DATES OF AMENDED LOCATIONS.

September 14, 1932.

NOTICE OF QUARTZ MINING LOCATION

(AMENDED)

##########################

NOTICE IS HEREBY GIVEN that the undersigned corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

TWO POUNDER LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

11.9 feet in a southerly direction and
1486.15 feet in a northerly direction

together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit.-

Beginning at the Discovery Monument:-
Thence Southerly 11.9 feet to the South End Center stake
Thence Southwesterly 315.73 feet to the S.W.Corner. Identical with Cor. Nos.4-2 Sur. No.5582A Piute No.1 and and Digger lodes
Thence Northerly 1498.05 feet to the N.W. Corner Identical with Cor. No.1 Sur. No.5582A Piute No.1 lode
Thence Northeasterly 315.73 feet to the North End Center Stake
Thence Northeasterly 315.48 feet to the N.E.Corner. An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1498.05 feet to the S.E. Corner. An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southwesterly 315.48 feet to the South End Center Stake, the place of closure.

This being the same lode located July 1st. 1928 and recorded July 25th 1928 in Volume 17, Page 303 (Quartz) in the office of the County Recorder of Plumas County, State of California.

Tis additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A.D. 1932.

Walker Mining Company
by H. A. Geisendorfer, Agent.

Witnesses.
W. F. Toole
H. Morstang

No. 547, Recorded at request of Walker Mining Co. by J. A. Ingols, September 15, 1932 at 32 min. past 10 A. M.

M. Ella Peter, Recorder.

Stae of California,)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location.

Two Pounder Lode- Walker Mining Company,
Locator.

as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932.

M. Ella Peter RECORDER.
by..... DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION

AMENDED

##################

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

THREE POUNDER LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

10.32 feet in a Southerly direction and
1487.73 feet in a Northerly direction

together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, To-wit:-

Beginning at the Discovery Monument:-
Thence Southerly 10.32 feet to the South End Center Stake
Thence Southwesterly 315.73 feet to the S.W.Corner, Identical with S.E. Cor. Two Pounder Lode
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Northerly 1498.05 feet to the N.W.Corner. Identical with N.E.Cor. Two Pounder Lode
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Northeasterly 315.73 feet to the North End Center Stake
Thence Northeasterly 315.73 feet to the N.E.Corner.
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1498.05 feet to the S.E.Corner.
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southwesterly 315.73 feet to the South End Center Stake, the place of closure.

This being the same lode located July 1st. 1928 and recorded July 25th. 1928 in Volume 17, Page 303 (Quartz) in the Office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A.D. 1932

Walker Mining Company
by H. A. Geisendorfer, Agent

Witnesses
W. F. Toole
H. Morstang

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

No. 548 Recorded at request of Walker Mining Co. By J. A. Ingols, September 15, 1932 at 33 min. past 10 A. M.

M. Ella Peter, Recorder.

State of California,)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location

Three Pounder Lode - Walker Mining Company, locator

as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932.

M. Ella Peter RECORDER
by..... DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION

AMENDED

##########

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

RED BIRD No.1 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running
10.8 feet in a Northerly direction and
1488.79 feet in a Southerly direction
together with 300 deet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit:-

Beginning at the Discovery Monument:-
Thence Northerly 10.8 feet to the North End Center Stake
Identical with the South End Center Stake Two Pounder lode
Thence Northeasterly 315.48 feet to the N.E.Corner.
Identical with S.E.Cor. Two Pounder lode and S.W. Cor. Three Pounder lode
Thence Southerly 1499.59 feet to S.E.Corner.
Identical with Cor.No.2 Sur. No. 5582A Panama No.1 lode
Thence Southwesterly 315.48 feet to South End Center Stake
Thence Southwesterly 315.73 feet to S.W.Corner.
Identical with Cor. No.1 Sur. No.4865 Rob Extension lode and with Cor. Nos. 1-1 Sur. No.5582A Digger and Panama No.1 lodes.
Thence Northerly 1499.59 feet to N.W. Corner.
Identical with Cor. Nos.4-2 Sur. No.5582A Piute No.1 and Digger lodes and with S.W.Cor. Two Pounder lode.
Thence Northeasterly 315.73 feet to North End Center Stake, the place of closure.

This being the same lode located August 15th 1926, and recorded September 7th. 1926 in Volume 17, Page 59, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September, A. D. 1932.

Walker Mining Company
by H. A. Geisendorfer, Agent.

Witnesses.
W. F. Toole
H. Morstang

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For full copyright policy, please contact the AHC by mail or email.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

No.549, Recorded at request of Walker Mining Co. by J. A. Ingols, September 15, 1932 at 34 min. past 10 A. M.

M. Ella Peter, Recorder.

State of California,)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Location

Red Bird No.1 Lode - Walker Mining Company, locator

as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932.

M. Ella Peter RECORDER.
by..... DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION

AMENDED

##################

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

RED BIRD NO. 13 LODE

fifteen hundred lonear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

13.93 feet in a Northerly direction and
1485.66 feet in a Southerly direction

together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit:-

Beginning at the Discovery Monument:-
Thence Northerly 13.93 feet to the North End Center Stake
Identical with the South End Center Stake Three Pounder lode.
Thence Northeasterly 315.73 feet to the N.E.Corner.
Identical with S.E.Cor. Three Pounder lode.
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1499.59 feet to the S.E.Corner.
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southwesterly 315.73 feet to the South End Center Stake
Thence Southwesterly 315.73 feet to the S.W.Corner.
Identical with Cor. No.2 Sur. No.5582A Panama No.1 lode.
Thence Northerly 1499.59 feet to the N.W.Corner.
Identical with S.E.Cor.Two Pounder lode and S.W. Cor. Three Pounder lode.
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Northeasterly 315.73 feet to the North End Center Stake the place of closure.

This being the same lode located May 30tj 1929 and recorded June 22nd. 1929 in Volume 18, Page 2, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A. D. 1932

Witnesses.
W. F. Toole
H. Morstang

Walker Mining Company.
by H. A. Geisendorfer, Agent.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

No. 550 Recorded at request of Walker Mining Co. by J. A. Ingols, September 15, 1932 at 35 min. past 10 A.M.

M. Ella Peter, Recorder.

State of California,)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location

Red Bird No.13 Lode - Walker Mining Company, locator

as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932



M. Ella Peter RECORDER.
by.....DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION.

AMENDED

##################

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and tge Regulations thereunder, and with the local customs, laws and regulations, has located and hereby claims under the name of

PANAMA NO.6 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

17.7 feet in a Southerly direction and
1451.73 feet in a Northerly direction

together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows; to-wit:-

Beginning at the Discovery Monument.-
Thence Southerly 17.7 feet to the South End Center Stake
Thence Southwesterly 315.73 feet to the S.W.Corner. Identical with Cor. No.3 Sur. No.5582A Panama No.1 lode
Thence Northerly 1469.43 feet to the N.W. Corner. Identical with Cor. No.2 Sur. No.5582A Panama No.1 lode and with S.E.Cor. Red Bird No.1 lode and with S.W.Cor. Red Bird No.13 lode
Thence Northeasterly 315.73 feet to North End Center Stake
Identical with South End Center Stake Red Bird No.13 lode
Thence Northeasterly 315.73 feet to N.E. Cor. Identical with S.E. Cor. Red Bird No.13 lode An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1469.43 feet to the S.E.Cor. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southwesterly 315.73 feet to the South End Center Stake the place of closure.

This being the same lode located May 30th 1929 and recorded June 22nd. 1929 in Volume 18, Page 2, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A. D. 1932.

Walker Mining Company.
by H.A.Geisendorfer, Agent.

Witnesses:-
W. F. Toole
H. Morstang

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

No. 551 Recorded at request of Walker Mining Co. by J. A. Ingols, September 15, 1932 at 36 min. past 10 A.M.

M. Ella Peter, Recorder.

State of California, }
County of Plumas, } ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location

Panama No.6 Lode - Walker Mining Company, locator

as of record in Volume 19, Quartz claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept., 1932.

M. Ella Peter RECORDER.
by....DEPUTY RECORDER

Feet

Mineral Survey No.6137 was made with a Buff and Berger Transit No.2369, with horizontal limb 5.00 ins. diam., having two double opposite verniers, and full vertical circle 5.00 ins. diam., having one double vernier; the verniers read to one minute of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order. A.M. and p.m. altitude observations of the sun for azimuth were made each day when conditions permitted, the details of two of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridians thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a steel tape 500 feet in length, graduated every foot, with the first and last foot graduated to tenths and hundredths; a steel tape 100 feet in length and a steel tape 50 feet in length, each graduated to feet, tenths and hundredths; all tapes have been checked, and found correct.

All lines and connections of this survey were run by traverse methods, to avoid cutting valuable timber, as shown by the calculation sheets herewith submitted.

The magnetic variation is given at each corner of the survey.

RED BIRD No.1 LODE

Beginning at Cor. No.1 of the Red Bird No.1 Lode, which is identical with Cor. No.1 of Sur. No.4865 Rob Extension lode, claimant herein, and with Cor. Nos.1-1 of Sur. No.5582 A, Digger and Panama No.1 lodes, claimant herein.

A fir post, 4 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. R.EX-1-4865,1-PM1-D-5582A, and which I mkd. RB1-1-6137; from which

The cor. of secs. 29, 30, 31 and 32, T.25 N.,R.12 E., M.D.M., bears S.61°40'E., 466.05 ft. dist.; a porphyry stone, 6x8 ins., 16 ins. above ground, and in a mound of stone, markings not legible, with two bearing trees marked by the Forest Service, indicating and identifying the corner.

A fir, 12 ins. diam., bears North 12.17 ft. dist., mkd. 1-PM1-1-D-5582A-BT, and which I mkd. RB1-1-6137.

A fir, 42 ins. diam., bears S.60°03'E., 27.23 ft. dist., mkd. 1-PM1-1-D-5582A-BT, and which I mkd. RB1-1-6137.

Thence N.14°18'15"W. Var. 16°47'E.

1,305 Creek bed, dry, course north westerly.

1,499.59 Cor. No. 2, which is identical with Cor. Nos. 2-4 of Sur. No.5582A Digger and Piute No.1 lodes, respectively, claimant herein.

A spruce post, 4 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. 2-D-4-P1-5582A, and which I mkd. RB1-2-TP-2-6137; from which

A fir, 16 ins. diam., bears N.81°W.,17.33 ft. dist., mkd. 2-D-4-P1-5582A-BT, and which I mkd. RB1-2-TP-2-6137.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

SURVEY No. 6137.

Feet	
	A fir, 36 ins. diam., bears N.17°44'W., 60.55 ft. dist., mkd. 2-D-4-P1-5582A-BT, and which I mkd. RB1-2-TP-2-6137.
	Thence N.56°56'E. Var. 18°50'E.
230	Road, bears northwesterly and southeasterly.
631.21	Cor. No. 3.
	Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 3, with brass cap mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13; from which
	A fir, 30 ins. diam., bears N.54°47'W., 52.51 ft. dist., mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13-BT.
	A fir, 42 ins. diam., bears S.45°31'W., 63.46 ft., dist., mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13-BT.
	Thence S.14°18'15"E. Var. 18°52'E.
1,499.59	Cor. No. 4, which is identical with Cor. No.2 of Sur. No.5582A Panama No.1 lode.
	Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 2 of Sur. No. 5582A Panama No.1 lode and Cor. No. 4 Red Bird No.1 lode, with brass cap mkd. 2-PM1-5582A-4-1-1-6137-RB1-RB13-P6; from which
	A fir, 16 ins. diam., bears S.60°04'W., 57.54 ft. dist., mkd. 2-PM1-5582A-BT, and which I mkd. 4-1-1-6137-RB1-RB13-P6.
	A fir, 14 ins. diam., bears S.47°20'W., 57.18 ft. dist. mkd. 2-PM1-5582A-BT, and which I mkd. 4-1-1-6137-RB1-RB13-P6.
	Thence S.56°56'W. Var.18°38'E.
120	Road, bears northerly and southerly.
631.21	Cor. No. 1, and palce of beginning.
	TWO POUNDER LODE
	Beginning at Cor. No. 1 of the Two Pounder Lode, whichis identical with Cor. No.3 of the Red Bird No.1 lode of this survey; from which
	The ¼ sec. cor. of secs. 29 and 30, T.25 N.,R.12 E., M.D.M., bears N.21°57'30"E., 684.61 ft. dist.; a porphyry stone, 7x9 ins.; 12 ins. above ground, and in a mound of stone, markings not legible, and with two bearing trees, marked by the Forest Service, indicating and identifying the corner.
	Thence S.56°56'W.
401.21	Road, bears northwesterly and southeasterly.
631.21	Cor. No. 2, which is identical with Cor. No. 2 of the Red Bird No.1 lode of this survey, and with Cor. Nos. 2-4 of Sur. No. 5582A Digger and Piute No.1 lodes, respectively.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Feet

Thence N.14°54'W.

944.32 Intersect line 4-1 Sur. No. 5948 September Morn No. 1 lode, claimant herein, at a point from which Cor. No.1 bears N.56°56'E., 233.9 ft. dist.

1,498.05 Cor. No. 3, which is identical with Cor. No. 1 of Sur. No. 5582A Piute No. 1 lode; a fir post, 5 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. 1-Pl-5582A, and which I mkd. 3-6137-TP; from which

Cor. No. 1 Sur. No. 5948 September Morn No. 1 lode bears S.39°42'30"E., 529.68 ft. dist.

A pine, 50 ins. diam., bears S.61°56'E., 53.61 ft. dist., mkd. 1-Pl-5582A-BT, and which I mkd. 3-6137-TP.

A fir, 22 ins. diam., bears N.62°15'W., 42.01 ft. dist., mkd. 1-Pl-5582A-BT, and which I mkd. 3-6137-TP.

Thence N.56°56'E.

Var.18°55'E.

35 Road, bears northwesterly and southeasterly.

510.6 Intersect line 1-2 Sur. No. 5948, September Morn No. 1 lode at a point from which Cor. No. 1 bears S.7°26'W., 691.9 ft. dist.

631.21 Cor. No. 4.

Set an iron pipe, painted red, 40 ins. long, 1¼ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-3-6137-TP-TRP; from which

A fir, 10 ins. diam., bears N.16°24'W., 33.97 ft. dist., mkd. 4-3-6137-TP-TRP-BT.

A fir, 36 ins. diam., bears N.43°48'W., 45.04 ft. dist., mkd. 4-3-6137-TP-TRP-BT.

Thence S.14°54'E.

Var.18°50'E.

1,498.05 Cor. No. 1, and place of beginning.

THREE POUNDER LODE.

Beginning at Cor. No. 1 of the Three Pounder Lode, where I-

Set an iron pipe, painted red, 40 ins. long, 1¼ ins. diam., 18 ins. in the ground, in cement, for Cor. No.1, with brass cap mkd. 1-3-6137-TRP-RB13; from which

The ¼ sec. cor. of secs. 29 and 30 bears N.43°15'W., 398.71 ft. dist.; previously described.

A fir, 36 ins. diam., bears N.57°42'W., 34.58 ft. dist., mkd. 1-3-6137-TRP-RB13-BT.

A fir, 20 ins. diam., bears S.29°51'W., 28.75 ft. dist., mkd. 1-3-6137-TRP-RB13-BT.

Thence S.56°56'W.

Var.19°43'E.

631.46 Cor. No. 2, which is identical with Cor. Nos. 3-1-2 Red Bird No.1, Two Pounder and Red Bird No. 13 lodes, respectively, of this survey.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

SURVEY No. 6137.

Feet	
	Thence N.14°54'W.
1,498.05	Cor. No. 3, which is identical with Cor. No. 4 Two Pounder lode of this survey.
	Thence N.56°56'E.
410	Creek, course northwesterly.
631.46	Cor. No. 4.
	Set an iron pipe, painted red, 40 ins. long, 1¼ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-6137-TRP; from which
	A fir, 32 ins. diam., bears S.47°51'E., 11.55 ft. dist., mkd. 4-6137-TRP- BT.
	A fir, 12 ins. diam., bears S.31°14'W., 57.56 ft. dist., mkd. 4-6137-TRP-BT.
	Thence S.14°54'E. Var.19°56'E.
300	Creek, course northwesterly.
1,498.05	Cor. No. 1, and place of beginning.
	RED BIRD No. 13 LODE.
	Beginning at Cor. No. 1 of the Red Bird No. 13 Lode, which is identical with Cor. No. 4 Red Bird No.1 lode of this survey and Cor. No. 2 of Sur. No. 5582A Panama No. 1 lode; from which
	The cor. of secs. 29, 30, 31 and 32 bears S.11°51'30" W., 577.92 ft. dist.; previously described.
	Thence N.14°18'15"W.
1,499.59	Cor. No. 2, which is identical with Cor. Nos. 3-1-2 of the Red Bird No.1, Two Pounder and Three Pounder lodes, respectively, of this survey.
	Thence N.56°56'E.
631.46	Cor. No. 3, which is identical with Cor. No. 1 of the Three Pounder lode of this survey.
	Thence S.14°18'15"E.
1,499.59	Cor. No. 4.
	Set an iron pipe, painted red, 40 ins. long, 1¼ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-2-6137-RB13-P6; from which
	A fir, 24 ins. diam., bears S.8°23'W., 40.6 ft. dist. mkd. 4-2-6137-RB13-P6-BT.
	A fir, 17 ins. diam., bears S.77°42'W., 19.99 ft. dist., mkd. 4-2-6137-RB13-P6-BT.
	Thence S.56°56'W. Var.18°50'E.
631.46	Cor. No. 1, and place of beginning.

Anaconda Geologic Documents Collection. American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code) For our full copyright policy, please contact the AHC by mail or email.

Feet

PANAMA No. 6 LODE.

Beginning at Cor. No. 1 of the Panama No. 6 Lode, which is identical with Cor. Nos. 4-1 Red Bird No.1 and Red Bird No.13 lodes, respectively, of this survey, and Cor. No. 2 of Sur. No. 5582A Panama No.1 lode.

Thence N.56°56'E.

631.46 Cor. No. 2, which is identical with Cor. No.4 Red Bird No. 13 lode of this survey.

Thence S.14°11'42"E.

1,469.43 Cor. No. 3.

Set an iron pipe, painted red, 40 ins. long, 1½ ins. diam., 18 ins. in the ground, in cement, for Cor. No.3, with brass cap mkd. 3-6137-P6; from which

A fir, 24 ins. diam., bears S.18°33'W., 14.96 ft. dist., mkd. 3-6137-P6-BT.

A fir, 14 ins. diam., bears N.25°34'E., 7.71 ft. dist., mkd. 3-6137-P6-BT.

Thence S.56°56'W.

Var.17°23'E.

555 Road, bears northerly and southerly.

631.46 Cor. No. 4, which is identical with Cor. No. 3 of Sur. No. 5582A Panama No. 1 lode.

A spruce post, 4x5 ins., 24 ins. above ground, and in a mound of stone, mkd. 3-PM1-5582A, and which I mkd. 4-6137-P6; from which

Cor. No. 1 of Sur. No. 5582A Panama No.2 lode, claimant herein, bears S.57°03'W., 61.99 ft. dist.

A fir, 10 ins. diam., bears N.39°04'W., 9.1 ft. dist. mkd. 3-PM1-5582A-BT., and which I mkd. 4-6137-P6.

A fir, 32 ins. diam., bears S.28°59'E., 41.86 ft. dist., mkd. 3-PM1-5582A-BT, and which I mkd. 4-6137-P6.

Thence N.14°11'42'W.

Var.17°51'E.

290 Road, bears northwesterly and southeasterly.

1,469.43 Cor. No. 1, and place of beginning.

LODE LINES.

The presumed course of the vein of each of the several locations embraced in this survey, counted from the respective points of discovery, is as follows:

Red Bird No. 1 lode, N.14°18'15"W., 10.8 ft.; and S.14°18'15"E., 1488.79 ft.

Two Pounder lode, S.14°54'E., 11.9 ft.; and, N.14°54'W., 1486.15 ft.

Three Pounder lode, S.14°54'E., 10.32 ft.; and, N.14°54' W., 1487.73 ft.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code) For our full copyright policy, please contact the AHC by mail or email.

SURVEY No. 6137

Red Bird No. 13 lode, N.14°18'15"W., 13.93 ft.; and, S.14°18'15"E., 1485.66 ft.

Panama No. 6 lode, S.14°11'42"E., 17.7 ft.; and, N.14° 11'42"W., 1451.73 ft.

AREAS.

	Acres.
Total area, Red Bird No. 1 lode.....	20.576
Total area, Two Pounder lode.....	20.626
Area in conflict with-	
Sur. No. 5948 September Morn No. 1 lode.....	4.497
Total area, Three Pounder lode.....	20.634
Total area, Red Bird No. 13 lode.....	20.584
Total area, Panama No. 6 lode.....	20.157

LOCATION.

This survey is located in the NW¼ and SW¼ sec. 29, NE¼ and SE¼ sec. 30, and NW¼ sec. 32, T.25 N., R.12 E., M. D. M.

The survey of the several lodes as stated herein is identical with the respective amended location as marked on the ground.

EXPENDITURE OF $500.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors is not less than $500, and that said improvements consist of:

No. 1. The discovery point of the Red Bird No. 1 lode, which is on the lode line 10.8 ft. from a point on line 2-3, 315.73 ft. from Cor. No. 2.
No value.

No. 1. The discovery point of the Two Pounder lode, which is on the lode line 11.9 ft. from a point on line 1-2, 315.48 ft. from Cor. No. 1.
No value.

No. 1. The discovery point of the Three Pounder lode, which is on the lode line 10.32 ft. from the middle of line 1-2.
No value.

No. 1. The discovery point of the Red Bird No. 13 lode, which is on the lode line 13.93 ft. from the middle of line 2-3.
No value.

No. 1. The discovery point of the Panama No. 6 lode, which is on the lode line 17.7 ft. from a point on line 3-4, 315.73 ft. from Cor. No. 3.
No value.

An interest in a common improvement described as follows:

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

A tunnel 4x6 ft. in size, the portal of which bears N.39°33'W., 639.1 ft. from Cor. No. 2 Two Pounder lode running S.88°48'E., 98.6 ft. to pt. A; thence N.88°21' E., 44.9 ft. to pt. B at face. At pt. B is a two compartment, timbered incline shaft 7x11 ft. in size, running on a dip of 45°, N.88°15'E., 100.7 ft. to pt. C; thence N.89°36'E., 175.7 ft. to pt. D; thence N.89° 37'E., 202.8 ft. to point E on the 7th level. At pt. E, a drift 8x10 ft. in size, runs N.11°14'W., 95.2 ft. to pt. F; thence S.11°25'W., 68 ft. to pt. G; thence S.12°38'W., 20 ft. to pt. H; thence S.0°54'W., 50.06 ft. to pt. I.

Value of incline shaft and drift, $19.365.

The incline shaft and drift in this improvement were constructed for the development of the five lodes of this survey, all of which being within range of benefit of said improvement.

The surface rises rapidly to the east, and more gradually to the southeast, from the portal of the tunnel which, with the incline shaft, drift and laterals, form an integral part of the main operating and ventilating system of the claimant's contiguous property; and through, and by means of, that system is afforded the most practical and economical means of developing each of said lodes at depth. The geological structure is that of schist, cut by fissures running northerly and southerly, and dipping easterly. The ore bodies throughout the mine are in this schist and, except where outcrops occur, the schist is covered with a lava flow.

From the foot of the incline shaft, a winze extends from the 7th level to the 10th level, approximately 500 ft. lower, with many feet of lateral drifts and crosscuts. The mine assay and development maps, and the monthly progress reports, show that these drifts and crosscuts extend nearly to the east side line of the Red Bird No. 13 lode of this survey, thence southerly several hundred feet, into said lode; the assay values being such as to warrant the claimant in continuing that method of developing the locations embraced in this survey. At the time of this survey, owing to the temporary closure of the mine, this winze and its laterals were filled with water to the 7th level.

Five hundred dollars or over has been expended in the incline shaft and drift in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed.

The tunnel, valued at $1500, was credited to Sur. No. 5582A Piute lode, and therefore is not included in the valuation of the common improvement.

The incline shaft was driven as a raise from the 7th level, or main haulage level, of the claimant's contiguous property, which latter is partially described hereinafter under "Other Improvements".

The first, or lower, 130.5 ft. of the raise, valued at $4567.50, were driven in May and June, 1928, for the purpose of developing the Red Bird No. 1 lode of this survey, to which its value is credited.

The remaining 348.7 ft. of said raise, valued at $12,197.50, were driven between July 1 and December 1, 1928, for the purpose of developing the Red Bird No. 1, Two Pounder and Three Pounder lodes of this survey, and an undivided one-third interest is therefore credited to each.

The last 130 ft. of the drift, valued at $2600, were driven during July and August, 1930, for the benefit of

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

the Two Pounder, Three Pounder, Red Bird No. 1, Red Bird No.13, and Panama No.6 lodes of this survey, and therefore an undivided one-fifth interest is credited to each.

Except as above stated, no portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

OTHER IMPROVEMENTS.

A drift which runs from pt. I of the above described common improvement, S.4°01'W., 82.13 ft., thence S.10° E., 25.95 ft., thence South 188.5 ft., thence S.24°49'W. 22.58 ft., thence South 310.9 ft., thence southerly on the 7th or main haulage level to portal.

Claimant herein.

A drift which runs from pt. E of the above described common improvement, N.83°45'E., 27.0 ft. to Sta. 1, thence N.0°42'E., 80.96 ft., thence N.0°24'E., 99.18 ft., thence N.31°59'W., 34 ft., thence N.2°15'W., 75.82 ft., thence N.7°15'E., 52.99 ft., thence N.22°58'E.,56.22 ft., thence N.15°E., 43.2 ft. to face.

Claimant herein.

A drift which runs from Sta. 1 in the preceding improvement, S.16°36'E.,63.4 ft., thence S.2°34'E.,102.6 ft., thence S.25°42'E., 24.16 ft., thence S.13°10'E., 48.37 ft., thence S.23°12'W., 31.11 ft., thence S.28°19' E.,48.43 ft., thence S.14°W.,70.83 ft., thence S.8°09'W. 64.24 ft., thence S.43°15'E., 55.07 ft., thence S.35°41' E., 19.19 ft., thence S.22°03'E., 34.61 ft. to face.

Claimant herein.

OTHER CORNER DESCRIPTIONS.

Sur. No. 5582A Panama No.1 lode: Cor. No.2 is a spruce post, 4x5 ins., 24 ins. above ground, mkd. 2-PM1-5582A, badly rotted at the ground line and very unstable, I replaced it with the iron pipe previously described, with the original post alongside. Line 1-2 was found to be N.56°56'E.,631.21 ft., instead of N.57°23'E.,632.57 ft. as approved. Line 2-3 was found to be S.14°11'42"E., 1469.43 ft., instead of S.14°09'E.,1467.9 ft. as approved.

Sur. No. 5582A Digger lode: Line 1-2 was found to be N.14°18'15"W.,1499.59 ft., instead of N.14°12'W.,1499.6 ft. as approved.

Sur. No. 5582A Piute No.1 lode: Line 4-1 was found to be N.14°54'W.,1498.05 ft., instead of N.14°09'W., 1500 ft. as approved.

Sur. No. 5948 September Morn No.1 lode: Cor. No.1 is a galvanized iron pipe, 1¼ ins. diam., 18 ins. above ground and in a mound of stone, with brass cap mkd. SM1-1-5948. Cor. No.2 is a galvanized iron pipe, 1¼ ins. diam., 18 ins. above ground, and in a mound of stone, with brass cap mkd. SM1-2-5948. Cor. No.4 is a galvanized iron pipe 1¼ ins. diam., 18 ins. above ground, and in a mound of stone, with brass cap mkd. SM1-4-5948. I find line 1-2 to be N.7°26'E.,1506.96 ft., instead of N.7°E.,1500 ft. as approved. I find line 4-1 to be N.56°56'E.,775.76 ft. instead of N.57°E.,783.2 ft. as approved.

The section line between the SW¼ sec.29 and SE¼ sec.30, T.25 N.,R.12 E., M.D.M., was found to be N.0°05'30"E., 2653.64 ft., instead of North 2640 ft. as approved.

Note: The disagreements between these field notes and the amended location certificates are due to errors in the latter.

Anaconda Geological Documents Collection. American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For out of copyright policy, please contact the AHC by mail or email.

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals employed by James A. Ingols United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Walker Mining Company known as the TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and PANAMA No.6 LODES and showing the respective capacities in which they acted.

Hans Morstang, *Chainman.*

Howard Morstang, *Chainman.*

_____, *Axman.*

_____, *Flagman.*

FINAL OATHS OF ASSISTANTS

We, Hans Morstang and Howard Morstang, do solemnly swear that we assisted James A. Ingols, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Walker Mining Company known as the TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and PANAMA No.6 LODES represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the Office Cadastral Engineer, at Glendale, California.

Hans Morstang, *Chainman.*

Howard Morstang, *Chainman.*

_____, *Axman.*

_____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 4th day of November, 1932.

Alfred N. Waite

Notary Public

My commission expires March 27, 1934.

GOVERNMENT PRINTING OFFICE 6—1043

Anaconda Geological Documents Collection. American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

4-686

DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FINAL OATH OF U. S. MINERAL SURVEYOR

I, James A. Ingols, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer, at Glendale, California, dated September 22, 1932, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly executed the survey of the mining claim of Walker Mining Company, known as the TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and PANAMA No.6 LODES situate in No organized Mining District, Plumas County, California, in Sections 29, 30 and 32, Township No. 25 N., Range No. 12 E. of the M.D.M. and designated as Survey No. 6137, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copies the location certificates, which was received by me from the Office Cadastral Engineer with said instructions, and that all corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

James A. Ingols

(U. S. Mineral Surveyor.)

Subscribed and sworn to by the said James A. Ingols U. S. Mineral Surveyor, before me Alfred N. Waite a Notary Public this Fourth day of November, 1932.

Alfred N. Waite

Notary Public

My commission expires
March 27, 1934

Arizona Geological Survey Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

4—687

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Glendale, California,

December 31, 1932., 192

I, Office Cadastral Engineer at Glendale, California,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Walker Mining Company

, known as the TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and PANAMA No.6 LODES

situate in No organized mining district,

Plumas County, California,

in Sections 29, 30 and 32, Township No. 25 North, Range No. 12 East

M. D. M., designated as Survey No. 6137

executed by James A. Ingols, U. S. Mineral Surveyor, October 10-26, 1932, under my instructions dated September 22, 1932, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

John D. Adams
Office Cadastral Engineer.

GOVERNMENT PRINTING OFFICE 6—7131

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

4—688

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Glendale, California,

December 31, 1932.

I, Office Cadastral Engineer Glendale, California,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Walker Mining Company known as the TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.13 and PANAMA No.6 LODES situate in No organized Mining District Plumas County California in Sections 29, 30, 32 Township No. 25 North, Range No. 12 East, M.D.M., and designated as Survey No. 6137, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon, or for the benefit of, each location embraced in said mining claim by claimant ---- or its grantors, and that said improvements consist of an incline shaft and drift; Value, $19,365.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Sacramento, California, is correct and in conformity with the foregoing Field Notes.

John D. Adams
Office Cadastral Engineer.

GOVERNMENT PRINTING OFFICE

Anaconda Geospot Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17 U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Sacramento 022990 4—1043.

The United States of America,

To all to whom these presents shall come, Greeting:

Walker Patents

WHEREAS, the Walker Mining Company, being the owner of a certain tract of land situated and included within the limits of the Plumas National Forest, California, has, under the provisions of the Act approved March 20, 1922 (42 Stat. 465), entitled "An Act To consolidate national forest lands", reconveyed and relinquished the said tract to the United States and has, under the provisions of said Act, selected in lieu thereof the following described tracts of land:

"The Lot six, the southwest quarter of the northwest quarter of the northwest quarter of the northwest quarter, the northwest quarter of the southwest quarter of the northwest quarter of the northwest quarter, and the southwest quarter of the southwest quarter of the northwest quarter of the northwest quarter of Section five, the southeast quarter of the southeast quarter of the northeast quarter of the northeast quarter of Section six, the northeast quarter of the northeast quarter of the northeast quarter of the northeast quarter, the south half of the northeast quarter of the northeast quarter of the northeast quarter, the south half of the northwest quarter of the northeast quarter of the northeast quarter, the southeast quarter of the northeast quarter of the northwest quarter of the northeast quarter, the east half of the southeast quarter of the northwest quarter of the northeast quarter, the east half of the northeast quarter of the southwest quarter of the northeast quarter, the southwest quarter of the northeast quarter of the northeast quarter, the northwest quarter of the southeast quarter of the northeast quarter, the southeast quarter of the northeast quarter of the northeast quarter, and the northeast quarter of the southeast quarter of the northeast quarter of Section seven, the northwest quarter of the northwest quarter of the northwest quarter of the northwest quarter, the south half of the northwest quarter of the northwest quarter, the southwest quarter

6—2160 GOVERNMENT PRINTING OFFICE

of the northwest quarter of the northwest quarter, and the north half of the northwest quarter of the southwest quarter of the northwest quarter of Section eight in Township twenty-four north and the south half of the southwest quarter of the southwest quarter of the southwest quarter of Section thirty-two in Township twenty-five north all in Range twelve east of the Mount Diablo Meridian, California, containing one hundred eight acres and twenty-two hundredths of an acre, according to the Official Plat of the Survey of the said Land, on file in the General Land Office:

NOW KNOW YE, That the UNITED STATES OF AMERICA, in consideration of the premises, HAS GIVEN AND GRANTED, and by these presents DOES GIVE AND GRANT, unto the said Walker Mining Company, and to its successors, the tracts above described; TO HAVE AND TO HOLD the same, together with all the rights, privileges, immunities, and appurtenances, of whatsoever nature thereunto belonging, unto the said Walker Mining Company and to its successors and assigns forever; subject to any vested and accrued water rights for mining, agricultural, manufacturing, or other purposes, and rights to ditches and reservoirs used in connection with such water rights as may be recognized and acknowledged by the local customs, laws, and decisions of courts; and there is reserved from the lands hereby granted, a right of way thereon for ditches or canals constructed by the authority of the United States. Reserving unto the United States, its permittee or licensee, the right to enter upon, occupy and use, any part or all of the southeast quarter of the southeast quarter of the northeast quarter of the northeast quarter of said Section six and the northeast quarter of the northeast quarter of the northeast quarter of said Section seven, for the purposes provided in the Act of June 10, 1920 (41 Stat. 1063), and subject to the conditions and limitations of Section 24 of said Act.

IN TESTIMONY WHEREOF, I, Herbert Hoover,

President of the United States of America, have caused these letters to be made Patent, and the Seal of the General Land Office to be hereunto affixed.

GIVEN under my hand, at the City of Washington, the EIGHTH day of APRIL in the year of our Lord one thousand nine hundred and TWENTY-NINE and of the Independence of the United States the one hundred and FIFTY-THIRD

By the President: Herbert Hoover

By Viola D Pugh, Secretary.

M. P. LeRoy

Recorder of the General Land Office.

RECORDED: Patent Number 1025718

G—2187 GOVERNMENT PRINTING OFFICE

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.
SERIAL NO.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	) AFFIDAVIT AS TO MINERAL CHARACTER OF CLAIMS

STATE OF California)
COUNTY OF Plumas,) SS.

H. A. GEISENDORFER, being first duly sworn, deposes and says:

That he is a citizen of the United States, over the age of twenty-one years, and resides in Berkeley, California; that he is a mining engineer by profession and has followed that occupation for many years; that he is now and since about the middle of the year 1926 has been Manager of the Walker Mining Company's mine in Plumas County, California, and in charge of the operation thereof; that prior to becoming such Manager he was employed by said mining company for several years as Mine Foreman and that he is well acquainted with the topographical, geological and mining conditions in the vicinity of said Walker mine where all of the above named mining claims are situated and that he is well acquainted with the mining claims named in the caption hereof and also hereinafter named, Mineral Surveys Nos. 5582A and 5953, all of which claims are located in Sec. 5, T. 22 N., R. 12 E. and Secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M.D.M., in an unorganized mining district, Plumas County, California.

All of said nineteen named mining claims are situated at an elevation of about 7000 feet on rocky slopes, and the land has

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

no value for agriculture. All of said land is mainly valuable for its mineral content.

The following is a statement as to the mineral character, the water courses and springs, if any, and the timber located on each of said claims.

RELIABLE EXTENSION: This claim is located on the Walker Mine Vein System and adjoins the Copper Center Extention Claim on its north end line, and the Standard Claim on its east side line, both Walker Mining Company Claims, the former a patented claim, Survey No. 4865. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the entire surface of the claim is covered by a recent lava flow, the mineralized Robinson Schist has been exposed in its northern portion by the mine workings.

The main adit tunnel of the Walker Mine connecting with the 7th level, bearing approximately N. 16° E., extends diagonally across the northern portion of the claim and penetrates a slightly mineralized granite before reaching the schist.

A small amount of ore from this claim carrying values in copper, gold and silver has been extracted and milled.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing fir and cedar of poor quality.

STANDARD: This claim is located on the Walker Mine Vein System and adjoins the Bullion, a patented claim of the Walker Mining Company, Survey No. 4865, on its north end line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the entire surface of this claim is covered by a recent lava flow, the mineralized Robinson Schist has been exposed by the underground workings of the Walker Mine in the northern end of this claim from a depth of 800 feet to a depth of 1300 feet vertically below the surface as exposed in 700 A

winze and its workings.

These workings have opened up wide veins of quartz in the mineralized Robinson Schist from which ore to the extent of many thousands of tons has been extracted and milled, carrying values in copper, gold and silver. Some drifts driving south from these workings have exposed a slightly mineralized granite.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

PACIFIC NO. 1: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Copper Center, a patented claim of the Walker Mining Company, Survey No. 4865, on its east side line. The Robinson Schist, in which this vein system is located, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist, or with float of the same material, and quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 2: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Copper Center Extention, a patented claim of the Walker Mining Company, Survey No. 4865, on its east side. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

South of Ward Creek this claim is covered by a recent lava flow, but north of Ward Creek the mineralized Robinson Schist is exposed as outcrops and float carrying considerable quartz.

No ore has been extracted from this claim.

There are no springs on this claim. Ward Creek flows across the claim but is often dry in late summer and fall.

The timber is not valuable. North of Ward Creek there is some scattering pine but to the south it is mostly fir of poor quality.

PACIFIC NO. 4: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Pacific No. 1 Claim of the Walker Mining Company on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist, or with float of the same material, and quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 5: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Valley View Extention, a patented claim of the Walker Mining Company, Survey No. 4865, on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist or with float of the same material and quartz.

No ore has been extracted from this claim.

There are nosprings or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 6: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Pacific No. 5 Claim of the Walker Mining Company on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of the claim is covered either with outcrops of the mineralized Robinson Schist or with float of the same material and quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 7: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Valley View Claim, a patented claim of the Walker Mining Company, Survey No. 4865, on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist or with float of the same material and some quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 8: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Pacific No. 7 Claim of the Walker Mining Company on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist, or with float of the same material, and some quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PANAMA NO. 1: This claim is located on the Walker Mine Vein System and adjoins the Rob Extension, a patented claim of the Walker Mining Company, Survey No. 4865, on its west side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district and this schist is exposed over the greater portion of this claim.

The workings on the 10th level of the Walker Mine in Panama No. 2 Claim have penetrated to within 200 feet of the south end line of this claim and are in valuable veins carrying commercial values in copper, gold and silver. These veins are trending directly into this claim and will cross its south end line about 1400 feet beneath the surface and 200 feet east of the downward projection of its southwest corner. Also diamond drill holes Nos. 11 and 12, flat holes from the 6th level of the Walker Mine workings, the one 400 feet north of its south end line and nearly parallel with it, and the other 700 feet north of its south end line and nearly parallel with it, have penetrated this claim for a distance of 450 feet and 270 feet respectively, exposing the Robinson Schist with quartz and mineralization.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

Most of this claim is covered with a fair stand of a poor grade of fir.

PANAMA NO. 2: This claim is located on the Walker Mine

Vein System and adjoins the Rob, a patented claim of the Walker Mining Company, Survey No. 4865, on its west side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district. This schist is exposed on the northwestern portion of the claim, the remainder of the claim being covered by a recent lava flow.

The workings of the Walker Mine on the 9th and 10th levels have penetrated within the boundaries of this claim and have opened up wide veins of quartz in the Robinson Schist carrying commercial values in copper, gold and silver. Several thousand tons of ore from these workings has been extracted and milled.

There are no springs or water courses on this claim.

The timber on this claim is sparse. There is a little Tamarack pine and fir on each end of the claim, the central portion being open, flat, country.

PANAMA NO. 3: This claim is located on the Walker Mine Vein System and adjoins the Sioux Claim of the Walker Mining Company on its west side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the surface of this claim is covered with a recent lava flow, there is very good evidence that the Robinson Schist is the formation beneath the lava, for the following reasons. The schist is exposed on the northern portion of the Panama No. 2 Claim where it is not covered with lava, and this claim adjoins the Panama No. 3 on the north; though the Sioux Claim is entirely covered with lava, the underground workings of the mine have proved the schist to extend the full length of the Sioux Claim, which adjoins the Panama No. 3 on its west side line; also a diamond drill hole "D", starting from the face of 646 sublevel crosscut east, at a depth of 800 feet below the surface, extends N. 72° 30' E. horizontally, entirely across Panama No. 4 and Panama No. 5 Claims and exposes the mineralized schist below the lava, which covers the surface of

both of these claims. This drill hole crosses the center line of Panama No. 4 Claim approximately 150 feet south of the center of the south end line of the Sioux Claim, exposing mineralized schist, and crosses the center line of Panama No. 5 Claim approximately 335 feet south of the center of the south end line of Panama No. 3 Claim, exposing mineralized schist; so that with mineralized Robinson Schist exposed on three sides of Panama No. 3 Claim, it is evident that the mineralized Robinson Schist extends beneath the lava that covers this claim. It is possible the lava is but 100 to 200 feet deep, varying, however, with the contour of the old land surface on which it was outpoured.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

PANAMA NO. 4: This claim is located on the Walker Mine Vein System and adjoins the Standard Claim on its west side line and the Sioux Claim on its north end line, both Walker Mine claims. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the entire surface of the claim is covered by a recent lava flow, the mineralized Robinson Schist has been exposed for the entire width of the claim by diamond drill hole "D", except for certain dykes of granite.

Diamond drill hole "D" starts from the face of 646 sublevel crosscut east, at a vertical depth of 800 feet below the surface, extends N. 72° 30' E. horizontally across Panama No. 4 Claim and intersects the downward projection of its center line at a point approximately 150 feet south of the center of its north end line and about 800 feet deep. The schist carries quartz and values in copper, gold and silver.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

PANAMA NO. 5: This claim is located on the Walker Mine Vein System and adjoins the Panama No. 4 on its west side line and the Panama No. 3 on its north end line, both Walker Mine Claims. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the entire surface of the claim is covered by a recent lava flow, the mineralized Robinson Schist has been proved for the entire width of the claim by diamond drill hole "D".

Diamond drill hole "D" starts from the face of 646 sub-level crosscut east, at a depth of 800 feet below the surface, and extends N. 72° 30' E. horizontally across Panama No. 4 Claim and entirely across Panama No. 5 Claim, and pierces the downward projection of the center line of this claim approximately 335 feet south of its north center end and about 900 feet below the surface. The schist carries quartz and values in copper, gold and silver.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

DIGGER: This claim is located on the Walker Mine Vein System and adjoins the Rob Extension on its south end line and the Walker Extention on its west side line, both patented claims of the Walker Mining Company, Survey No. 4865. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and this schist is exposed over the entire surface of this claim, in which veins of quartz carrying values in copper, gold andsilver occur.

The workings of the Walker Mine have penetrated beneath

the boundaries of this claim and near its center ore to the extent of many thousand tons has been extracted and milled. The ore so far mined occurs from 400 feet to 800 feet vertically below the surface.

There are no springs or water courses on this claim.

A poor grade of fir timber covers most of the claim.

PIUTE NO. 1: This claim is located to the north on the Walker Mine vein system and adjoins the Digger, a Walker Mine claim, on its north end line. The Robinson Schist, in which this vein system is located, is the mineral bearing rock of the district.

The workings of the Walker Mine have penetrated beneath the boundaries of this claim, and a shaft, starting near the center of the claim, has connected with these workings. The 5th level from this shaft has been developed for a length of 1100 feet within the boundaries of this claim, showing a wide mineralized zone within the mineralized Robinson Schist, carrying commercial values in copper, gold and silver.

Commercial ore, to the extent of many thousand tons, has been extracted and milled.

On the surface the extreme north end of the claim is covered with a recent lava flow under which the veins extend. On the remainder of the claim the mineralized Robinson Schist is exposed.

There are several small springs on this claim near Piute Creek which crosses this claim. Both creek and springs go dry during the late summer and fall.

This claim is covered with a scattering growth of pine and fir.

PIUTE NO. 2: This claim is located to the north on the Walker Mine vein system and adjoins the Piute No. 1 Claim on its east side line and the Walker Extention Claim on its south end line, both Walker Mine claims, the latter a patented claim, Survey

No. 4865. The Robinson Schist, in which this vein system is located, is the mineral bearing rock of the district. The Walker Mining Company has blocked out many thousand tons of valuable ore in Piute No. 1 claim.

On the surface the Robinson Schist is exposed over the entire surface of the claim.

From the face of 601 sublevel crosscut west, 30 feet above the main seventh or adit level of the mine and at a point about 600 feet nearly vertically beneath Corner No. 4, Piute No. 1 Claim, drill hole No. 19 was driven west for a distance of 909 feet on a dip of plus 0° 31'. This hole penetrated to the center of Piute No. 2 Claim, exposing Robinson Schist the entire distance in which were zones carrying values in copper, gold and silver.

No ore has been extracted from this claim.

Piute Creek crosses this claim and there are several springs adjacent to the creek. Both creek and springs go dry during the late summer and fall.

This claim is covered with underbrush and a considerable growth of timber - a little pine but mostly fir of small dimensions.

PIUTE NO. 3: This claim is located to the north on the Walker Mine vein system, 900 feet westerly from an area on which the Walker Mining Company has developed a valuable deposit of commercial ore in the Robinson Schist. It adjoins the Valley View Claim, a patented claim of the Walker Mining Company, Survey No. 4865, on its south end line.

The mineralized Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and this schist is exposed over the entire surface of this claim, either as outcrops or as float with some quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

This claim is covered with a thick growth of underbrush and considerable fir of small dimensions on its northern portion and with a scattering growth of pine and fir on its southern and higher portion. The ground slopes steeply to the north.

SIOUX: This claim is located on the Walker Mine Vein System and adjoins the Rob on its north end line and the Bullion on its west side line, both patented claims of the Walker Mining Company, Survey No. 4365. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the surface of the claim is covered with a recent flow of lava, the Robinson Schist is exposed for the whole length of the claim by the underground workings of the Walker Mine.

These underground workings down to the 10th level have opened up wide veins of quartz in the Robinson Schist from which ore to the extent of many thousands of tons has been extracted and milled.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

H. A. Reisendorfer

Subscribed and sworn to before me this 31st day of May, 1933.

My commission expires Feb. 5th 1935

Leon L. Clough

Notary Public residing at

Quincy California

(Seal)

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	) AFFIDAVIT AS TO MINERAL CHARACTER OF CLAIMS

STATE OF California)
) SS.
COUNTY OF Plumas,)

H. A. GEISENDORFER, being first duly sworn, deposes and says:

That he is a citizen of the United States, over the age of twenty-one years, and resides in Berkeley, California; that he is a mining engineer by profession and has followed that occupation for many years; that he is now and since about the middle of the year 1926 has been Manager of the Walker Mining Company's mine in Plumas County, California, and in charge of the operation thereof; that prior to becoming such Manager he was employed by said mining company for several years as Mine Foreman and that he is well acquainted with the topographical, geological and mining conditions in the vicinity of said Walker mine where all of the above named mining claims are situated and that he is well acquainted with the mining claims named in the caption hereof and also hereinafter named, Mineral Surveys Nos. 5582A and 5953, all of which claims are located in Sec. 5, T. 22 N., R. 12 E. and Secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M.D.M., in an unorganized mining district, Plumas County, California.

All of said nineteen named mining claims are situated at an elevation of about 7000 feet on rocky slopes, and the land has

Anaconda Geologist Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

no value for agriculture. All of said land is mainly valuable for its mineral content.

The following is a statement as to the mineral character, the water courses and springs, if any, and the timber located on each of said claims.

RELIABLE EXTENSION: This claim is located on the Walker Mine Vein System and adjoins the Copper Center Extention Claim on its north end line, and the Standard Claim on its east side line, both Walker Mining Company Claims, the former a patented claim, Survey No. 4865. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the entire surface of the claim is covered by a recent lava flow, the mineralized Robinson Schist has been exposed in its northern portion by the mine workings.

The main adit tunnel of the Walker Mine connecting with the 7th level, bearing approximately N. 16° E., extends diagonally across the northern portion of the claim and penetrates a slightly mineralized granite before reaching the schist.

A small amount of ore from this claim carrying values in copper, gold and silver has been extracted and milled.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing fir and cedar of poor quality.

STANDARD: This claim is located on the Walker Mine Vein System and adjoins the Bullion, a patented claim of the Walker Mining Company, Survey No. 4865, on its north end line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the entire surface of this claim is covered by a recent lava flow, the mineralized Robinson Schist has been exposed by the underground workings of the Walker Mine in the northern end of this claim from a depth of 800 feet to a depth of 1300 feet vertically below the surface as exposed in 700 A

winze and its workings.

These workings have opened up wide veins of quartz in the mineralized Robinson Schist from which ore to the extent of many thousands of tons has been extracted and milled, carrying values in copper, gold and silver. Some drifts driving south from these workings have exposed a slightly mineralized granite.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

PACIFIC NO. 1: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Copper Center, a patented claim of the Walker Mining Company, Survey No. 4865, on its east side line. The Robinson Schist, in which this vein system is located, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist, or with float of the same material, and quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 2: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Copper Center Extention, a patented claim of the Walker Mining Company, Survey No. 4865, on its east side. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

South of Ward Creek this claim is covered by a recent lava flow, but north of Ward Creek the mineralized Robinson Schist is exposed as outcrops and float carrying considerable quartz.

No ore has been extracted from this claim.

There are no springs on this claim. Ward Creek flows across the claim but is often dry in late summer and fall.

The timber is not valuable. North of Ward Creek there is some scattering pine but to the south it is mostly fir of poor quality.

PACIFIC NO. 4: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Pacific No. 1 Claim of the Walker Mining Company on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist, or with float of the same material, and quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 5: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Valley View Extention, a patented claim of the Walker Mining Company, Survey No. 4865, on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist or with float of the same material and quartz.

No ore has been extracted from this claim.

There are nosprings or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 6: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Pacific No. 5 Claim of the Walker Mining Company on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of the claim is covered either with outcrops of the mineralized Robinson Schist or with float of the same material and quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 7: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Valley View Claim, a patented claim of the Walker Mining Company, Survey No. 4865, on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist or with float of the same material and some quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PACIFIC NO. 8: This claim is located on a belt of mineralized Robinson Schist paralleling the Walker Mine Vein System on the west. It adjoins the Pacific No. 7 Claim of the Walker Mining Company on its east side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district.

The entire surface of this claim is covered either with outcrops of the mineralized Robinson Schist, or with float of the same material, and some quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

There is considerable underbrush on this claim and some scattering fir and pine.

PANAMA NO. 1: This claim is located on the Walker Mine Vein System and adjoins the Rob Extension, a patented claim of the Walker Mining Company, Survey No. 4865, on its west side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district and this schist is exposed over the greater portion of this claim.

The workings on the 10th level of the Walker Mine in Panama No. 2 Claim have penetrated to within 200 feet of the south end line of this claim and are in valuable veins carrying commercial values in copper, gold and silver. These veins are trending directly into this claim and will cross its south end line about 1400 feet beneath the surface and 200 feet east of the downward projection of its southwest corner. Also diamond drill holes Nos. 11 and 12, flat holes from the 6th level of the Walker Mine workings, the one 400 feet north of its south end line and nearly parallel with it, and the other 700 feet north of its south end line and nearly parallel with it, have penetrated this claim for a distance of 450 feet and 270 feet respectively, exposing the Robinson Schist with quartz and mineralization.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

Most of this claim is covered with a fair stand of a poor grade of fir.

PANAMA NO. 2: This claim is located on the Walker Mine

Vein System and adjoins the Rob, a patented claim of the Walker Mining Company, Survey No. 4865, on its west side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district. This schist is exposed on the northwestern portion of the claim, the remainder of the claim being covered by a recent lava flow.

The workings of the Walker Mine on the 9th and 10th levels have penetrated within the boundaries of this claim and have opened up wide veins of quartz in the Robinson Schist carrying commercial values in copper, gold and silver. Several thousand tons of ore from these workings has been extracted and milled.

There are no springs or water courses on this claim.

The timber on this claim is sparse. There is a little Tamarack pine and fir on each end of the claim, the central portion being open, flat, country.

PANAMA NO. 3: This claim is located on the Walker Mine Vein System and adjoins the Sioux Claim of the Walker Mining Company on its west side line. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the surface of this claim is covered with a recent lava flow, there is very good evidence that the Robinson Schist is the formation beneath the lava, for the following reasons. The schist is exposed on the northern portion of the Panama No. 2 Claim where it is not covered with lava, and this claim adjoins the Panama No. 3 on the north; though the Sioux Claim is entirely covered with lava, the underground workings of the mine have proved the schist to extend the full length of the Sioux Claim, which adjoins the Panama No. 3 on its west side line; also a diamond drill hole "D", starting from the face of 646 sublevel crosscut east, at a depth of 800 feet below the surface, extends N. 72° 30' E. horizontally, entirely across Panama No. 4 and Panama No. 5 Claims and exposes the mineralized schist below the lava, which covers the surface of

both of these claims. This drill hole crosses the center line of Panama No. 4 Claim approximately 150 feet south of the center of the south end line of the Sioux Claim, exposing mineralized schist, and crosses the center line of Panama No. 5 Claim approximately 335 feet south of the center of the south end line of Panama No. 3 Claim, exposing mineralized schist; so that with mineralized Robinson Schist exposed on three sides of Panama No. 3 Claim, it is evident that the mineralized Robinson Schist extends beneath the lava that covers this claim. It is possible the lava is but 100 to 200 feet deep, varying, however, with the contour of the old land surface on which it was outpoured.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

PANAMA NO. 4: This claim is located on the Walker Mine Vein System and adjoins the Standard Claim on its west side line and the Sioux Claim on its north end line, both Walker Mine claims. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the entire surface of the claim is covered by a recent lava flow, the mineralized Robinson Schist has been exposed for the entire width of the claim by diamond drill hole "D", except for certain dykes of granite.

Diamond drill hole "D" starts from the face of 646 sublevel crosscut east, at a vertical depth of 800 feet below the surface, extends N. 72° 30' E. horizontally across Panama No. 4 Claim and intersects the downward projection of its center line at a point approximately 150 feet south of the center of its north end line and about 800 feet deep. The schist carries quartz and values in copper, gold and silver.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

PANAMA NO. 5: This claim is located on the Walker Mine Vein System and adjoins the Panama No. 4 on its west side line and the Panama No. 3 on its north end line, both Walker Mine Claims. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the entire surface of the claim is covered by a recent lava flow, the mineralized Robinson Schist has been proved for the entire width of the claim by diamond drill hole "D".

Diamond drill hole "D" starts from the face of 646 sub-level crosscut east, at a depth of 800 feet below the surface, and extends N. 72° 30' E. horizontally across Panama No. 4 Claim and entirely across Panama No. 5 Claim, and pierces the downward projection of the center line of this claim approximately 335 feet south of its north center end and about 900 feet below the surface. The schist carries quartz and values in copper, gold and silver.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

DIGGER: This claim is located on the Walker Mine Vein System and adjoins the Rob Extension on its south end line and the Walker Extention on its west side line, both patented claims of the Walker Mining Company, Survey No. 4365. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and this schist is exposed over the entire surface of this claim, in which veins of quartz carrying values in copper, gold andsilver occur.

The workings of the Walker Mine have penetrated beneath

the boundaries of this claim and near its center ore to the extent of many thousand tons has been extracted and milled. The ore so far mined occurs from 400 feet to 800 feet vertically below the surface.

There are no springs or water courses on this claim.

A poor grade of fir timber covers most of the claim.

PIUTE NO. 1: This claim is located to the north on the Walker Mine vein system and adjoins the Digger, a Walker Mine claim, on its north end line. The Robinson Schist, in which this vein system is located, is the mineral bearing rock of the district.

The workings of the Walker Mine have penetrated beneath the boundaries of this claim, and a shaft, starting near the center of the claim, has connected with these workings. The 5th level from this shaft has been developed for a length of 1100 feet within the boundaries of this claim, showing a wide mineralized zone within the mineralized Robinson Schist, carrying commercial values in copper, gold and silver.

Commercial ore, to the extent of many thousand tons, has been extracted and milled.

On the surface the extreme north end of the claim is covered with a recent lava flow under which the veins extend. On the remainder of the claim the mineralized Robinson Schist is exposed.

There are several small springs on this claim near Piute Creek which crosses this claim. Both creek and springs go dry during the late summer and fall.

This claim is covered with a scattering growth of pine and fir.

PIUTE NO. 2: This claim is located to the north on the Walker Mine vein system and adjoins the Piute No. 1 Claim on its east side line and the Walker Extention Claim on its south end line, both Walker Mine claims, the latter a patented claim, Survey

No. 4865. The Robinson Schist, in which this vein system is located, is the mineral bearing rock of the district. The Walker Mining Company has blocked out many thousand tons of valuable ore in Piute No. 1 claim.

On the surface the Robinson Schist is exposed over the entire surface of the claim.

From the face of 601 sublevel crosscut west, 30 feet above the main seventh or adit level of the mine and at a point about 600 feet nearly vertically beneath Corner No. 4, Piute No. 1 Claim, drill hole No. 19 was driven west for a distance of 909 feet on a dip of plus 0° 31'. This hole penetrated to the center of Piute No. 2 Claim, exposing Robinson Schist the entire distance in which were zones carrying values in copper, gold and silver.

No ore has been extracted from this claim.

Piute Creek crosses this claim and there are several springs adjacent to the creek. Both creek and springs go dry during the late summer and fall.

This claim is covered with underbrush and a considerable growth of timber - a little pine but mostly fir of small dimensions.

PIUTE NO. 3: This claim is located to the north on the Walker Mine vein system, 900 feet westerly from an area on which the Walker Mining Company has developed a valuable deposit of commercial ore in the Robinson Schist. It adjoins the Valley View Claim, a patented claim of the Walker Mining Company, Survey No. 4865, on its south end line.

The mineralized Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and this schist is exposed over the entire surface of this claim, either as outcrops or as float with some quartz.

No ore has been extracted from this claim.

There are no springs or water courses on this claim.

This claim is covered with a thick growth of underbrush and considerable fir of small dimensions on its northern portion and with a scattering growth of pine and fir on its southern and higher portion. The ground slopes steeply to the north.

SIOUX: This claim is located on the Walker Mine Vein System and adjoins the Rob on its north end line and the Bullion on its west side line, both patented claims of the Walker Mining Company, Survey No. 4865. The Robinson Schist, in which this vein system occurs, is the mineral bearing rock of the district, and though the surface of the claim is covered with a recent flow of lava, the Robinson Schist is exposed for the whole length of the claim by the underground workings of the Walker Mine.

These underground workings down to the 10th level have opened up wide veins of quartz in the Robinson Schist from which ore to the extent of many thousands of tons has been extracted and milled.

There are no springs or water courses on this claim.

This claim is poor timber land and has been cut over but contains some standing timber, mostly fir of poor quality.

H. A. Heisenbarber

Subscribed and sworn to before me this 31st day of May, 1933.

My commission expires Feb. 5th 1935

Lora L. Clough

Notary Public residing at

Quincy, California

(Seal)

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2, AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; and SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.

AFFIDAVIT AS TO IMPROVEMENTS

County not filled in in my original

STATE OF CALIFORNIA,)
) SS.
COUNTY OF _____)

H. A. Geisendorfer, being first duly sworn, deposes and says:

That he is a citizen of the United States, over the age of 21 years, and resides in Berkeley, California; that he is a mining engineer by profession and has followed that occupation for many years; that he is now and since about the middle of 1926 has been Manager of the Walker Mining Company's mine in Plumas County, California, and in charge of the operation thereof; that prior to becoming such Manager he was employed by said Mining Company for several years as Mine Foreman and that he is well acquainted with the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, and with the improvements made, work done and money expended upon said mining claims and that work has been done, improvements made and money expended upon or for the benefit of each of the nineteen mining claims hereinabove specifically named to the value of more than $500.00.

H. A. Geisendorfer

Subscribed and sworn to before me this 31st day of May 1933.
My commission expires Feb. 5th 1935

(Seal)

Rose E. Clough
Notary Public residing at Quincy, California.

This material may be protected by copyright law (Title 17, U.S. Code). For over full copyright policy please contact the AHC by mail or email

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2, AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; and SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	)	AFFIDAVIT AS TO IMPROVEMENTS

STATE OF CALIFORNIA,)
) SS.
COUNTY OF _____)

H. A. Geisendorfer, being first duly sworn, deposes and says:

That he is a citizen of the United States, over the age of 21 years, and resides in Berkeley, California; that he is a mining engineer by profession and has followed that occupation for many years; that he is now and since about the middle of 1926 has been Manager of the Walker Mining Company's mine in Plumas County, California, and in charge of the operation thereof; that prior to becoming such Manager he was employed by said Mining Company for several years as Mine Foreman and that he is well acquainted with the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, and with the improvements made, work done and money expended upon said mining claims and that work has been done, improvements made and money expended upon or for the benefit of each of the nineteen mining claims hereinabove specifically named to the value of more than $500.00.

H. A. Geisendorfer

Subscribed and sworn to before me this 31st day of May 1933.
My commission expires Feb. 5th 1935

Lean L. Clough

(Seal)

Notary Public residing at Quincy
California.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2, AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5682A; and SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	AFFIDAVIT AS TO IMPROVEMENTS

STATE OF CALIFORNIA,)
) ss.
COUNTY OF _____)

H. A. Geisendorfer, being first duly sworn, deposes and says:

That he is a citizen of the United States, over the age of 21 years, and resides in Berkeley, California; that he is a mining engineer by profession and has followed that occupation for many years; that he is now and since about the middle of 1926 has been Manager of the Walker Mining Company's mine in Plumas County, California, and in charge of the operation thereof; that prior to becoming such Manager he was employed by said Mining Company for several years as Mine Foreman and that he is well acquainted with the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5682A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated and with the improvements made, work done and money expended upon said mining claims and that work has been done, improvements made and money expended upon or for the benefit of each of the nineteen mining claims hereinabove specifically named to the value of more than $500.00.

H. A. Geisendorfer

Subscribed and sworn to before me this 31st day of May 1935.
My commission expires Feb. 5th 1935

(Seal)

Irene L. Clough
Notary Public residing at Quincy
California.

Portions of this material may be protected by copyright law (Title 17, U.S. Code). For more information about copyright policy, please contact the Archivist (archivist@fs.fed.us or email

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2, AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 6588A; and SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5965; CONSOLIDATED.

) AFFIDAVIT AS TO IMPROVEMENTS

STATE OF CALIFORNIA,)
) ss.
COUNTY OF _____)

H. A. Geisendorfer, being first duly sworn, deposes and says:

That he is a citizen of the United States, over the age of 21 years, and resides in Berkeley, California; that he is a mining engineer by profession and has followed that occupation for many years; that he is now and since about the middle of 1926 has been Manager of the Walker Mining Company's mine in Plumas County, California, and in charge of the operation thereof; that prior to becoming such Manager he was employed by said Mining Company for several years as Mine Foreman and that he is well acquainted with the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 6588A; and Sioux lode mining claim, Mineral Survey No. 5965; Consolidated and with the improvements made, work done and money expended upon said mining claims and that work has been done, improvements made and money expended upon or for the benefit of each of the nineteen mining claims hereinabove specifically named to the value of more than $500.00.

H. A. Geisendorfer

Subscribed and sworn to before me this 31st day of May 1933.
My commission expires Feb. 5th 1935

Irene L. Claugh
Notary Public residing at Quincy

(Seal)

Use of this material may be restricted by copyright law (Title 17, U.S. Code). For more information about copyright policy, please contact the Archives staff.

4-883

DEPARTMENT OF THE INTERIOR

GENERAL LAND OFFICE

MINERAL SURVEY No. 6137

Sacramento Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Walker Mining Company

Known As The

TWO POUNDER, THREE POUNDER, RED BIRD No.1, RED BIRD No.3 and PAPAA No.6 LODES

No organized Mining District,

Plumas County, California

Sections 29, 30 and 32 Township 25 North, Range 12 East, M.D.M.

Surveyed under instructions dated September 22, 1932.

by James A. Ingols
U. S. Mineral Surveyor.

Claim located (See back of this sheet) 19--

Survey commenced October 10, 1932.

Survey completed October 26, 1932.

Address of claimant's attorneys: Van Cott, Ritter & Farnsworth,
Walker Bank Building,
Salt Lake City, Utah.

DATES OF AMENDED LOCATIONS.

September 14, 1932.

NOTICE OF QUARTZ MINING LOCATION

(AMENDED)

##########

NOTICE IS HEREBY GIVEN that the undersigned corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

TWO POUNDER LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

11.9 feet in a southerly direction and
1486.15 feet in a northerly direction

together with 300 feet of surface ground on each side of said lode line.

THIS SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit:-

Beginning at the Discovery Monument:-
Thence Southerly 11.9 feet to the South End Center stake
Thence Southwesterly 315.73 feet to the S.W.Corner, Identical with Cor. Nos.4-2 Sur. No.5582A Plute No.1 and and Digger lodes
Thence Northerly 1498.05 feet to the N.W. Corner Identical with Cor. No.1 Sur. No.5582A Plute No.1 lode
Thence Northeasterly 315.73 feet to the North End Center Stake
Thence Northeasterly 315.48 feet to the N.W.Corner, An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1498.05 feet to the S.E. Corner An iron pipe, 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southwesterly 315.48 feet to the South End Center Stake, the place of olosure.

This being the same lode located July 1st, 1928 and recorded July 25th 1928 in Volume 17, Page 303 (Quartz) in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A.D. 1932.

Walker Mining Company
by H. A. Geisendorfer, Agent.

Witnesses.
W. E. Toole
H. Morstang

Anaconda Geological Documents Collection, Anaconda Copper Mining Company

No. 547, Recorded at request of Walker Mining Co. by J. A. Ingols, September 15, 1932 at 32 Min. past 10 A. M.

M. Ella Peter, Recorder.

Stae of California, } ss.
County of Plumas. }

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location.

Two Pounder Lode- Walker Mining Company, Locator.

as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932.

M. Ella Peter RECORDER.
by..... DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION

AMENDED

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

THREE POUNDER LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

10.32 feet in a Southerly direction and
1487.73 feet in a Northerly direction

together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, To-wit:-

Beginning at the Discovery Monument:-
Thence Southerly 10.32 feet to the South End Center Stake
Thence Southwesterly 315.73 feet to the S.W.Corner, Identical with S.E. Cor. Two Pounder Lode
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Northerly 1498.05 feet to the N.W.Corner, Identical with N.E.Cor. Two Pounder Lode
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Northeasterly 315.73 feet to the North End Center Stake
Thence Northeasterly 315.73 feet to the N.E.Corner, An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1498.05 feet to the S.E.Corner, An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southwesterly 315.73 feet to the South End Center Stake, the place of closure.

This being the same lode located July 1st. 1928 and recorded July 25th. 1928 in Volume 17, Page 303 (Quartz) in the Office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A.D. 1932.

Walker Mining Company
by H. A. Geisendorfer, Agent

Witnesses
W. F. Toole
H. Mostang

Anaconda Geological Documents Collection, Ame

No. 548 Recorded at request of Walker Mining Co. By J. A. Ingols, September 15, 1932 at 33 min. past 10 A. M.

M. Ella Peter, Recorder.

State of California)
County of Plumas.) ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location

Three Pounder Lode - Walker Mining Company, locators of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932.

M. Ella Peter RECORDER
by..... DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION

AMENDED

##########

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

RED BIRD No.1 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running
10.8 feet in a Northerly direction and
1488.79 feet in a Southerly direction
together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit:-

Beginning at the Discovery Monument:-
Thence Northerly 10.8 feet to the North End Center Stake
Identical with the South End Center Stake Two Pounder lode
Thence Northeasterly 315.48 feet to the N.E.Corner, Identical with S.E.Cor. Two Pounder lode and S.W. Cor. Three Pounder lode
Thence Southerly 1499.59 feet to S.E.Corner, Identical with Cor.No.2 Sur. No. 5582A Panama No.1 lode
Thence Southwesterly 315.48 feet to South End Center Stake
Thence Southwesterly 315.73 feet to S.W.Corner, Identical with Cor. No.1 Sur. No.4865 Rob Extension lode and with Cor. Nos. 1-1 Sur. No.5582A Digger and Panama No.1 lodes
Thence Northerly 1499.59 feet to N.W. Corner, Identical with Cor. Nos.4-2 Sur. No.5582A Piute No.1 and Digger lodes and with S.W.Cor. Two Pounder lode.
Thence Northeasterly 315.73 feet to North End Center Stake, the place of closure.

This being the same lode located August 15th 1926, and recorded September 7th, 1926 in Volume 17, Page 59, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September, A. D. 1932.

Walker Mining Company
by H. A. Goldendorfer, Agent.

Witnesses,
W. F. Toole
K. Norstang

Anaconda Geological Documents Collection, Ame...

No.549, Recorded at request of Walker Mining Co. by J. A. Ingols, September 15, 1932 at 14 min. past 10 A. M.

M. Ella Peter, Recorder.

State of California,) ss.
County of Plumas.)

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Location

Red Bird No.1 Lode - Walker Mining Company, locator

as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932.

M. Ella Peter RECORDER
By ..... DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION

AMENDED

##########

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and Regulations thereunder, and with the local customs laws and regulations, has located and hereby claims under the name of

RED BIRD NO. 13 LODE

fifteen hunared lonear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

13.93 feet in a Northerly direction and
1485.66 feet in a Southerly direction

together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit:-

Beginning at the Discovery Monument:-
Thence Northerly 13.93 feet to the North End Center Stake
Identical with the South End Center Stake Three Pounder lode.
Thence Northeasterly 315.73 feet to the N.E.Corner
Identical with S.E.Cor. Three Pounder lode.
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1499.59 feet to the S.E.Corner.
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southwesterly 315.73 feet to the South End Center Stake
Thence Southwesterly 315.73 feet to the S.W.Corner
Identical with Cor. No.2 Sur. No.5782A Panama No.1 lode.
Thence Northerly 1499.59 feet to the N.W.Corner
Identical with S.E.Cor.Two Pounder lode and S.W. Cor. Three Pounder lode.
An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Northeasterly 315.73 feet to the North End Center Stake the place of closure.

This being the same lode located May 30th, 1929 and recorded June 22nd, 1929 in Volume 18, Page 2, in the office of the County Recordr of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A. D. 1932

Witnesses. Walker Mining Company.
W. E. Tools by H. A. Geisendorfer, Agent.
H. Morstang

Anaconda Geological Documents Collection, Americana

No. 550 Recorded at request of Walker Mining Co. by J. A. Ingols, September 15, 1932 at 35 min. past 10 A.M.

M. Ella Peter, Recorder.

State of California,) ss.
County of Plumas.)

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location

Red Bird No.13 Lode - Walker Mining Company, locator

as of record in Volume 19, Quartz Claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept. 1932

M. Ella Peter RECORDER.
by....DEPUTY RECORDER

NOTICE OF QUARTZ MINING LOCATION.

AMENDED

NOTICE IS HEREBY GIVEN that the undersigned, a corporation of the United States, by its duly authorized representative, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States and tge Regulations thereunder, and with the local customs, laws and regulations, has located and hereby claims under the name of

PANAMA NO.6 LODE

fifteen hundred linear feet of this ledge, commencing at this notice, posted at the Point of Discovery and running

17.7 feet in a Southerly direction and
1451.73 feet in a Northerly direction

together with 300 feet of surface ground on each side of said lode line.

THE SAID LOCATION is situated in no organized Mining District, Indian Township, Plumas County, State of California on surveyed land of the United States and is particularly described as follows, to-wit:-

Beginning at the Discovery Monument.-
Thence Southerly 17.7 feet to the South End Center Stake
Thence Southwesterly 315.73 feet to the S.W.Corner, Identical with Cor. No.3 Sur. No.5582A Panama No.1 lode
Thence Northerly 1469.43 feet to the N.W. Corner, Identical with Cor. No.2 Sur. No.5582A Panama No.1 lode and with S.E.Cor. Red Bird No.1 lode and with S.W.Cor. Red Bird No.13 lode
Thence Northeasterly 315.73 feet to North End Center Stake
Identical with South End Center Stake Red Bird No.13 lode
Thence Northeasterly 315.73 feet to N.E. Cor. Identical with S.E. Cor. Red Bird No.13 lode An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southerly 1469.43 feet to the S.E.Cor. An iron pipe 1.25 inches in diam., painted red, set in the ground in cement.
Thence Southwesterly 315.73 feet to the South End Center Stake the place of closure.

This being the same lode located May 30th 1929 and recorded June 22nd, 1929 in Volume 18, Page 2, in the office of the County Recorder of Plumas County, State of California.

This additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of more correctly defining the boundaries of the location.

DATED AND POSTED on the lode at the Point of Discovery this 14th day of September A. D. 1932.

Walker Mining Company.
by H.A.Geisendorfer, Agent.

Witnesses:-
W. F. Toole
H. Moratang

Anaconda Geological Documents Collection, Ameri

No. 551 Recorded at request of Walker Mining Co. by J. A. Ingols, September 15, 1932 at 30 min. past 10 A.M.

M. Ella Peter, Recorder.

State of California,)
County of Plumas,) ss.

I, M. Ella Peter, County Recorder of the County of Plumas, State of California, do hereby certify that I have compared the foregoing copy of an Amended Notice of Quartz Mining Location

Panama No.6 Lode - Walker Mining Company, locator

as of record in Volume 19, Quartz claims, and of the endorsements thereupon, with the original records of the same remaining in this office, and that the same are correct transcripts therefor, and of the whole of said original records.

Witness my hand and official seal this 15 day of Sept., 1932.

SEAL

M. Ella Peter RECORDER.
by.... DEPUTY RECORDER

SURVEY No. 6137.

Feet

Mineral Survey No.6137 was made with a Buff and Berger Transit No.2369, with horizontal limb 5.00 ins. diam., having two double opposite verniers, and full vertical circle 5.00 ins. diam., having one double vernier; the verniers read to one minute of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order. A.M. and p.m. altitude observations of the sun for azimuth were made each day, when conditions permitted, the details of two of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridians thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a steel tape 500 feet in length, graduated every foot, with the first and last foot graduated to tenths and hundredths; a steel tape 100 feet in length and a steel tape 50 feet in length, each graduated to feet, tenths and hundredths; all tapes have been checked, and found correct.

All lines and connections of this survey were run by traverse methods, to avoid cutting valuable timber, as shown by the calculation sheets herewith submitted.

The magnetic variation is given at each corner of the survey.

RED BIRD No.1 LODE

Beginning at Cor. No.1 of the Red Bird No.1 lode, which is identical with Cor. No.1 of Sur. No.4865 Rob Extension lode, claimant Herein, and with Cor. Nos.1-1 of Sur. No.5582 A, Digger and Panama No.1 lodes, claimant Herein.

A fir post, 4 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. R.EX-1-4865.1-PM1-D-5582A, and which I mkd. RB1-1-6137, from which

The cor. of secs. 29, 30, 31 and 32, T.25 N., R.12 E., M.D.M., bears S.61°40'E., 466.05 ft. dist., a Porphyry stone, 6x8 ins., 16 ins. above ground, and in a mound of stone, markings not legible, with two bearing trees marked by the Forest Service, indicating and identifying the corner.

A fir, 12 ins. diam., bears North 12.17 ft. dist., mkd. 1-PM1-1-D-5582A-BT, and which I mkd. RB1-1-6137.

A fir, 42 ins. diam., bears S.60°03'E., 27.23 ft. dist., mkd. 1-PM1-1-D-5582A-BT, and which I mkd. RB1-1-6137.

Thence N.14°18'15"W. Var. 16°47'E.

1,305 Creek bed, dry, course north westerly.

1,499.59 Cor. No. 2, which is identical with Cor. Nos. 2-4 of Sur. No.5582A Digger and Piute No.1 lodes, respectively, claimant Herein.

A spruce post, 4 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. 2-D-4-P1-5582A, and which I mkd. RB1-2-TR-2-6137, from which

A fir, 16 ins. diam., bears N.81°W., 17.33 ft. dist., mkd. 2-D-4-P1-5582A-BT, and which I mkd. RB1-2-AT-2-6137.

Anaconda Geological Documents Collection, Americ

SURVEY No. 6137.

Feet

A fir, 36 ins. diam., bears N.17°44'W., 60.55 ft. dist., mkd. 2-P-4-P1-5582A-BT, and which I mkd. RB1-2-TP-2-6137.

Thence N.56°56'E. Var. 18°50'E.

230 Road, bears northwesterly and southeasterly.

631.21 Cor. No. 3.

Set an iron pipe, painted red, 40 ins. long, 1¼ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 3, with brass cap mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13; from which

A fir, 30 ins. diam., bears N.54°47'W., 52.54 ft. dist., mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13-BT.

A fir, 42 ins. diam., bears S.45°31'W., 63.46 ft., dist., mkd. 3-1-2-2-6137-RB1-TP-TRP-RB13-BT.

Thence S.14°18'15"E. Var. 18°52'E.

1,499.59 Cor. No. 4, which is identical with Cor. No.2 of Sur. No.5582A Panama No.1 lode.

Set an iron pipe, painted red, 40 ins. long, 1¼ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 2 of Sur. No. 5582A Panama No.1 lode and Cor. No. 4 Red Bird No.1 lode, with brass cap mkd. 2-PM1-5582A-4-1-1-6137-RB1-RB13-P6; from which

A fir, 16 ins. diam., bears S.60°04'W., 57.54 ft. dist., mkd. 2-PM1-5582A-BT, and which I mkd. 4-1-1-6137-RB1-RB13-P6.

A fir, 14 ins. diam., bears S.47°20'W., 57.18 ft. dist., mkd. 2-PM1-5582A-BT, and which I mkd. 4-1-1-6137-RB1-RB13-P6.

Thence S.56°56'W. Var.18°38'E.

120 Road, bears northerly and southerly.

631.21 Cor. No. 1, and place of beginning.

TWO POUNDER LODE.

Beginning at Cor. No. 1 of the Two Pounder Lode, which is identical with Cor. No.3 of the Red Bird No.1 lode of this survey, from which

The ¼ sec. cor. of secs. 29 and 30, T.25 N., R.12 E., M.D.M., bears N.21°57'30"E., 684.61 ft. dist.; a porphyry stone, 7x9 ins., 12 ins. above ground, and in a mound of stone; markings not legible, and with two bearing trees, marked by the Forest Service, indicating and identifying the corner.

Thence S.56°56'W.

401.21 Road, bears northwesterly and southeasterly.

631.21 Cor. No. 2, which is identical with Cor. No. 2 of the Red Bird No.1 lode of this survey, and with Cor. Nos. 2-4 of Sur. No. 5582A Digger and Piute No.1 lodes, respectively.

SURVEY No. 6137

Feet

Thence N.14°54'W.

944.32 Intersect line 4-1 Sur. No. 5948 September Morn No. 1 lode, claimant herein, at a point from which Cor. No.1 bears N.56°56'E., 233.9 ft. dist.

1,498.05 Cor. No. 3, which is identical with Cor. No. 1 of Sur. No. 5582A Piute No. 1 lode; a fir post, 5 ins. sq., 24 ins. above ground, and in a mound of stone, mkd. 1-P1-5582A, and which I mkd. 3-6137-TP; from which

Cor. No. 1 Sur. No. 5948 September Morn No. 1 lode bears S.39°42'30"E., 529.68 ft. dist.

A pine, 50 ins. diam., bears S.61°56'E., 53.61 ft. dist., mkd. 1-P1-5582A-BT, and which I mkd. 3-6137-TP.

A fir, 22 ins. diam., bears N.62°15'W., 42.01 ft. dist., mkd. 1-P1-5582A-BT, and which I mkd. 3-6137-TP.

Thence N.56°56'E. Var.18°55'E.

35 Road, bears northwesterly and southeasterly.

510.6 Intersect line 1-2 Sur. No. 5948, September Morn No. 1 lode at a point from which Cor. No. 1 bears S.7°26'W., 691.9 ft. dist.

631.21 Cor. No. 4.

Set an iron pipe, painted red, 40 ins. long, 1¼ ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-3-6137-TP-TRP; from which

A fir, 10 ins. diam., bears N.16°24'W., 33.97 ft. dist., mkd. 4-3-6137-TP-TRP-BT.

A fir, 36 ins. diam., bears N.43°45'W., 45.04 ft. dist., mkd. 4-3-6137-TP-TRP-BT.

Thence S.14°54'E. Var.18°50'E.

1,498.05 Cor. No. 1, and place of beginning.

THREE POUNDER LODE.

Beginning at Cor. No. 1 of the Three Pounder Lode, where it

Set an iron pipe, painted red, 40 ins. long, 1¼ ins. diam., 18 ins. in the ground, in cement, for Cor. No.1, with brass cap mkd. 1-3-6137-TRP-RB13; from which

The ¼ sec. cor. of secs. 29 and 30 bears N.43°15'W., 398.71 ft. dist.; previously described.

A fir, 36 ins. diam., bears N.57°42'W., 34.58 ft. dist., mkd. 1-3-6137-TRP-RB13-BT.

A fir, 20 ins. diam., bears S.29°51'W., 28.75 ft. dist., mkd. 1-3-6137-TRP-RB13-BT.

Thence S.56°56'W. Var.19°43'E.

631.46 Cor. No. 2, which is identical with Cor. Nos. 3-1-2 Red Bird No.1, Two Pounder and Red Bird No. 13 lodes, respectively, of this survey.

Anaconda Geological Documents Collection, American

SURVEY No. 6137

Feet	
	Thence N.14°54'W.
1,498.05	Cor. No. 3, which is identical with Cor. No. 4 Two Pounder lode of this survey.
	Thence N.56°56'E.
410	Creek, course northwesterly.
631.46	Cor. No. 4.
	Set an iron pipe, painted red, 40 ins. long, 14 ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-6137-TRP, from which
	A fir, 12 ins. diam., bears S.47°51'E., 11.55 ft. dist., mkd. 4-6137-TRP-BT.
	A fir, 12 ins. diam., bears S.31°14'W., 57.56 ft. dist., mkd. 4-6137-TRP-BT.
	Thence S.14°54'E. Var.19°56'E.
300	Creek, course northwesterly.
1,498.05	Cor. No. 1, and place of beginning.

RED BIRD No. 13 LODE.

Beginning at Cor. No. 1 of the Red Bird No. 13 lode, which is identical with Cor. No. 4 Red Bird No. 1 lode of this survey and Cor. No. 2 of Sur. No. 5582A Panama No. 1 lode, from which

The cor. of secs. 29, 30, 31 and 32 bears S.11°51'30" W., 577.92 ft. dist., previously described.

Thence N.14°18'15"W.

1,499.59	Cor. No. 2, which is identical with Cor. Nos. 3-1-2 of the Red Bird No. 1 Two Pounder and Three Pounder lodes, respectively, of this survey.
	Thence N.56°56'E.
631.46	Cor. No. 3, which is identical with Cor. No. 1 of the Three Pounder lode of this survey.
	Thence S.14°18'15"W.
1,459.59	Cor. No. 4.
	Set an iron pipe, painted red, 40 ins. long, 14 ins. diam., 18 ins. in the ground, in cement, for Cor. No. 4, with brass cap mkd. 4-2-6137-RB13-P6, from which
	A fir, 24 ins. diam., bears S.8°23'W., 40.6 ft. dist., mkd. 4-2-6137-RB13-P6-BT.
	A fir, 17 ins. diam., bears S.77°42'W., 19.99 ft. dist., mkd. 4-2-6137-RB13-P6-BT.
	Thence S.76°56'W. Var.18°50'E.
631.46	Cor. No. 1, and place of beginning.

SURVEY No. 6137

Feet	
	PANAMA No. 6 LODE.
	Beginning at Cor. No. 1 of the Panama No. 6 lode, which is identical with Cor. Nos. 4-1 Red Bird No. 1 and Red Bird No. 13 lodes, respectively, of this survey, and Cor. No. 2 of Sur. No. 5582A Panama No. 1 lode,
	Thence N.56°56'E.
631.46	Cor. No. 2, which is identical with Cor. No. 4 Red Bird No. 13 lode of this survey.
	Thence S.14°21'42"E.
1,469.43	Cor. No. 3.
	Set an iron pipe, painted red, 40 ins. long, 14 ins. diam., 18 ins. in the ground, in cement, for Cor. No. 3, with brass cap mkd. 3-6137-P6, from which
	A fir, 24 ins. diam., bears S.10°33'W., 14.96 ft. dist., mkd. 3-6137-P6-BT.
	A fir, 14 ins. diam., bears N.25°34'E., 7.71 ft. dist., mkd. 3-6137-P6-BT.
	Thence S.56°56'W. Var.17°23'E.
555	Road, bears northerly and southerly.
631.46	Cor. No. 4, which is identical with Cor. No. 3 of Sur. No. 5582A Panama No. 1 lode.
	A spruce post, 4x5 ins., 24 ins. above ground, and in a mound of stone, mkd. 3-B4-5582A, and which I mkd. 4-6137-P6, from which
	Cor. No. 1 of Sur. No. 5582A Panama No. 2 lode, claimant herein, bears S.57°03'W., 61.99 ft. dist.,
	A fir, 10 ins. diam., bears N.39°04'W., 9.1 ft. dist., mkd. 3-FWI-5582A-BT., and which I mkd. 4-6137-P6,
	A fir, 32 ins. diam., bears S.28°59'E., 41.86 ft. dist., mkd. 3-FWI-5582A-BT. and which I mkd. 4-6137-P6.
	Thence N.14°21'42"W. Var.17°51'E.
290	Road, bears northwesterly and southeasterly.
1,469.43	Cor. No. 1, and place of beginning.

LODE LINES.

The presumed course of the vein of each of the several locations embraced in this survey, counted from the respective points of discovery, is as follows:

Red Bird No. 1 lode, N.14°18'15"W., 10.8 ft., and S.14°18'15"E., 1488.79 ft.

Two Pounder lode, S.14°54'E., 11.9 ft., and, N.14°54'W., 1486.15 ft.

Three Pounder lode, S.14°54'E., 10.32 ft., and, N.14°54'W., 1487.73 ft.

Anaconda Geological Documents Collection, American

SURVEY No. 6137

Red Bird No. 13 lode, N.14°18'15"W., 13.93 ft., and S.14°18'15"E., 1485.66 ft.

Panama No. 6 lode, S.14°11'42"E., 17.7 ft.; and, N.14° 11'42"W., 1451.73 ft.

AREAS.

	Acres.
Total area, Red Bird No. 1 lode.....	20.576
Total area, Two Pounder lode.....	20.626
Area in conflict with-	
Sur. No. 5948 September Morn No. 1 lode.....	4.497
Total area, Three Pounder lode.....	20.634
Total area, Red Bird No. 13 lode.....	20.584
Total area, Panama No. 6 lode.....	20.157

LOCATION.

This survey is located in the NW¼ and SW¼ sec. 29, NE¼ and SE¼ sec. 30, and NW¼ sec. 32, T.25 N., R.12 E., M. D. M.

The survey of the several lodes as stated herein is identical with the respective amended location as marked on the ground.

EXPENDITURE OF $500.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors is not less than $500, and that said improvements consist of:

No. 1. The discovery point of the Red Bird No. 1 lode, which is on the lode line 10.8 ft. from a point on line 2-3, 315.73 ft. from Cor. No. 2.
No value.

No. 1. The discovery point of the Two Pounder lode, which is on the lode line 11.9 ft. from a point on line 1-2, 315.48 ft. from Cor. No. 1.
No value.

No. 1. The discovery point of the Three Pounder lode, which is on the lode line 10.32 ft. from the middle of line 1-2.
No value.

No. 1. The discovery point of the Red Bird No. 13 lode, which is on the lode line 13.93 ft. from the middle of line 2-3.
No value.

No. 1. The discovery point of the Panama No. 6 lode, which is on the lode line 17.7 ft. from a point on line 3-4, 315.73 ft. from Cor. No. 3.
No value.

An interest in a common improvement described as follows:

A tunnel 4x6 ft. in size, the portal of which bears N.39°33'W., 639.1 ft. from Cor. No. 2 Two Pounder lode running S.88°48'E., 98.6 ft. to pt. A; thence N.88°21' E., 44.9 ft. to pt. B at face. At pt. B is a two compartment timbered incline shaft 7x11 ft. in size, running on a dip of 45° N.88°15'E., 100.7 ft. to pt. C; thence N.89°36'E., 175.7 ft. to pt. D; thence N.89° 37'E., 202.8 ft. to point E on the 7th level. At pt. E, a drift 8x10 ft. in size, runs N.1°14'W., 95.2 ft. to pt. F; thence S.11°25'W., 68 ft. to pt. G; thence S.12°38'W., 20 ft. to pt. H; thence S.0°54'W., 50.06 ft. to pt. I.
Value of incline shaft and drift, $19,365.

The incline shaft and drift in this improvement were constructed for the development of the five lodes of this survey, all of which being within range of benefit of said improvement.

The surface rises rapidly to the east, and more gradually to the southeast, from the portal of the tunnel which, with the incline shaft, drift and laterals, form an integral part of the main operating and ventilating system of the claimant's contiguous property, and through, and by means of, that system is afforded the most practical and economical means of developing each of said lodes at depth. The geological structure is that of schist, cut by fissures running northerly and southerly, and dipping easterly. The ore bodies throughout the mine are in this schist and, except where outcrops occur, the schist is covered with a lava flow.

From the foot of the incline shaft, a winze extends from the 7th level to the 10th level, approximately 500 ft. lower, with many feet of lateral drifts and crosscuts. The mine assay and development maps, and the monthly progress reports, show that these drifts and crosscuts extend nearly to the east side line of the Red Bird No. 13 lode of this survey, thence southerly several hundred feet, into said lode; the assay values being such as to warrant the claimant in continuing that method of developing the locations embraced in this survey. At the time of this survey, owing to the temporary closure of the mine, this winze and its laterals were filled with water to the 7th level.

Five hundred dollars or over has been expended in the incline shaft and drift in such a manner as tends to the development of each lode of this survey subsequent to its location and to the time since which common ownership and contiguity have prevailed.

The tunnel, valued at $1500, was credited to Sur. No. 5582A Piute lode, and therefore is not included in the valuation of the common improvement.

The incline shaft was driven as a raise from the 7th level, or main haulage level of the claimant's contiguous property, which latter is partially described hereinafter under "Other Improvements".

The first, or lower, 130.5 ft. of the raise, valued at $4567.50, were driven in May and June, 1928, for the purpose of developing the Red Bird No. 1 lode of this survey, to which its value is credited.

The remaining 348.7 ft. of said raise, valued at $12,197.50, were driven between July 1 and December 1, 1928, for the purpose of developing the Red Bird No. 1, Two Pounder and Three Pounder lodes of this survey, and an undivided one-third interest is therefore credited to each.

The last 130 ft. of the drift, valued at $2600, were driven during July and August, 1930, for the benefit of

Anaconda Geological Documents Collection, American

SURVEY No. 6137.

the Two Pounder, Three Pounder, Red Bird No. 1, Red Bird No.13, and Panama No.6 lodes of this survey, and therefore an undivided one-fifth interest is credited to each.

Except as above stated, no portion of or interest in this improvement has been credited heretofore as patent expenditure to any lode claim.

OTHER IMPROVEMENTS.

A drift which runs from pt. I of the above described common improvement, S.4°01'W., 82.13 ft., thence S.10° E., 25.95 ft., thence South 108.5 ft., thence S.24°49'W. 22.50 ft., thence South 310.9 ft., thence southerly on the 7th or main haulage level to portal.

Claimant herein.

A drift which runs from pt. E of the above described common improvement, N.83°45'E., 27.0 ft. to Sta. 1, thence N.0°42'E., 80.96 ft., thence N.0°24'E., 99.18 ft., thence N.31°59'W., 34 ft., thence N.2°15'W., 77.82 ft., thence N.7°15'E., 52.99 ft., thence N.22°50'E., 56.22 ft., thence N.15°E., 43.2 ft. to face.

Claimant herein.

A drift which runs from Sta. 1 in the preceding improvement, S.15°36'E., 63.4 ft., thence S.2°34'E., 102.6 ft., thence S.25°42'E., 24.16 ft., thence S.13°10'E., 48.37 ft., thence S.23°12'W., 31.11 ft., thence S.28°19' E.,48.43 ft., thence S.14°W., 78.83 ft., thence S.8°09'W, 64.24 ft., thence S.43°15'E., 55.07 ft., thence S.35°41' E., 19.19 ft., thence S.22°03'E., 34.61 ft. to face.

Claimant herein.

OTHER CORNER DESCRIPTIONS.

Sur. No. 5582A Panama No.1 lode: Cor. No.2 is a spruce post 4x5 ins., 24 ins. above ground, mkd. 2-PM1-5582A, badly rotted at the ground line and very unstable, I replaced it with the iron pipe previously described, with the original post alongside. Line 1-2 was found to be N.56°56'E., 631.21 ft., instead of N.57°23'E., 632.57 ft. as approved. Line 2-3 was found to be S.14°11'42"E., 1469.43 ft., instead of S.14°09'E.,1467.9 ft. as approved.

Sur. No. 5582A Digger lode: Line 1-2 was found to be N.14°18'15"W.,1499.59 ft., instead of N.14°12'W.,1499.6 ft. as approved.

Sur. No. 5582A Piute No.1 lode: Line 4-1 was found to be N.14°54'W.,1498.05 ft., instead of N.14°09'W., 1500 ft. as approved.

Sur. No. 5948 September Morn No.1 lode: Cor. No.1 is a galvanized iron pipe, 1¼ ins. diam., 18 ins. above ground and in a mound of stone, with brass cap mkd. SM1-1-5948. Cor. No.2 is a galvanized iron pipe, 1¼ ins. diam., 18 ins. above ground, and in a mound of stone, with brass cap mkd. SM1-2-5948. Cor. No.4 is a galvanized iron pipe 1¼ ins. diam., 18 ins. above ground, and in a mound of stone, with brass cap mkd. SM1-4-5948. I find line 1-2 to be N.7°26'E.,1506.96 ft., instead of N.7°E.,1500 ft. as approved. I find line 4-1 to be N.56°56'E.,775.76 ft. instead of N.57°E. 783.2 ft. as approved.

The section line between the SW¼ sec.29 and SE¼ sec.30 T.25 N.,R.12 E., M.D.M., was found to be N.0°05'30"E., 2653.64 ft., instead of North 2640 ft. as approved.

Note: The disagreements between these field notes and the amended location certificates are due to errors in the latter.

NAME	LOCATED	Amended
Two Pounder Lode	July 1 1928	September 14 1932
Three Pounder Lode	July 1 1928	September 14 1932
Red Bird No.1 Lode	August 15 1926	September 14 1932
Red Bird No.13 Lode	May 30 1929	September 14 1932
Panama No.6 Lode	May 30 1929	September 14 1932

Anaconda Geological Documents Collection, Ames

SURVEY No. 5582 A and B

ADDITIONAL FIELD NOTES

RELIABLE EXTENSION LODE

(Prepared for the purpose of showing the conflicts of the Reliable Extension Lode with Lot 6, Sec.5, T.24 N.,R.12 E. M.D.M. and the S½ SW¼ SW¼ SW¼ Sec.32, T.25 N.,R.12 E., M.D.M.)

Beginning at Cor. No.4 of the Reliable Extension Lode; from which

The point for the N.E. Cor. Lot 6, Sec.5, T.24 N., R.12 E., identical with the S.E. Cor. of the S½ SW¼ SW¼ SW¼ Sec.32, T.25 N.,R.12 E., M.D.M. bears N.25°13'W., 538.90 ft. dist.

Thence N.32°37'W.

Feet	
432.31	Intersect the east boundary of Lot 6, Sec.5 at a point from which the point for the N.E. Cor. bears N.0°00'45" E.,128.73 ft. dist.
583.01	Intersect the section line common to Sec.5, T.24 N., and Sec.32, T.25 N., R.12 E., M.D.M., at a point from which the cor. of secs. 5,6,31 and 32 bears S.88°44'W.,590.68 ft. dist., and the point for the N.W. cor. Lot 6, Sec.5, identical with the point for the S.E. cor. of the S½ SW¼ SW¼ SW¼ sec.32 bears N.88°44'E.,81.28 ft. dist.
967.25	Intersect the north boundary of the S½ SW¼ SW¼ SW¼ Sec. 32 at a point from which the point for the N.E. cor. bears N.88°45'E., 286.25 ft. dist.
1500.00	To Cor. No. 1.

AREA	Acres
Total area Reliable Extension Lode	20.659
Area in conflict with-	
Lot 6, Sec.5, T.24 N., R.12 E., M.D.M.	0.120
S½ SW¼ SW¼ SW¼ Sec.32, T.25 N., R.12 E., M.D.M.	1.384

REPORT

The boundaries of Lot 6, Sec.5 and the S½ SW¼ SW¼ SW¼ Sec.32, were computed through the official returns of U. S. Mineral Surveyor William Watson for the several boundaries of said Secs.5 and 32 given in the original field notes of Sur. No. 5582 A and B; the lengths of the east and west bounderies of said Lot 6, Sec.5 being derived by a proportion with said east and west boundaries as shown on the supplemental plat of Secs. 5 and 6, T.24 N., R.12 E., M.D.M. accepted August 27, 1928.

4-683

DEPARTMENT OF THE INTERIOR

GENERAL LAND OFFICE

ADDITIONAL FIELD NOTES

MINERAL SURVEY No. 5582 A and B

Sacramento Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Walker Mining Company

Known As The

RELIABLE, RELIABLE EXTENSION and 37 other lodes; DOLLY GULCH PLACER and BULLION HILL SITE

Unorganized Mining District,

Plumas County, California

Sections 5,6,7 and 8 Township 24 North Range 12 East, M.D.M.
Sections 29,30,31 and 32, Township 25 North, Range 12 East, M.D.M.

Surveyed under instructions dated September 2, 1921.

by William Watson
U. S. Mineral Surveyor.

Claim located ~~on various dates~~, ~~19~~

Survey commenced September 3, 1921.

Survey completed October 1, 1921.

Address of claimant's attorneys: Van Cott, Riter & Farnsworth; Salt Lake City, Utah.

DATES OF AMENDED LOCATIONS.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

4—687

ADDITIONAL

CERTIFICATE OF APPROVAL OF FIELD NOTES ~~AND SURVEY~~ OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Glendale, California,

September 19, 1932., 19~~32~~

I, Office Cadastral Engineer at Glendale, California,

do hereby certify that the foregoing and hereto attached Additional Field Notes ~~and Return~~ of the Survey of the Mining Claim of Walker Mining Company have been prepared in compliance with a request of the claimant's attorneys to show the conflict of the Reliable Extension Lode with land described in a patent designated as "Sacramento 022990" dated April 8,1929; and said Additional Field Notes of the Reliable Extension Lode, situate in no organized mining district, Plumas County, California,

in Sections 5 and 32, Township Nos. 24 North and 25 North, Range No. 12 East, M. D. M., designated as Survey No. 5582 A

executed by William Watson, U. S. Mineral Surveyor, September 8 - October 8, 19 21, under ~~my~~ instructions dated September 2, 19 21, have been critically examined and the necessary corrections and explanations made, and the said Additional Field Notes are hereby approved. ~~The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.~~

John D. Adcock
Office Cadastral Engineer.

4—687

--ooOoo--

Glendale, California, September 19,1932.

I hereby certify that the foregoing transcript of the Additional Field Notes of Sur. No. 5582 A and B, has been correctly copied from the original notes on file in this office.

John D. Adcock,
Office Cadastral Engineer.

--ooOoo--

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

4-683

DEPARTMENT OF THE INTERIOR

GENERAL LAND OFFICE

ADDITIONAL FIELD NOTES

MINERAL SURVEY No. 5582 A and B

Sacramento Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

Walker Mining Company

Known As The

RELIABLE, RELIABLE EXTENSION and 37 other lodes, DOLLY GULCH PLACER and BULLION MILL SITE

Unorganized Mining District,

Plumas County, California

Sections 5,6,7 and 8 Township 24 North Range 12 East, M.D.M.

Sections 29,30,31 and 32, Township 25 North, Range 12 East, M.D.M.

Surveyed under instructions dated September 2, 1921.

by William Watson
U. S. Mineral Surveyor.

Claim located on various dates.

Survey commenced September 8, 1921.

Survey completed October 8, 1921.

Address of claimant's attorneys: Van Cott, Riter & Farnsworth; Salt Lake City, Utah.

DATES OF AMENDED LOCATIONS.

4—687

ADDITIONAL CERTIFICATE OF APPROVAL OF FIELD NOTES ~~AND SURVEY~~ OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
PUBLIC SURVEY OFFICE

At Glendale, California,

September 19, 1932., 19~~32~~

I, Office Cadastral Engineer at Glendale, California,

do hereby certify that the foregoing and hereto attached, Additional Field Notes ~~and Return~~ of the Survey of the Mining Claim of Walker Mining Company have been prepared in compliance with a request of the claimant's attorneys to show the conflict of the Reliable Extension Lode with land described in a patent designated as "Sacramento 022990" dated April 8,1929; and said Additional Field Notes of the Reliable Extension Lode, situate in no organized mining district, Plumas County, California,

in Sections 5, 32, Township Nos. 24 North, 25 North, Range No. 12 East, M. D. M., designated as Survey No. 5582 A

executed by William Watson, U. S. Mineral Surveyor, September 8 - October 8, 19 21, under ~~my~~ instructions dated September 2, 19 21, have been critically examined and the necessary corrections and explanations made, and the said Additional Field Notes are hereby approved. ~~The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.~~

John D. Adams
Office Cadastral Engineer.

GOVERNMENT PRINTING OFFICE 6—7131

--ooCoo--

Glendale, California, September 19,1932.

I hereby certify that the foregoing transcript of the Additional Field Notes of Sur. No. 5582 A and B, has been correctly copied from the original notes on file in this office.

John D. Adams
Office Cadastral Engineer.

--ooCoo--

SURVEY No. 5582 A and B

ADDITIONAL FIELD NOTES

RELIABLE EXTENSION LODE

(Prepared for the purpose of showing the conflicts of the Reliable Extension Lode with Lot 6, Sec.5, T.24 N.,R.12 E. M.D.M. and the S½ SW¼ SW¼ SW¼ Sec.32, T.25 N.,R.12 E., M.D.M.)

Beginning at Cor. No.4 of the Reliable Extension Lode; from which

The point for the N.E. Cor. Lot 6, Sec.5, T.24 N., R.12 E., identical with the S.E. Cor. of the S½ SW¼ SW¼ SW¼ Sec.32, T.25 N.,R.12 E., M.D.M. bears N.25°13'W., 538.90 ft. dist.

Thence N.32°37'W.

Feet	
432.31	Intersect the east boundary of Lot 6, Sec.5 at a point from which the point for the N.E. Cor. bears N.0°00'45" E.,128.73 ft. dist.
583.01	Intersect the section line common to Sec.5, T.24 N., and Sec.32, T.25 N., R.12 E., M.D.M., at a point from which the cor. of secs. 5,6,31 and 32 bears S.88°44'W.,590.68 ft. dist., and the point for the N.E. cor. Lot 6, Sec.5, identical with the point for the S.E. cor. of the S½ SW¼ SW¼ SW¼ sec.32 bears N.88°44'E.,81.28 ft. dist.
967.25	Intersect the north boundary of the S½ SW¼ SW¼ SW¼ Sec. 32 at a point from which the point for the N.E. cor. bears N.88°45'E., 286.25 ft. dist.
1500.00	To Cor. No. 1.

AREA	Acres
Total area Reliable Extension Lode	20.659
Area in conflict with-	
Lot 6, Sec.5, T.24 N., R.12 E., M.D.M.	0.120
S½ SW¼ SW¼ SW¼ Sec.32, T.25 N., R.12 E., M.D.M.	1.384

REPORT

The boundaries of Lot 6, Sec.5 and the S½ SW¼ SW¼ SW¼ Sec.32, were computed through the official returns of U. S. Mineral Surveyor William Watson for the several boundaries of said Secs.5 and 32 given in the original field notes of Sur. No. 5582 A and B; the lengths of the east and west boundaries of said Lot 6, Sec.5 being derived by a proportion with said east and west boundaries as shown on the supplemental plat of Secs. 5 and 6, T.24 N., R.12 E., M.D.M. accepted August 27, 1928.

Have file copy only — no extra copies of other papers than those enclosed.

All papers herein pertain to Sen. 5582 & 8, 6963?
Patent — Reliable Extension
Standard etc and Tissue

Aerospace Collection, Aerospace Heritage Center, University of Wyoming. The material may be protected by copyright law (Title 17 U.S. Code). For our full copyright policy, please contact the Archives by mail or email.

Notice ~~to be~~ published.

UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

NOTICE is hereby given that Walker Mining Company, a corporation, whose post office address is Walkermine, Plumas County, California, by H. A. Heinsdorfer, its agent and attorney-in-fact, whose post office address is Care Walker Mining Company, Walkermine, Plumas County, California, has filed in the office of the Register of the United States Land Office at Sacramento, California, an application for United States patent for the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; consolidated, situated in no organized mining district, Plumas County, California, and designated by the field notes and official plat on file in the United States Public Survey Office at Glendale, California, as Mineral Surveys Nos. 5582A and 5953 as aforesaid, situated in Sec. 5, T. 24 N., R. 12 E. and Secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M.D.M., Plumas County, California.

Said nineteen above named lode mining claims are described in four groups (designated (a), (b), (c), and (d)) by the exterior boundaries of the respective groups as follows:

(a) Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7 and Pacific No. 8 lode mining claims, Survey No. 5582A.

Beginning at corner No. 2, Pacific No. 2 lode, identical with corner No. 1, Reliable Extension lode, whence the section corner common to Secs. 31 and 32, T. 25 N., R. 12 E., and Secs. 5 and 6, T. 24 N., R. 12 E., M.D.M., bears S. 6° 42' W. 796.8 feet; thence S. 70° 34' W. 616.2 feet to corner No. 1 of said Pacific No. 2 lode; thence N. 32° 37' W. 1500.0 feet to corner No. 4 of said Pacific No. 2 lode; thence S. 70° 34' W. 714.9 feet to corner No. 1, Pacific No. 4 lode; thence N. 41° 52' W. 1500.0 feet to corner No. 4 of said Pacific No. 4 lode; thence N. 70° 34' E. 142.3 feet to corner No. 3 Pacific No. 6 lode; thence N. 14° 07' W. 1467.9 feet to corner No. 2 of said Pacific No. 6 lode, identical with corner No. 3, Pacific No. 8 lode; thence N. 14° 45' W. 1494.0 feet to corner No. 2 of said Pacific No. 8 lode;

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

thence N. 70° 34' E. 1204.0 feet to corner No. 4, Pacific No. 7 lode, identical with corner No. 1, Piute No. 3 lode; thence S. 14° 45' E. 1494.9 feet to corner No. 3 of said Pacific No. 7 lode, identical with corner No. 2, Pacific No. 5 lode; thence S. 14° 09' E. 1467.9 feet to corner No. 3 of said Pacific No. 5 lode; thence S. 70° 34' W. 49.1 feet to corner No. 2, Pacific No. 1 lode; thence S. 41° 52' E. 1500.0 feet to corner No. 1 of said Pacific No. 1 lode; thence N. 70° 34' E. 32.9 feet to corner No. 3 of said Pacific No. 2 lode; thence S. 32° 37' E. 1500.0 feet to corner No. 2 of said Pacific No. 2 lode, the place of beginning; containing a net area claimed and applied for in this group of 143.577 acres, more or less.

There are no conflicting claims.

(b) Digger, Piute No. 1, Piute No. 2, and Piute No. 3 lode mining claims, Survey No. 5582A.

Beginning at corner No. 1, Digger lode, identical with corner No. 1, Panama No. 1 lode, whence the section corner common to Secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M.D.M., bears S. 61° 47' E. 466.8 feet; thence S. 57° 23' W. 632.57 feet to corner No. 4 of said Digger lode; thence N. 14° 12' W. 1499.6 feet to corner No. 3 of said Digger lode, identical with corners Nos. 3 and 2, Piute No. 1 and Piute No. 2 lodes, respectively; thence S. 57° 23' W. 631.4 feet to corner No. 1 of said Piute No. 2 lode, identical with corner No. 2, Piute No. 3 lode; thence S. 70° 34' W. 600.0 feet to corner No. 1 of said Piute No. 3 lode, identical with corner No. 4, Pacific No. 7 lode; thence N. 14° 09' W. 1500.0 feet to corner No. 4 of said Piute No. 3 lode; thence N. 70° 34' E. 600.0 feet to corner No. 3 of said Piute No. 3 lode, identical with corner No. 4 of said Piute No. 2 lode; thence N. 57° 23' E. 1263.97 feet to corner No. 1 of said Piute No. 1 lode; thence S. 14° 09' E. 1500.0 feet to corner No. 4 of said Piute No. 1 lode, identical with corner No. 2 of said Digger lode; thence S. 14° 12' E. 1499.6 feet to corner No. 1 of said Digger lode, the place of beginning; containing a net area claimed and applied for in this group of 82.517 acres, more or less. Conflicts with September Marm Nos 1 & 4 M.S. 5948 but these conflicts are not to be excluded

~~There are no conflicting claims to be excluded.~~

(c) Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Standard and Reliable Extension lode mining claims, Survey No. 5582A.

Beginning at corner No. 1, Reliable Extension lode, identical with corner No. 2, Pacific No. 2 lode, whence the section corner common to Secs. 31 and 32, T. 25 N., R. 12 E., and Secs. 5 and 6, T. 24 N., R. 12 E., M.D.M., bears S. 5° 42' W. 795.0 feet; thence S. 32° 37' E. 1500.0 feet to corner No. 4 of said Reliable Extension lode; thence N. 70° 34' E. 616.2 feet to corner No. 3 of said Reliable Extension lode, identical with corner No. 4, Standard lode; thence N. 57° 23' E. 1800.0 feet to corner No. 2, Panama No. 5 lode; thence N. 32° 37' W. 3000.0 feet to corner No. 3, Panama No. 3 lode; thence N. 57° 23' E. 15.2 feet to corner No. 4, Panama No. 2 lode;

thence N. 41° 43' W. 1499.4 feet to corner No. 1 of said Panama No. 2 lode; thence N. 57° 23' E. 62.34 feet to corner No. 3, Panama No. 1 lode; thence N. 14° 09' W. 1467.9 feet to corner No. 2 of said Panama No. 1 lode; thence S. 57° 23' W. 632.57 feet to corner No. 1 of said Panama No. 1 lode, identical with corner No. 1, Digger lode; thence S. 14° 09' E. 1467.9 feet to corner No. 4 of said Panama No. 1 lode; thence S. 57° 23' W. 37.57 feet to corner No. 2 of said Panama No. 2 lode; thence S. 41° 43' E. 1499.4 feet to corner No. 3 of said Panama No. 2 lode; thence S. 57° 23' W. 7.6 feet to corner No. 4 of said Panama No. 3 lode, identical with corner No. 2, Sioux lode, Survey No. 6953; thence S. 32° 37' E. 1500.0 feet to corner No. 1 of said Panama No. 3 lode, identical with corners Nos. 2 and 4 of said Panama No. 4 and Panama No. 5 lodes, respectively, and with corner No. 1 of said Sioux lode; thence S. 57° 23' W. 1200.0 feet to corner No. 3 of said Standard lode, identical with corner No. 2 of said Reliable Extension lode; thence S. 79° 34' W. 616.2 feet to corner No. 1 of said Reliable Extension lode, the place of beginning.

Expressly excepting and excluding, however, from the above description allareas in conflict with the S. ½ of the S.W.¼ of the S.W.¼ of the S.W.¼ of Sec. 32, T. 25 N., R. 12 E., and Lot 6 of Sec. 5, T. 24 N., R. 12E., M.D.M.; leaving a net area claimed and applied for in this group of 142.669 acres, more or less.

(d) Sioux lode mining claim, Survey No. 6953.

Beginning at corner No. 1, identical with corners Nos. 1, 2 and 4, Panama No. 3, Panama No. 4 and Panama No. 5 lodes, respectively, whence the quarter section corner on the south boundary of Sec. 32, T. 25 N., R. 12 E., M.D.M., bears S. 32° 21 E. 1575.47 feet; thence S. 57° 23' W. 600.0 feet to corner No. 4; thence N. 32° 37' W. 1500.0 feet to corner No. 3; thence N. 57° 23' E. 600.0 feet to corner No. 2; thence S. 32° 37' E. 1500.0 feet to corner No. 1, the place of beginning; containing a net area claimed and applied for in this group of 20.661 acres, more or less.

There are no conflicting claims.

The total net area applied for is 369.424 acres.

The location notices of said nineteen lode mining claims are recorded in the office of the County Recorder of Plumas County, California, as follows:

Pacific No. 1, Vol. 11, page 85;
Pacific No. 2, Vol. 11, page 85;
Pacific No. 4, Vol. 11, page 87;
Pacific No. 5, Vol. 11, page 87;
Pacific No. 6, Vol. 11, page 88;
Pacific No. 7, Vol. 11, page 89;
Pacific No. 8, Vol. 11, page 89;
Digger, Vol. 12, page 47;
Piute No. 1, Vol. 12, page 11;
Piute No. 2, Vol. 12, page 12;
Piute No. 3, Vol. 12, page 13;

Reliable Extension, Vol. 6, page 36;
Standard, Vol. 6, page 37;
Panama No. 1, Vol. 11, page 81;
Panama No. 2, Vol. 11, page 82;
Panama No. 3, Vol. 11, page 83;
Panama No. 4, Vol. 11, page 85;
Panama No. 5, Vol. 11, page 84;
Sioux, Vol. 9, page 67.

The nearest known locations are the aforesaid excluded tracts and Copper Center Extention, Bullion, Copper Center, Bullion Extention, Rob, Rob Extension, Walker, Valley View Extention, Valley View and Walker Extention lodes, all Survey No. 4865; Lena No. 14 and Iron Dyke No. 7 lodes, both Survey No. 5495; Pacific No. 3, Pacific No. 9, Pacific No. 10, Pacific No. 11, Pacific No. 12, Pacific No. 13, Grizzly, Grizzly No. 1, Grizzly No. 2, Grizzly No. 3, Grizzly No. 4, Grizzly No. 5, Grizzly No. 6, Grizzly No. 9, Grizzly No. 10, Grizzly Number Eleven, Grizzly Number Twelve, Reliable, Standard Extension lodes, Dolly Gulch Placer, and Bullion Mill Site, all Survey No. 5832 A and B; and Alice No. 2, Alice No. 3, Alice No. 4, Alice No. 5, Alice No. 6, Alice No. 7, Alice No. 8, Siwash No. 1, Siwash No. 2, and Alta No. 13 lodes, all unsurveyed.

I hereby direct that this notice be published in the Plumas Independent, published at Quincy, Plumas County, California.

~~Dated May ____, 1933.~~

James C. Ing
REGISTER

Date of first publication May ___, 1933.
Date of last publication ___

Anaconda Geologue Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Filed 11^00 A.M.
June 2, 1933
Of. Receipt No.
3133695

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. 028405

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	APPLICATION FOR PATENT

To the Register and Receiver of the United States Land Office at Sacramento, California:

H. A. Geisendorfer, being first duly sworn, according to law, deposes and says:

That his post office address is Care Walker Mining Company, Walker Mine, Plumas County, California.

That he is the duly appointed and acting agent and attorney in fact for Walker Mining Company, a corporation, the applicant for patent herein.

That by virtue of compliance with the provisions of the laws of the United States and the rules and regulations thereunder prescribed by the Land Department of the United States and with the laws of the State of California and the miners' customs and regulations of no organized mining district, said corporation is the owner of and in the exclusive and undisputed possession and entitled to the possession of the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953, consolidated, bearing gold, silver, copper, lead and other precious

Anaconda Geologist Documents Collection. American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

and valuable metals, all situated in no organized mining district, County of Plumas, State of California, as is more fully shown by the abstract of title, plat and field notes of survey and other papers filed herewith and made a part hereof.

Expressly excepting and excluding, however, herefrom all areas in said mining claims in conflict with the S. ½ of the S.W. ¼ of the S.W. ¼ of the S.W.¼ of Sec. 32, T. 25 N., R. 12 E., and Lot 6 of Sec. 5, T. 24 N., R. 12 E., M.D.M., leaving a net area claimed and applied for of 389.424 acres.

Applicant is the owner of Rob Extension, Rob, Walker Extention, Walker, Bullion Extention, Bullion, Copper Center Extention, Copper Center, Valley View Extention and Valley View patented lode mining claims, all Mineral Survey No. 4865, which ten last named patented lode mining claims are completely surrounded on all sides by the nineteen lode mining claims patent to which is applied for herein. Applicant is also the owner of the September Morn No. 1, September Morn No. 2, September Morn No. 3, September Morn No. 4 and September Morn No. 5 patented lode mining claims, all Mineral Survey No. 5948, which adjoin said Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims Survey No. 5582A on the north and east.

That a certified copy of the articles of incorporation of the applicant has been filed in this Land Office with application for patent of said September Morn group, Mineral Survey No. 5948, Serial 022813.

Ward Creek crosses said Pacific No. 2 but is often dry in late summer and fall.

Piute Creek crosses Piute No. 1 and Piute No. 2, and there are several small springs on each of these claims. Both creek and springs go dry during the late summer and fall.

With the above exceptions there are no water courses or springs on any of the claims herein applied for.

The purpose of this application is to secure the mineral

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

rights to the claims applied for and not to secure or control water, water rights, water courses or springs or timber.

There are no water holes or hot or medicinal springs on said claims.

That by such compliance with said laws, customs and regulations said Walker Mining Company, this applicant, is entitled to patent from the United States for the said lode mining claims aforesaid and it hereby makes application for such patent.

WALKER MINING COMPANY,

By H. A. Geisendorfer

Its Agent and Attorney-in-Fact

Subscribed and sworn to before me this 31st day of May A.D. 1933.

My commission expires Feb. 5th 1935

Leon L. Clough

Notary Public in and for Plumas County, California.

(Seal)

3133695 of Receipt
Filed 11 A.M.
(June 2, 1933)

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. Serial No. 028405

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	APPLICATION FOR PATENT

To the Register and Receiver of the United States Land Office at Sacramento, California:

H. A. Geisendorfer, being first duly sworn, according to law, deposes and says:

That his post office address is Care Walker Mining Company, Walker Mine, Plumas County, California.

That he is the duly appointed and acting agent and attorney in fact for Walker Mining Company, a corporation, the applicant for patent herein.

That by virtue of compliance with the provisions of the laws of the United States and the rules and regulations thereunder prescribed by the Land Department of the United States and with the laws of the State of California and the miners' customs and regulations of no organized mining district, said corporation is the owner of and in the exclusive and undisputed possession and entitled to the possession of the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953, consolidated, bearing gold, silver, copper, lead and other precious

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

and valuable metals, all situated in no organized mining district, County of Plumas, State of California, as is more fully shown by the abstract of title, plat and field notes of survey and other papers filed herewith and made a part hereof.

Expressly excepting and excluding, however, herefrom all areas in said mining claims in conflict with the S. ½ of the S.W. ¼ of the S.W. ¼ of the S.W.¼ of Sec. 32, T. 25 N., R. 12 E., and Lot 6 of Sec. 5, T. 24 N., R. 12 E., M.D.M., leaving a net area claimed and applied for of 389.424 acres.

Applicant is the owner of Rob Extension, Rob, Walker Extention, Walker, Bullion Extention, Bullion, Copper Center Extention, Copper Center, Valley View Extention and Valley View patented lode mining claims, all Mineral Survey No. 4865, which ten last named patented lode mining claims are completely surrounded on all sides by the nineteen lode mining claims patent to which is applied for herein. Applicant is also the owner of the September Morn No. 1, September Morn No. 2, September Morn No. 3, September Morn No. 4 and September Morn No. 5 patented lode mining claims, all Mineral Survey No. 5948, which adjoin said Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims Survey No. 5582A on the north and east.

That a certified copy of the articles of incorporation of the applicant has been filed in this Land Office with application for patent of said September Morn group, Mineral Survey No. 5948, Serial 022813.

Ward Creek crosses said Pacific No. 2 but is often dry in late summer and fall.

Piute Creek crosses Piute No. 1 and Piute No. 2, and there are several small springs on each of these claims. Both creek and springs go dry during the late summer and fall.

With the above exceptions there are no water courses or springs on any of the claims herein applied for.

The purpose of this application is to secure the mineral

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

rights to the claims applied for and not to secure or control water, water rights, water courses or springs or timber.

There are no water holes or hot or medicinal springs on said claims.

That by such compliance with said laws, customs and regulations said Walker Mining Company, this applicant, is entitled to patent from the United States for the said lode mining claims aforesaid and it hereby makes application for such patent.

WALKER MINING COMPANY,
By H. A. Geisendorfer
Its Agent and Attorney-in-Fact

Subscribed and sworn to before me this 31st day of May A.D. 1933.

My commission expires Feb. 5th 1935

Leon L. Clarough
Notary Public in and for Plumas County, California.

(Seal)

Arizona Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

PROOF OF POSTING NOTICE AND PLATS ON CLAIMS

STATE OF CALIFORNIA,)
) SS.
COUNTY OF PLUMAS,)

_____ and _____,

each for himself and not one for the other, being first duly sworn according to law, deposes and says:

That he is a citizen of the United States over the age of 21 years and was present on the _____day of May, 1933, when plats representing the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5662A; and Sioux lode mining claims, Mineral Survey No. 5953; consolidated, situated in no organized mining district, Plumas County, California; said Mineral Survey No. 5662A being certified to as correct by John Plover, U. S. Surveyor General for California, and designated by said Surveyor General as Mineral Survey No. 5662A, Secs. 5, 6, 7 and 8, T. 24 N., R. 12 E., M.D.M., and Secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M.D.M.; and said Mineral Survey No. 5953, being certified to as correct by Frank E. Barker, Office Cadastral Engineer of the United States Public Survey Office for California, as Mineral Survey No. 5953, Sec. 32, T. 25 N., R. 12 E., M.D.M.; together with a notice of the intention of Walker Mining Company, by H. A. Geisendorfer, its attorney-in-fact, to apply for a patent for the mining claims and premises so platted were posted in four conspicuous places upon said group of nineteen mining claims, consolidated, hereinabove specifically named, as follows:

Upon said Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7 and Pacific No. 8 lode mining claims, Mineral Sur-

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

vey No. 5563A, on a fir tree located on said Pacific No. 2 claim by the side of the road about 60 feet west of the east side-line of said Pacific No. 2 claim and about 100 feet south of the dump of the long tunnel driven northeasterly across Copper Center Extention and Rallion patented lode mining claims, Survey No. 4685;

Upon said Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5562A, on the southwest corner of the power house near the center of the Piute No. 1 claim;

Upon said Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Standard and Reliable Extension lode mining claims, Mineral Survey No. 5562A, on a large fir tree by the side of the road on said Panama No. 2 claim, which tree bears approximately N. 45° E. 800 feet from the northwest corner of said Panama No. 3 claim;

Upon said Sioux lode mining claim, Mineral Survey No. 5955, on the old flume and penstock above the old workings, which structure bears approximately S. 65° E. about 230 feet from the northwest corner of said Sioux claim;

where the same can easily be seen and examined.

A full and true copy of said notice so conspicuously posted upon said mining claims is annexed hereto, marked Exhibit A, and made a part of this affidavit.

_____

_____

Subscribed and sworn to before me this _____ day of May, 1933.

My commission expires _____

_____

Notary Public in and for Plumas County, California.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

PROOF OF POSTING NOTICE AND PLATS ON CLAIMS

STATE OF CALIFORNIA,)
SS.
COUNTY OF PLUMAS,)

_____ and _____,

each for himself and not one for the other, being first duly sworn according to law, deposes and says:

That he is a citizen of the United States over the age of 21 years and was present on the _____day of May, 1933, when plats representing the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; consolidated, situated in no organized mining district, Plumas County, California; said Mineral Survey No. 5582A being certified to as correct by John Plover, U. S. Surveyor General for California, and designated by said Surveyor General as Mineral Survey No. 5582A, Secs. 5, 6, 7 and 8, T. 24 N., R. 12 E., M.D.M., and Secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M.D.M.; and said Mineral Survey No. 5953, being certified to as correct by Frank E. Barker, Office Cadastral Engineer of the United States Public Survey Office for California, as Mineral Survey No. 5953, Sec. 32, T. 25 N., R. 12 E., M.D.M.; together with a notice of the intention of Walker Mining Company, by H. A. Geisendorfer, its attorney-in-fact, to apply for a patent for the mining claims and premises so platted were posted in four conspicuous places upon said group of nineteen mining claims, consolidated, hereinabove specifically named, as follows:

Upon said Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7 and Pacific No. 8 lode mining claims, Mineral Sur-

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

vey No. 5582A, on a fir tree located on said Pacific No. 2 claim by the side of the road about 80 feet west of the east side-line of said Pacific No. 2 claim and about 100 feet south of the dump of the long tunnel driven northeasterly across Copper Center Extention and Bullion patented lode mining claims, Survey No. 4685;

Upon said Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A, on the southwest corner of the power house near the center of the Piute No. 1 claim;

Upon said Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Standard and Reliable Extension lode mining claims, Mineral Survey No. 5582A, on a large fir tree by the side of the road on said Panama No. 2 claim, which tree bears approximately N. 45° E. 200 feet from the northwest corner of said Panama No. 3 claim;

Upon said Sioux lode mining claim, Mineral Survey No. 5853, on the old flume and penstock above the old workings, which structure bears approximately S. 55° E. about 230 feet from the northwest corner of said Sioux claim;

where the same can easily be seen and examined.

A full and true copy of said notice as conspicuously posted upon said mining claims is annexed hereto, marked Exhibit A, and made a part of this affidavit.

_____

_____

Subscribed and sworn to before me this _____day of May, 1933.

My commission expires _____

_____

Notary Public in and for Plumas County, California.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

M.A. 028405

UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

NOTICE is hereby given that Walker Mining Company, a corporation, whose post office address is Walkermine, Plumas County, California, by H. A. Geisendorfer, its agent and attorney-in-fact, whose post office address is Care Walker Mining Company, Walkermine, Plumas County, California, has filed in the office of the Register of the United States Land Office at Sacramento, California, an application for United States patent for the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; consolidated, situated in no organized mining district, Plumas County, California, and designated by the field notes and official plat on file in the United States Public Survey Office at Sacramento, California, as Mineral Surveys Nos. 5582A and 5953 as aforesaid, situated in Sec. 5, T. 24 N., R. 12 E. and Secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M.D.M., Plumas County, California.

Said nineteen above named lode mining claims are described in four groups (designated (a), (b), (c), and (d)) by the exterior boundaries of the respective groups as follows:

(a) Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7 and Pacific No. 8 lode mining claims, Survey No. 5582A.

Beginning at corner No. 2, Pacific No. 2 lode, identical with corner No. 1, Reliable Extension lode, whence the section corner common to Secs. 31 and 32, T. 25 N., R. 12 E., and Secs. 5 and 6, T. 24 N., R. 12 E., M.D.M., bears S. 6° 42' W. 796.2 feet; thence S. 70° 34' W. 616.2 feet to corner No. 1 of said Pacific No. 2 lode; thence N. 32° 37' W. 1500.0 feet to corner No. 4 of said Pacific No. 2 lode; thence S. 70° 34' W. 714.9 feet to corner No. 1, Pacific No. 4 lode; thence N. 41° 52' W. 1500.0 feet to corner No. 4 of said Pacific No. 4 lode; thence N. 70° 34' E. 142.3 feet to corner No. 3 Pacific No. 6 lode; thence N. 14° 07' W. 1467.9 feet to corner No. 2 of said Pacific No. 6 lode, identical with corner No. 3, Pacific No. 8 lode; thence N. 14° 45' W. 1494.9 feet to corner No. 2 of said Pacific No. 8 lode;

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

thence N. 70° 34' E. 1204.0 feet to corner No. 4, Pacific No. 7 lode, identical with corner No. 1, Piute No. 3 lode; thence S. 14° 45' E. 1494.9 feet to corner No. 3 of said Pacific No. 7 lode, identical with corner No. 2, Pacific No. 5 lode; thence S. 14° 09' E. 1467.9 feet to corner No. 3 of said Pacific No. 5 lode; thence S. 70° 34' W. 49.1 feet to corner No. 2, Pacific No. 1 lode; thence S. 41° 52' E. 1500.0 feet to corner No. 1 of said Pacific No. 1 lode; thence N. 70° 34' E. 32.9 feet to corner No. 3 of said Pacific No. 2 lode; thence S. 32° 37' E. 1500.0 feet to corner No. 2 of said Pacific No. 2 lode, the place of beginning; containing a net area claimed and applied for in this group of 143.577 acres, more or less.

There are no conflicting claims.

(b) Digger, Piute No. 1, Piute No. 2, and Piute No. 3 lode mining claims, Survey No. 5582A.

Beginning at corner No. 1, Digger lode, identical with corner No. 1, Panama No. 1 lode, whence the section corner common to Secs. 29, 30, 31 and 32, T. 25 N., R. 12 E., M.D.M., bears S. 61° 47' E. 466.8 feet; thence S. 57° 23' W. 632.57 feet to corner No. 4 of said Digger lode; thence N. 14° 12' W. 1499.6 feet to corner No. 3 of said Digger lode, identical with corners Nos. 3 and 2, Piute No. 1 and Piute No. 2 lodes, respectively; thence S. 57° 23' W. 631.4 feet to corner No. 1 of said Piute No. 2 lode, identical with corner No. 2, Piute No. 3 lode; thence S. 70° 34' W. 600.0 feet to corner No. 1 of said Piute No. 3 lode, identical with corner No. 4, Pacific No. 7 lode; thence N. 14° 09' W. 1500.0 feet to corner No. 4 of said Piute No. 3 lode; thence N. 70° 34' E. 800.0 feet to corner No. 3 of said Piute No. 3 lode, identical with corner No. 4 of said Piute No. 2 lode; thence N. 57° 23' E. 1263.97 feet to corner No. 1 of said Piute No. 1 lode; thence S. 14° 09' E. 1500.0 feet to corner No. 4 of said Piute No. 1 lode, identical with corner No. 2 of said Digger lode; thence S. 14° 12' E. 1499.6 feet to corner No. 1 of said Digger lode, the place of beginning; containing a net area claimed and applied for in this group of 82.517 acres, more or less.

There are no conflicting claims to be excluded.

(c) Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Standard and Reliable Extension lode mining claims, Survey No. 5582A.

Beginning at corner No. 1, Reliable Extension lode, identical with corner No. 2, Pacific No. 2 lode, whence the section corner common to Secs. 31 and 32, T. 25 N., R. 12 E., and Secs. 5 and 6, T. 24 N., R. 12 E., M.D.M., bears S. 6° 42' W. 796.2 feet; thence S. 32° 37' E. 1500.0 feet to corner No. 4 of said Reliable Extension lode; thence N. 70° 34' E. 616.2 feet to corner No. 3 of said Reliable Extension lode, identical with corner No. 4, Standard lode; thence N. 57° 23' E. 1800.0 feet to corner No. 2, Panama No. 5 lode; thence N. 32° 37' W. 3000.0 feet to corner No. 3, Panama No. 3 lode; thence N. 57° 23' E. 15.2 feet to corner No. 4, Panama No. 2 lode;

Anaconda Geologist Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For out of copyright policy, please contact the AHC by mail or email.

thence N. 41° 43' W. 1499.4 feet to corner No. 1 of said Panama No. 2 lode; thence N. 57° 23' E. 62.34 feet to corner No. 3, Panama No. 1 lode; thence N. 14° 09' W. 1467.9 feet to corner No. 2 of said Panama No. 1 lode; thence S. 57° 23' W. 632.57 feet to corner No. 1 of said Panama No. 1 lode, identical with corner No. 1, Digger lode; thence S. 14° 09' E. 1467.9 feet to corner No. 4 of said Panama No. 1 lode; thence S. 57° 23' W. 37.37 feet to corner No. 2 of said Panama No. 2 lode; thence S. 41° 43' E. 1499.4 feet to corner No. 3 of said Panama No. 2 lode; thence S. 57° 23' W. 7.6 feet to corner No. 4 of said Panama No. 3 lode, identical with corner No. 2, Sioux lode, Survey No. 5953; thence S. 32° 37' E. 1500.0 to corner No. 1 of said Panama No. 3 lode, identical with corners Nos. 2 and 4 of said Panama No. 4 and Panama No. 5 lodes, respectively, and with corner No. 1 of said Sioux lode; thence S. 57° 23' W. 1200.0 feet to corner No. 3 of said Standard lode, identical with corner No. 2 of said Reliable Extension lode; thence S. 70° 34' W. 616.2 feet to corner No. 1 of said Reliable Extension lode, the place of beginning.

Expressly excepting and excluding, however, from the above description all areas in conflict with the S. ½ of the S.W.¼ of the S.W.¼ of the S.W.¼ of Sec. 32, T. 25 N., R. 12 E., and Lot 6 of Sec. 5, T. 24 N., R. 12E., M.D.M.; leaving a net area claimed and applied for in this group of 142.669 acres, more or less.

(d) Sioux lode mining claim, Survey No. 5953.

Beginning at corner No. 1, identical with corners Nos. 1, 2 and 4, Panama No. 3, Panama No. 4 and Panama No. 5 lodes, respectively, whence the quarter section corner on the south boundary of Sec. 32, T. 25 N., R. 12 E., M.D.M., bears S. 32° 21 E. 1873.47 feet; thence S. 57° 23' W. 600.0 feet to corner No. 4; thence N. 32° 37' W. 1500.0 feet to corner No. 3; thence N. 57° 23' E. 600.0 feet to corner No. 2; thence S. 32° 37' E. 1500.0 feet to corner No. 1, the place of beginning; containing a net area claimed and applied for in this group of 20.661 acres, more or less.

There are no conflicting claims.

The total net area applied for is 389.424 acres.

The location notices of said nineteen lode mining claims are recorded in the office of the County Recorder of Plumas County, California, as follows:

Pacific No. 1, Vol. 11, page 85;
Pacific No. 2, Vol. 11, page 85;
Pacific No. 4, Vol. 11, page 87;
Pacific No. 5, Vol. 11, page 87;
Pacific No. 6, Vol. 11, page 88;
Pacific No. 7, Vol. 11, page 89;
Pacific No. 8, Vol. 11, page 89;
Digger, Vol. 12, page 47;
Piute No. 1, Vol. 12, page 11;
Piute No. 2, Vol. 12, page 12;
Piute No. 3, Vol. 12, page 13;

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Reliable Extension, Vol. 8, page 36;
Standard, Vol. 8, page 37;
Panama No. 1, Vol. 11, page 81;
Panama No. 2, Vol. 11, page 82;
Panama No. 3, Vol. 11, page 83;
Panama No. 4, Vol. 11, page 83;
Panama No. 5, Vol. 11, page 84;
Sioux, Vol. 9, page 87.

The nearest known locations are the aforesaid excluded tracts and Copper Center Extention, Bullion, Copper Center, Bullion Extention, Rob, Rob Extention, Walker, Valley View Extention, Valley View and Walker Extention lodes, all Survey No. 4865; Lena No. 14 and Iron Dyke No. 7 lodes, both Survey No. 5495; Pacific No. 3, Pacific No. 9, Pacific No. 10, Pacific No. 11, Pacific No. 12, Pacific No. 13, Grizzly, Grizzly No. 1, Grizzly No. 2, Grizzly No. 3, Grizzly No. 4, Grizzly No. 5, Grizzly No. 6, Grizzly No. 9, Grizzly No. 10, Grizzly Number Eleven, Grizzly Number Twelve, Reliable, Standard Extention lodes, Dolly Gulch Placer, and Bullion Mill Site, all Survey No. 5582 A and B; and Alice No. 2, Alice No. 3, Alice No. 4, Alice No. 5, Alice No. 6, Alice No. 7, Alice No. 8, Siwash No. 1, Siwash No. 2, and Alta No. 13 lodes, all unsurveyed.

I hereby direct that this notice be published in the Plumas Independent, published at Quincy, Plumas County, California.

Dated May _____, 1933.

_____
REGISTER

Date of first publication May ____ 1933.

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2, AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM NO. 5593; CONSOLIDATED.	ADDITIONAL AFFIDAVIT OF MINERAL CHARACTER AND OF IMPROVEMENTS

STATE OF CALIFORNIA,)
SS.
COUNTY OF PLUMAS,)

JOHN WALLBLOM and HARRY HENDERSON, each for himself and not one for the other, being first duly sworn deposes and says:

That he is a citizen of the United States, over 21 years of age, and is competent to be a witness in the above entitled patent proceedings; and that he is now and for many years has been, by occupation, a practical miner;

That he is well acquainted with all the mining claims composing the consolidated group of nineteen claims above described which are owned by Walker Mining Company, the Applicant herein, has been upon the ground thereof many times, and has performed mining work therein and thereon;

That the land embraced within said mining claims is chiefly valuable for its mineral deposits in veins or lodes in place in the Robinson Schist formation bearing values in copper, gold and silver;

That said Applicant is also the owner of the Rob, Rob Extension, Walker, Walker Extention, Bullion, Bullion Extention, Copper Center, Copper Center Extention, Valley View, and Valley View Extention patented mining claims, all of Mineral Survey No. 4865, which claims are completely surrounded on all sides by the nineteen

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

mining claims above described; is also the owner of the September Morn No. 1, September Morn No. 2, September Morn No. 3, September Morn No. 4, September Morn No. 5, all Mineral Survey 5948, which survey adjoins the Piute No. 1, Piute No. 2, and Piute No. 3 claims of said Mineral Survey No. 5582A on the north; and is also the owner of Applicant's Camp Site Exchange Lands Entry, Serial No. 022990, Patent No. 1025718, embracing 107.5 acres.

That five large ore chutes have been developed by mining operations on a large scale by the present owners upon the group of mining claims above mentioned over a period of seventeen years.

That more than 1,000,000 tons of commercial ore have been extracted from said group of mining claims and milled, producing copper, gold and silver, and that several million tons of ore are yet exposed for mining;

That the surface improvements on said group of claims consist of a 1500 ton per day flotation mill, machine shop, steel sharpening shop, framing sheds, and a compressor plant of 3000 cubic feet of free air per minute capacity, all electrically driven, with transformers and other necessary electrical equipment; a camp for 450 men, including three large bunk houses and two staff houses, 120 dwellings for families, school house, office, store, boarding house, social hall, garages, stable, and saw mill of 20,000 board feet per day capacity, all located at the portal of the main adit tunnel on said Camp Site Land Exchange; and on said Piute No. 1 claim, near the north end of the workings, and connected with them by a tunnel 140 feet long, is another power house housing a 1500 foot compressor, a 75 h.p. motor generator set, a 50 h.p. hoist, and a 50 h.p. ventilating fan, all electrically driven, together with necessary transformers and other electrical equipment; also that an aerial tram line nine miles long, capacity 20 tons per hour connects the mill with the Western Pacific railroad at Spring Garden, California;

That the mine improvements consist of a main adit tunnal 7x9

Anaconda Geologic Documents Collection. American Heritage Center. University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

feet in cross section, two miles long, developing the mine 1000 feet and more below the surface and known as the 7th level. This tunnel enters cover on, and extends approximately N. 17° E., about 2200 feet across Camp Site Exchange Land, 690 feet across Reliable Extension Claim, 740 feet across Bullion Claim, where it turns approximately N. 25° W. and for 450 feet more in the Bullion Claim, 550 feet in Sioux, 1500 feet across Rob Claim, 1450 feet across Rob Extension Claim and 1450 feet across the Digger Claim where it enters unpatented ground. Besides the adit on the 7th level, there are levels at approximately 150 feet intervals above the 7th level, i.e., the 6th, 5th, 4th and 3rd levels, and below the 7th level are the 8th, 9th and 10th levels. The 10th level is also a 7x9 main haulage level 3300 feet long extending beneath the Standard Claim, the Bullion Claim, the Sioux Claim and the Panama #2 Claim. On the Piute No. 1 Claim there is 140 feet of surface crosscut to the vein, and more than 1000 feet of drifts and crosscuts on the 5th level within the boundaries of the claim. Also there are two 3-compartment working winzes with a vertical depth of 500 feet each below the main adit level located on the Standard Claim; and on the Rob Claim there are three 2-compartment working raises connecting with the upper levels, two on the Rob and Bullion Extention claims and one on the Digger. These winzes and raises are equipped with 50 and 100 h.p. electric hoists and skips. All haulage levels are equipped with 24 inch gauge track, 30 lb. and 40 lb. rails. Ore is hauled over these tracks in 3 ton and 5 ton cars drawn by 4 ton trolley electric locomotives;

That there are more than ten miles of underground workings made up of drifts, crosscuts, raises and winzes;

That the value of all the above improvements is far in ex-

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

cess of $100,000.00.

John Wallblom

Harry Henderson

Subscribed and sworn to before me this 31st day of May, 1933.

My commission expires Feb. 5th 1935

Leon L. Clough

Notary Public in and for the County of Plumas, State of California.

(Seal)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2, AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5592A; AND SIOUX LODE MINING CLAIM NO. 5593; CONSOLIDATED.	ADDITIONAL AFFIDAVIT OF MINERAL CHARACTER AND OF IMPROVEMENTS

STATE OF CALIFORNIA,)
SS.
COUNTY OF PLUMAS,)

JOHN WALLBLOM and HARRY HENDERSON, each for himself and not one for the other, being first duly sworn deposes and says:

That he is a citizen of the United States, over 21 years of age, and is competent to be a witness in the above entitled patent proceedings; and that he is now and for many years has been, by occupation, a practical miner;

That he is well acquainted with all the mining claims composing the consolidated group of nineteen claims above described which are owned by Walker Mining Company, the Applicant herein, has been upon the ground thereof many times, and has performed mining work therein and thereon;

That the land embraced within said mining claims is chiefly valuable for its mineral deposits in veins or lodes in place in the Robinson Schist formation bearing values in copper, gold and silver;

That said Applicant is also the owner of the Rob, Rob Extension, Walker, Walker Extention, Bullion, Bullion Extention, Copper Center, Copper Center Extention, Valley View, and Valley View Extention patented mining claims, all of Mineral Survey No. 4865, which claims are completely surrounded on all sides by the nineteen

Anaconda Geologist Documents Collection. American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

mining claims above described; is also the owner of the September Morn No. 1, September Morn No. 2, September Morn No. 3, September Morn No. 4, September Morn No. 5, all Mineral Survey 5948, which survey adjoins the Piute No. 1, Piute No. 2, and Piute No. 3 claims of said Mineral Survey No. 5582A on the north; and is also the owner of Applicant's Camp Site Exchange Lands Entry, Serial No. 022990, Patent No. 1025718, embracing 107.5 acres.

That five large ore shutes have been developed by mining operations on a large scale by the present owners upon the group of mining claims above mentioned over a period of seventeen years.

That more than 1,000,000 tons of commercial ore have been extracted from said group of mining claims and milled, producing copper, gold and silver, and that several million tons of ore are yet exposed for mining;

That the surface improvements on said group of claims consist of a 1500 ton per day flotation mill, machine shop, steel sharpening shop, framing sheds, and a compressor plant of 3000 cubic feet of free air per minute capacity, all electrically driven, with transformers and other necessary electrical equipment; a camp for 450 men, including three large bunk houses and two staff houses, 120 dwellings for families, school house, office, store, boarding house, social hall, garages, stable, and saw mill of 20,000 board feet per day capacity, all located at the portal of the main adit tunnel on said Camp Site Land Exchange; and on said Piute No. 1 claim, near the north end of the workings, and connected with them by a tunnel 140 feet long, is another power house housing a 1500 foot compressor, a 75 h.p. motor generator set, a 50 h.p. hoist, and a 50 h.p. ventilating fan, all electrically driven, together with necessary transformers and other electrical equipment; also that an aerial tram line nine miles long, capacity 20 tons per hour connects the mill with the Western Pacific railroad at Spring Garden, California;

That the mine improvements consist of a main adit tunnel 7x9

Anaconda Geologic Documents Collection. American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

feet in cross section, two miles long, developing the mine 1000 feet and more below the surface and known as the 7th level. This tunnel enters cover on, and extends approximately N. 17° E., about 2200 feet across Camp Site Exchange Land, 690 feet across Reliable Extension Claim, 740 feet across Bullion Claim, where it turns approximately N. 25° W. and for 450 feet more in the Bullion Claim, 550 feet in Sioux, 1500 feet across Rob Claim, 1450 feet across Rob Extension Claim and 1450 feet across the Digger Claim where it enters unpatented ground. Besides the adit on the 7th level, there are levels at approximately 150 feet intervals above the 7th level, i.e., the 6th, 5th, 4th and 3rd levels, and below the 7th level are the 8th, 9th and 10th levels. The 10th level is also a 7x9 main haulage level 3300 feet long extending beneath the Standard Claim, the Bullion Claim, the Sioux Claim and the Panama #2 Claim. On the Piute No. 1 Claim there is 140 feet of surface crosscut to the vein, and more than 1000 feet of drifts and crosscuts on the 5th level within the boundaries of the claim. Also there are two 3-compartment working winzes with a vertical depth of 500 feet each below the main adit level located on the Standard Claim; and on the Rob Claim there are three 2-compartment working raises connecting with the upper levels, two on the Rob and Bullion Extention claims and one on the Digger. These winzes and raises are equipped with 50 and 100 h.p. electric hoists and skips. All haulage levels are equipped with 24 inch gauge track, 30 lb. and 40 lb. rails. Ore is hauled over these tracks in 3 ton and 5 ton cars drawn by 4 ton trolley electric locomotives;

That there are more than ten miles of underground workings made up of drifts, crosscuts, raises and winzes;

That the value of all the above improvements is far in ex-

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

cess of $100,000.00.

John Wallblom

Harry Henderson

Subscribed and sworn to before me this 31st day of May, 1933.

My commission expires Feb. 5th 1935

Leon L Clough

(seal)

Notary Public in and for the County of Plumas, State of California.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO.

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2, AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5555A; AND SIOUX LODE MINING CLAIM NO. 5505; CONSOLIDATED.	ADDITIONAL AFFIDAVIT OF MINERAL CHARACTER AND OF IMPROVEMENTS

STATE OF CALIFORNIA,)
) ss.
COUNTY OF PLUMAS,)

JOHN WALLERON and HANCY HENDERSON, each for himself and not one for the other, being first duly sworn deposes and says:

That he is a citizen of the United States, over 21 years of age, and is competent to be a witness in the above entitled patent proceedings; and that he is now and for many years has been, by occupation, a practical miner;

That he is well acquainted with all the mining claims composing the consolidated group of nineteen claims above described which are owned by Walker Mining Company, the Applicant herein, has been upon the ground thereof many times, and has performed mining work therein and thereon;

That the land embraced within said mining claims is chiefly valuable for its mineral deposits in veins or lodes in place in the Robinson Schist formation bearing values in copper, gold and silver;

That said Applicant is also the owner of the Rob, Rob Extension, Walker, Walker Extention, Sullion, Sullion Extention, Copper Center, Copper Center Extention, Valley View, and Valley View Extention patented mining claims, all of Mineral Survey No. 4965, which claims are completely surrounded on all sides by the nineteen

Anaconda Geologic Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

mining claims above described; is also the owner of the September Morn No. 1, September Morn No. 2, September Morn No. 3, September Morn No. 4, September Morn No. 5, all Mineral Survey 5048, which survey adjoins the Piute No. 1, Piute No. 2, and Piute No. 3 claims of said Mineral Survey No. 5582A on the north; and is also the owner of Applicant's Camp Site Exchange Lands Entry, Serial No. 032000, Patent No. 1026718, embracing 107.6 acres.

That five large ore shutes have been developed by mining operations on a large scale by the present owners upon the group of mining claims above mentioned over a period of seventeen years.

That more than 1,000,000 tons of commercial ore have been extracted from said group of mining claims and milled, producing copper, gold and silver, and that several million tons of ore are yet exposed for mining;

That the surface improvements on said group of claims consist of a 1500 ton per day flotation mill, machine shop, steel sharpening shop, framing sheds, and a compressor plant of 3000 cubic feet of free air per minute capacity, all electrically driven, with transformers and other necessary electrical equipment; a camp for 450 men, including three large bunk houses and two staff houses, 120 dwellings for families, school house, office, store, boarding house, social hall, garages, stable, and saw mill of 20,000 board feet per day capacity, all located at the portal of the main adit tunnel on said Camp Site Land Exchange; and on said Piute No. 1 claim, near the north end of the workings, and connected with them by a tunnel 140 feet long, is another power house housing a 1500 foot compressor, a 75 h.p. motor generator set, a 50 h.p. hoist, and a 50 h.p. ventilating fan, all electrically driven, together with necessary transformers and other electrical equipment; also that an aerial tram line nine miles long, capacity 20 tons per hour connects the mill with the Western Pacific railroad at Spring Garden, California;

That the mine improvements consist of a main adit tunnel 7x9

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

feet in cross section, two miles long, developing the mine 1000 feet and more below the surface and known as the 7th level. This tunnel enters cover on, and extends approximately N. 17° E., about 2200 feet across Camp Site Exchange Land, 690 feet across Reliable Extension Claim, 740 feet across Bullion Claim, where it turns approximately N. 25° W. and for 450 feet more in the Bullion Claim, 550 feet in Sioux, 1500 feet across Rob Claim, 1450 feet across Rob Extension Claim and 1450 feet across the Digger Claim where it enters unpatented ground. Besides the adit on the 7th level, there are levels at approximately 150 feet intervals above the 7th level, i.e., the 6th, 5th, 4th and 3rd levels, and below the 7th level are the 8th, 9th and 10th levels. The 10th level is also a 7x9 main haulage level 3500 feet long extending beneath the Standard Claim, the Bullion Claim, the Sioux Claim and the Panama #2 Claim. On the Pluto No. 1 Claim there is 140 feet of surface crosscut to the vein, and more than 1000 feet of drifts and crosscuts on the 8th level within the boundaries of the claim. Also there are two 3-compartment working winzes with a vertical depth of 500 feet each below the main adit level located on the Standard Claim; and on the Rob Claim there are three 2-compartment working raises connecting with the upper levels, two on the Rob and Bullion Extention claims and one on the Digger. These winzes and raises are equipped with 50 and 100 h.p. electric hoists and skips. All haulage levels are equipped with 24 inch gauge track, 30 lb. and 40 lb. rails. Ore is hauled over these tracks in 3 ton and 5 ton cars drawn by 4 ton trolley electric locomotives;

That there are more than ten miles of underground workings made up of drifts, crosscuts, raises and winzes;

That the value of all the above improvements is far in ex-

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

cess of $100,000.00.

John Wallace

Harry Henderson

Subscribed and sworn to before me this 31st day of

May, 1933.

My commission expires Feb. 5th, 1935

Lenore K. Clough

Notary Public in and for the
County of Plumas, State of
California.

(Seal)

4—201
(Form approved by the Department April 26, 1915.)

REGISTER'S FINAL CERTIFICATE OF MINERAL ENTRY.

DEPARTMENT OF THE INTERIOR,
UNITED STATES LAND OFFICE.

Fees, $ _____ at Sacramento, California.

Receipt No. _____ August, 19 33.

Purchase money, $ _____ Serial No. 020,405

Receipt No. _____

IT IS HEREBY CERTIFIED That in pursuance of the provisions of the Revised Statutes of the United States, Chapter VI, Title XXXII, and legislation supplemental thereto, Walker Mining Company, a corporation,

whose post-office address is Walkermine, Plumas County, California, on this day purchased these certain MINING CLAIMS known as the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, situated in Section 5, T. 24 N., R. 12 E., and Sections 29, 30, 31 and 32, T. 25 N., R. 12 E., Mt. Diablo Meridian, designated as Surveys Nos. 5582A and 5953; said Survey No. 5582A extending 1500.0 feet in length along said Reliable Extension; 1500.0 feet in length along said Standard; 1500.0 feet in length along said Pacific No. 1; 1500.0 feet in length along said Pacific No. 2; 1500.0 feet in length along said Pacific No. 4; 1467.9 feet in length along said Pacific No. 5; 1467.9 feet in length along said Pacific No. 6; 1494.9 feet in length along said Pacific No. 7; 1494.9 feet in length along said Pacific No. 8; 1467.9 feet in length along said Panama No. 1; 1499.4 feet in length along said Panama No. 2; 1500.0 feet in length along said Panama No. 3; 1500.0 feet in length along said Panama No. 4; 1500.0 feet in length along said Panama No. 5; 1499.6 feet in length along said Digger; 1500.0 feet in length along said Piute No. 1; 1500.0 feet in length along said Piute No. 2; and 1500.0 feet in length along said Piute No. 3 veins or lodes; and said Survey No. 5953 extending 1500.0 feet in length along said Sioux lode mining claim as entered, embracing [illegible] acres, ~~and said mill-site claim~~ acres, in the no organized Mining District, in the County of Plumas, and State of California, as shown by the plats and field notes of survey thereof, for which the said part 7 first above named this day made payment to the Receiver in full, amounting to the sum of nineteen hundred fifty ($1950.00) dollars.

NOW, THEREFORE, Be it known that upon the presentation of this Certificate to the COMMISSIONER OF THE GENERAL LAND OFFICE, together with the plats and field notes of survey of said claims and the proofs required by law, a PATENT shall issue thereupon to the said Walker Mining Company

if all then be found regular.

_____
Register.

NOTE.—Final certificate should issue in the full and proper names of claimants and every effort should be used to obtain the same.

A duplicate of this Certificate is issued to the claimant as notice of the acceptance of the proof and payment, and of the allowance of the entry by the Register and Receiver subject to approval by the Commissioner of the General Land Office.

The entry papers, together with the original final certificate, are forwarded to the General Land Office at Washington, D. C., for examination and issuance of patent, if all be found regular.

The duplicate copy forwarded to the claimant should be held until notice of issuance of patent is received.

In all correspondence concerning the entry in connection with which this Certificate issued, refer to the NAME OF THE LAND OFFICE and the SERIAL NUMBER noted hereon.

Posted _____ in Vol. _____, P. _____, by _____, Div. "O."

4 3

4—011.

DEPARTMENT OF THE INTERIOR.

MINERAL ENTRY.

U. S. LAND OFFICE, Sacramento, California., No. 028,405

APPLICATION TO PURCHASE.

Receipt No.

The undersigned, claimant under the provisions of the Revised Statutes of the United States, Chapter Six, Title Thirty-two, and legislation supplemental thereto, hereby applies to purchase those certain Mining Claims known as the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953, Consolidated, situated in Section 5, Township 24 North, Range 12 East, and Sections 29,30,31 and 32, Township 25 North, Range 12 East, Mt. Diablo Meridian, designated as Surveys Nos. 5582A and 5953, said Survey No. 5582A extending 1500.0 feet in length along said Reliable Extension; 1500.0 feet in length along said Standard; 1500.0 feet in length along said Pacific No. 1; 1500.0 feet in length along said Pacific No. 2; 1500.0 feet in length along said Pacific No. 4; 1467.9 feet in length along said Pacific No. 5; 1467.9 feet in length along said Pacific No. 6; 1494.9 feet in length along said Pacific No. 7; 1494.9 feet in length along said Pacific No. 8; 1467.9 feet in length along said Panama No. 1; 1499.4 feet in length along said Panama No. 2; 1500.0 feet in length along said Panama No. 3; 1500.0 feet in length along said Panama No. 4; 1500.0 feet in length along said Panama No. 5; 1499.6 feet in length along said Digger; 1500.0 feet in length along said Piute No. 1; 1500.0 feet in length along said Piute No. 2; 1500.0 feet in length along said Piute No. 3 veins or lodes; and said Survey No. 5953 extending 1500.0 feet in length along said Sioux vein or lode, East, Mt. Diablo Meridian,

and also all that portion of any vein or lode the top or apex of which lies inside of said excluded ground; said Lode claims embracing 389.424 acres, in the no organized Mining District, in the County of Plumas and State of California as shown by the surveys thereof, and hereby agrees to pay therefor Nineteen Hundred Fifty ($1950.00) dollars, being the legal price thereof.

Dated August 21, 1933.

WALKER MINING COMPANY,

By W. A. Gerrish Jr.

Its agent and attorney-in-fact.

Subscribed and sworn to before me this 21st day of August, 1933.
John C. Ing,
Register, U.S. Land Office
Sacramento, California

Anaconda Geological Documents Collection. American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

4—011.

DEPARTMENT OF THE INTERIOR.

MINERAL ENTRY.

U. S. LAND OFFICE, Sacramento, California., No. 033,405

APPLICATION TO PURCHASE.

Receipt No.

The undersigned, claimant under the provisions of the Revised Statutes of the United States, Chapter Six, Title Thirty-two, and legislation supplemental thereto, hereby applies to purchase ~~that~~ these certain Mining Claims known as the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode ~~Section~~ mining claim, Mineral Survey No. 5983, Consolidated, situated in Section 5, Township 24 North, Range 15 East, and Sections 29,30,31 ~~Meridian~~, and 32, Township 25 North, Range 15 East, Mt. Diablo Meridian, designated as Survey~~s~~ No. 5582A and 5983, said Survey No. 5582A extending 1500.0 feet in length along said Reliable Extension; 1500.0 feet in length along said Standard; 1500.0 feet in length along said Pacific No. 1; 1500.0 feet in length along said Pacific No. 2; 1500.0 feet in length along said Pacific No. 4; 1467.9 feet in length along said Pacific No. 5; 1467.9 feet in length along said Pacific No. 6; 1494.9 feet in length along said Pacific No. 7; 1494.9 feet in length along said Pacific No. 8; 1467.9 feet in length along said Panama No. 1; 1499.4 feet in length along said Panama No. 2; 1500.0 feet in length along said Panama No. 3; 1500.0 feet in length along said Panama No. 4; 1500.0 feet in length along said Panama No. 5; 1499.6 feet in length along said Digger; 1500.0 feet in length along said Piute No. 1; 1500.0 feet in length along said Piute No. 2; 1500.0 feet in length along said Piute No. 3 veins or lodes; and said Survey No. 5983 extending 1500.0 feet in length along said Sioux vein or lode, East, Mt. Diablo Meridian.

and also all that portion of any vein or lode the top or apex of which lies inside of said excluded ground; said Lode claims embracing 369.424 acres ~~and said Mill Site claim acres~~, in the no organized Mining District, in the County of Plumas and State of California as shown by the surveys thereof, and hereby agrees to pay therefor Nineteen Hundred Fifty ($1950.00) dollars, being the legal price thereof.

Dated August, 1933.

WALKER MINING COMPANY,

By

Its agent and attorney-in-fact.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. 028,405

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	CERTIFICATE THAT NO SUIT IS PENDING

STATE OF CALIFORNIA,)
SS.
COUNTY OF _____,)

I, _____, _____Clerk of the United States District Court in and for the Northern District of California, do hereby certify that there is no suit or action of any character pending in said court involving the right of possession to any portion of the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, situated in Section 5, Township 24 North, Range 12 East and Sections 29, 30, 31 and 32, Township 25 North, Range 12 East, Mt. Diablo Meridian, no organized mining district, Plumas County, California.

In Witness Whereof, I have hereunto set my hand and affixed the seal of said court at my office in _____, California, this _____day of August, 1933.

_____
Clerk of the United States District Court in and for the Northern District of California.

This certificate was not used

Anaconda Geological Documents Collection. American Heritage Center. University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. 028,405

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	CERTIFICATE THAT NO SUIT IS PENDING

STATE OF CALIFORNIA,)
) ss.
COUNTY OF _____,)

I, _____, _____Clerk of the United States District Court in and for the Northern District of California, do hereby certify that there is no suit or action of any character pending in said court involving the right of possession to any portion of the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, situated in Section 5, Township 24 North, Range 12 East and Sections 29, 30, 31 and 32, Township 25 North, Range 12 East, Mt. Diablo Meridian, no organized mining district, Plumas County, California.

In Witness Whereof, I have hereunto set my hand and affixed the seal of said court at my office in _____, California, this _____day of August, 1933.

_____
Clerk of the United States District Court in and for the Northern District of California.

This certificate was not used.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. 028,405

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	CERTIFICATE THAT NO SUIT IS PENDING

STATE OF CALIFORNIA,)
) ss.
COUNTY OF _____,)

I, _____, _____Clerk of the United States District Court in and for the Northern District of California, do hereby certify that there is no suit or action of any character pending in said court involving the right of possession to any portion of the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, situated in Section 5, Township 24 North, Range 12 East and Sections 29, 30, 31 and 32, Township 25 North, Range 12 East, Mt. Diablo Meridian, no organized mining district, Plumas County, California.

In Witness Whereof, I have hereunto set my hand and affixed the seal of said court at my office in _____, California, this _____day of August, 1933.

_____
Clerk of the United States District Court in and for the Northern District of California.

This certificate was not used.

Anaconda Geological Documents Collection. American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. 028,405

STATEMENT OF FEES AND CHARGES

STATE OF CALIFORNIA, } ss.
COUNTY OF PLUMAS, }

H. A. GEISENDORFER, being first duly sworn according to law, deposes and says:

That he is the duly appointed and acting agent and attorney-in-fact of Walker Mining Company, a corporation, applicant for United States patent for the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, situated in no organized mining district, Plumas County, State of California; that he has conducted said application on behalf of said corporation and is familiar with the expenditures made by applicant relative to said application; that in the prosecution of said application applicant has paid out the following sums for the following purposes:

For office work in the U.S. Surveyor General's office for Survey No.5582 A and B	$420.14
For office work in the U.S. Public Survey Office for Survey No. 5953	35.00
For Survey No. 5582 A and B made by William Watson, U.S. ~~Deputy~~ Mineral Surveyor,	820.00
For Survey No. 5953 made by William Watson, U.S. ~~Deputy~~ Mineral Surveyor,	48.25
(The above items for office work and survey of Survey No. 5582 A and B include twenty-one lode mining claims, one placer, and one millsite, patent for which is not applied for herein.)	
For filing application for patent	10.00
For publication notice of application in The Plumas Independent	150.00

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For out of copyright policy, please contact the AHC by mail or email.

Purchase price of land 1950.00

Total - - - - $3433.39

H. A. GEISENDORFER

Subscribed and sworn to before me this 19th. day of August, 1933.

My commission expires Feb. 5th. 1935

LEON L. CLOUGH

Notary Public residing at

(NOTARIAL SEAL) Quincy, California.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. 028,405

STATEMENT OF FEES AND CHARGES

STATE OF CALIFORNIA, }
COUNTY OF PLUMAS, } SS.

H. A. GEISENDORFER, being first duly sworn according to law, deposes and says:

That he is the duly appointed and acting agent and attorney-in-fact of Walker Mining Company, a corporation, applicant for United States patent for the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, situated in no organized mining district, Plumas County, State of California; that he has conducted said application on behalf of said corporation and is familiar with the expenditures made by applicant relative to said application; that in the prosecution of said application applicant has paid out the following sums for the following purposes:

For office work in the U.S. Surveyor General's office for Survey No.5582 A and B	$420.14
For office work in the U.S. Public Survey Office for Survey No. 5953	35.00
For Survey No. 5582 A and B made by William Watson, U.S. ~~Deputy~~ Mineral Surveyor,	820.00
For Survey No. 5953 made by William Watson, U.S. ~~Deputy~~ Mineral Surveyor,	48.25
(The above items for office work and survey of Survey No. 5582 A and B include twenty-one lode mining claims, one placer, and one millsite, patent for which is not applied for herein.)	
For filing application for patent	10.00
For publication notice of application in The Plumas Independent	150.00

Anaconda Geological Documents Collection. American Heritage Center. University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Purchase price of land 1950.00

Total - - - - $3433.39

H. A. GEISENDORFER

Subscribed and sworn to before me this 19th. day of August, 1933.

My commission expires Feb. 5th. 1935

LEON L. CLOUGH

Notary Public residing at

Quincy, California.

(NOTARIAL SEAL)

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

M.A. No. 028,405

STATE OF CALIFORNIA,)
) ss.
COUNTY OF PLUMAS)

H. A. Geisendorfer, being first duly sworn, according to law, deposes and says:

That he is the duly appointed and acting Agent and Attorney-in-Fact of Walker Mining Company, a corporation, applicant for United States patent for the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953, Consolidated, situated in no organized mining district, Plumas County, State of California, the official plats of which premises, together with a notice of intention to apply for a patent therefor was posted thereon on the 31st day of May, 1933, as fully set forth and described in the affidavit of John Wallblom and H. J. Henderson dated May 31, 1933, which affidavit has been duly filed in the office of the Register of the United States Land Office at Sacramento, California, in the matter of this application, Serial No. 028405, and that the plats and notice so mentioned and described remained continuously and conspicuously posted upon said mining claims from said May 31, 1933, until and including the 17th day of August, 1933, including the sixty day period during which notice of said application for patent was published in The Plumas Independent of Quincy, California, pursuant to the order of said Register heretofore made herein.

H. A. GEISENDORFER

Subscribed and sworn to before me this 19th day of August, 1933.

My commission expires Feb. 5th. 1935

(NOTARIAL SEAL)

LEON L. CLOUGH

Notary Public residing at
Quincy, California

Arizona Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

N.A. No. 028,405

STATE OF CALIFORNIA,)
) SS.
COUNTY OF PLUMAS)

H. A. Geisendorfer, being first duly sworn, according to law, deposes and says:

That he is the duly appointed and acting Agent and Attorney-in-Fact of Walker Mining Company, a corporation, applicant for United States patent for the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953, Consolidated, situated in no organized mining district, Plumas County, State of California, the official plats of which premises, together with a notice of intention to apply for a patent therefor was posted thereon on the 31st day of May, 1933, as fully set forth and described in the affidavit of John Wallblom and H. J. Henderson dated May 31, 1933, which affidavit has been duly filed in the office of the Register of the United States Land Office at Sacramento, California, in the matter of this application, Serial No. 028405, and that the plats and notice so mentioned and described remained continuously and conspicuously posted upon said mining claims from said May 31, 1933, until and including the 17th day of August, 1933, including the sixty day period during which notice of said application for patent was published in The Plumas Independent of Quincy, California, pursuant to the order of said Register heretofore made herein.

H. A. GEISENDORFER

Subscribed and sworn to before me this 19th day of August, 1933.

My commission expires Feb. 5th. 1935

(NOTARIAL SEAL)

LEON L. CLOUGH
Notary Public residing at
Quincy, California

UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

M.A. No. 028,405

STATE OF CALIFORNIA,)
SS.
COUNTY OF PLUMAS)

H. A. Geisendorfer, being first duly sworn, according to law, deposes and says:

That he is the duly appointed and acting Agent and Attorney-in-Fact of Walker Mining Company, a corporation, applicant for United States patent for the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No, 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953, Consolidated, situated in no organized mining district, Plumas County, State of California, the official plats of which premises, together with a notice of intention to apply for a patent therefor was posted thereon on the 31st day of May, 1933, as fully set forth and described in the affidavit of John Wallblom and H. J. Henderson dated May 31, 1933, which affidavit has been duly filed in the office of the Register of the United States Land Office at Sacramento, California, in the matter of this application, Serial No. 028405, and that the plats and notice so mentioned and described remained continuously and conspicuously posted upon said mining claims from said May 31, 1933, until and including the 17th day of August, 1933, including the sixty day period during which notice of said application for patent was published in The Plumas Independent of Quincy, California, pursuant to the order of said Register heretofore made herein.

H. A. GEISENDORFER

Subscribed and sworn to before me this 19th day of August, 1933.

My commission expires Feb. 5th. 1935

(NOTARIAL SEAL)

LEON L. CLOUGH

Notary Public residing at Quincy, California

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. 028,405

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5582A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	CERTIFICATE THAT NO SUIT IS PENDING

STATE OF CALIFORNIA,)
SS.
COUNTY OF PLUMAS,)

I, Wm. F. Werner, County Clerk of the County of Plumas, State of California, and ex-officio clerk of the Superior Court thereof, do hereby certify that there is no suit or action of any character pending in said court involving the right of possession to any portion of the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5582A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, situated in Section 5, Township 24 North, Range 12 East, and Sections 29, 30, 31 and 32, Township 25 North, Range 12 East, Mt. Diablo Meridian, no organized mining district, Plumas County, California.

In Witness Whereof, I have hereunto set my hand and affixed the seal of said court at my office in Quincy, Plumas County, California, this 19th. day of August, 1933.

WM. F. WERNER
COUNTY CLERK OF PLUMAS COUNTY, CALIFORNIA, AND EX-OFFICIO CLERK OF THE SUPERIOR COURT THEREOF

(SEAL)

It was not necessary to file this certificate but it was filed. See H.A. Geisendorfer's letter of Aug. 8, 1933.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

IN THE UNITED STATES LAND OFFICE, SACRAMENTO, CALIFORNIA.

SERIAL NO. 020,405

IN THE MATTER OF THE APPLICATION FOR PATENT OF THE RELIABLE EXTENSION, STANDARD, PACIFIC NO. 1, PACIFIC NO. 2, PACIFIC NO. 4, PACIFIC NO. 5, PACIFIC NO. 6, PACIFIC NO. 7, PACIFIC NO. 8, PANAMA NO. 1, PANAMA NO. 2, PANAMA NO. 3, PANAMA NO. 4, PANAMA NO. 5, DIGGER, PIUTE NO. 1, PIUTE NO. 2 AND PIUTE NO. 3 LODE MINING CLAIMS, MINERAL SURVEY NO. 5532A; AND SIOUX LODE MINING CLAIM, MINERAL SURVEY NO. 5953; CONSOLIDATED.	CERTIFICATE THAT NO SUIT IS PENDING

STATE OF CALIFORNIA,)
) ss.
COUNTY OF PLUMAS,)

I, Wm. F. Werner, County Clerk of the County of Plumas, State of California, and ex-officio clerk of the Superior Court thereof, do hereby certify that there is no suit or action of any character pending in said court involving the right of possession to any portion of the Reliable Extension, Standard, Pacific No. 1, Pacific No. 2, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2 and Piute No. 3 lode mining claims, Mineral Survey No. 5532A; and Sioux lode mining claim, Mineral Survey No. 5953; Consolidated, situated in Section 5, Township 24 North, Range 12 East, and Sections 29, 30, 31 and 32, Township 25 North, Range 12 East, Mt. Diablo Meridian, an organized mining district, Plumas County, California.

In Witness Whereof, I have hereunto set my hand and affixed the seal of said court at my office in Quincy, Plumas County, California, this 19th day of August, 1933.

(SEAL)

WM. F. WERNER

COUNTY CLERK OF PLUMAS COUNTY, CALIFORNIA, AND EX-OFFICIO CLERK OF THE SUPERIOR COURT THEREOF

It was not necessary to file this certificate but it was filed. See H.A. Geisendorfer's letter of Aug. 8, 1933.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

NOTICE OF APPLICATION of WALKER MINING COMPANY, A Corporation, by V. A. HAIT, its Attorney in Fact for a United States Patent to the DOLLY GULCH PLACER MINE, BULLION MILLSITE, RELIABLE LODE and thirty eight (38) other mining claims.

Notice is hereby given that in pursuance of Chapter 6 of Title 32, of the Revised Statutes of the United States, and regulations thereunder, that the undersigned V. A. HAIT, whose post office address is Walker Mine, Plumas County, California, as attorney in fact for WALKER MINING COMPANY, A Corporation, whose post office address is Walker Mine, Plumas County, California, claiming to own the DOLLY GULCH PLACER MINE, the BULLION MILLSITE, the RELIABLE LODE and thirty eight (38) other mining claims hereinafter set forth, situate in no organized mining district, Plumas County, California, is about to make application to the United States Government for a patent for said mining claims which are more fully described as to meets and bounds by the official plat thereof herewith posted, and by the field notes of survey thereof now filed in the office of the Register of the District of Lands at Susanville, California, which field notes of survey describe the boundaries and extent of said claims on the surface with varying magnetic variation from 18 deg. E. to 20 deg. E. as follows:

DOLLY GULCH PLACER MINE described as commencing at the corner common to Sec. 5, 6, 7, and 8 T. 24 N. R. 12 E. and running thence S. 88 deg. 25' W. 1320 feet; thence S. variation 18 deg. 47' E. 2640 feet; thence N. 89 deg. 44' E. variation 18 deg. 45' E. 1319.25 feet; thence N. 88 deg. .06' E. variation 19 deg. E. 1347.4 feet; thence N. variation 18 deg. 45' E. 2640 feet; thence S. 89 deg. 23' W. variation 18 deg. 23' E. 1346.93 feet to the place of beginning.

BULLION MILLSITE described as beginning at a point from which the NE corner of Sec. 8 T. 24 N. R. 12 E. bears N. 36 deg. 55' E. 905.29 feet; thence S. 52 deg. .08' E. variation 19 deg. E. 423.4 feet; thence S. 33 deg. .07' W. variation 19 deg. E. 496.72 feet; thence N. 53 deg. 36' W. variation 19 deg. E. 440 feet; thence N. 35 deg. .05' E. variation 19 deg. E. 506.87 feet to the place of beginning.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. Any reuse of this material may be protected by copyright law (Title 17, U.S. Code). For use of copyright protected materials and by mail or email

(1) × ✓ RELIABLE LODE commencing at a point from which the one-quarter section corner on the S. boundary of Sec. 5, T. 24 N. R. 12 E., M. D. M. bears N. 61 deg. 52' E. 554.44ft; thence N. 32 deg. 37' W. 1500 ft; thence S. 70 deg. 34' W. 1616.20 ft; thence S. 32 deg. 37' E. 1500 ft.; thence N. 70 deg. 34' E. 616.2 ft. to the place of beginning.

(2) ✓ RELIABLE EXTENSION LODE beginning at a point from which the corner of Sec. 31 and 32 T. 25 N. R. 12 E. and Se. 5 and 6 T. 24 N. R. 12 E. bears S. 6 deg. 42' 796.2 ft; thence N. 70 deg. 34' E. 616.2 ft; thence S. 32 deg. 37' E. 1500 ft; thence S. 70 deg. 34' W. 1500 ft, to the place of beginning.

(3) ✓ STANDARD LODE described as beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 32 T. 25 N., R. 12 E., M. D. M. bears N. 89 deg. 40' E. 699.18 ft.; thence N. 32 deg. 37' W. 1500 feet; thence S. 57 deg. 23' W. 600 feet; thence S. 32 deg. 37' E. 1300 feet; thence N. 57 deg. 23' E. 600 feet to the place of beginning.

(4) × ✓ STANDARD EXTENSION LODE described as beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 5 T. 24 N. R. 12 E. bears S. 45 Deg. 47' W. 151.2 feet; thence N. 32 deg. 37' W. 1500 feet; thence S. 57 deg. 23' W. 600 feet; thence S. 32 deg. 37' E. 1500 feet; thence N. 57 deg. 23' E. 600 feet; to the place of beginning.

(5) × ✓ GRIZZLY LODE beginning at a point from which the SW corner of Sec. 5 T. 25 N. R. 12 E. bears N. 89 deg. 38' W. 37.59 feet; thence S. 70 deg. 34 ' W. 616.2 feet; thence S. 32 deg. 37' E. 1500 feet; thence N. 70 deg. 34' E. 616.2 feet; thence N. 32 deg. 37' W. 1500 feet to the place of beginning.

(6) × ✓ GRIZZLY No. 1 LODE described as beginning at a point from which the NW corner of Sec. 8, T. 24 N. R. 12 E. bears N. 34 deg. 29' W. 970.97 feet; thence N. 70 deg. 34' E. 616.2 feet; thence S. 32 deg. 37' 498 feet; thence S. 70 deg. 34' W. 616.2 feet; thence N. 32 deg. 37' W. 498 feet to the place of beginning.

(7) GRIZZLY No. 2 LODE beginning at a point from which the one quarter Sec. corner on the N. boundary of T. 24 N. R. 12 E. bears N. 66 deg. 52' E. 1067.62 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' E. 1498 feet; thence N. 70 deg. 34' E. 616.2 feet; thence N. 32 deg. 37' W. 1498 feet to the place of beginning.

(8) GRIZZLY No. 3. LODE beginning at a point from which the one quarter Sec. corner on the N. boundary of Sec. 8 T. 24 N. R. 12 E. bears N. 61 deg. 52' E. 454.44 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' E. 1498 feet; thence N. 70 deg. 34' E. 616.2 feet; thence N. 32 deg. 37' W. 498 feet to the place of beginning.

(9) Grizzly No. 4 Lode beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 5 T. 24 N. R. 12 E. bears S. 44 deg. 47' W. 151.2 feet; thence S. 57 deg. 23' W. 600 feet; thence S. 32 deg. 37' E. 598 feet; thence N. 57 deg. 23' E. 600 feet; thence N. 32 deg. 37' W. 1498 feet to the place of beginning.

(10) GRIZZLY No. 5 LODE beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 5 T. 24 N. R. 12 E. bears S. 43 deg. 47' W. 151.2 feet; thence N. 57 deg. 23' E. 600 feet; thence N. 32 deg. 37' W. 1500 feet; thence S. 57 deg. 23' W. 600 feet; thence S. 32 deg. 37' E. 1500 feet to the place of beginning.

(11) GRIZZLY No. 6 LODE beginning at a point from which the one quarter Sec. on the S. boundary of Sec. 5 T. 24 N. R. 12 E. bears S. 43 deg. 47' W. 151.2 feet; thence N. 57 deg. 23' E. 600 feet; thence S. 32 deg. 37' E. 1498 feet; thence S. 57 deg. 23' W. 600 feet; thence N. 32 deg. 37' W. 1498 feet to the place of beginning.

(12) GRIZZLY No. 7 LODE beginning at a point from which the one quarter Sec. corner on the N. boundary of Sec. 8 T. 24 N. R. 12 E. M. D. M., bears N. 38 deg. 21' W. 1469.83 feet;

thence S. 32 deg. 37' E. 487 feet; thence N. 57 deg. 23' E. 600 feet; thence N. 32 deg. 37' W. 1487 feet; thence S. 57 deg. 23' W. 600 feet to the place of beginning.

(13) × ✓ GRIZZLY No. 8 LODE beginning at a point from which the one quarter Sec. corner on the N. boundary of Sec. 8 T. 24 N. R.12 E. bears N. 38 deg. 21' W. 1469.83 feet; thence S. 57 deg. 23' W. 600 feet; thence S. 32 deg. 37' E. 1487feet; thence N. 57 deg. 23' E. 600 feet; thence N. 32 deg. 37' W. 1487 feet to the place of beginning.

(14) × ✓ GRIZZLY No. 9 LODE beginning at a point from which the one quarter section on the N. boundary of Sec. 8 T. 24 N. R. 12 E. bears N. 15 deg. 24' W. 1531.02 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' W. 1487 feet; thence N. 70 deg. 34' E. 616.2 feet; thence N. 32 deg. 37' W. 1487 feet to the place of beginning.

(15) × ✓ GRIZZLY No. 10 LODE described as beginning at a point from which the one quarter Sec. on the N. boundary of Sec. 8 T. 24 N. R. 12 E. bears N. 5 deg. 55' E. 1690.05 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' E. 1487 feet; thence N. 70 deg. 34' E. 616.2 feet; thence N. 32 deg. 37' W. 1487 feet to the place of beginning.

(16) × ✓ GRIZZLY NUMBER ELEVEN LODE described as beginning at a point from which the one quarter Sec. corner on the W. boundary of Sec. 8 T. 24 N. R. 12 E. bears S. 65 deg. 55' W. 1488.63 feet; thence N. 70 deg. 34' E. 616.2 feet; thence S. 32 deg. 37' E. 1487 feet; thence S. 70 deg. 34' W. 616.2 feet; thence N. 32 deg. 37' W. 1487 feet to the place of beginning.

(17) × ✓ GRIZZLY NUMBER TWELVE LODE described as beginning at a point from which the one quarter Sec. corner on the W. boundary of Sec. 8 T. 24 N. R. 12 E. bears N. 86 deg. 50' W. 1075.12 feet; thence N. 70 deg. 34' E. 616.2 feet; thence N. 32 deg. 37' W. 497 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' E. 497 feet to the place of eginning.

(18) PACIFIC No 1 LODE described as beginning at a point from which the SE corner of Sec. 31 T. 25 N. R. 12 E. bears S. 20 deg. 05' E. 2175.37 feet; thence N. 41 deg. 42' W. 1500 feet; thence S. 70 deg. 34' W. 649.1 feet; thence S. 41 deg. 52' E. 1500 feet; thence N. 70 deg. 34' E. 649.1 feet to the place of beginning.

(19) PACIFIC No. 2 LODE described as beginning at a point from which the SE corner of Sec. 31 T. 24 N. R. 12 E. bears S. 39 deg 49' E. 762.52 feet; thence N. 70 deg. 34' E. 616.2 feet; thence N. 32 deg. 37' W. 1500 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' W. 1500 feet to the place of beginning.

(20) PACIFIC No. 3 LODE described as beginning at a point from which the SE corner of Sec. 31 T. 25 N. R. 12 M.M. D. M. bears S. 39 deg. 49' E. 752.59 feet; thence N. 32 deg. 37' W. 1500 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' E. 1500 feet; thence N. 70 deg. 34' E. 616.2 feet to the place of beginning.

(21) PACIFIC No. 4 LODE described as beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 31 T. 25 N. R. 12 E. M. D. M. bears S. 22 deg. 50' W. 1739.72 feet; thence N. 70 deg. 34' E. 649.1 feet; thence N. 41 deg. 52' W. 1500 feet; thence S. 70 deg. 34' W. 649.1 feet; thence S. 41 deg. 52' E. 1500 feet to the place of beginning.

(22) PACIFIC No. 5 LODE described as beginning at a point from which the one quarter Sec. corner on the N. boundary of Sec. 31 T. 25 N. R. 12 E. bears N. 4 deg. 29' W. 851.29 feet; thence N. 70 deg. 34' E. 602feet; thence S. 14 deg. .09' E. 467.9 feet; thence S. 70 deg. 34' W. 602.5 feet; thence N. 14 deg..08' W. 1467.9 feet tothe place of beginning.

(23) PACIFIC No. 6 LODE described as beginning at a point from which the one quarter Sec. corner on the N. boundary of Sec. 31, T. 25 N. R. 12 E. bears N. 4 deg. 29' W. 851.29 feet;

thence S. 70 deg. 34' W. 602 feet; thence S. 14 deg. .07' E. 467.9 feet; thence N. 70 deg. 34' E. 602.5 feet; thence N. 14 deg. .08' W. 1467.9 feet to the place of beginning.

(24) ✓ PACIFIC No. 7 LODE described as beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 30 T. 25 N. R. 12 E. bears S. 27 deg. 45' E. 674.55 feet; thence S. 14 deg. 45' E. 1494.09 feet; thence S. 14 deg. 45' E. 602 feet; thence N. 14 deg. 45' W. 1494.9 feet; thence S. 70 deg. 34' W. 602 feet to the place of beginning.

(25) ✓ PACIFIC NO. 8 LODE described as beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 30 T. 25 N. R. 12 E. bears S. 27 deg 45' E. 674.5 feet; thence S. 70 deg. 34' W. 602 feet; thence S. 14 deg. 45' E. 1494.9 feet; thence N. 70 deg. 34' E. 602 feet; thence N. 14 deg. 45' W. 1494.9 feet to the place of beginning.

(26) ✓ PACIFIC NO. 9 LODE described as beginning at a point from which the SW corner of Sec. 5 T. 24 N. R. 12 E. bears S. 25 deg. 45' W. 741.7 feet; thence N. 32 deg. 37' W. 1500 feet; thence N. 70 deg. 34' E. 616.2 feet; thence S. 32 deg. 37' E. 1500 feet; thence S. 70 deg. 34' W. 616.2 feet to the place of beginning.

(27) ✓ PACIFIC NO. 10 LODE described as beginning at a point from which the SE corner of Sec. 6 T. 24 N. R. 12 E. bears S. 29 deg. 12' E. 530.51 feet; thence N. 70 deg. 34' E. 616.2 feet; thence N. 32 37' W. 1500 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' E. 1500 feet to the place of beginning.

(28) ✓ PACIFIC NO. 11 LODE described as beginning at a point from which the SW corner of Sec. 5 T. 24 N. R. 12 E. bears S. 25 deg. 45' W. 741.7 feet; thence N. 70 deg. 34' E. 616.2 feet; thence S. 32 deg. 37' E. 1500 feet; thence S. 70 deg. 34' W. 616 feet; thence N. 32 deg. 37' W. 1500 feet to the place of beginning.

(29) ✓ PACIFIC NO. 12 LODE described as beginning at a point from which the SE corner of Sec. 6, T. 24 N. R. 12 E. bears S. 29 deg. 12' E. 530.51 feet; thence N. 70 deg. 34' E. 1616.2 feet; thence S. 32 deg. 37' E. 1500 feet; thence S. 70 deg. 34' W. 1616.2 feet; thence N. 32 deg. 37' W. 1500 feet to the place of beginning.

(30) ✓ PACIFIC NO. 13 LODE described as beginning at a point from which the NE corner Sec. 6 T. 24 N. R. 12 E. bears N. 89 deg. 38' W. 37.59 feet; thence N. 32 deg. 37' W. 1500 feet; thence S. 70 deg. 34' W. 616.2 feet; thence S. 32 deg. 37' E. 1500 feet; thence N. 70 deg. 34' E. 1616.2 feet to the place of beginning.

(31) PANAMA NO. 1 LODE described as commencing at a point from which the SE corner of Sec. 30 T. 25 N. R. 12 E. bears S. 61 deg. 47' E. 466.8 feet; thence N. 57 deg. 23' W. 467.9 feet; thence S. 57 deg. 23' W. 632.57 feet; thence N. 14 deg. .09' W. 1467.9 feet to the place of beginning.

(32) ✓ PANAMA NO. 2 LODE described as commencing at a point from which the NW corner of Sec. 32 T. 25 N. R. 12 E. bears N. 25 deg. 32' W. 992.23 feet; thence S. 57 deg. 23' W. 607.6 feet; thence S. 41 deg. 43' E. 1499.4 feet; thence N. 57 deg. 23' E. 607.6 feet; thence N. 41 deg. 43' W. 1499.4 feet to the place of beginning.

(33) ✓ PANAMA NO. 3 LODE described as commencing at a point from which the one quarter section on the S. boundary of Sec. 32 T. 25 N. R. 12 E. bears S. 32 deg. 21' E. 873.47 feet; thence N. 57 deg. 23' E. 600 feet; thence N. 32 deg. 37' W. 1500 feet; thence S. 57 deg. 23' W. 600 feet; thence S. 32 deg. 37' E. 1500 feet to the place of beginning.

(34) ✓ PANAMA NO. 4 LODE described as beginning at a point from which the one quarter corner on the S. boundary of Sec. 32 T. 25 N. R. 12 E. bears S. 31 deg. 15' E. 373.56 feet; thence N. 32 deg. 37' W. 1500 feet; thence S. 57 deg. 23' W. 600 feet; thence S. 32 deg. 37' E. 1500 feet; thence N. 57 deg. 23' E. 600 feet to the place of beginning.

(35) ✓ PANAMA NO. 5 LODE described as beginning at a point from which the one quarter corner on the S. boundary of Sec. 32 T. 25 N. R. 12 E. bears S. 31 deg. 15' E. 373.56 feet; thence N. 57 deg. 23' E. 600 feet; thence N. 32 deg. 37' W. 1500 feet; thence S. 57 deg. 23' W. 600 feet; thence S. 32 deg. 37' E. 1500 feet to the place of beginning.

(36) ✓ DIGGER LODE described as beginning at a point from which the SE corner of Sec. 32 T. 25 N. R. 12 E. bears S. 61 deg. 47' E. 466.8 feet; thence N. 14 deg. 12' W. 1499.6 feet; thence N. 57 deg. 23' E. 632.57 feet to the place of beginning.

(37) ✓ PIUTE NO. 1 LODE described as beginning at a point from which the one quarter Sec. corner on the E. boundary of Sec. 30 T. 25 N. R. 12 E. bears S. 67 deg. 46' E. 1243.31 feet; thence S. 57 deg. 23' W. 632.57 feet; thence S. 14 deg. .09' E. 1500 feet; thence N. 57 deg. 23' E. 632.57 feet; thence N. 14 deg. .09' W. 1500 feet to the place of beginning.

(38) ✓ PIUTE NO. 2 LODE described as beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 30 T. 25 N. R. 12 E. bears S. 39 deg. 25' W. 1290.56 feet; thence N. 57 deg. 23' E. 631.4 feet; thence N. 14 deg. .09' W. 1500 feet; thence S. 57 deg. 23' W. 631.4 feet; thence S. 14 deg. .09' E. 1500 feet to the place of beginning.

(39) ✓ PIUTE NO. 3 LODE described as beginning at a point from which the one quarter Sec. corner on the S. boundary of Sec. 30 T. 25 N. R. 12 E. bears S. 17 deg. 39' W. 836.7 feet; thence N. 70 deg. 34' E. 600 feet; thence N. 14 deg. .09' W. 1500; thence S. 79 deg. 34' W. 600 feet; thence S. 14 deg. .09' E. 1500 feet to the place of beginning.

The presumed general course of the lode vein or deposit of the RELIABLE LODE CLAIMS is NW and SE on a course N. 32 deg 37' W. or S. 32 deg. 37' E. as the case may be.

The presumed general course of the lode vein or deposit of the STANDARD LODE CLAIMS is NW and SE on a course N. 32deg 37' W. or S. 32 deg. 37' E. as the case may be.

(6)

The presumed general course of the lode vein or deposit of the GRIZZLY LODE CLAIMS is NW and SE on a course N. 32 deg. 37' W. or S.32 deg. 37' E. as the case may be.

The presumedgeneral course of the lode vein or deposit of the PACIFIC LODE CLAIMS is NE and SE on a course N. 41 deg. 52' W. or S. 41 deg. 52 E. as the case may be.

The presumed general course of the lode vein or deposit on the DIGGER LODE CLAIM is N. 14 deg. 12' W. or S. 14 deg. 12' E.

The presumed general course of the lode vein or deposit on the PIUTE LODE CLAIMS is N. 14 deg. .09 W. or S. 14 deg. .09 E. as the case may be.

Any and all persons claiming adversely the mining ground vein, lode, premises or any portion thereof so described, surveyed, platted and applied for are hereby notified that unless their adverse claims are duly filed as according to law and within the time prescribed by law with the Register of the United States Land Office at Susanville, California, they will be bared in virtue of such provisions.

WALKER MINING COMPANY, A Corporation.

By V. D. Hart
Attorney in Fact.

Dated and posted on the ground this 24th day of December ~~June~~, 1923.

S. C. Gridier
W C Page
Witnesses.

FORM 396 2-18-35 2M

WALKER MINING COMPANY

WALKERMINE
PLUMAS COUNTY, CALIFORNIA

H. A. GEISENDORFER, MANAGER

September 29, 1935.

Miss Jean M. Hurst,
c/o International Smelting & Refining Co.,
Kearns Building,
Salt Lake City, Utah.

Dear Miss Hurst:

Your photostatic copies of patent ~~to~~ Surveys Nos. 5582 A and 5953, Reliable Extension, and eighteen other claims, have been received for which we thank you.

The patent covering Survey No. 4865, Bullion et. al. lodes is not in our files nor have I ever seen it in this office. These claims were patented long before my time and I had always supposed patents reposed in Salt Lake.

Thanking you, I remain

Very truly yours,

WALKER MINING COMPANY

H. A. Geisendorfer
Manager

HAG/m

September 24, 1955

Mr. H. A. Geisendorfer, Superintendent
Walker Mine
Walkerwine, California

Dear Mr. Geisendorfer:

I am enclosing herewith photo copy of patent to Surveys Nos. 5582 A and 5953, Reliable Extension et. al. lodes for your mine files.

Mr. Hunter's office has original patent covering "Land Grant" and "September Morn" group, but has not patent covering Survey No. 4965, Bullion et. al. lodes. Will you please see if this patent is not in files at mine and if so let us have it to photo. If you haven't copies of other patents we can send for a photo copy if you wish.

With best wishes,

Very truly yours,

JMH:P
Encl.

Jean M. Hurst

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

LAW OFFICES OF
VAN COTT, RITER & FARNSWORTH
1311 WALKER BANK BUILDING
SALT LAKE CITY, UTAH

September 23, 1935

Mr. Ron Warburton,
Care Walker Mining Company,
Kearns Building,
Salt Lake City, Utah.

Dear Mr. Warburton:

We hand you herewith U. S. patent to the Walker Mining Company for the Reliable Extension, Standard, Pacific No. 1, Pacific No. 3, Pacific No. 4, Pacific No. 5, Pacific No. 6, Pacific No. 7, Pacific No. 8, Panama No. 1, Panama No. 2, Panama No. 3, Panama No. 4, Panama No. 5, Digger, Piute No. 1, Piute No. 2, Piute No. 3 and Sioux lode mining claims, dated April 26, 1934, the same having been recorded in the office of the County Recorder of Plumas County, California, on July 22, 1935, in Vol. 9, page 432, of Patents.

Will you please be kind enough to receipt for same on the copy of this letter attached hereto and return same to us.

Yours very truly,

Van Cott, Riter & Farnsworth

JC Miss Jean Hurst

Copy of letter sent to Mr. Farnsworth - Sept 24 1935

8-6

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

LAW OFFICES OF
VAN COTT, RITER & FARNSWORTH
1311 WALKER BANK BUILDING
SALT LAKE CITY, UTAH

June 5, 1934

Commissioner of the U.S. General Land Office,

Washington, D.C.

Sir: WALKER MINING COMPANY - MINERAL PATENT - SACRAMENTO 028405

We hand you herewith, by registered mail, U. S. Mineral Patent to the Reliable Extension and eighteen other lode mining claims designated as Surveys No. 5582A and 5953, located in Sec 5, T24N, and Sections 29, 30, 31 and 32, T. 25 N., all R. 12 E., M.D.M., Plumas County, California. We are attorneys for the Walker Mining Company and did the work in the Land Office pertaining to this patent. We desire to call your attention to the following matters relating to the description of said mining claims in the patent and to ask that it be corrected in certain particulars.

1. In the fifth line from the bottom of page 1 of the patent we would like to have the word "common" inserted after the word "corner". It is true that the only section corner that could be the section corner to Sections 31 and 32 in T. 25 N. and Sections 5 and 6 in T. 24 N., all R. 12 E., M.D.M., would be the section corner common to the named sections. The word "common", however, is not expressed in the description as written but must be inferred. If an inference must be drawn as to the meaning of a part of a description, the description cannot be altogether clear. A United States patent is an instrument of such dignity as a muniment of title that every word should be clear and nothing should be left to inference. It is therefore respectfully requested that the word "common" be inserted as suggested.

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

2. In line 14 on page 4 and in line 12 on page 5 the words "said section corner" evidently refer to the words "section corner" as used in relation to the Reliable Extension in the fifth line from the bottom of page 1. In line 20, page 3, reference is made to the "south quarter section corner". By the usual rules of construction the words "said section corner" on page 4 refer to the words "section corner" in line 20, page 3, because that is the last section corner before mentioned and the one nearest to the "said section corner" in line 14, page 4; and the words "said section corner" on page 5 refer to the"section corner" last before mentioned, which is the "section corner" in line 14, page 4. It is true that the words "south quarter" precede the words "section corner" and might be held to differentiate it, but it is submitted that "said section corner" mentioned in line 14, page 4, and line 12, page 5, would be clearer if in each case the words "first mentioned" were inserted after the word "said."

3. On page 17, line 1, the words "the quarter section corner" are used. There being four quarter corners to every section, it is submitted that the word "south" must be inserted before the word "quarter" (the south quarter corner being shown by the plat to be the one meant) to make the tie clear and intelligible.

4. On page 17, last line "B Ex.4 5865" should be "B Ex.4 4865". This is plainly a typographical error. 4865 refers to a mineral survey.

You will note that the patent has not been recorded. We shall appreciate it if you will make the changes suggested and requested and return the patent.

Yours very truly,

8-6

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

June 1- 1934.

Mr. Howell—

I have checked descriptions in patent just received by the Walker Mining Co., covering patent to the Reliable Extension, Et al lodes, and find the following discrepancies—

p. 4 line 14 and p. 5 line 12

"from which said section corner bears - - - "

The "said" actually refers to the section corner described in the Reliable Extension lode claim description, on p. 1 lines 19 to 22, but anyone reading or plotting this patent would naturally first plot it from the 1/4 section corner first given in the Standard lode claims description p. 3 lines 20 which immediately precedes and would seem to be the section corner referred to in the Pacific No. 1 and No. 2 lode claims descriptions. Of course, however the one is a section corner and the other a quarter section corner and the Govt. could claim "said section corner" refers therefor only to the first section corner described, but in a patent description there should never be a doubt as to which corner "said" refers to.

p. 17 lines 1 and 2—

"from which the quarter section section corner

to said section thirty bears ——"

As section thirty has four quarter sections corners, the description showed definitely state which quarter section corner is tied to; the south one, in this case.

p. 17 line 28.
Typographical error, "5865" showed be 4865.

Mr. Wooley, of our land office, thinks this patent should be returned directly to Washington for corrections, as he feels the govt. would want to have patents issued by them absolutely clear and free from errors. Miss Nelson, of our Public Survey office, does it not necessary to return the patent for corrections, as the errors did not seriously effect either the description or title.

Jean M. Hurst

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

LAW OFFICES OF
VAN COTT, RITER & FARNSWORTH
1311 WALKER BANK BUILDING
SALT LAKE CITY, UTAH

May 14, 1934

ATTENTION MR. A. D. HUNTER

Walker Mining Company,
Kearns Building,
Salt Lake City, Utah.

Gentlemen:

We hand you herewith letter dated May 2, 1934, from Mr. H. A. Geisendorfer to Mr. Howell, enclosing postcard from the Register of the United States Land Office at Sacramento, California, stating in substance that patent for Mineral Entry No. 028405 is in the Register's office and will be delivered to the Mining Company upon surrender of the "Register's Duplicate Final Certificate of Mineral Entry." This is a blue, partly printed form and was sent to you by us on August 24, 1933.

You can either send in the final certificate yourself and have the patent sent to your office, or if you wish and will send us the certificate, we will send it.

When it comes it will be necessary to have the description checked by Miss Hurst, after which it should be recorded in the office of the County Recorder of Plumas County, California.

Yours very truly,

Van Cott, Riter & Farnsworth

CC Mr. H. A. Geisendorfer,
Miss Jean Hurst.

8-6

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Apr. 27-1934

Mr. Howell -

I have been unable to obtain very much information in regard to Mr. Ingols work at the Walker mine, either in Mr. Geisendorfer's or Mr. Warburtons office - However this information could be obtained at the mine.

Mr. Geisendorfer has a file on Mr. Ingols in his office here and I obtained the following data from same -

July 31, 1932 - Mr. Ingols with Mr. Toole went to "gossan" on Paxton Road, to sample for Mr. Geisendorfer

Aug 11, 1932 - Letter from Mr. Geisendorfer to Mr. Ingols instructs him to locate "gossan" staking out 3 claims wide and 3 claims long - in an individual's name, to be deeded to International later - (This was done but I do not know when)

We have a print here showing contours - etc for a "Proposed Location of Tailings Thickener" - made by Mr. Ingols and dated Oct. 8, 1932

As you know, plat of Patent Survey No. 6137, Two Pounder, etc. lodes is dated Oct. 10-26-1932

Mr. Warburton says he has given you data concerning Mr. Ingols pay but does not know anything about the various engineering jobs he did - Dean M. Hurst

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Walker

✓ Need 2 more maps of Sur. No 6137

✓ Get pages Two Pounders - etc - bodies are recorded on

Will filing applns for patent for Sur. No. 6137 complicate our other proposed applns. seeing Mr Ingold reports errors in 5582A survey

not to be filed until Ingold states settled on Park Premier

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Walker Patents

U.S. Surveyor General 455.14 (includes 21 other lode mining claims, 1 placer and 1 mill site not being patented herewith)
U.S. Dep. Min. Surveyor 868.25
Filing Fee - Land Office 10.00
Publication cost - 150.00 (per Miss Hall over phone)
Purchase Price $1950.00
Total 3433.39

21 -
18
39 -

39°5
195°

5582 Reliable et al 820.00 — Wm Watson 520 - June 12, 1923 (Apr. 24-1922)
" " 420.14 (1025.00 / 604.86 / 420.14) Sur Gen. 3102 (Aug 23, 1921 / Sept 11, 1923)

11179

5953 Sioux 48.25 — William Watson (Oct 19-1927)
5953 Sioux 35.00 — Public Survey Office July 21-1927

10908

10796 Public Sur. Off. June 28, 1927 — $125 — Sept. Morn?
July 27-1927 — 35 — Sioux
10908 Aug 23, 1921 1025 — Reliable et al 41 lots
3102

Wm Watson Oct 9-1926 $100 Adv. on acct?

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

For office work in the Public Survey Office
For filing application in Land Office 10.00
For publishing notice of application in
"The Plumas Independent"
Purchase price of land

Total

Anaconda Geological Documents Collection, American Heritage Center, University of Wyoming. This material may be protected by copyright law (Title 17, U.S. Code). For our full copyright policy, please contact the AHC by mail or email.

Aug. 14, 1933.

Mr. Howell.

The following statement gives a list of Surv. etc. charged to Mineral Surveys Nos. 5582 A+B and 5953, as given in Mr. Hunter's files of the Walker Mng. Co.

For office work in the U.S. Survey General and Public Survey Offices	$ 455.14	These amounts also include 21 lode mining claims, 1 placer, and 1 mill site of Surv. No. 5582 A+B not being patented herewith.
For survey made by William Watson U.S. Mineral Surveyor	868.25	
For filing applications for pat. with Sacramento Land Office	10.00	
For publishing notice of application for patent in the "Alta" Placer Independent	150.00	
Purchase Price of Land - U.S. Land Office	1950.00	
Total	$ 3433.39	

If you wish the first 2 amounts segregated as to Survey, they are as follows -

Surv. No. 5582 A+B — $ 455.14 to Surv. Gen. and 820.00 to Wm. Watson (Surv. 24-1922 - 300; 12-1923 - 520)

Surv. No. 5953 — 35.00 to Pub. Surv. Office and 48.25 to Wm. Watson (Surv. 21-1927; Oct. 19-1927)

On Aug 23, 1921 voucher was issued to U.S. Surv. Gen. for $ 1025.00 but on Sept 11, 1923 a refund of $ 604.86 was received on this account.

Jean M. Hurst