WDH

Chevron

Gary J. Piron
Kern River Area Manager

RECEIVED

APR 11 2008

RWQCB-CVR
FRESNO, CALIF.

San Joaquin Valley Business Unit
Chevron North America
Exploration and Production
1546 China Grade Loop
Bakersfield, CA 93308

April 8, 2008

MONITORING REPORT REVIEW

Engineer HA

Compliance _____ ✓
Yes no

Date Reviewed 7/24/08

NPDES PERMIT NO. CA0082295
WDR ORDER #R5-2007-0170
ANNUAL REPORT FOR 2008

Mr. Dale Harvey
Senior Engineer
California Regional Water Quality Control Board - Fresno
1685 E Street
Fresno, Ca 93706-2020

Dear Mr. Harvey,

Enclosed you will find the Annual NPDES Priority Pollutants Report for Cawelo per Order No. R5-2007-0170, Permit No. CA0082295. As the report shows we are in full compliance as per our NPDES Permit.

If you have any questions regarding the report, please contact Mr. S.K. Browning at (661) 392-2808.

Sincerely,

G J Piron

Gary J. Piron
Kern River Area Manager

Enclosure

cc: M. Lambert - City of Bakersfield
David Ansolabehere, Manager, Cawelo Water District

PRECISION Analytical, Inc.

Jim Waldron
Chevron Corporation
9525 Camino Media Room A-2050
Bakersfield CA 93309

Report Date : 03/24/2008
Log-In Date : 02/29/2008

LABORATORY ANALYSIS REPORT

Lab No: 3462
Sample No : 3462-01
Sample Description
EFF-001

Project ID : PRIORITY POLLUTANTS - NPDES #R5-2007-0170
Matrix : Produced Water
Method : EPA150.2
Date Sampled : 02/29/2008
Time Sampled : 1011
Sampled By : Dave Wright

Constituent	Result	PQL	STLC	Units	Date Analyzed
pH	6.81	1.00		pH Units	02/29/08

PQL - Practical Quantitation Limit
STLC - Soluble Threshold Limit Concentration
ND - None Detected

Stephen E. Harris
Laboratory Director

321 - 19th Street (661) 323-1682
Bakersfield, CA 93301 (661) 323-1684 (Fax)

PRECISION Analytical, Inc.

Jim Waldron

Chevron Corporation
9525 Camino Media Room A-2050
Bakersfield CA 93309

Report Date : 03/24/2008
Log-In Date : 02/29/2008

LABORATORY ANALYSIS REPORT

Lab No: 3462
Sample No : 3462-01
Sample Description
EFF-001

Project ID : PRIORITY POLLUTANTS - NPDES #R5-2007-0170
Matrix : Produced Water
Method : EPA6010
Date Sampled : 02/29/2008
Time Sampled : 1011
Sampled By : Dave Wright

Constituent	Result	PQL	STLC	Units	Date Analyzed
Calcium	29.0	0.10		mg/L	02/29/08
Magnesium	4.80	0.04		mg/L	02/29/08
Total Hardness	92.2	0.50		mg/L	02/29/08

PQL - Practical Quantitation Limit
STLC - Soluble Threshold Limit Concentration
ND - None Detected

Stephen E. Harris
Laboratory Director

321 - 19th Street
Bakersfield, CA 93301
(661) 323-1682
(661) 323-1684 (Fax)

PRECISION Analytical, Inc.

Jim Waldron

Chevron Corporation
9525 Camino Media Room A-2050
Bakersfield CA 93309

Report Date : 03/24/2008
Log-In Date : 02/29/2008

LABORATORY ANALYSIS REPORT

Lab No: 3462
Sample No : 3462-02
Sample Description
RSW-001

Project ID : PRIORITY POLLUTANTS - NPDES #R5-2007-0170
Matrix : Surface Water
Method : EPA150.2
Date Sampled : 02/29/2008
Time Sampled : 1201
Sampled By : Steve Harris

Constituent	Result	PQL	STLC	Units	Date Analyzed
pH	7.04	1.00		pH Units	02/29/08

PQL - Practical Quantitation Limit
STLC - Soluble Treshold Limit Concentration
ND - None Detected

Stephen E. Harris
Laboratory Director

321 - 19th Street
Bakersfield, CA 93301
(661) 323-1682
(661) 323-1684 (Fax)

PRECISION Analytical, Inc.

Jim Waldron

Chevron Corporation
9525 Camino Media Room A-2050
Bakersfield CA 93309

Report Date : 03/24/2008
Log-In Date : 02/29/2008

LABORATORY ANALYSIS REPORT

Lab No: 3462
Sample No : 3462-02
Sample Description
RSW-001

Project ID : PRIORITY POLLUTANTS - NPDES #R5-2007-0170
Matrix : Surface Water
Method : EPA6010
Date Sampled : 02/29/2008
Time Sampled : 1201
Sampled By : Steve Harris

Constituent	Result	PQL	STLC	Units	Date Analyzed
Calcium	21.0	0.10		mg/L	02/29/08
Magnesium	4.52	0.04		mg/L	02/29/08
Total Hardness	71.1	0.50		mg/L	02/29/08

PQL - Practical Quantitation Limit
STLC - Soluble Treshold Limit Concentration
ND - None Detected

Stephen E. Harris
Laboratory Director

321 - 19th Street
Bakersfield, CA 93301
(661) 323-1682
(661) 323-1684 (Fax)

PRECISION Analytical, Inc.

Jim Waldron

Chevron Corporation
9525 Camino Media Room A-2050
Bakersfield CA 93309

Report Date : 03/24/2008
Log-In Date : 02/29/2008

LABORATORY ANALYSIS REPORT

Lab No: 3462
Sample No : 3462-03
Sample Description
RSW-002

Project ID : PRIORITY POLLUTANTS - NPDES #R5-2007-0170
Matrix : Surface Water
Method : EPA150.2
Date Sampled : 02/29/2008
Time Sampled : 1409
Sampled By : Steve Harris

Constituent	Result	PQL	STLC	Units	Date Analyzed
pH	7.00	1.00		pH Units	02/29/08

Report Comment :
SAMPLE COLLECTED 500 FEET DOWNSTREAM OF DISCHARGE POINT

PQL - Practical Quantitation Limit
STLC - Soluble Treshold Limit Concentration
ND - None Detected

Stephen E. Harris
Laboratory Director

321 - 19th Street
Bakersfield, CA 93301
(661) 323-1682
(661) 323-1684 (Fax)

PRECISION Analytical, Inc.

Jim Waldron

Chevron Corporation
9525 Camino Media Room A-2050
Bakersfield CA 93309

Report Date : 03/24/2008
Log-In Date : 02/29/2008

LABORATORY ANALYSIS REPORT

Lab No: 3462
Sample No : 3462-03
Sample Description
RSW-002

Project ID : PRIORITY POLLUTANTS - NPDES #R5-2007-0170
Matrix : Surface Water
Method : EPA6010
Date Sampled : 02/29/2008
Time Sampled : 1409
Sampled By : Steve Harris

Constituent	Result	PQL	STLC	Units	Date Analyzed
Calcium	22.4	0.10		mg/L	02/29/08
Magnesium	4.07	0.04		mg/L	02/29/08
Total Hardness	72.7	0.50		mg/L	02/29/08

PQL - Practical Quantitation Limit
STLC - Soluble Treshold Limit Concentration
ND - None Detected

Stephen E. Harris
Laboratory Director

321 - 19th Street
Bakersfield, CA 93301
(661) 323-1682
(661) 323-1684 (Fax)

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Organochlorine Pesticides (EPA Method 8081)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Aldrin	ND	ug/L	0.0056	0.0014	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
alpha-BHC	ND	ug/L	0.0056	0.0012	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
beta-BHC	ND	ug/L	0.0056	0.0023	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
delta-BHC	ND	ug/L	0.0056	0.0016	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
gamma-BHC (Lindane)	ND	ug/L	0.0056	0.0010	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Chlordane (Technical)	ND	ug/L	0.56	0.42	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
4,4'-DDD	ND	ug/L	0.0056	0.0019	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
4,4'-DDE	ND	ug/L	0.0056	0.0021	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
4,4'-DDT	ND	ug/L	0.0056	0.00084	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Dieldrin	ND	ug/L	0.0056	0.0013	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Endosulfan I	ND	ug/L	0.0056	0.0018	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Endosulfan II	ND	ug/L	0.0056	0.0016	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Endosulfan sulfate	ND	ug/L	0.0056	0.0029	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Endrin	ND	ug/L	0.0056	0.00091	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Endrin aldehyde	ND	ug/L	0.011	0.0036	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Heptachlor	ND	ug/L	0.0056	0.0013	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Heptachlor epoxide	ND	ug/L	0.0056	0.0011	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Methoxychlor	ND	ug/L	0.0056	0.0012	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
Toxaphene	ND	ug/L	2.2	0.47	EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573	ND	
TCMX (Surrogate)	84.6	%	72 - 129 (LCL - UCL)		EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573		
Dibutyl chlorendate (Surrogate)	102	%	82 - 177 (LCL - UCL)		EPA-8081	03/07/08	03/13/08 12:03	JRS	GC-1	1.111	BRC0573		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

PCB Analysis (EPA Method 8082)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
PCB-1016	ND	ug/L	0.22	0.022	EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575	ND	
PCB-1221	ND	ug/L	0.22	0.099	EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575	ND	
PCB-1232	ND	ug/L	0.22	0.10	EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575	ND	
PCB-1242	ND	ug/L	0.22	0.11	EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575	ND	
PCB-1248	ND	ug/L	0.22	0.028	EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575	ND	
PCB-1254	ND	ug/L	0.22	0.047	EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575	ND	
PCB-1260	ND	ug/L	0.22	0.022	EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575	ND	
Total PCB's (Summation)	ND	ug/L	0.22	0.11	EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575	ND	
Decachlorobiphenyl (Surrogate)	99.0	%	56 - 119 (LCL - UCL)		EPA-8082	03/07/08	03/12/08 00:48	JRS	GC-6	1.111	BRC0575		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Bromobenzene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Bromochloromethane	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Bromodichloromethane	ND	ug/L	0.50	0.30	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Bromoform	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Bromomethane	ND	ug/L	1.0	0.37	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
n-Butylbenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
sec-Butylbenzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
tert-Butylbenzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Carbon tetrachloride	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Chlorobenzene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Chloroethane	ND	ug/L	0.50	0.36	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Chloroform	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Chloromethane	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
2-Chlorotoluene	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
4-Chlorotoluene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Dibromochloromethane	ND	ug/L	0.50	0.23	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2-Dibromo-3-chloropropane	ND	ug/L	1.0	0.46	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2-Dibromoethane	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Dibromomethane	ND	ug/L	0.50	0.37	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichlorobenzene	ND	ug/L	0.50	0.36	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,3-Dichlorobenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,4-Dichlorobenzene	ND	ug/L	0.50	0.48	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Dichlorodifluoromethane	ND	ug/L	0.50	0.34	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloroethane	ND	ug/L	0.50	0.25	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloroethane	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloroethene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
cis-1,2-Dichloroethene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
trans-1,2-Dichloroethene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloropropane	ND	ug/L	0.50	0.41	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,3-Dichloropropane	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
2,2-Dichloropropane	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloropropene	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
cis-1,3-Dichloropropene	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
trans-1,3-Dichloropropene	ND	ug/L	0.50	0.23	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Ethylbenzene	ND	ug/L	0.50	0.33	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Hexachlorobutadiene	ND	ug/L	0.50	0.44	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Isopropylbenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
p-Isopropyltoluene	ND	ug/L	0.50	0.42	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Methylene chloride	ND	ug/L	1.0	0.27	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	0.27	
Methyl t-butyl ether	ND	ug/L	0.50	0.26	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Naphthalene	ND	ug/L	0.50	0.30	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
n-Propylbenzene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Styrene	ND	ug/L	0.50	0.39	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Tetrachloroethene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Toluene	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2,3-Trichlorobenzene	ND	ug/L	0.50	0.38	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2,4-Trichlorobenzene	ND	ug/L	0.50	0.48	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,1,1-Trichloroethane	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,1,2-Trichloroethane	ND	ug/L	0.50	0.44	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Trichloroethene	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Trichlorofluoromethane	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.50	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	ug/L	0.50	0.33	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2,4-Trimethylbenzene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,3,5-Trimethylbenzene	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Vinyl chloride	ND	ug/L	0.50	0.34	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
Total Xylenes	ND	ug/L	1.0	0.73	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
p- & m-Xylenes	ND	ug/L	0.50	0.46	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
o-Xylene	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloroethane-d4 (Surrogate)	105	%	76 - 114 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418		
Toluene-d8 (Surrogate)	98.4	%	88 - 110 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 09:26	MGC	MS-V5	1	BRC0418		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Acenaphthene	ND	ug/L	2.2	0.53	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Acenaphthylene	ND	ug/L	2.2	0.71	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Aldrin	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Aniline	ND	ug/L	5.6	0.51	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Anthracene	ND	ug/L	2.2	0.88	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzidine	ND	ug/L	22	5.2	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[a]anthracene	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[b]fluoranthene	ND	ug/L	2.2	0.73	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[k]fluoranthene	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[a]pyrene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[g,h,i]perylene	ND	ug/L	2.2	1.0	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzoic acid	ND	ug/L	11	6.8	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzyl alcohol	ND	ug/L	2.2	0.74	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Benzyl butyl phthalate	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
alpha-BHC	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
beta-BHC	ND	ug/L	2.2	0.53	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
delta-BHC	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
gamma-BHC (Lindane)	ND	ug/L	2.2	0.62	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroethoxy)methane	ND	ug/L	2.2	0.64	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroethyl) ether	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroisopropyl)ether	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Ethylhexyl)phthalate	ND	ug/L	5.6	1.2	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4-Bromophenyl phenyl ether	ND	ug/L	2.2	0.77	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
4-Chloroaniline	ND	ug/L	2.2	0.97	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2-Chloronaphthalene	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4-Chlorophenyl phenyl ether	ND	ug/L	2.2	0.76	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Chrysene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDD	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDE	ND	ug/L	3.3	0.64	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDT	ND	ug/L	2.2	0.30	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Dibenzo[a,h]anthracene	ND	ug/L	3.3	1.0	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Dibenzofuran	ND	ug/L	2.2	0.90	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
1,2-Dichlorobenzene	ND	ug/L	2.2	0.64	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
1,3-Dichlorobenzene	ND	ug/L	2.2	0.73	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
1,4-Dichlorobenzene	ND	ug/L	2.2	0.59	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
3,3-Dichlorobenzidine	ND	ug/L	11	0.98	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Dieldrin	ND	ug/L	3.3	0.58	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Diethyl phthalate	ND	ug/L	2.2	0.94	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Dimethyl phthalate	ND	ug/L	2.2	0.61	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Di-n-butyl phthalate	ND	ug/L	2.2	0.82	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dinitrotoluene	ND	ug/L	2.2	1.1	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2,6-Dinitrotoluene	ND	ug/L	2.2	0.82	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Di-n-octyl phthalate	ND	ug/L	2.2	0.94	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
1,2-Diphenylhydrazine	ND	ug/L	2.2	0.78	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Endosulfan I	ND	ug/L	11	3.0	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Endosulfan II	ND	ug/L	11	2.7	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical
321 19th Street
Bakersfield, CA 93301

Project: Priority Pollutants
Project Number: Cawelo
Project Manager: Stephen Harris

Reported: 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Endosulfan sulfate	ND	ug/L	3.3	0.64	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Endrin	ND	ug/L	2.2	0.60	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Endrin aldehyde	ND	ug/L	11	0.96	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Fluoranthene	ND	ug/L	2.2	0.78	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Fluorene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Heptachlor	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Heptachlor epoxide	ND	ug/L	2.2	0.70	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorobenzene	ND	ug/L	2.2	0.79	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorobutadiene	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorocyclopentadiene	ND	ug/L	2.2	0.29	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Hexachloroethane	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Indeno[1,2,3-cd]pyrene	ND	ug/L	2.2	1.0	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Isophorone	ND	ug/L	2.2	0.57	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2-Methylnaphthalene	ND	ug/L	2.2	0.57	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Naphthalene	ND	ug/L	2.2	0.69	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2-Naphthylamine	ND	ug/L	22	7.2	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2-Nitroaniline	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
3-Nitroaniline	ND	ug/L	2.2	0.91	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4-Nitroaniline	ND	ug/L	5.6	1.2	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Nitrobenzene	ND	ug/L	2.2	0.61	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodimethylamine	ND	ug/L	2.2	0.50	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodi-N-propylamine	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodiphenylamine	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Phenanthrene	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Pyrene	ND	ug/L	2.2	0.69	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
1,2,4-Trichlorobenzene	ND	ug/L	2.2	0.74	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4-Chloro-3-methylphenol	ND	ug/L	5.6	0.74	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2-Chlorophenol	ND	ug/L	2.2	0.72	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dichlorophenol	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dimethylphenol	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4,6-Dinitro-2-methylphenol	ND	ug/L	11	2.4	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dinitrophenol	ND	ug/L	11	2.7	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2-Methylphenol	ND	ug/L	2.2	0.63	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
3- & 4-Methylphenol	ND	ug/L	2.2	0.92	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2-Nitrophenol	ND	ug/L	2.2	0.47	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
4-Nitrophenol	ND	ug/L	2.2	1.9	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Pentachlorophenol	ND	ug/L	11	0.50	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
Phenol	ND	ug/L	2.2	0.41	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2,4,5-Trichlorophenol	ND	ug/L	5.6	1.0	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2,4,6-Trichlorophenol	ND	ug/L	5.6	0.48	EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582	ND	
2-Fluorophenol (Surrogate)	52.1	%	39 - 96 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582		
Phenol-d5 (Surrogate)	40.5	%	16 - 79 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582		
Nitrobenzene-d5 (Surrogate)	72.6	%	64 - 131 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582		
2-Fluorobiphenyl (Surrogate)	83.4	%	53 - 123 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582		
2,4,6-Tribromophenol (Surrogate)	91.9	%	56 - 141 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582		
p-Terphenyl-d14 (Surrogate)	79.4	%	47 - 145 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:28	SKC	MS-B2	1.111	BRC0582		

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Water Analysis (General Chemistry)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Total Cyanide	ND	mg/L	0.0050	0.0032	EPA-335.4	03/10/08	03/11/08 10:23	TDC	KONE-1	1	BRC0543	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical
321 19th Street
Bakersfield, CA 93301

Project: Priority Pollutants
Project Number: Cawelo
Project Manager: Stephen Harris

Reported: 03/18/2008 15:36

Water Analysis (Metals)

BCL Sample ID: 0803018-01 | **Client Sample Name:** EFF-01, 2/29/2008 10:35:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Hexavalent Chromium	ND	ug/L	2.0	1.0	EPA-7196	03/06/08	03/06/08 08:36	VH1	KONE-1	1	BRC0368	ND	A26,S05
Total Recoverable Antimony	1.3	ug/L	4.0	0.23	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	0.55	J
Total Recoverable Arsenic	25	ug/L	4.0	0.92	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Barium	100	ug/L	2.0	0.098	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Beryllium	0.092	ug/L	2.0	0.089	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Cadmium	ND	ug/L	2.0	0.041	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Chromium	ND	ug/L	6.0	2.9	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	3.7	
Total Recoverable Cobalt	0.17	ug/L	2.0	0.035	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Copper	0.46	ug/L	4.0	0.048	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Lead	ND	ug/L	2.0	0.035	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Mercury	ND	ug/L	0.20	0.022	EPA-7470A	03/11/08	03/12/08 10:21	MEV	CETAC1	1	BRC0659	ND	
Total Recoverable Molybdenum	6.3	ug/L	2.0	0.031	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Nickel	1.0	ug/L	4.0	0.075	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Selenium	0.54	ug/L	4.0	0.26	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Silver	ND	ug/L	2.0	0.031	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Thallium	0.17	ug/L	2.0	0.054	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Vanadium	ND	ug/L	6.0	2.5	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Zinc	6.7	ug/L	10	1.1	EPA-6020	03/07/08	03/07/08 19:16	PPS	PE-EL1	1	BRC0435	1.6	J

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Organochlorine Pesticides (EPA Method 8081)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Aldrin	ND	ug/L	0.0060	0.0016	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
alpha-BHC	ND	ug/L	0.0060	0.0013	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
beta-BHC	ND	ug/L	0.0060	0.0025	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
delta-BHC	ND	ug/L	0.0060	0.0017	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
gamma-BHC (Lindane)	ND	ug/L	0.0060	0.0011	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Chlordane (Technical)	ND	ug/L	0.60	0.46	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
4,4'-DDD	ND	ug/L	0.0060	0.0020	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
4,4'-DDE	ND	ug/L	0.0060	0.0023	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
4,4'-DDT	ND	ug/L	0.0060	0.00092	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Dieldrin	ND	ug/L	0.0060	0.0014	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Endosulfan I	ND	ug/L	0.0060	0.0019	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Endosulfan II	ND	ug/L	0.0060	0.0017	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Endosulfan sulfate	ND	ug/L	0.0060	0.0031	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Endrin	ND	ug/L	0.0060	0.00099	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Endrin aldehyde	ND	ug/L	0.012	0.0039	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Heptachlor	ND	ug/L	0.0060	0.0014	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Heptachlor epoxide	ND	ug/L	0.0060	0.0012	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Methoxychlor	ND	ug/L	0.0060	0.0013	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
Toxaphene	ND	ug/L	2.4	0.51	EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573	ND	
TCMX (Surrogate)	91.8	%	72 - 129 (LCL - UCL)		EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573		
Dibutyl chlorendate (Surrogate)	103	%	82 - 177 (LCL - UCL)		EPA-8081	03/07/08	03/13/08 12:16	JRS	GC-1	1.205	BRC0573		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

PCB Analysis (EPA Method 8082)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
PCB-1016	ND	ug/L	0.24	0.024	EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575	ND	
PCB-1221	ND	ug/L	0.24	0.11	EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575	ND	
PCB-1232	ND	ug/L	0.24	0.11	EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575	ND	
PCB-1242	ND	ug/L	0.24	0.11	EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575	ND	
PCB-1248	ND	ug/L	0.24	0.030	EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575	ND	
PCB-1254	ND	ug/L	0.24	0.051	EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575	ND	
PCB-1260	ND	ug/L	0.24	0.024	EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575	ND	
Total PCB's (Summation)	ND	ug/L	0.24	0.12	EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575	ND	
Decachlorobiphenyl (Surrogate)	102	%	56 - 119 (LCL - UCL)		EPA-8082	03/07/08	03/12/08 01:06	JRS	GC-6	1.205	BRC0575		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Bromobenzene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Bromochloromethane	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Bromodichloromethane	ND	ug/L	0.50	0.30	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Bromoform	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Bromomethane	ND	ug/L	1.0	0.37	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
n-Butylbenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
sec-Butylbenzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
tert-Butylbenzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Carbon tetrachloride	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Chlorobenzene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Chloroethane	ND	ug/L	0.50	0.36	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Chloroform	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Chloromethane	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
2-Chlorotoluene	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
4-Chlorotoluene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Dibromochloromethane	ND	ug/L	0.50	0.23	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2-Dibromo-3-chloropropane	ND	ug/L	1.0	0.46	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2-Dibromoethane	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Dibromomethane	ND	ug/L	0.50	0.37	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichlorobenzene	ND	ug/L	0.50	0.36	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,3-Dichlorobenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,4-Dichlorobenzene	ND	ug/L	0.50	0.48	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical
321 19th Street
Bakersfield, CA 93301

Project: Priority Pollutants
Project Number: Cawelo
Project Manager: Stephen Harris

Reported: 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Dichlorodifluoromethane	ND	ug/L	0.50	0.34	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloroethane	ND	ug/L	0.50	0.25	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloroethane	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloroethene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
cis-1,2-Dichloroethene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
trans-1,2-Dichloroethene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloropropane	ND	ug/L	0.50	0.41	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,3-Dichloropropane	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
2,2-Dichloropropane	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloropropene	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
cis-1,3-Dichloropropene	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
trans-1,3-Dichloropropene	ND	ug/L	0.50	0.23	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Ethylbenzene	ND	ug/L	0.50	0.33	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Hexachlorobutadiene	ND	ug/L	0.50	0.44	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Isopropylbenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
p-Isopropyltoluene	ND	ug/L	0.50	0.42	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Methylene chloride	ND	ug/L	1.0	0.27	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	0.27	
Methyl t-butyl ether	ND	ug/L	0.50	0.26	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Naphthalene	ND	ug/L	0.50	0.30	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
n-Propylbenzene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Styrene	ND	ug/L	0.50	0.39	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Tetrachloroethene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Toluene	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2,3-Trichlorobenzene	ND	ug/L	0.50	0.38	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2,4-Trichlorobenzene	ND	ug/L	0.50	0.48	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,1,1-Trichloroethane	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,1,2-Trichloroethane	ND	ug/L	0.50	0.44	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Trichloroethene	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Trichlorofluoromethane	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.50	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	ug/L	0.50	0.33	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2,4-Trimethylbenzene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,3,5-Trimethylbenzene	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Vinyl chloride	ND	ug/L	0.50	0.34	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
Total Xylenes	ND	ug/L	1.0	0.73	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
p- & m-Xylenes	ND	ug/L	0.50	0.46	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
o-Xylene	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418		
Toluene-d8 (Surrogate)	101	%	88 - 110 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 09:57	MGC	MS-V5	1	BRC0418		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Acenaphthene	ND	ug/L	2.2	0.53	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Acenaphthylene	ND	ug/L	2.2	0.71	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Aldrin	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Aniline	ND	ug/L	5.6	0.51	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Anthracene	ND	ug/L	2.2	0.88	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzidine	ND	ug/L	22	5.2	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[a]anthracene	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[b]fluoranthene	ND	ug/L	2.2	0.73	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[k]fluoranthene	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[a]pyrene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[g,h,i]perylene	ND	ug/L	2.2	1.0	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzoic acid	ND	ug/L	11	6.8	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzyl alcohol	ND	ug/L	2.2	0.74	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Benzyl butyl phthalate	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
alpha-BHC	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
beta-BHC	ND	ug/L	2.2	0.53	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
delta-BHC	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
gamma-BHC (Lindane)	ND	ug/L	2.2	0.62	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroethoxy)methane	ND	ug/L	2.2	0.64	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroethyl) ether	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroisopropyl)ether	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Ethylhexyl)phthalate	ND	ug/L	5.6	1.2	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4-Bromophenyl phenyl ether	ND	ug/L	2.2	0.77	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
4-Chloroaniline	ND	ug/L	2.2	0.97	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2-Chloronaphthalene	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4-Chlorophenyl phenyl ether	ND	ug/L	2.2	0.76	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Chrysene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDD	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDE	ND	ug/L	3.3	0.64	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDT	ND	ug/L	2.2	0.30	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Dibenzo[a,h]anthracene	ND	ug/L	3.3	1.0	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Dibenzofuran	ND	ug/L	2.2	0.90	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
1,2-Dichlorobenzene	ND	ug/L	2.2	0.64	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
1,3-Dichlorobenzene	ND	ug/L	2.2	0.73	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
1,4-Dichlorobenzene	ND	ug/L	2.2	0.59	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
3,3-Dichlorobenzidine	ND	ug/L	11	0.98	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Dieldrin	ND	ug/L	3.3	0.58	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Diethyl phthalate	ND	ug/L	2.2	0.94	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Dimethyl phthalate	ND	ug/L	2.2	0.61	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Di-n-butyl phthalate	ND	ug/L	2.2	0.82	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dinitrotoluene	ND	ug/L	2.2	1.1	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2,6-Dinitrotoluene	ND	ug/L	2.2	0.82	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Di-n-octyl phthalate	ND	ug/L	2.2	0.94	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
1,2-Diphenylhydrazine	ND	ug/L	2.2	0.78	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Endosulfan I	ND	ug/L	11	3.0	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Endosulfan II	ND	ug/L	11	2.7	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Endosulfan sulfate	ND	ug/L	3.3	0.64	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Endrin	ND	ug/L	2.2	0.60	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Endrin aldehyde	ND	ug/L	11	0.96	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Fluoranthene	ND	ug/L	2.2	0.78	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Fluorene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Heptachlor	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Heptachlor epoxide	ND	ug/L	2.2	0.70	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorobenzene	ND	ug/L	2.2	0.79	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorobutadiene	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorocyclopentadiene	ND	ug/L	2.2	0.29	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Hexachloroethane	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Indeno[1,2,3-cd]pyrene	ND	ug/L	2.2	1.0	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Isophorone	ND	ug/L	2.2	0.57	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2-Methylnaphthalene	ND	ug/L	2.2	0.57	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Naphthalene	ND	ug/L	2.2	0.69	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2-Naphthylamine	ND	ug/L	22	7.2	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2-Nitroaniline	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
3-Nitroaniline	ND	ug/L	2.2	0.91	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4-Nitroaniline	ND	ug/L	5.6	1.2	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Nitrobenzene	ND	ug/L	2.2	0.61	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodimethylamine	ND	ug/L	2.2	0.50	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodi-N-propylamine	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodiphenylamine	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Phenanthrene	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Pyrene	ND	ug/L	2.2	0.69	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
1,2,4-Trichlorobenzene	ND	ug/L	2.2	0.74	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4-Chloro-3-methylphenol	ND	ug/L	5.6	0.74	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2-Chlorophenol	ND	ug/L	2.2	0.72	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dichlorophenol	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dimethylphenol	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4,6-Dinitro-2-methylphenol	ND	ug/L	11	2.4	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dinitrophenol	ND	ug/L	11	2.7	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2-Methylphenol	ND	ug/L	2.2	0.63	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
3- & 4-Methylphenol	ND	ug/L	2.2	0.92	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2-Nitrophenol	ND	ug/L	2.2	0.47	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
4-Nitrophenol	ND	ug/L	2.2	1.9	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Pentachlorophenol	ND	ug/L	11	0.50	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
Phenol	ND	ug/L	2.2	0.41	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2,4,5-Trichlorophenol	ND	ug/L	5.6	1.0	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2,4,6-Trichlorophenol	ND	ug/L	5.6	0.48	EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582	ND	
2-Fluorophenol (Surrogate)	62.0	%	39 - 96 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582		
Phenol-d5 (Surrogate)	43.1	%	16 - 79 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582		
Nitrobenzene-d5 (Surrogate)	88.3	%	64 - 131 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582		
2-Fluorobiphenyl (Surrogate)	96.1	%	53 - 123 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582		
2,4,6-Tribromophenol (Surrogate)	103	%	56 - 141 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582		
p-Terphenyl-d14 (Surrogate)	97.8	%	47 - 145 (LCL - UCL)		EPA-8270C	03/07/08	03/13/08 00:55	SKC	MS-B2	1.111	BRC0582		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Water Analysis (General Chemistry)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Total Cyanide	ND	mg/L	0.0050	0.0032	EPA-335.4	03/10/08	03/11/08 10:23	TDC	KONE-1	1	BRC0543	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Water Analysis (Metals)

BCL Sample ID: 0803018-02 | **Client Sample Name:** RSW-001, 2/29/2008 10:45:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Hexavalent Chromium	ND	ug/L	2.0	1.0	EPA-7196	03/06/08	03/06/08 08:36	VH1	KONE-1	1	BRC0368	ND	A26,S05
Total Recoverable Antimony	0.75	ug/L	4.0	0.23	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	0.55	J
Total Recoverable Arsenic	5.1	ug/L	4.0	0.92	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Barium	79	ug/L	2.0	0.098	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Beryllium	0.20	ug/L	2.0	0.089	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Cadmium	0.16	ug/L	2.0	0.041	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Chromium	10	ug/L	6.0	2.9	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	3.7	
Total Recoverable Cobalt	2.2	ug/L	2.0	0.035	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Copper	5.2	ug/L	4.0	0.048	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Lead	1.8	ug/L	2.0	0.035	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Mercury	ND	ug/L	0.20	0.022	EPA-7470A	03/11/08	03/12/08 10:23	MEV	CETAC1	1	BRC0659	ND	
Total Recoverable Molybdenum	9.0	ug/L	2.0	0.031	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Nickel	3.8	ug/L	4.0	0.075	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Selenium	ND	ug/L	4.0	0.26	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Silver	0.048	ug/L	2.0	0.031	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Thallium	0.17	ug/L	2.0	0.054	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Vanadium	15	ug/L	6.0	2.5	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Zinc	26	ug/L	10	1.1	EPA-6020	03/07/08	03/07/08 19:30	PPS	PE-EL1	1	BRC0435	1.6	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Organochlorine Pesticides (EPA Method 8081)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Aldrin	ND	ug/L	0.0056	0.0014	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
alpha-BHC	ND	ug/L	0.0056	0.0012	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
beta-BHC	ND	ug/L	0.0056	0.0023	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
delta-BHC	ND	ug/L	0.0056	0.0016	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
gamma-BHC (Lindane)	ND	ug/L	0.0056	0.0010	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Chlordane (Technical)	ND	ug/L	0.56	0.42	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
4,4'-DDD	ND	ug/L	0.0056	0.0019	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
4,4'-DDE	ND	ug/L	0.0056	0.0021	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
4,4'-DDT	ND	ug/L	0.0056	0.00084	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Dieldrin	ND	ug/L	0.0056	0.0013	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Endosulfan I	ND	ug/L	0.0056	0.0018	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Endosulfan II	ND	ug/L	0.0056	0.0016	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Endosulfan sulfate	ND	ug/L	0.0056	0.0029	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Endrin	ND	ug/L	0.0056	0.00091	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Endrin aldehyde	ND	ug/L	0.011	0.0036	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Heptachlor	ND	ug/L	0.0056	0.0013	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Heptachlor epoxide	ND	ug/L	0.0056	0.0011	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Methoxychlor	ND	ug/L	0.0056	0.0012	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
Toxaphene	ND	ug/L	2.2	0.47	EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573	ND	
TCMX (Surrogate)	86.2	%	72 - 129 (LCL - UCL)		EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573		
Dibutyl chlorendate (Surrogate)	90.6	%	82 - 177 (LCL - UCL)		EPA-8081	03/07/08	03/13/08 12:30	JRS	GC-1	1.111	BRC0573		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

PCB Analysis (EPA Method 8082)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
PCB-1016	ND	ug/L	0.24	0.024	EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575	ND	
PCB-1221	ND	ug/L	0.24	0.11	EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575	ND	
PCB-1232	ND	ug/L	0.24	0.11	EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575	ND	
PCB-1242	ND	ug/L	0.24	0.11	EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575	ND	
PCB-1248	ND	ug/L	0.24	0.030	EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575	ND	
PCB-1254	ND	ug/L	0.24	0.051	EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575	ND	
PCB-1260	ND	ug/L	0.24	0.024	EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575	ND	
Total PCB's (Summation)	ND	ug/L	0.24	0.12	EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575	ND	
Decachlorobiphenyl (Surrogate)	96.0	%	56 - 119 (LCL - UCL)		EPA-8082	03/07/08	03/12/08 01:23	JRS	GC-6	1.205	BRC0575		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Bromobenzene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Bromochloromethane	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Bromodichloromethane	ND	ug/L	0.50	0.30	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Bromoform	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Bromomethane	ND	ug/L	1.0	0.37	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
n-Butylbenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
sec-Butylbenzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
tert-Butylbenzene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Carbon tetrachloride	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Chlorobenzene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Chloroethane	ND	ug/L	0.50	0.36	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Chloroform	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Chloromethane	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
2-Chlorotoluene	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
4-Chlorotoluene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Dibromochloromethane	ND	ug/L	0.50	0.23	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2-Dibromo-3-chloropropane	ND	ug/L	1.0	0.46	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2-Dibromoethane	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Dibromomethane	ND	ug/L	0.50	0.37	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichlorobenzene	ND	ug/L	0.50	0.36	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,3-Dichlorobenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,4-Dichlorobenzene	ND	ug/L	0.50	0.48	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Dichlorodifluoromethane	ND	ug/L	0.50	0.34	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloroethane	ND	ug/L	0.50	0.25	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloroethane	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloroethene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
cis-1,2-Dichloroethene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
trans-1,2-Dichloroethene	ND	ug/L	0.50	0.32	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloropropane	ND	ug/L	0.50	0.41	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,3-Dichloropropane	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
2,2-Dichloropropane	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,1-Dichloropropene	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
cis-1,3-Dichloropropene	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
trans-1,3-Dichloropropene	ND	ug/L	0.50	0.23	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Ethylbenzene	ND	ug/L	0.50	0.33	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Hexachlorobutadiene	ND	ug/L	0.50	0.44	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Isopropylbenzene	ND	ug/L	0.50	0.35	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
p-Isopropyltoluene	ND	ug/L	0.50	0.42	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Methylene chloride	ND	ug/L	1.0	0.27	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	0.27	
Methyl t-butyl ether	ND	ug/L	0.50	0.26	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Naphthalene	ND	ug/L	0.50	0.30	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
n-Propylbenzene	ND	ug/L	0.50	0.29	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Styrene	ND	ug/L	0.50	0.39	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Tetrachloroethene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Toluene	ND	ug/L	0.50	0.24	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2,3-Trichlorobenzene	ND	ug/L	0.50	0.38	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2,4-Trichlorobenzene	ND	ug/L	0.50	0.48	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,1,1-Trichloroethane	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,1,2-Trichloroethane	ND	ug/L	0.50	0.44	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Trichloroethene	ND	ug/L	0.50	0.19	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Trichlorofluoromethane	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2,3-Trichloropropane	ND	ug/L	1.0	0.50	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	ug/L	0.50	0.33	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2,4-Trimethylbenzene	ND	ug/L	0.50	0.28	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,3,5-Trimethylbenzene	ND	ug/L	0.50	0.31	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Vinyl chloride	ND	ug/L	0.50	0.34	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
Total Xylenes	ND	ug/L	1.0	0.73	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
p- & m-Xylenes	ND	ug/L	0.50	0.46	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
o-Xylene	ND	ug/L	0.50	0.27	EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418	ND	
1,2-Dichloroethane-d4 (Surrogate)	103	%	76 - 114 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418		
Toluene-d8 (Surrogate)	99.3	%	88 - 110 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418		
4-Bromofluorobenzene (Surrogate)	98.9	%	86 - 115 (LCL - UCL)		EPA-8260	03/07/08	03/08/08 10:28	MGC	MS-V5	1	BRC0418		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Acenaphthene	ND	ug/L	2.2	0.53	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Acenaphthylene	ND	ug/L	2.2	0.71	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Aldrin	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Aniline	ND	ug/L	5.6	0.51	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Anthracene	ND	ug/L	2.2	0.88	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzidine	ND	ug/L	22	5.2	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[a]anthracene	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[b]fluoranthene	ND	ug/L	2.2	0.73	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[k]fluoranthene	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[a]pyrene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzo[g,h,i]perylene	ND	ug/L	2.2	1.0	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzoic acid	ND	ug/L	11	6.8	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzyl alcohol	ND	ug/L	2.2	0.74	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Benzyl butyl phthalate	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
alpha-BHC	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
beta-BHC	ND	ug/L	2.2	0.53	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
delta-BHC	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
gamma-BHC (Lindane)	ND	ug/L	2.2	0.62	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroethoxy)methane	ND	ug/L	2.2	0.64	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroethyl) ether	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Chloroisopropyl)ether	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
bis(2-Ethylhexyl)phthalate	ND	ug/L	5.6	1.2	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4-Bromophenyl phenyl ether	ND	ug/L	2.2	0.77	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
4-Chloroaniline	ND	ug/L	2.2	0.97	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2-Chloronaphthalene	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4-Chlorophenyl phenyl ether	ND	ug/L	2.2	0.76	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Chrysene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDD	ND	ug/L	2.2	0.56	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDE	ND	ug/L	3.3	0.64	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4,4'-DDT	ND	ug/L	2.2	0.30	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Dibenzo[a,h]anthracene	ND	ug/L	3.3	1.0	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Dibenzofuran	ND	ug/L	2.2	0.90	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
1,2-Dichlorobenzene	ND	ug/L	2.2	0.64	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
1,3-Dichlorobenzene	ND	ug/L	2.2	0.73	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
1,4-Dichlorobenzene	ND	ug/L	2.2	0.59	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
3,3-Dichlorobenzidine	ND	ug/L	11	0.98	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Dieldrin	ND	ug/L	3.3	0.58	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Diethyl phthalate	ND	ug/L	2.2	0.94	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Dimethyl phthalate	ND	ug/L	2.2	0.61	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Di-n-butyl phthalate	ND	ug/L	2.2	0.82	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dinitrotoluene	ND	ug/L	2.2	1.1	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2,6-Dinitrotoluene	ND	ug/L	2.2	0.82	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Di-n-octyl phthalate	ND	ug/L	2.2	0.94	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
1,2-Diphenylhydrazine	ND	ug/L	2.2	0.78	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Endosulfan I	ND	ug/L	11	3.0	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Endosulfan II	ND	ug/L	11	2.7	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Endosulfan sulfate	ND	ug/L	3.3	0.64	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Endrin	ND	ug/L	2.2	0.60	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Endrin aldehyde	ND	ug/L	11	0.96	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Fluoranthene	ND	ug/L	2.2	0.78	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Fluorene	ND	ug/L	2.2	0.81	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Heptachlor	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Heptachlor epoxide	ND	ug/L	2.2	0.70	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorobenzene	ND	ug/L	2.2	0.79	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorobutadiene	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Hexachlorocyclopentadiene	ND	ug/L	2.2	0.29	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Hexachloroethane	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Indeno[1,2,3-cd]pyrene	ND	ug/L	2.2	1.0	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Isophorone	ND	ug/L	2.2	0.57	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2-Methylnaphthalene	ND	ug/L	2.2	0.57	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Naphthalene	ND	ug/L	2.2	0.69	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2-Naphthylamine	ND	ug/L	22	7.2	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2-Nitroaniline	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
3-Nitroaniline	ND	ug/L	2.2	0.91	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4-Nitroaniline	ND	ug/L	5.6	1.2	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Nitrobenzene	ND	ug/L	2.2	0.61	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodimethylamine	ND	ug/L	2.2	0.50	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodi-N-propylamine	ND	ug/L	2.2	0.66	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
N-Nitrosodiphenylamine	ND	ug/L	2.2	0.89	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical
321 19th Street
Bakersfield, CA 93301

Project: Priority Pollutants
Project Number: Cawelo
Project Manager: Stephen Harris

Reported: 03/18/2008 15:36

Base Neutral and Acid Extractables Organic Analysis (EPA Method 8270C)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Phenanthrene	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Pyrene	ND	ug/L	2.2	0.69	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
1,2,4-Trichlorobenzene	ND	ug/L	2.2	0.74	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4-Chloro-3-methylphenol	ND	ug/L	5.6	0.74	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2-Chlorophenol	ND	ug/L	2.2	0.72	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dichlorophenol	ND	ug/L	2.2	0.67	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dimethylphenol	ND	ug/L	2.2	0.58	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4,6-Dinitro-2-methylphenol	ND	ug/L	11	2.4	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2,4-Dinitrophenol	ND	ug/L	11	2.7	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2-Methylphenol	ND	ug/L	2.2	0.63	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
3- & 4-Methylphenol	ND	ug/L	2.2	0.92	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2-Nitrophenol	ND	ug/L	2.2	0.47	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
4-Nitrophenol	ND	ug/L	2.2	1.9	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Pentachlorophenol	ND	ug/L	11	0.50	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
Phenol	ND	ug/L	2.2	0.41	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2,4,5-Trichlorophenol	ND	ug/L	5.6	1.0	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2,4,6-Trichlorophenol	ND	ug/L	5.6	0.48	EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582	ND	
2-Fluorophenol (Surrogate)	53.1	%	39 - 96 (LCL - UCL)		EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582		
Phenol-d5 (Surrogate)	36.5	%	16 - 79 (LCL - UCL)		EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582		
Nitrobenzene-d5 (Surrogate)	86.7	%	64 - 131 (LCL - UCL)		EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582		
2-Fluorobiphenyl (Surrogate)	87.2	%	53 - 123 (LCL - UCL)		EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582		
2,4,6-Tribromophenol (Surrogate)	89.8	%	56 - 141 (LCL - UCL)		EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582		
p-Terphenyl-d14 (Surrogate)	115	%	47 - 145 (LCL - UCL)		EPA-8270C	03/07/08	03/14/08 16:13	SKC	MS-B2	1.111	BRC0582		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Water Analysis (General Chemistry)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Total Cyanide	ND	mg/L	0.0050	0.0032	EPA-335.4	03/10/08	03/11/08 10:23	TDC	KONE-1	1	BRC0543	ND	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com

BC LABORATORIES, INC.

Precision Analytical 321 19th Street Bakersfield, CA 93301	Project: Priority Pollutants Project Number: Cawelo Project Manager: Stephen Harris	**Reported:** 03/18/2008 15:36

Water Analysis (Metals)

BCL Sample ID: 0803018-03 | **Client Sample Name:** RSW-002, 2/29/2008 10:30:00AM, Steve Harris

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Hexavalent Chromium	ND	ug/L	2.0	1.0	EPA-7196	03/06/08	03/06/08 08:36	VH1	KONE-1	1	BRC0368	ND	A26,S05
Total Recoverable Antimony	0.52	ug/L	4.0	0.23	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	0.55	J
Total Recoverable Arsenic	17	ug/L	4.0	0.92	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Barium	92	ug/L	2.0	0.098	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Beryllium	0.10	ug/L	2.0	0.089	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Cadmium	0.072	ug/L	2.0	0.041	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Chromium	4.0	ug/L	6.0	2.9	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	3.7	J
Total Recoverable Cobalt	0.75	ug/L	2.0	0.035	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Copper	1.4	ug/L	4.0	0.048	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Lead	0.45	ug/L	2.0	0.035	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Mercury	ND	ug/L	0.20	0.022	EPA-7470A	03/11/08	03/12/08 10:29	MEV	CETAC1	1	BRC0659	ND	
Total Recoverable Molybdenum	6.9	ug/L	2.0	0.031	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Nickel	1.8	ug/L	4.0	0.075	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Selenium	0.52	ug/L	4.0	0.26	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Silver	ND	ug/L	2.0	0.031	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Thallium	ND	ug/L	2.0	0.054	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	
Total Recoverable Vanadium	5.7	ug/L	6.0	2.5	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	ND	J
Total Recoverable Zinc	10	ug/L	10	1.1	EPA-6020	03/07/08	03/07/08 19:33	PPS	PE-EL1	1	BRC0435	1.6	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court • Bakersfield, CA 93308 • (661) 327-4911 • FAX (661) 327-1918 • www.bclabs.com