

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
COLORADO RIVER BASIN REGION**

ORDER NO. R7-2012-0032

**RESCISSION OF
WASTE DISCHARGE REQUIREMENTS**

The California Regional Water Quality Control Board, Colorado River Basin Region, finds that:

1. For the reasons stated below, it is desirable to rescind said below-listed Board Order(s).
2. The Board timely forwarded notices by mail to persons responsible for the below-listed Board Order(s) explaining the Board's consideration of rescinding the particular Board Order(s), and requesting comments.
3. The Board, in a public meeting, heard and considered all comments pertaining to the proposed rescission of the below listed Board Order(s).

IT IS HEREBY ORDERED, the following Board Order(s), Waste Discharge Requirements, be rescinded, except for enforcement purposes.

<u>Order</u>	<u>Name</u>	<u>Date Adopted</u>
95-001	Black Meadow Landing Septic tank/oxidation basin disposal facilities NW of Parker Dam – San Bernardino County	January 25, 1995

I, Robert Perdue, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of a Board Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region on May 17, 2012.


ROBERT PERDUE
Executive Officer