

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
COLORADO RIVER BASIN REGION**

73-720 Fred Waring Drive, Suite 100
Palm Desert, CA 92260

Public Notice No 7-20-05
February 11, 2020

NOTICE OF OPPORTUNITY FOR PUBLIC COMMENT

**PROPOSED UNDERGROUND STORAGE TANK CASE CLOSURE
PURSUANT TO
LOW-THREAT CLOSURE POLICY
FOR**

**RIVERSIDE (RVSD) COUNTY ROAD MAINTENANCE YARD
561 SOUTH BROADWAY STREET
BLYTHE, CA 92225
RIVERSIDE COUNTY
GEOTRACKER GLOBAL ID NO. T0606500777**

NOTICE IS HEREBY GIVEN THAT the California Regional Water Quality Control Board, Colorado River Basin Region (Regional Water Board) will accept written comments on the proposed underground storage tank (UST) case closure for RVSD County Road Maintenance Yard located in Blythe, Regional Water Board Case File No. 7T2 225 039.

This UST site is being proposed for case closure pursuant to the State Water Resources Control Board's (State Water Board) *Water Quality Control Policy for Low-Threat Underground Storage Tank Case Closure* (Low-Threat Closure Policy or Policy), adopted via Resolution No. 2012-0016 on August 17, 2012. In adopting this Policy, the State Water Board determined that certain UST cases are appropriate for closure if they pose a low threat to human health, safety, and the environment. Low threat is established under the Policy by demonstrating the UST case meets the general and media-specific criteria established in the Policy, satisfies the requirements of Health and Safety Code section 25296.10, and is consistent with State Water Board Resolution 92-49's requirement that cleanup goals and objectives be achieved within a reasonable time.

Regional Water Board UST Cleanup staff has completed the review of the case identified above, determined that the case meets the general and media-specific closure criteria of the Policy as well as complies with Health and Safety Code section 25296.10 and State Water Board Resolution 92-49, and will make a recommendation to the Regional Water Board's Executive Officer for case closure. This recommendation is based upon the facts and circumstances of this particular UST case. The UST case record that is the basis for determining compliance with the Policy is available on the State Water Board's GeoTracker database at:

NANCY WRIGHT, CHAIR | PAULA RASMUSSEN, EXECUTIVE OFFICER

73-720 Fred Waring Drive, Suite 100, Palm Desert, CA 92260 | www.waterboards.ca.gov/coloradoriver

https://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500777

Pursuant to the Policy, the Regional Water Board is providing notice of the proposed UST case closure to: the responsible party, environmental consultant on record, municipal and county water districts, water replenishment districts, special act districts with groundwater management authority, local water purveyor, agencies authorized to issue building permits for land affected by the petroleum release, owners and occupants of the property impacted by the petroleum release, and owners and occupants of all parcels adjacent to the impacted property, as applicable. This Notice will also be posted on the Regional Water Board's website.

DOCUMENT AVAILABILITY

A draft Case Closure Summary has been prepared for the above UST that forms the basis for UST Cleanup staff's recommendation for case closure to the Regional Water Board's Executive Officer. The document is available for view or download on the Geotracker database at the link identified above. Copies of the draft Case Closure Summary are also available upon request to Ms. Phan Le at (760) 776-8974 or phan.le@waterboards.ca.gov.

SUBMISSION OF WRITTEN COMMENTS

The Regional Water Board will accept written comments regarding the proposed case closure during a sixty (60) day public comment period, which begins **February 11, 2020**, and ends **April 11, 2020**. Persons wishing to submit written comments on the proposed case closure are requested to do so by **5:00 pm** on **April 11, 2020**, to be given sufficient consideration.

Interested persons are encouraged to submit their comments electronically. Comments can be submitted to Ms. Phan Le, Water Resources Control Engineer via e-mail: phan.le@waterboards.ca.gov (**if less than 10 megabytes in total size**), or by fax at (760) 341-6820 with the subject "**Comment Letter** – Riverside County Road Maintenance Yard, Case No. 7T2 225 039." Written comments may also be mailed to:

California Regional Water Quality Control Board
Colorado River Basin Region
Attn: Ms. Phan Le
73-720 Fred Waring Drive, Suite 100
Palm Desert, CA 92260

Please direct any questions regarding this Notice to Ms. Phan Le at (760) 776-8974 or phan.le@waterboards.ca.gov.