

## DISTRICT 87

## YOLO COUNTY

### DRINKING WATER MONITORING SCHEDULE

**THE CALIFORNIA DEPARTMENT OF PUBLIC HEALTH (CDPH) MONITORING SCHEDULER LISTS REQUIRED CONTAMINANT TESTING OF DRINKING WATER FOR PUBLIC WATER SYSTEMS IN CALIFORNIA. THE SCHEDULE INCLUDES REQUIRED UPCOMING TESTING, AND PAST DUE REQUIRED. IF NO TESTING IS LISTED ALL TESTING HAS BEEN WAIVED.**

**THIS INFORMATION IS VALID AS OF AUGUST 22, 2014.**

**UPDATES WILL BE REGULARLY PERFORMED REFLECTING CHANGES IN THE WATER QUALITY MONITORING DATABASE. THESE DOCUMENTS SHOULD BE CONSIDERED "DRAFT" IN THAT THEY MAY CHANGE WITH SUBSEQUENT UPDATES AS NEW DATA ARE SUBMITTED, OR AS MONITORING SCHEDULES ARE REVISED. THIS MONITORING SCHEDULE SHOULD NOT BE USED TO DETERMINE IF SYSTEMS ARE IN COMPLETE COMPLIANCE WITH MONITORING REQUIREMENTS. THE PURPOSE IS TO ASSIST SYSTEMS IN THEIR PLANNING FOR SAMPLING EVENTS, AND VERIFICATION OF SCHEDULED MONITORING WITH CDHS RECORDS.**

**THE TELEPHONE NUMBER FOR THE LOCAL DRINKING WATER OFFICE IS:**

**(530) 666-8585**

**Please be aware that the monitoring schedules do not reflect compliance with initial monitoring for newly regulated constituents (such as MTBE), or constituents that require special monitoring frequencies. Specifically, the database is unable to accurately forecast the following for the Monitoring Schedules:**

**The SOC frequency for large water systems serving over 3,300 people of 2 quarters every 3 years. In addition, if you have been advised of any increased monitoring that is not reflected in the Monitoring Schedule for a particular source, please contact your local Drinking Water office**

**Some older data may not be present in the database, and these are indicated in the schedule as "DUE." If these samples were taken, have your laboratory submit the data. Since January 1, 2001, data have been required to be submitted directly to CDPH via electronic data transfer (EDT).**

**If sampled after January 1, 2001, have your lab submit those data (and data prior to 2001 if possible) electronically as required to CDPH via EDT. Your laboratory can contact Anthony Meeks in the CDPH Monitoring and Evaluation Unit at (916) 449-5568 or at [edt@cdph.ca.gov](mailto:edt@cdph.ca.gov) for further information. Changes in the monitoring notification documents will be seen in the next update.**



System Number: **5700506**

System Name: **ROAD TRIP DELI & BAR**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **5700506-002**

Source Name: **HANDWASH SINK**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

01032

000

**DUE**

PS Code: **5700506-003**

Source Name: **PREP SINK**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

01032

000

**DUE**

PS Code: **5700506-004**

Source Name: **3 COMPARTMENT SINK**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

01032

000

**DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700507**

**System Name: CAPAY JUNCTION**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700507-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700507-002**

**Source Name: HOSEBIB BEHIND BAR**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700507-003**

**Source Name: HOSEBIB BY DOG PEN**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700507-004**

**Source Name: BAR RESTROOM**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700507**

**System Name: CAPAY JUNCTION**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700507-005**

**Source Name: BAR SINK**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*I = Invalid (NOT) valid analyses reported*

*Any analyses not listed as required for testing has been Waive (not required)*

System Number: **5700509**

System Name: **CLARKSBURG MIDDLE SCHOOL**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700509-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700509-002**

Source Name: **CHLORINATOR**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700509-003**

Source Name: **HOSEBIB BY WELL SHED**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700509-004**

Source Name: **STAFF BREAKROOM SINK AT CHARTER SCHOOL**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700510**

**System Name: DELTA HIGH SCHOOL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700510-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700510-002**

**Source Name: CHLORINATOR**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>
-----------------------------	-------	-----	--	------------

**PS Code: 5700510-003**

**Source Name: DRINKING FAUCET**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>
-----------------------------	-------	-----	--	------------

**PS Code: 5700510-004**

**Source Name: FACILITY SINK FAUCET**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>
-----------------------------	-------	-----	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700514**

**System Name: BOGLE FAMILY LIMITED PARTNER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700514-001</b>					
<b>Source Name: WELL-1</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

**PS Code: 5700514-002**

**Source Name: BREAKROOM**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
-----------------------------	--------------	------------	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700518**  
**System Name: CASA RUIZ**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700518-002</b>					
<b>Source Name: WELL 02 EAST</b>					
<b>Source Number: 002</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700518-003**  
**Source Name: HOSEBIB ON OUTSIDE RESTROOM**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700518-004**  
**Source Name: HOSEBIB NEAR FENCE**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700521**

**System Name: HOLLAND MARKET**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700521-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700521-002**

**Source Name: KITCHEN FAUCET SINK**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>
-----------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700528**

System Name: **ST JOSEPH S CHURCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700528-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

PS Code: **5700528-002**

Source Name: **HALL KITCHEN SINK**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

PS Code: **5700528-003**

Source Name: **HOSEBIB IN FRONT OF STORAGE TANK SHED**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

PS Code: **5700528-004**

Source Name: **HOSEBIB IN FRONT OF CHURCH BUILDING**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700528**

**System Name: ST JOSEPH S CHURCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700528-005**

**Source Name: HOUSE KITCHEN SINK**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*I = Invalid (NOT) valid analyses reported*

*Any analyses not listed as required for testing has been Waive (not required)*

System Number: **5700532**

System Name: **YOLO BYPASS WILDLIFE AREA**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700532-001</b> <b>Source Name: WELL 01</b> <b>Source Number: 001</b> <b>Source Status: ACTIVE UNTREATED</b> <b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700532-002**  
**Source Name: MEN S RESTROOM SINK FAUCET**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700532-003**  
**Source Name: OUTSIDE HOSEBIB**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700532-004**  
**Source Name: MAINTENANCE BUILDING OUTSIDE HOSEBIB**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700537**

System Name: **HARRIS MORAN SEED COMPANY - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700537-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700537-002**

Source Name: **LAB SINK**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700537-003**

Source Name: **MEN S RESTROOM FAUCET IN PILOT PLANT**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700537-004**

Source Name: **DRINKING FAUCET IN MAIN BUILDING**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700537**

System Name: **HARRIS MORAN SEED COMPANY - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700537-005</b>					
<b>Source Name: EAST OFFICE</b>					
<b>Source Number: 005</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700537-006**

Source Name: **PILOT PLANT**

Source Number: **006**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700537-007**

Source Name: **SPAWN PLANT**

Source Number: **007**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700537-008**

Source Name: **MAIN LAB**

Source Number: **008**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700537**

**System Name: HARRIS MORAN SEED COMPANY - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700537-009</b>					
<b>Source Name: GE LAB</b>					
<b>Source Number: 009</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700537-010**

**Source Name: HOSEBIB NEAR LAB EXIT**

**Source Number: 010**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700537-011**

**Source Name: HOSEBIB AT END OF METAL BUILDING**

**Source Number: 011**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700537-012**

**Source Name: BREAK ROOM SINK**

**Source Number: 012**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700537**

**System Name: HARRIS MORAN SEED COMPANY - WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700537-013**

**Source Name: 2ND BUILDING LAB SINK**

**Source Number: 013**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700539**

**System Name: DAVIS MIGRANT CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700539-001</b>				
<b>Source Name: LPA REPORTED PRIMARY SOURCE</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700539-004**

**Source Name: LAUNDRY ROOM SINK (MAY)**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>
-----------------------------	-------	-----	--	------------

**PS Code: 5700539-005**

**Source Name: WELL 01 (JUN)**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>
-----------------------------	-------	-----	--	------------

**PS Code: 5700539-006**

**Source Name: LAUNDRY ROOM SINK (JUN)**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>
-----------------------------	-------	-----	--	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700539**

**System Name: DAVIS MIGRANT CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700539-007</b>				
<b>Source Name: WELL 01 (JUL)</b>				
<b>Source Number: 007</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700539-008**

**Source Name: LAUNDRY ROOM SINK (JUL)**

**Source Number: 008**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700539-009**

**Source Name: WELL 01 (AUG)**

**Source Number: 009**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700539-010**

**Source Name: LAUNDRY ROOM SINK (AUG)**

**Source Number: 010**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700539**

**System Name: DAVIS MIGRANT CENTER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700539-011</b>				
<b>Source Name: WELL 01 (SEP)</b>				
<b>Source Number: 011</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700539-012**  
**Source Name: LAUNDRY ROOM SINK (SEP)**  
**Source Number: 012**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700539-013**  
**Source Name: WELL 01 (OCT)**  
**Source Number: 013**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700539-014**  
**Source Name: LAUNDRY ROOM SINK (OCT)**  
**Source Number: 014**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700542**

System Name: **TEICHERT CONSTRUCTION**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700542-001</b> <b>Source Name: WELL 01</b> <b>Source Number: 001</b> <b>Source Status: ACTIVE UNTREATED</b> <b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700542-002**

Source Name: **CHLORINATOR**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700542-003**

Source Name: **MEN S RESTROOM**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700542-004**

Source Name: **WOMEN S RESTROOM**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700543**

**System Name: YOLO FRUIT STAND - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700543-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700543-002**

**Source Name: PUBLIC RESTROOM**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700543-003**

**Source Name: EMPLOYEE RESTROOM**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700543-004**

**Source Name: 3 COMPARTMENT SINK**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700552**

System Name: **PILOT TRAVEL CENTER #168 - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700552-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700552-002**

Source Name: **SINK 1**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700552-003**

Source Name: **HAND SINK 2**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700552-004**

Source Name: **HAND SINK 3**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700554**

**System Name: CAMPERS INN - RV & GOLF COURSE**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700554-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

**PS Code: 5700554-002**

**Source Name: CHLORINATOR**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
-----------------------------	--------------	------------	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700555**

System Name: **HACIENDA MOTEL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700555-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



System Number: **5700568**

System Name: **RIVER GARDEN FARMS #1**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700568-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700568-002**

Source Name: **WELL 02 SOUTH**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700568-003**

Source Name: **HOSEBIB OUTSIDE OFFICE**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700568-004**

Source Name: **WOMEN/MEN S RESTROOM**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700568**

**System Name: RIVER GARDEN FARMS #1**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700568-005**

**Source Name: BREAK AREA HOSEBIB**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*I = Invalid (NOT) valid analyses reported*

*Any analyses not listed as required for testing has been Waive (not required)*

System Number: **5700571**

System Name: **MADISON SERVICE DIST**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700571-001</b>					
<b>Source Name: PRIMARY WELL TOWN PUMP</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700571-002**

Source Name: **CAMP WELL**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

PS Code: **5700571-003**

Source Name: **CHLORINATOR**

Source Number: **003**

Source Status: **ACTIVE TREATED**

Water type:

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

PS Code: **5700571-004**

Source Name: **CHLORINATOR**

Source Number: **004**

Source Status: **ACTIVE TREATED**

Water type:

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700571**

System Name: **MADISON SERVICE DIST**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700571-005</b> <b>Source Name: PARK WELL #2</b> <b>Source Number: 005</b> <b>Source Status: ACTIVE UNTREATED</b> <b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700571-006**

Source Name: **PARK WELL #3**

Source Number: **006**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700571-007**

Source Name: **JUNE HOSEBIB AT RESIDENCE #184**

Source Number: **007**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700571-008**

Source Name: **MAY HOSEBIB AT RESIDENCE #184**

Source Number: **008**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700571**

System Name: **MADISON SERVICE DIST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

PS Code: **5700571-009**

Source Name: **MIGRANT CENTER**

Source Number: **009**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700575**

**System Name: CLUB PHEASANT**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700575-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700575-002**

**Source Name: WELL 02**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700575-003**

**Source Name: HOSEBIB AT KITCHEN 3 COMP SINK**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700575-004**

**Source Name: FIRST SINK AT WOMEN S RESTROOM**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700575**

System Name: **CLUB PHEASANT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700575-005**

Source Name: **HOSEBIB IN COURTYARD NEXT TO FREEZER**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700580**

System Name: **GREEN ACRE SCHOOL CHILD CARE**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700580-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

PS Code: **5700580-002**

Source Name: **HOSEBIB IN FRONT OF SCHOOL**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

PS Code: **5700580-003**

Source Name: **HOSEBIB AT EAST OF SCHOOL**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

PS Code: **5700580-004**

Source Name: **KITCHEN FAUCET**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700584**

System Name: **SACRAMENTO WEST KOA/OLD TOWN**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700584-001</b>					
<b>Source Name: PRIMARY WELL</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700584-002**

Source Name: **CHLORINATOR**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700584-003**

Source Name: **ANY HOSEBIB DOWNSTREAM**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700584-004**

Source Name: **SINK BETWEEN RESTROOMS**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700588**

System Name: **SACRAMENTO YACHT CLUB**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700588-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700588-002**

Source Name: **WOMEN S RESTROOM SECOND SINK**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700588-003**

Source Name: **MEN S RESTROOM FIRST SINK**

Source Number: **003**

Source Status: **ACTIVE RAW**

Water type: **S**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700588-004**

Source Name: **MEN S RESTROOM SECOND SINK**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700591**

System Name: **WEST SAC TRUCK STOP**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700591-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700591-002**

Source Name: **WOMEN S RESTROOM**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700591-003**

Source Name: **JANITOR S SINK**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700591-004**

Source Name: **MEN S RESTROOM**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700600**

**System Name: FAST & EASY MART #54 - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700600-001</b>					
<b>Source Name: WELL 01, WEST</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700600-003**

**Source Name: HOSEBIB**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

**PS Code: 5700600-004**

**Source Name: WOMEN S RESTROOM**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

**PS Code: 5700600-005**

**Source Name: CASHIER SINK**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700608**

**System Name: CANYON CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700608-001</b>				
<b>Source Name: CREEK INTAKE - TREATED</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE RAW</b>				
<b>Water type: S</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700608-002**

**Source Name: TREATMENT PLANT**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700608-003**

**Source Name: ADMIN SINK**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700608-004**

**Source Name: HOSEBIB ON W SIDE OF LODGE**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700608**

**System Name: CANYON CREEK RESORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700608-005**

**Source Name: HOSEBIB BY TREE**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*I = Invalid (NOT) valid analyses reported*

*Any analyses not listed as required for testing has been Waive (not required)*

System Number: **5700615**

System Name: **YOLO CO HOUSING AUTHORITY**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700615-001</b>					
<b>Source Name: WEST WELL</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700615-002**

Source Name: **EAST WELL**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

PS Code: **5700615-003**

Source Name: **CHLORINATOR**

Source Number: **003**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

PS Code: **5700615-004**

Source Name: **CHLORINATOR**

Source Number: **004**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700623**

**System Name: DAVIS JUSD - FAIRFIELD SCHOOL**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700623-002</b>					
<b>Source Name: WELL 02 EAST</b>					
<b>Source Number: 002</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700623-003**

**Source Name: CLASSROOM SINK FAUCET**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

**PS Code: 5700623-004**

**Source Name: HOSEBIB OUTSIDE WELL HOUSE**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700636**

System Name: **PACIFIC COAST PRODUCERS**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700636-001</b>					
<b>Source Name: WELL 01 NORTH (MAIN)</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700636-002**  
**Source Name: WELL 02 SOUTH (BOILER)**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700636-003**  
**Source Name: WELL 03 EAST**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700636-004**  
**Source Name: CHLORINATOR**  
**Source Number: 004**  
**Source Status: ACTIVE TREATED**  
**Water type:**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700636**

**System Name: PACIFIC COAST PRODUCERS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700636-005</b>				
<b>Source Name: TEST KITCHEN SINK (JULY)</b>				
<b>Source Number: 005</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700636-006**

**Source Name: TEST KITCHEN SINK (OCT)**

**Source Number: 006**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>
-----------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700642**

System Name: **PLAINFIELD STATION**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700642-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700642-002**

Source Name: **KITCHEN SINK**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700642-003**

Source Name: **BAR SINK**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700642-004**

Source Name: **HOSEBIB OUTSIDE OF TANK SHED**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700649**

System Name: **WESTUCKY WATER ASSOC**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700649-001</b> <b>Source Name: WELL 01</b> <b>Source Number: 001</b> <b>Source Status: ACTIVE UNTREATED</b> <b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700649-002**  
**Source Name: DRIVEWAY HOSEBIB AT 38928 ASPEN**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700649-003**  
**Source Name: LEFT SIDE OF HOUSE HOSEBIB**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700649-004**  
**Source Name: LEFT SIDE OF HOUSE HOSEBIB AT 11 ASPEN**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700652**

System Name: **YOLO FLIERS CLUB**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
----------------------	-----------------------------------	------------------------------------	-----------------------------	---------------------------------

PS Code: **5700652-001**

Source Name: **WELL 01**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

PS Code: **5700652-002**

Source Name: **CHLORINATOR**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

PS Code: **5700652-003**

Source Name: **MEN S RESTROOM**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700653**

System Name: **YOLO SPORTSMEN S ASSOC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700653-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700653-002**  
**Source Name: HOSEBIB BETWEEN MEN S & WOMEN S RESTROOM**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700653-003**  
**Source Name: HOSEBIB AT SNACK BAR DRINKING FOUNTAIN**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700653-004**  
**Source Name: KITCHEN SINK FAUCET**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700672**

System Name: **BRANIGAN TURKEY FARM**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700672-001**

Source Name: **PRIMARY WELL**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700673**  
**System Name: LA AMISTAD**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700673-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700673-002**  
**Source Name: LPA REPORTED PRIMARY SOUCE**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700673-003**  
**Source Name: MEN S RESTROOM**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700673-004**  
**Source Name: KITCHEN SINK**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700673**  
**System Name: LA AMISTAD**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700673-005**  
**Source Name: HOSEBIB BACK OF RESTAURANT**  
**Source Number: 005**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>
-----------------------------	--------------	------------	--	------------

\*Testing interval is in months;  
0 = No data for this constituent and is DUE NOW  
I = Invalid (NOT) valid analyses reported  
Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700700**

**System Name: CACHEVILLE SERVICE DIST**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700700-001</b>					
<b>Source Name: SACRAMENTO ST. WELL</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700700-002**

**Source Name: WASHINGTON ST. WELL**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700700-003**

**Source Name: CHLORINATOR**

**Source Number: 003**

**Source Status: ACTIVE TREATED**

**Water type:**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700700-004**

**Source Name: HIGH SCHOOL HOSEBIB**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700700**

System Name: **CACHEVILLE SERVICE DIST**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

PS Code: **5700700-005**

Source Name: **BATHROOM SINK**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700701**

System Name: **FIRST BAPTIST CHURCH**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700701-001</b> <b>Source Name: WELL 01</b> <b>Source Number: 001</b> <b>Source Status: ACTIVE UNTREATED</b> <b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700701-002**  
**Source Name: RESTROOM FAUCET IN 1ST BUILDING**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700701-003**  
**Source Name: HOSEBIB OUTSIDE OF BUILDING**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700701-004**  
**Source Name: HOSEBIB OUTSIDE NEXT TO TREE**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700701**

System Name: **FIRST BAPTIST CHURCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700701-005**

Source Name: **KITCHEN SINK**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700702**

System Name: **MIGRANT HEAD START PROGRAM - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700702-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700702-002**

Source Name: **WOMEN S RESTROOM**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700702-003**

Source Name: **WOMEN S RESTROOM (JUNE)**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700702-004**

Source Name: **WOMEN S RESTROOM (JULY)**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700702**

System Name: **MIGRANT HEAD START PROGRAM - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700702-005</b> <b>Source Name: WOMEN S RESTROOM ( AUGUST)</b> <b>Source Number: 005</b> <b>Source Status: ACTIVE UNTREATED</b> <b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700702-006**  
**Source Name: WOMEN S RESTROOM (SEPTEMBER)**  
**Source Number: 006**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700702-007**  
**Source Name: WOMEN S RESTROOM ( OCTOBER)**  
**Source Number: 007**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700702-008**  
**Source Name: 3 COMPARTMENT SINK AT KITCHEN**  
**Source Number: 008**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700702**

**System Name: MIGRANT HEAD START PROGRAM - WATER**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700702-009**

**Source Name: RESTROOM FAUCET**

**Source Number: 009**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*I = Invalid (NOT) valid analyses reported*

*Any analyses not listed as required for testing has been Waive (not required)*

System Number: **5700707**

System Name: **ROLLING ACRES WAT MUTUAL**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700707-001</b>					
<b>Source Name: PRIMARY WELL</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700707-002**

Source Name: **HOSEBIB IN FRONT OF 35760 YOSEMITE AVE**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700707-003**

Source Name: **HOSEBIB IN FRONT OF 25199 CARLSBAD**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700707-004**

Source Name: **HOSEBIB IN REAR OF 35715 YELLOWSTONE**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700712**

System Name: **DUNNIGAN WATER WORKS**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700712-001</b> <b>Source Name: WELL 01</b> <b>Source Number: 001</b> <b>Source Status: ACTIVE UNTREATED</b> <b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700712-002**

Source Name: **STANDBY WELL**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700712-003**

Source Name: **CHLORINATOR**

Source Number: **003**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700712-004**

Source Name: **UNIT #82 FROM MOBILE PARK**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700712**

System Name: **DUNNIGAN WATER WORKS**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700712-005</b>					
<b>Source Name: UNIT #115 FROM MOBILE PARK</b>					
<b>Source Number: 005</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700712-006**

Source Name: **HOSEBIB FROM SITE #3 AT RV PARK**

Source Number: **006**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700712-007**

Source Name: **HOSEBIB FROM SITE #74 AT RV PARK**

Source Number: **007**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700712-008**

Source Name: **UNIT # 139 FROM MOBILE PARK**

Source Number: **008**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700713**

**System Name: CACHE CREEK CANYON-MIDDLE SITE**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700713-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700713-002**

**Source Name: CHLORINATOR**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type:**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700713-003**

**Source Name: WELL 02**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700713-004**

**Source Name: STORAGE TANK WELL**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700714**

**System Name: YOLO CO AIRPORT**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700714-002</b>				
<b>Source Name: WELL 02</b>				
<b>Source Number: 002</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700714-003**

**Source Name: CHLORINATOR**

**Source Number: 003**

**Source Status: ACTIVE TREATED**

**Water type:**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700714-004**

**Source Name: HOSEBIB OUTSIDE RESTROOM**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

**PS Code: 5700714-005**

**Source Name: RESTROOM SINK**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700716**

System Name: **MOUNTAIN VALLEY GOLF CENTER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700716-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

PS Code: **5700716-002**

Source Name: **RESTROOM SINK**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
-----------------------------	--------------	------------	--	--	------------

PS Code: **5700716-003**

Source Name: **HOSEBIB EAST OF PATIO**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
-----------------------------	--------------	------------	--	--	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700720**

**System Name: FAYE PROPERTIES INC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700720-001**

**Source Name: WELL 01**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

**PS Code: 5700720-002**

**Source Name: HOSEBIB ON CORNER OF BUILDING**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700723**

**System Name: PAYNE FARM LABOR CAMP**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700723-001</b>					
<b>Source Name: PRIMARY WELL</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

**PS Code: 5700723-002**

**Source Name: LAUNDRY ROOM HOSEBIB**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
-----------------------------	--------------	------------	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700724**

**System Name: WILLOW OAK GROCERY - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700724-001</b>					
<b>Source Name: LPA REPORTED PRIMARY SOURCE</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700724-002**

**Source Name: NITRATE REDUCTION**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700727**

**System Name: CORNER STORE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700727-001**

**Source Name: LPA REPORTED PRIMARY SOURCE**

**Source Number: 001**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700728**

System Name: **GUINDA COMMONS**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700728-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700728-002**

Source Name: **HOSEBIB**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

PS Code: **5700728-003**

Source Name: **BAR SINK**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

PS Code: **5700728-004**

Source Name: **KITCHEN SINK**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700729**

System Name: **CEJA-REYES INC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700729-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700729-002**  
**Source Name: NEW OFFICE KITCHEN (APR)**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700729-003**  
**Source Name: RESTROOM IN NEW OFFICE**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700729-004**  
**Source Name: SINK FOR WASHING CLOTHES**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700729**

**System Name: CEJA-REYES INC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700729-005</b>				
<b>Source Name: NEW OFFICE KITCHEN (MAY)</b>				
<b>Source Number: 005</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700729-006**  
**Source Name: NEW OFFICE KITCHEN (JUN)**  
**Source Number: 006**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700729-007**  
**Source Name: NEW OFFICE KITCHEN (JUL)**  
**Source Number: 007**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

**PS Code: 5700729-008**  
**Source Name: NEW OFFICE KITCHEN (AUG)**  
**Source Number: 008**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	01032	000		<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700729**

**System Name: CEJA-REYES INC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700729-009**

**Source Name: NEW OFFICE KITCHEN (SEP)**

**Source Number: 009**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*I = Invalid (NOT) valid analyses reported*

*Any analyses not listed as required for testing has been Waive (not required)*

System Number: **5700741**

System Name: **UNITED TRAVEL PLAZA**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700741-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700741-002**  
**Source Name: 3 COMPARTMENT SINK**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700741-003**  
**Source Name: WOMEN S RESTROOM**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700741-004**  
**Source Name: HOSEBIB NEXT TO TANK**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700751**

System Name: **DUNNIGAN CHEVRON**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700751-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

PS Code: **5700751-002**

Source Name: **CASHIER SINK**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
-----------------------------	--------------	------------	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700757**

System Name: **GRASSLAND PARK HOST WELL (OLD YOLO BOWME)**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700757-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700757-002**

Source Name: **HOSEBIB OFF THE WELL TAP**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700757-003**

Source Name: **RESTROOM**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700757-004**

Source Name: **WELL 02 IN ENCLOSED BOX**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700757**

System Name: **GRASSLAND PARK HOST WELL (OLD YOLO BOWME)**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700757-005**

Source Name: **DRINKING FOUNTAIN HOSEBIB**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700761**

System Name: **CLARK PACIFIC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700761-001**

Source Name: **PRIMARY WELL**

Source Number: **001**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700763**

**System Name: ELKHORN REGIONAL PARK**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700763-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700763-002**

**Source Name: HOSEBIB BY RESTROOM**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700763-003**

**Source Name: HOSEBIB AT CARETAKER PAD**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

**PS Code: 5700763-004**

**Source Name: HOSEBIB #2 AT CARETAKER PAD**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700764**

System Name: **SYNGENTA SEEDS INC**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700764-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700764-002**

Source Name: **NITRATE REDUCTION**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

**INORGANIC**

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700764-003**

Source Name: **MEN S RESTROOM**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700764-004**

Source Name: **OFFICE R/O**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700764**

System Name: **SYNGENTA SEEDS INC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700764-005**

Source Name: **HEADHOUSE R/O**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700768**

System Name: **ALFOREX SEEDS LLC**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700768-001</b>					
<b>Source Name: WELL 1</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700768-002**

Source Name: **S. BATHROOM**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700768-003**

Source Name: **N. BATHROOM**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700768-004**

Source Name: **WELL 02**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700768**

System Name: **ALFOREX SEEDS LLC**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700768-005**

Source Name: **KITCHEN SINK**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700769**

System Name: **FRATERNAL ORDER OF EAGLES #2345**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700769-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700769-002**

Source Name: **NITRATE REDUCTION**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700769-003**

Source Name: **OUTSIDE HOSEBIB**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700769-004**

Source Name: **KITCHEN**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700770**

**System Name: NORTH KENTUCKY INDUSTRIES**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700770-001</b>					
<b>Source Name: PRIMARY WELL</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700770-002**

**Source Name: HOSEBIB ON SW SIDE OF WONDER SHOP**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032              000                      **DUE**

**PS Code: 5700770-003**

**Source Name: AIR CO RESTROOM SINK**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032              000                      **DUE**

**PS Code: 5700770-004**

**Source Name: EMPLOYEE RESTROOM SINK**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032              000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700773**

System Name: **UNITARIAN CHURCH OF DAVIS**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700773-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700773-002**

Source Name: **COTTAGE**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700773-003**

Source Name: **KITCHEN SINK (OFFICE)**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700773-004**

Source Name: **BRIDGEHOUSE (KITCHEN SINK)**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700773**

System Name: **UNITARIAN CHURCH OF DAVIS**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700773-005**

Source Name: **KITCHEN SINK (KITCHEN)**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700774**

**System Name: SHERWOOD HARBOR MARINA**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700774-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

**PS Code: 5700774-002**

**Source Name: RESTROOM SINK**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
-----------------------------	--------------	------------	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700778**

**System Name: YOLO CO CENTRAL LANDFILL - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700778-003</b>					
<b>Source Name: STORAGE TANK</b>					
<b>Source Number: 003</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700778-004**

**Source Name: LAB SINK**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700784**

System Name: **GRACE VALLEY CHRISTIAN CENTER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700784-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700784-002**

Source Name: **MEN S RESTROOM**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700784-003**

Source Name: **WOMEN S RESTROOM**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700784-004**

Source Name: **ADMIN KITCHEN SINK**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700785**

System Name: **SEMINIS VEGETABLE SEED**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700785-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700785-002**

Source Name: **NITRATE REDUCTION**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700785-003**

Source Name: **DRINKING WATER STATION IN BREAKROOM**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700785-004**

Source Name: **REVERSE OSMOSIS SHED**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700785**

System Name: **SEMINIS VEGETABLE SEED**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

PS Code: **5700785-005**

Source Name: **KITCHEN SINK**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700787**

System Name: **FARMER S MARKET**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700787-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

PS Code: **5700787-002**

Source Name: **CASHIER SINK FAUCET**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

PS Code: **5700787-003**

Source Name: **OUTSIDE NE HOSEBIB**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

PS Code: **5700787-004**

Source Name: **PRESSURE TANK HOSEBIB**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700787**

System Name: **FARMER S MARKET**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

PS Code: **5700787-005**

Source Name: **SW HOSEBIB**

Source Number: **005**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)



**System Number: 5700791**

**System Name: STAN S YOLO MARINA**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700791-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700791-002**

**Source Name: HOSEBIB AT DOCK ENTRANCE**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

**PS Code: 5700791-003**

**Source Name: SAMPLE TAP AT EXTERIOR OF DWELLING**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

**PS Code: 5700791-004**

**Source Name: SAMPLE TAP AT WELL HEAD**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700797**

System Name: **MONROE/LEINBERGER CNTR - WATERS**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700797-001</b>					
<b>Source Name: WELL #1</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

PS Code: **5700797-002**

Source Name: **CHLORINATOR**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>
-----------------------------	--------------	------------	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700798**  
**System Name: PAVESTONE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700798-001</b>				
<b>Source Name: WELL 01 WELL</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700798-002**  
**Source Name: BREAKROOM SINK**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700802**

**System Name: NELSON S GROVE**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700802-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700802-002**

**Source Name: SINK FAUCET AT PICNIC AREA (MAY)**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

**PS Code: 5700802-003**

**Source Name: HOSEBIB AT N OF RESTROOM**

**Source Number: 003**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

**PS Code: 5700802-004**

**Source Name: MEN S RESTROOM FAUCET**

**Source Number: 004**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700802**

**System Name: NELSON S GROVE**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700802-005**

**Source Name: SINK FAUCET AT PICNIC AREA (AUGUST)**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700804**

**System Name: CLARKSBURG COMM CHURCH**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700804-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700804-002**

**Source Name: HOSEBIB AT SW CORNER OF CHURCH**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>
-----------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700813**

System Name: **SOUTHPORT DELI-MART**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700813-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700813-002**  
**Source Name: KITCHEN HAND SINK FAUCET**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700813-003**  
**Source Name: JANITOR SINK FAUCET**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700813-004**  
**Source Name: RESTROOM SINK FAUCET**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700815**

**System Name: ZAMORA SHELL & MINI MART**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700815-001</b>				
<b>Source Name: WELL 01</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<u>INORGANIC</u>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700815-002**

**Source Name: HANDWASHING SINK**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>
-----------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700816**

System Name: **WEST VALLEY BAPTIST CHURCH**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700816-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700816-002**

Source Name: **HOSEBIB ON CHURCH BUILDING**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

PS Code: **5700816-003**

Source Name: **UPSTREAM HOSEBIB**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

PS Code: **5700816-004**

Source Name: **RESTROOM**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      01032                      000                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700817**

System Name: **JEHOVAH S WITNESSES - KINGDOM HALL**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700817-001</b> <b>Source Name: WELL 01</b> <b>Source Number: 001</b> <b>Source Status: ACTIVE UNTREATED</b> <b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700817-002**  
**Source Name: HOSEBIB BY STORAGE BULDING**  
**Source Number: 002**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700817-003**  
**Source Name: HOSEBIB BY WEST EXTERIOR BUILDING**  
**Source Number: 003**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700817-004**  
**Source Name: WOMEN S RESTROOM**  
**Source Number: 004**  
**Source Status: ACTIVE UNTREATED**  
**Water type: G**

<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700817**

**System Name: JEHOVAH S WITNESSES - KINGDOM HALL**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
--------------------------	---	--	---------------------------------	---

**PS Code: 5700817-005**

**Source Name: MEN S RESTROOM**

**Source Number: 005**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**

**01032**

**000**

**DUE**

*\*Testing interval is in months;*

*0 = No data for this constituent and is DUE NOW*

*I = Invalid (NOT) valid analyses reported*

*Any analyses not listed as required for testing has been Waive (not required)*

System Number: **5700820**

System Name: **JEHOVAH S WITNESSES - SOUTHPORT**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700820-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700820-002**

Source Name: **NE CORNER HOSEBIB**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700820-003**

Source Name: **NW CORNER HOSEBIB**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700820-004**

Source Name: **HOSEBIB INSIDE STORAGE SHED**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700821**

System Name: **JEHOVAH S WITNESSES - DAVIS**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700821-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700821-002**

Source Name: **HOSEBIB ON SW CORNER OF PUMP HOUSE**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700821-003**

Source Name: **HOSEBIB ON SW CORNER OF PROPERTY**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

PS Code: **5700821-004**

Source Name: **HOSEBIB ON NW CORNER OF CHURCH STRUCTURE**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

**CHROMIUM, HEXAVALENT** 01032 000 **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700824**

**System Name: SATIETY WINERY**

<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700824-001</b>				
<b>Source Name: PRIMARY WELL</b>				
<b>Source Number: 001</b>				
<b>Source Status: ACTIVE UNTREATED</b>				
<b>Water type: G</b>				
<b><u>INORGANIC</u></b>				
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>

**PS Code: 5700824-002**

**Source Name: NITRATE REDUCTION**

**Source Number: 002**

**Source Status: ACTIVE TREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>		<b>DUE</b>
-----------------------------	--------------	------------	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700827**

System Name: **PIONEER HI-BRED INTERNATIONAL**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700827-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<u>INORGANIC</u>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

PS Code: **5700827-002**

Source Name: **NITRATE REDUCTION**

Source Number: **002**

Source Status: **ACTIVE TREATED**

Water type:

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700827-003**

Source Name: **RESTROOM IN RESEARCH BUILDING**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

PS Code: **5700827-004**

Source Name: **BREAKROOM IN RESEAAARCH BUILDING**

Source Number: **004**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

INORGANIC

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)

System Number: **5700828**

System Name: **CONSTELLATION BRANDS - WATER**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700828-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	<b>01032</b>	<b>000</b>			<b>DUE</b>

PS Code: **5700828-002**

Source Name: **WELL 02**

Source Number: **002**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

PS Code: **5700828-003**

Source Name: **WELL 03**

Source Number: **003**

Source Status: **ACTIVE UNTREATED**

Water type: **G**

**INORGANIC**

**CHROMIUM, HEXAVALENT**                      **01032**                      **000**                      **DUE**

\*Testing interval is in months;  
 0 = No data for this constituent and is DUE NOW  
 I = Invalid (NOT) valid analyses reported  
 Any analyses not listed as required for testing has been Waive (not required)

**System Number: 5700829**

**System Name: DELTA HOMEOWNERS ASSOC**

	<u>STORET NUMBER</u>	<u>TESTING INTERVAL (MONTHS)*</u>	<u>LAST TEST DATE (yyyy/mm/dd)</u>	<u>LAST RESULT REPORTED</u>	<u>NEXT TEST DATE (yyyy/mm)</u>
<b>PS Code: 5700829-001</b>					
<b>Source Name: WELL 01</b>					
<b>Source Number: 001</b>					
<b>Source Status: ACTIVE UNTREATED</b>					
<b>Water type: G</b>					
<b><u>INORGANIC</u></b>					
<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>

**PS Code: 5700829-002**

**Source Name: HOSEBIB IN FRONT OF HOUSE 36155**

**Source Number: 002**

**Source Status: ACTIVE UNTREATED**

**Water type: G**

**INORGANIC**

<b>CHROMIUM, HEXAVALENT</b>	01032	000			<b>DUE</b>
-----------------------------	-------	-----	--	--	------------

\*Testing interval is in months;

0 = No data for this constituent and is DUE NOW

I = Invalid (NOT) valid analyses reported

Any analyses not listed as required for testing has been Waive (not required)