

Sacramento River Temperature Task Group Meeting

July 9, 2015

1:00 pm

Conference Line: 877-718-6527

Pass code: 1954134

Agenda

1. Introductions
2. Fishery update
3. Operation update
 - a. Temperature Summary ***
 - b. Lake Shasta Isothermobaths ***
 - c. TCD Config ***
 - d. June Forecast ***
 - e. Trinity update
4. Next meeting

***handout

Temperature and Release Summary for Shasta and Trinity - July 2015

(Updated twice a week November through April)

Day	Sacramento River Water Temperatures in Degrees F Collected from CDEC (California Data Exchange Center) except for TCD, SPP and Control Point														Mean Daily Release in CFS			Mean Daily Air Temp Degrees F			
	TCD Wt. Avg.	SHD minus TCD (Diff)	Shd	SPP Wt. Avg	Kwk	Bsf	Jlf	Bnd	Rdb	Lws	Control Point 4/1 Ccr	Igo	Sac	Dgc	Shasta Generation El 815	Spring Crk Powerplant Release	Keswick Total Release	RDD	BSF	RDB	LWS
Jun	54.6		53.1	54.2	55.6	59.0	61.1	61.9	63.9	52.8	57.3	57.5	59.6	na	6,022	844	6,994	84.2	79.6	80.0	71.9
Jul																					
1	54.5	(2.6)	51.9	55.3	55.7	59.5	61.4	62.4	64.5	54.8	57.4	58.8	56.7	%	5,034	1,261	7,095	94.0	85.7	87.5	81.5
2	54.7	(2.7)	52.0	55.4	55.9	59.6	61.6	62.5	64.7	55.3	57.6	59.0	57.0	%	5,391	1,542	7,105	92.5	85.8	86.2	84.0
3	54.9	(2.6)	52.3	55.6	56.0	59.8	61.8	62.8	64.9	55.1	57.7	59.0	57.0	%	5,725	1,554	7,109	91.0	86.4	83.9	81.8
4	54.4	(2.0)	52.4	55.9	55.9	59.9	61.9	62.9	65.0	54.9	57.8	59.4	57.0	%	6,337	821	7,109	91.0	85.1	85.0	79.9
5	54.8	(2.0)	52.8	56.0	55.9	60.1	62.2	63.2	65.5	54.9	57.8	59.3	57.0	%	5,909	810	7,109	90.5	84.7	82.7	80.0
6	55.2	(2.7)	52.5	56.2	55.9	60.0	61.9	62.9	65.3	54.9	57.7	59.3	57.0	%	5,945	1,172	7,110	85.5	80.0	78.0	76.1
7	55.2	(2.7)	52.5	56.3	56.2	59.7	61.6	62.5	64.6	54.8	57.9	59.2	57.2	%	5,617	1,224	7,105	85.0	77.4	77.2	74.3
8	53.6	(2.0)	51.6	56.4	56.3	59.7	61.5	62.2	64.0	54.8	57.9	59.0	57.2	%	5,863	490	7,107	83.5	75.0	74.5	70.6
9		0.0																			
10		0.0																			
11		0.0																			
12		0.0																			
13		0.0																			
14		0.0																			
15		0.0																			
16		0.0																			
17		0.0																			
18		0.0																			
19		0.0																			
20		0.0																			
21		0.0																			
22		0.0																			
23		0.0																			
24		0.0																			
25		0.0																			
26		0.0																			
27		0.0																			
28		0.0																			
29		0.0																			
30		0.0																			
Avg	54.7		52.3	55.9	56.0	59.8	61.7	62.7	64.8	54.9	57.7	59.1			5,728	1,109	7,106	89.1	79.1	81.9	78.5
Tot cfs															45,821	8,874	56,849				
Tot af															90,886	17,602	112,760				

? = Average includes 1-9 estimated hourly readings

! = No Average (10-17 hours missing)

& = No Average (18 to 23 hours missing)

When available:

= Station out of service

ND = No hourly readings or incorrect

% = Data will be down loaded from site at later date by NCAO staff.


^ = Redding Air Temp Record High

* = Redding Air Temp Record Low


Control Point: Clear Creek 4/1/2015 to 4/17/2015 at 56.0 degrees; 4/18/2015 to 5/14/2015 at 58.0 degrees; 5/15/2015 to 6/4/2015 56.0; 6/5/2015 to present 58.0 degrees.

PRELIMINARY

SHASTA DAM



SHASTA DAM



Estimated CVP Operations Jun 90% Exceedance - 7250 cfs Keswick Jun, Jul, Aug

Storages

Federal End of the Month Storage/Elevation (TAF/Feet)

		Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	
Trinity		1024	870	745	620	530	499	467	451	458	495	562	630	560
	Elev.	2240	2224	2205	2190	2185	2178	2175	2177	2184	2196	2207	2195	
Whiskeytown		239	238	238	238	230	206	206	206	206	206	238	238	
	Elev.	1209	1209	1209	1209	1207	1199	1199	1199	1199	1199	1209	1209	
Shasta		2404	2196	1943	1687	1460	1379	1388	1413	1534	1734	2061	2257	2138
	Elev.	968	954	938	923	917	917	919	928	941	961	972	965	
Folsom		535	433	238	136	120	126	139	161	194	254	377	538	576
	Elev.	408	375	349	343	345	350	357	365	379	400	421	426	
New Melones		453	388	323	265	238	216	211	206	209	217	223	229	228
	Elev.	832	815	798	789	781	780	778	779	782	784	786	786	
San Luis		305	220	100	24	1	20	11	99	280	373	410	402	327
	Elev.	443	410	380	367	367	383	413	446	469	482	475	463	
Total		4345	3587	2970	2579	2446	2421	2535	2880	3279	3839	4293	4066	

State End of the Month Reservoir Storage (TAF)

Oroville		1565	1346	1115	954	911	901	793	738	848	995	1212	1441	1388
	Elev.	712	681	657	650	648	630	620	640	663	695	724	717	
San Luis		786	679	502	351	283	266	382	534	655	789	891	834	773
Total San Luis (TAF)		1091	900	602	374	284	286	393	633	934	1162	1301	1235	1100

Monthly River Releases (TAF/cfs)

Trinity	TAF	47	28	28	27	23	18	18	18	17	18	32	180
	cfs	783	450	450	450	373	300	300	300	300	300	540	2,924
Clear Creek	TAF	9	7	5	9	11	10	11	11	10	11	13	13
	cfs	150	120	85	150	175	175	175	175	175	175	218	216
Sacramento	TAF	431	446	446	387	307	238	246	200	180	200	256	479
	cfs	7250	7250	7250	6500	5000	4000	4000	3250	3250	3250	4300	7800
American	TAF	134	222	126	30	31	30	31	31	45	49	48	136
	cfs	2250	3615	2043	501	500	504	501	505	803	800	800	2215
Stanislaus	TAF	9	9	9	9	35	12	13	16	17	17	9	9
	cfs	150	150	150	150	577	200	206	261	309	280	150	150
Feather	TAF	142	160	101	57	58	57	58	58	53	49	48	136
	cfs	2387	2600	1650	950	950	950	950	950	950	800	800	2216

Trinity Diversions (TAF)

	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May
Carr PP	116	98	97	62	15	28	19	6	1	1	38	37
Spring Crk. PP	110	90	90	60	30	19	12	3	3	10	8	30

Delta Summary (TAF)

	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May
Tracy	25	10	18	95	109	27	104	187	116	87	48	25
USBR Banks	0	0	0	0	0	0	0	0	0	0	0	0
Contra Costa	8.7	8.0	8.3	8.7	3.5	4.3	4.7	4.7	3.5	3.5	8.7	8.7
Total USBR	34	18	26	104	113	31	109	192	120	91	56	33
State Export	25	12	12	37	83	130	168	168	165	180	42	25
Total Export	59	30	38	141	196	161	277	360	285	271	98	58
COA Balance	-48	-81	-86	-39	0	0	0	0	0	0	0	0
Old/Middle River Std.												
Old/Middle R. calc.	-1,215	-832	-937	-2,276	-2,531	-2,330	-3,721	-4,714	-4,081	-3,531	-1,570	-1,136
Computed DOI	4001	2798	2798	3009	4197	5093	4994	6003	7096	7873	5934	4815
Excess Outflow	0	0	0	0	0	0	0	0	0	765	1933	0
% Export/Inflow	10%	5%	7%	27%	35%	31%	47%	53%	44%	36%	17%	10%
% Export/Inflow std.	35%	65%	65%	65%	65%	65%	65%	65%	45%	35%	35%	35%

Hydrology

Water Year Inflow (TAF)	Trinity	Shasta	Folsom	New Melones
Year to Date + Forecasted % of mean	877 73%	3,468 63%	864 32%	314 30%

Department of the Interior
Bureau of Reclamation
 NCAO

Shasta Lake Profile

Date: 7/7/2015 Time: 11:20 Observer: Gotham, Martin
 Precipitation Last 48 Hours: 0 Weather: sunny and calm
 Thermometer ID: YSI6600A Air Temperature (Degrees F): 86 Storet Code: SH21

Lake Surface Elevation: <u>966.08</u>	Temperature	Turbidity
All Elevations in M.S.L. (Mean Sea Level)	400 Feet Upstream of Dam	400 Feet Upstream of Dam
	Surface: <u>82.3</u>	Surface: <u>0.6</u>
	Elevation 1050': _____	Elevation 1050': _____
	1025': _____	1025': _____
	1000': _____	1000': _____
	975': _____	975': _____
	950': <u>82.0</u>	950': <u>0.6</u>
	925': <u>66.3</u>	925': <u>0.5</u>
	900': <u>58.2</u>	900': <u>0.6</u>
	875': <u>51.5</u>	875': <u>0.8</u>
	850': <u>49.7</u>	850': <u>1.5</u>
	825': <u>49.0</u>	825': <u>2.0</u>
	800': <u>48.6</u>	800': <u>2.2</u>
Spillway Outlet (Elevation = 942)': <u>0</u>	775': <u>48.2</u>	775': <u>2.3</u>
Spillway Outlet (Elevation = 842)': <u>0</u>	750': <u>47.9</u>	750': <u>2.2</u>
Spillway Outlet (Elevation = 742)': <u>0</u>	725': <u>47.5</u>	725': <u>2.4</u>
Power (Elevation = 815)': <u>1775</u>	700': <u>47.4</u>	700': <u>2.4</u>
Tailbay Water Surface Elevation: <u>579.52</u>	675': <u>47.3</u>	675': <u>2.7</u>
Tailbay Water Temperature: <u>50.1</u>	650': <u>47.2</u>	650': <u>2.8</u>
Tailbay Water Turbidity: <u>2.3</u>	625': <u>47.1</u>	625': <u>3.2</u>

Remarks: TCD Middle gates 1,4 closed. Lower gates 2,3,5 closed. Side gates closed. Secchi depth = 17feet.

Department of the Interior
Bureau of Reclamation
 NCAO

Trinity Lake Profile

Date: 7/8/2015 Time: 12:00 Observer: Martin, Gotham
 Precipitation Last 48 Hours: 0.05 Weather: mostly sunny and calm
 Thermometer ID: YSI6600A Air Temperature (Degrees F): 82 Storet Code: SH26

Temperature ~ 2000 Feet Upstream of Dam

Lake Surface Elevation: 2,244.06 78.0

All Elevations in M.S.L.
 (Mean Sea Level)

2350': _____

2325': _____

2300': _____

2275': _____

2250': _____

2225': 76.9

2200': 58.5

2175': 52.1

2150': 48.6

2125': 47.6

2100': 47.1

2075': 46.8

2050': 46.6

2025': 46.5

2000': 46.4

1975': 46.4

1950': _____

Lake Bottom: 1966 46.4

Main / Outlet Release (Elevation = 2160'): 0

Power (Elevation = 2160'): 1725

AUX / Outlet (Elevation = 1999'): 0

Spillway (Elevation = 2370'): 0

Top of Trinity Outlet intake at 2225 feet. Location at N40 48' 19.76, W122 45' 34.92

Comments: Secchi depth = 10 feet.

Department of the Interior
Bureau of Reclamation
NCAO

Whiskeytown Lake Profile

Date: 7/7/2015 Time: 14:30 Observer: Martin, Gotham

Precipitation Last 48 Hours: 0 Weather: mostly sunny and breezy

Thermometer ID: YSI6600A Air Temperature (Degrees F): 90

Lake Surface Elevation: 1209

All Elevations in M.S.L.
(Mean Sea Level)

Outlet (Upper) Release (Elevation = 1110'): 0

Outlet (Lower) Release (Elevation = 975'): 175

Spill Release (Elevation = 1210'): 0

Spring Creek / PWR (Elevation = 1085'): 0

Carr PP Release: 1470

2 Miles Upstream of Dam (W3)

1000' Upstream of Dam (W2)

Surface Temperature: 81.2

Surface Temperature: 81.0

1200' elevation: 80.9

1200' elevation: 80.6

1175': 63.1

1175': 62.2

1150': 59.8

1150': 59.4

1125': 58.0

1125': 58.0

1100': 56.3

1100': 56.4

1075': 54.4

1075': 54.6

1050': 53.6

1050': 53.8

1025': 53.5

1025': 53.5

Lake Bottom Elevation: 1023 53.5

1000': 53.5

Lake Bottom Elevation: 991 53.4

Department of the Interior
Bureau of Reclamation
NCAO

Whiskeytown Lake Profile

Spring Creek PWR Intake Structure (W1)

Surface Temperature:	<u>81.5</u>
1200':	<u>80.5</u>
1175':	<u>62.4</u>
1150':	<u>59.2</u>
1125':	<u>58.1</u>
1100':	<u>56.3</u>
1075':	<u> </u>
Lake Bottom Elevation:	<u>1079</u> <u>54.3</u>

Comment: Secchi depth = 22 feet.