

Lahontan Regional Water Quality Control Board

August 10, 2015

Bob Hassett
Lakeside Park Association
4077 Pine Boulevard
South Lake Tahoe, CA 96150
wtrspt@charter.net

BOARD ORDER NO. R6T-2015-0048 CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION AND NOTICE OF APPLICABILITY FOR COVERAGE UNDER THE MARINA GENERAL PERMIT FOR LAKESIDE MARINA MAINTENANCE DREDGING PROJECT, PLACER COUNTY, GENERAL PERMIT NO. R6T-2011-0024-26, WDID NO. 6A091504001

The California Regional Water Quality Control Board, Lahontan Region (Water Board) has received a complete Clean Water Act (CWA) section 401 Water Quality Certification (WQC) application, a Notice of Intent (NOI) to comply with the *National Pollutant Discharge Elimination System General Permit for Industrial Activities and Maintenance Dredging at Marinas in the Lake Tahoe Basin*, Board Order No. R6T-2011-0024 (Marina General Permit) and application filing fee for the Lakeside Marina Maintenance Dredging Project (Project) on April 6, 2015. The Water Board deemed the application complete on June 25, 2015. Based on the information contained in your application, it is our determination this Project meets the required conditions for WQC and to be approved under the Marina General Permit. All of the requirements for maintenance dredging contained in the Marina General Permit are applicable to your Project; you must comply fully with sections V.A., VI., VII. (except C.3., but including section C.3.e.), VIII., Attachment E (the Monitoring and Reporting Program), and Attachment I. This Order for WQC and Notice of Applicability (NOA) for coverage under the Marina General Permit hereby assigns this Project the following reference numbers: Marina General Permit No. R6T-2011-0024-26 and Waste Discharger Identification (WDID) No. 6A091504001. Please use these reference numbers in all future correspondence regarding this Project. A copy of the Marina General Permit may be found at the Water Board website at: http://www.waterboards.ca.gov/lahontan/water_issues/programs/permitting/index.shtml.

Any person aggrieved by this action of the Water Board may petition the State Water Resources Control Board (State Water Board) to review the action in accordance with Water Code section 13320 and California Code of Regulations (CCR), title 23, sections 2050 and following. The State Water Board must receive the petition by 5:00 p.m., 30 days after the date of this Order, except that if the thirtieth day following the date of this Order falls on a Saturday, Sunday, or state holiday, the petition must be received by the State Water Board by 5:00 p.m. on the next business day. Copies of the law and regulations applicable to filing petitions may be found on the Internet at: http://www.waterboards.ca.gov/public_notices/petitions/water_quality or will be provided upon request.

Table of Project Information:

WDID Number	6A091504001						
Applicant	Bob Hassett Lakeside Park Association 4077 Pine Boulevard South Lake Tahoe, CA 96150 wtrspt@charter.net						
Agent	Jay Kniep P.O. Box 18601 South Lake Tahoe, CA 96151						
Project Name	Lakeside Marina Maintenance Dredging Project						
Project Purpose and Description	The Applicant has proposed maintenance dredging operations and will remove sediment to maintain boating access to the existing public marina and boat ramp. The area will be dredged to elevation 6219 feet Lake Tahoe Datum. A turbidity curtain (14-oz vinyl/polyester fabric) will be placed across the mouth of the marina and held on the lake bottom with a heavy chain. A long-reach excavator stationed at the boat ramp will be used to dredge the marina in the fall of 2015. De-watered material will be loaded into sealed dump trucks after initial dewatering on the boat ramp and transported to a legal disposal site outside of the Lake Tahoe Basin.						
Project Type	Maintenance Dredging						
Project County	El Dorado						
Project Address or Other Locating Information	4041 Lakeshore Boulevard South Lake Tahoe, CA 96150						
Location Latitude/ Longitude	Latitude: 38.958611 N; Longitude: 119.951667 W (center)						
Hydrologic Unit(s)	Lake Tahoe Hydrologic Unit, 634.00						
Project Area	1.1 acres, of which 0.023 acres (1000 square feet) will be dredged						
Receiving Water(s) Name	Lake Tahoe						
Water Body Type(s)	Lake						
Designated Beneficial Uses	MUN, AGR, GWR, NAV, REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN						
Potential Water Quality Impacts	Discharge of waste earthen materials from dredging activities.						
Impacts of Dredging to Waters of the State, including Waters of the U.S. (WOUS)	Waterbody Type	Permanent			Temporary		
		Acres	Linear Feet	Cubic Yards	Acres	Linear Feet	Cubic Yards
	<i>Lake</i>	0.023		30			
	<i>Riparian</i>						
	<i>Stream</i>						
	<i>Wetland</i>						
Federal Permit(s)	The Applicant has applied for U.S. Army Corps of Engineers (USACE) authorization to proceed under Nationwide Permit No. 35, pursuant to CWA section 404 and section 10 of the Rivers and Harbors Act.						

Table of Project Information (cont.):

Non-compensatory Mitigation (for Dredge and Fill Discharge to Waters of the State)	To minimize turbidity, all dredging will be done behind turbidity curtains, which will remain until the turbidity is reduced to acceptable levels, as specified in the Marina General Permit.
Application Fee	\$600
Estimated Annual Active discharge Fee ¹	\$600 (annual active discharge fee assessed each fiscal year or portion of a fiscal year during which discharges occur until the Water Board issues a Notice of Completion of Discharges Letter to the Applicant; fee based on \$600 for less than 2,860 cy of dredged material removed, or number of cubic yards X \$0.21 per cubic yard for 2,860 cy and over)
Total Fees Due at Time of Permit Issuance	\$600
Fees Received	\$600

¹ The actual Annual Active Discharge Fee will be calculated using the fee schedule in effect at the time the annual fee is assessed per California Code of Regulations, Title 23, section 2200(a)(3).

CEQA COMPLIANCE

Water Board staff have determined that this Project is exempt from the California Environmental Quality Act (CEQA) (Public Resources Code section 21000 et seq.). In accordance with CEQA Guidelines section 15304(g), the basis for CEQA exemption for the dredging operations is "Minor Alterations to Land." The Water Board will file a Notice of Exemption with the State Clearinghouse concurrently with this Order.

MONITORING AND REPORTING PROGRAM NO. R6T-2011-0024

This is a one-time maintenance dredging project. In accordance with the Marina General Permit, section VII.B, the Applicant must adhere to the monitoring and reporting requirements specified in Attachment E, Section IV.C, Maintenance Dredging Monitoring. It is your responsibility to ensure that all required water and soil analyses are conducted in accordance with the reporting requirements and limits specified in the Monitoring and Reporting Program for the Marina General Permit.

SECTION 401 WATER QUALITY CERTIFICATION

Authority

Section 401 of the CWA (33 U.S.C., paragraph 1341) requires that any applicant for a CWA section 404 permit, who plans to conduct any activity that may result in discharge of dredged or fill materials to WOUS, shall provide to the permitting agency a certification that the discharge will be in compliance with applicable water quality standards of the state in which the discharge will originate. No section 404 permit may be granted (or valid) until such certification is obtained. The Applicant has submitted a complete application and applicable filing fees for WQC under section 401 for the Project. This Order for WQC is based upon the information provided in the application and subsequent correspondence. The USACE will regulate the Project under Nationwide Permit No. 35 pursuant to section 404 of the CWA and section 10 of the Rivers and Harbors Act.

CCR, title 23, section 3831(e) grants the Water Board Executive Officer the authority to grant or deny water quality certification for projects in accordance with section 401 of the CWA. Maintenance dredging and filling activities qualify for such water quality certification.

Standard Conditions

Pursuant to CCR title 23, section 3860, the following standard conditions are requirements of this certification:

1. This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Water Code section 13330, and CCR, title 23, section 3867.
2. This certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license unless the pertinent certification application was filed pursuant to CCR title 23, section 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. The validity of any non-denial certification action shall be conditioned upon total payment of the full fee required under CCR, title 23, section 3833, unless otherwise stated in writing by the certifying agency.
4. Neither Project construction activities nor operation of the Project may cause a violation of the Water Quality Control Plan for the Lahontan Region (Basin Plan), may cause a condition or threatened condition of pollution or nuisance, or cause any other violation of the Water Code.
5. The Project must be constructed and operated in accordance with the Project described in the application for WQC that was submitted to the Water Board. Deviation from the Project description constitutes a violation of the conditions upon which the certification was granted. Any significant changes to this Project that would have a significant or material effect on the findings, conclusions, or conditions of this certification, including Project operation, must be submitted to the Executive Officer for prior review and written approval.
6. This WQC is subject to the acquisition of all local, regional, state, and federal permits and approvals as required by law. Failure to meet any conditions contained herein or any conditions contained in any other permit or approval issued by the State of California or any subdivision thereof may result in the revocation of this certification and civil or criminal liability.
7. The Water Board may add to or modify the conditions of this certification as appropriate to implement any new or revised water quality standards and implementation plans adopted or approved pursuant to the Porter-Cologne Water Quality Control Act or section 303 of the CWA, or as appropriate to coordinate the operations of this Project with other projects where coordination of operations is reasonably necessary to achieve water quality standards or protect the beneficial uses of water. Notwithstanding any more specific conditions in this certification, the Project must be constructed and operated in a manner consistent with all water quality standards and implementation plans adopted or approved pursuant to the Porter-Cologne Water Quality Control Act or section 303 of the CWA.

8. This certification does not authorize any act which results in the taking of a threatened or endangered species or any act which is now prohibited, or becomes prohibited in the future, under the California Endangered Species Act (Fish and Game Code sections 2050 et seq.) or the federal Endangered Species Act (16 U.S.C. sections 1531 et seq.). If a "take" will result from any act authorized under this certification, the Applicant must obtain authorization for the take prior to construction or operation of the Project. The Applicant is responsible for meeting all requirements of the applicable Endangered Species Act for the Project authorized under this certification.

Additional Conditions

Pursuant to CCR title 23, section 3859(a), the following additional conditions are requirements of this certification:

1. This WQC Order authorizes maintenance dredging to a **lake bottom depth elevation of 6,219 feet** Lake Tahoe Datum of Lakeside Marina within the 0.023 acre area (a roughly 90-foot by 90-foot area), as shown on Attachment 1 of this Order.
2. The Project must be implemented only after removal of aquatic invasive species at the marina.
3. Water Board staff must be notified a minimum of **forty-eight hours** prior to commencing dredging.
4. Turbidity curtains must be used during Project implementation to effectively contain and isolate wastes from dredging and prevent turbidity from lakebed sediments outside of the curtained area.
5. No later than **September 15, 2015** and prior to initiating the Project, the Applicant must provide to the Water Board a report, acceptable the Executive Officer, that includes the following:
 - a) Pre-dredge monitoring results, as required in the Marina General Permit, Attachment E section IV.C.1;
 - b) Aquatic invasive species monitoring and removal results; and
 - c) Utility Avoidance Plan (see Additional Condition No. 4, below, for details).
6. Prior to initiating the Project, the Applicant must provide documentation of whether there are any subsurface utilities in the area of construction. Locating subsurface utilities within the Project's area of construction can be accomplished by: (1) contacting all utilities (both public and private) that provide service in the area, documenting these contacts; (2) contacting Underground Service Alert, documenting this contact; or, (3) some other equivalent affirmative action to determine whether or not there are any subsurface utilities in the area of construction. The area of construction is defined as any area within the Project boundaries where there will be excavation, construction of borings or driving of piles. If subsurface utilities are located in the area of excavation, the Applicant must also provide a utility avoidance plan that will be followed during construction.
7. **No later than March 30, 2016**, you must provide to this office a technical report that fulfills the requirements in section V.C.1 of Attachment E to the Marina General Permit, including

the final bathymetric survey of the dredging area that describes the actual final depths in the area of the dredging activities and the volumes of material dredged from the area. This report must evaluate a statistically representative portion of the dredged area, and include a certification from a California licensed land surveyor or registered civil engineer that the elevations, as measured **within one week** after dredging operations are completed, are as reported.

8. In addition to the monitoring and reporting requirements specified in the Marina General Permit's Attachment E, section IV.C.2. during dredging, if a sediment plume is visible at any time outside of the turbidity curtain, the Applicant must immediately cease dredging operations, measure the turbidity within the plume area, and implement measures to eliminate the discharge. The Applicant must also delineate the size of the area by visually documenting the extent of the plume with a series of at least six photographs. Turbidity measurements may be taken with a hand held field meter. The sample location and sample results must be recorded in a logbook and emailed to the Water Board at Lahontan@waterboards.ca.gov within 12 hours of taking the turbidity measurement.
9. Dredging operations must immediately cease if inclement weather or wave and/or wind action threatens to cause suspended sediment discharges to spread turbidity beyond the curtained dredging area. The Applicant must take immediate action to ensure that turbidity outside the curtained containment area is kept to a minimum at all times, even in adverse conditions, such as high winds, wave action or currents.
10. A copy of this WQC Order, a copy of the complete WQC application submitted to the Water Board, and the utility avoidance plan (if required by additional condition above) must be available **at the Project site** during dredging operations and until Waterboard staff accept monitoring results and authorize turbidity curtain removal.
11. The turbidity curtain shall not be removed until Water Board staff verifies monitoring results demonstrating that the turbidity within the Project area do not exceed 3 NTU or the background turbidity levels, whichever is higher.
12. The excavator must be steam cleaned prior to use.
13. Construction and mechanical equipment must be monitored for leaks, and removed from service if necessary to protect water quality. Mechanical equipment that will be submersed in Lake Tahoe during the dredging operation must be steam-cleaned and inspected for leaks prior to use.
14. The use of chitosan or any flocculent to reduce turbidity in the lake is prohibited.
15. An emergency spill kit must be at the Project site at all times.
16. The Applicant is responsible for informing any contractors of the specific conditions contained in this WQC Order and maintaining compliance with the conditions of this Order.

Enforcement

- a) In the event of any violation or threatened violation of the conditions of this certification, the violation or threatened violation shall be subject to any remedies, penalties, process or

sanctions as provided for under state law. For purposes of CWA, section 401(d), the applicability of any state law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this certification.

- b) In response to a suspected violation of any condition of this certification, the State Water Board or Water Board may require the holder of any permit or license subject to this certification to furnish, under penalty of perjury, any technical or monitoring report the State Water Board or Water Board deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- c) In response to any violation of the conditions of this certification, the Water Board may add to or modify the conditions of this certification as appropriate to ensure compliance.

CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION GRANTED

I hereby issue this Order certifying that any discharge from the referenced Project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of state law. This discharge is also regulated under the Marina General Permit and State Water Board Order No. 2003-0017-DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State Water Quality Certification" which requires compliance with all conditions of this Order.

Except insofar as may be modified by any preceding conditions, all certification actions are contingent on (a) the discharge being limited and all proposed mitigation being completed in strict compliance with the Applicant's Project description and the terms specified in this Order and (b) compliance with all applicable requirements of the Basin Plan.

General Information

1. Failure to abide by the conditions of the Marina General Permit and this Order could result in an enforcement action as authorized by provisions of the Porter-Cologne Water Quality Control Act.
2. You are responsible for informing any contractors of the waste discharge requirements, the specific conditions contained in this Order, and for verifying compliance with these requirements.
3. The required annual fee for this Order (as specified in the annual billing you will receive from the State Water Resources Control Board) must be submitted until this Order is officially revoked. The Water Board will initiate revocation procedures after a Notice of Termination is provided to this office.

If you have any questions or comments regarding this permit, please contact Tobi Tyler, Water Resources Control Engineer, at tobi.tyler@waterboards.ca.gov (530.542.5435) or Alan Miller, PE, Chief, North Basin Regulatory Unit, at alan.miller@waterboards.ca.gov (530.542.5430).

Electronic document submittal is required. Please send your comments or documents to the Water Board's email address at Lahontan@waterboards.ca.gov and include your WDID No. or Facility Name in the Subject Line.



for PATTY Z. KOUYOUMDJIAN
EXECUTIVE OFFICER

cc: Jay Kniep, Consultant
David Landry, TRPA
Ninette Lee, California State Lands Commission
Bob Hosea, CA Dept. of Fish and Game, Rancho Cordova
Kristine Hanson, U. S. Army Corps of Engineers
Jason Brush, Wetlands Regulatory Office (WTR-8), USEPA, Region 9
Bill Orme, SWRCB, Division of Water Quality

Notice of Exemption

To: Office of Planning and Research
P.O. Box 3044
1400 Tenth Street, Room 222
Sacramento, CA 95812-3044

From: Lahontan Regional Water Quality Control Board
2501 Lake Tahoe Blvd.
South lake Tahoe, California 96150

Project Title: Lakeside Marina Maintenance Dredging Project

Project Location - Specific: Lakeside Park Association, 4077 Pine Blvd., South Lake Tahoe, CA 96150

Project Location – City: South Lake Tahoe

Project Location - County: El Dorado

Description of Project: The Marina will conduct maintenance dredging within the walls of the marina to remove approximately 30 cubic yards of dredged material. An excavator stationed on the boat ramp and the marina will be surrounded by a turbidity curtain or existing sheet pile will. The sediment will be transferred to lined dump trucks for transport to legal disposal site outside the Tahoe Basin.

Name of Public Agency Approving Project: Lahontan Regional Water Quality Control Board

Name of Person or Agency Carrying Out Project: Bob Hassett, Lakeside Park Association

Exempt Status: *(check one)*

- Ministerial (Sec. 21080(b)(1); 15268);
- Declared Emergency (Sec. 21080(b)(3); 15269(a));
- Emergency Project (Sec. 21080(b)(4); 15269(b)(c));
- Categorical Exemption. State type and section number: "Minor Alterations to Land"- Section 15304(g).
- Statutory Exemptions. State code number:

Reasons why project is exempt:

The RWQCB, Lahontan Region finds that this project, as permitted, will not have a significant effect on the environment and shall, therefore, be exempt from the provisions of the California Environmental Quality Act (CEQA) pursuant to Section 15304, Minor Alterations to Land.

Responsible Agency Contact Person: Tobi Tyler

Area Code/Telephone: (530) 542-5435

If filed by applicant:

1. Attach certified document of exemption finding.
2. Has a Notice of Exemption been filed by the public agency approving the project? Yes No

for 
Signature: Patty Kouyoumdjian Date: 08-10-2015 Title: Executive Officer, Lahontan Region

- Signed by Responsible Agency
- Signed by Applicant

Date received for filing at
OPR: _____

OPR: _____