#### Algae and Nutrient Modeling for Ventura River C.P. Lai, Ph.D., P.E. Los Angeles Regional Water Quality Control Board

The purpose of this memorandum is to summarize the model results and findings of algae and nutrient modeling in the Ventura River watershed. The following sections include an introduction to the Ventura River watershed, model description, model calibration and validation, and results of the model-predicted existing loading scenarios and proposed load reduction scenarios.

### 1.0 Introduction

A number of sites in the Ventura River watershed have been identified as having impaired beneficial uses because of high algae and nutrient levels caused by nutrient loading from both point and nonpoint sources. To examine relationships among human alterations, including land uses patterns and sewage effluent, nutrient concentrations, and algal biomass within the Ventura River watershed, a numerical model was selected and employed in the watershed system.

# 1.1 Ventura River Watershed

The Ventura River watershed is primarily located in western Ventura County with a small portion in southeastern Santa Barbara County, California. The watershed drains an area of about 228 square miles. Ventura River has several major tributaries including Matilija Creek, North Fork Matilija Creek, San Antonio Creek, Coyote Creek, and Cañada Larga, and also contains Lake Casitas, which serves as the primary water supply for the area within the watershed.

# 2.0 Ventura River Watershed Water Quality Model

# 2.1 The Stream Water Quality Model (QUAL2K)

The Stream Water Quality Model (QUAL2K) was chosen as the framework for the Ventura River algae and nutrient model development and TMDL analysis. QUAL2K is supported and distributed by US EPA and has been widely used for studying the impact of conventional pollutants on streams. The QUAL2K model is suitable for simulating the hydrological and water quality conditions of a natural river or stream. It is a simple one-dimensional model that simulates basic stream transport and mixing processes. The processes employed in QUAL2K address nutrient cycles, algal growth, and dissolved oxygen dynamics. Compared to other available models, QUAL2K is the one best suited for the Ventura River's conditions. Therefore, QUAL2K was selected as the tool to develop the Ventura River water quality model and conduct the TMDL analysis. The model was downloaded from the US EPA website and operated in the Microsoft Excel program as designed by the program authors. Data inputs of the QUAL2K model for the Ventura River are discussed in the next section.

QUAL2K simulates a river as a set of interconnected segments, where water quality constituent values are computed for each segment. A segment is defined as a river reach with point and nonpoint inflow sources, as well as withdrawals that drive changes in water quality (Figure 2.1). Each segment of the river reach is modeled as having a trapezoidal channel shape, and the water depth is calculated from steady flow in the segment using the Manning equation. Water mass balances are performed by QUAL2K for each segment to determine the discharge longitudinally throughout the river reach.



Figure 2.1 Example of QUAL2K segments describing a river reach

For the simulation of water temperature, a heat balance approach is used to describe the sources and sinks of heat for each model segment. The heat fluxes between the water and the atmosphere include short and long wave solar radiation, shading and cloud cover attenuation, conduction, wind advection, and condensation. The heat budget is calculated using a diurnal time scale. Mixing of water between adjacent segments is modeled through water movement from upstream to downstream and dispersive mixing at segment boundaries. Heat fluxes between the water and sediment are also included in QUAL2K.

For each water quality constituent, mass balances are calculated that describe external loading, segment interaction, sediment interaction, and bottom algae interaction (Figure 2.2). In addition to mass balances for each constituent, chemical reactions are specified to each water quality constituent. As a group, these reactions simulate the growth of algae, decay of organic material, and cycling of nutrients that occurs in natural water.



Figure 2.2 Water quality fluxes for QUAL2K model segments

# 2.2 Ventura River QUAL2K Model Input Data

The Ventura River QUAL2K Model is set up as a one-dimensional, steady-state model. It simulates in-stream water quality conditions including dissolved oxygen, algae as chlorophyll-a, as well as various forms of nitrogen and phosphorous. Water temperature and diurnal changes of algae are also simulated. The major input data groups for the Ventura River QUAL2K Model are summarized below.

### 2.2.1 Model Segmentation

For modeling, the 28-kilometer section of the Ventura River mainstem between the Matilija Dam and the river mouth was divided into 7 reaches, which consist of a total of 51 computational segments with a number of small segments in each reach. Model segments are homogenous sections of the river. Most of the segments are about 500 meters long. The model extent, segment boundaries, and tributaries are presented in Figure 2.1. A description of the modeled reaches is presented in Table 2-1. Matilija Creek, North Fork Matilija Creek, San Antonio Creek, Coyote Creek, and Canada Larga are considered point inflow sources of water and constituents. The Ojai wastewater treatment plant (Ojai WWTP) is also considered a concentrated point source. Withdrawal from the Ventura River at Robles Diversion Dam for drinking water is simulated as a point outflow (abstractions). Diffuse inflow sources of water and constituents due to small gains are also included in a given reach. These water sources are included so that inflows and outflows of water can be included to better match river flow data, which was measured by University of California, Santa Barbara (UCSB) at fourteen points throughout the reach.

QUAL2K application for the Ventura River includes all the physical attributes of the river and its tributaries, and allows for an adequate characterization of flow and water quality for a 30-day steady-state simulation.

### 2.2.2 Hydraulic Characteristics

The Ventura River QUAL2K model uses the Manning formula to describe stream hydraulic characteristics and assumes that the stream has a trapezoidal channel cross-section with zero side slope (i.e., rectangular channel). Field visits to the river shows the river to be highly irregular in depth and width due to natural storm and erosion activities in the watershed. Estimates were made of the width and depth of flow for the dry season in the river based on the field measurement data collected by U.S. Department of the Interior, Bureau of Reclamation and verified by the Los Angeles Regional Water Quality Control Board. The width of the river ranges from 4 to 22 meters under normal flow conditions in the dry season. The slope for the river was estimated based on topographic maps. Stream characteristic inputs are shown in the table below.

Reach	Reach Length (Km)	Channel Elevation (m)	Channel Bottom Width (m)	Left Side Slope	Right Side Slope	Channel Slope	Manning's n
1	4.33	217.02	3.57	0.0	0.0	0.0199	0.12
2	5.93	128.03	6.36	0.0	0.0	0.0135	0.12
3	2.71	93.88	8.23	0.0	0.0	0.0089	0.10
4	3.22	65.53	11.84	0.0	0.0	0.0066	0.10
5	2.11	48.77	16.09	0.0	0.0	0.0048	0.08
6	6.61	6.1	16.49	0.0	0.0	0.0021	0.08
7	0.90	0	22.07	0.0	0.0	0.0001	0.05

 Table 2.1 Hydraulic Characteristics in Ventura River Model Reaches

### 2.2.3 System Parameters

The physical, chemical, and biological processes simulated by QUAL2K are represented by a set of equations that contain many parameters. Some are global constants, some are spatial variables, and some are temperature dependent variables. Detailed descriptions of these parameters and associated

processes are available in the QUAL2K user's manual. Global rate constants used under dry conditions are in Table 2-2.

Paramotor	Value	Unito	Symbol
<i>Falallelel</i>	value	Units	Symbol
Stoicniometry	40		
Carbon	40	gC	gC
Nitrogen	7.2	gN	gN
Phosphorus	1	gP	<u> </u>
Dry weight	100	gD	gD
Chlorophyll	1	gA	gA
Inorganic suspended solids			
Settling velocity	0.3	m/d	Vi
Oxygen			
Reaeration model	Tsivoglou- Neal		
Temperature correction	1.024		θ
$O_{2}$ for carbon oxidation	2.69	aO₂/aC	a
$O_{0}$ for NH <sub>4</sub> nitrification	4.57	aO <sub>2</sub> /g0	<b>r</b>
Oxygen inhib CBOD oxidation model	Exponential	<u>902/911</u>	• on
Oxygen inhib CBOD oxidation noter		L/maO.	K.
Oxygen inhib of the oxidation parameter	Exponential	L/iiigO <sub>2</sub>	n <sub>socf</sub>
Oxygen inhib nitrification perspector		L/ma0	V
Oxygen mind minication parameter	U.U Exponential	L/IIIgO <sub>2</sub>	<b>∧</b> sona
Oxygen enhance denitrification model	Exponential		K
Oxygen ennance denitrification parameter	U.D	L/mgO <sub>2</sub>	<b>K</b> sodn
Oxygen innib pnyto resp model	Exponential	L /	
Oxygen innib pnyto resp parameter	0.6	L/mgO <sub>2</sub>	K <sub>sop</sub>
Oxygen enhance bottom algae resp model	Exponential		
Oxygen enhance bottom algae resp parameter	0.6	L/mgO <sub>2</sub>	K <sub>sob</sub>
Slow CBOD			
Hydrolysis rate	1.0	/d	k <sub>hc</sub>
Temperature correction	1.047		θ <sub>hc</sub>
Oxidation rate	5	/d	k <sub>dcs</sub>
Temperature correction	1.047		θ <sub>dcs</sub>
Fast CBOD			
Oxidation rate	0.2	/ <b>d</b>	k <sub>dc</sub>
Temperature correction	1.047		θ <sub>dc</sub>
Organic N			
Hydrolysis	0.1	/d	k <sub>hn</sub>
Temperature correction	1.07		θ <sub>hn</sub>
Settling velocity	0	m/d	V <sub>hn</sub>
Ammonium			
Nitrification	1.649	/d	K <sub>na</sub>
Temperature correction	1.07		θης
Nitrate			-11a
Denitrification	0	/d	k
Temperature correction	1.07		<b>A</b>
Sed denitrification transfer coeff	0	m/d	V
Temperature correction	1 07	in/u	⊻di A
Organic P	1.07		Vdi
	0	ام/	Ŀ
Tomporature correction	1.07	/0	κ <sub>hp</sub>
remperature correction	1.07		9 <sub>hp</sub>

Table 2.2 Rate Constants in Ventura River QUAL2K model

Settling velocity       1.999       m/d       Vop         Inorganic P       0       m/d       Vup         Settling velocity       0       m/d       Vup         Inorganic P sorption coefficient       0.073       L/mgD       Kdait         Sed P oxygen attenuation half sat constant       1.831       mgO <sub>2</sub> /L       kspi         Phytoplankton       2.5       /d       kgp         Temperature correction       1.07       Øp       Respiration rate       0.1       /d       kgp         Temperature correction       1.07       Øp       Øp       Respiration rate       0       /d       kgp         Temperature correction       1.07       Øp       Øp       Øp       Respiration rate       0       /d       kgp         Temperature correction       1.07       Øp       Øp       Øp       External Nitrogen half sat constant       2       UgP/L       Kshp       Nshp	Parameter	Value	Units	Symbol
Inorganic P         0         m/d         v <sub>lp</sub> Settling velocity         0         m/d         v <sub>lp</sub> Inorganic P sorption coefficient         0.073         L/mgD         K <sub>dpi</sub> Sed P oxygen attenuation half sat constant         1.831         mgO <sub>2</sub> /L         k <sub>spi</sub> Phytoplankton         2.5         /d         kspi           Respiration rate         0.1         /d         kgp           Temperature correction         1.07         0         0           External Nitrogen half sat constant         2         ugN/L         kshp           Inorganic carbon half sat constant         2.00E-005         moles/L         kshp           Inorganic carbon half sat constant         2.00E-005         moles/L         kshp           Ight model         Half saturation         1         0         0           Light model         Zero-order         2         ugN/L         khnxp           Bottom Algae         0         1         0         kgp	Settling velocity	1.999	m/d	V <sub>op</sub>
Settling velocity         0         m/d         v <sub>p</sub> Inorganic P sorption coefficient         0.073         L/mgD         K <sub>gai</sub> Phytoplankton         1.831         mgO <sub>2</sub> /L         K <sub>gai</sub> Max Growth         2.5         /d         k <sub>ga</sub> Temperature correction         1.07 $\theta_{ga}$ Respiration rate         0.1         /d         k <sub>ga</sub> Temperature correction         1.07 $\theta_{ga}$ Death rate         0         /d         kd <sub>ga</sub> Temperature correction         1.07 $\theta_{ga}$ Exterion rate         0         /d         kd <sub>ga</sub> Temperature correction         1         0         /d           Temperature correction         1         0         /d           Light constant         2         ugP/L         k <sub>stop</sub> Inorganic carbon half sat constant         2.00E-005         moles/L         k <sub>stop</sub> Light constant         57.6         langleys/d         k <sub>lop</sub> Ammonia preference         25         ugN/L         k <sub>stop</sub> Growth model         Zero-order         md         va           Bottom A	Inorganic P			
Inorganic P sorption coefficient         0.073         L/mgD         K <sub>dpl</sub> Sed P oxygen attenuation half sat constant         1.831         mgO <sub>2</sub> /L         K <sub>dpl</sub> Max Growth         2.5         /d         k <sub>dp</sub> Temperature correction         1.07         0           Respiration rate         0.1         /d         k <sub>dp</sub> Temperature correction         1.07         0         0           Temperature correction         1.07         0         0           Death rate         0         /d         kdg           Temperature correction         1         0         /d         kdg           Death rate         0         /d         kdg         ksbp           External Nitrogen half sat constant         2         ugP/L         ksbp           Inorganic carbon half sat constant         2.00E-005         moles/L         ksbp           Light model         Half saturation         Light constant         Xscp         Kscp           Light constant         57.6         langleys/d         Kt_bp         Kscp           Growth model         Zero-order         Max Growth         300         mgA/m <sup>2</sup> /d         Gb         Bottom Algae         0.5         kd	Settling velocity	0	m/d	Vip
Ged P oxygen attenuation half sat constant         1.831         mgQ2/L         kspi           Phytoplankton	Inorganic P sorption coefficient	0.073	L/mgD	K <sub>dpi</sub>
Phytoplankton         2.5         /d         kgp           Max Growth         2.5         /d         kgp           Temperature correction         1.07         0         0           Respiration rate         0.1         /d         krp           Temperature correction         1.07         0         0           Death rate         0         /d         kdgp           Temperature correction         1         0         /d         kdgp           External Nitrogen half sat constant         2         ugP/L         kshp           Inorganic carbon half sat constant         2.00E-005         moles/L         kshp           Light model         Half saturation         Klp         khnxp           Light constant         57.6         langleys/d         Klp           Ammonia preference         25         ugN/L         khnxp           Setting velocity         0.15         m/d         va           Growth model         Zero-order         Max Growth         G         G           Max Growth         3.00         mgAm <sup>m</sup> /d         Cgb         G           Temperature correction         1.07         G         Gbb           Respiration rate         1 </td <td>Sed P oxygen attenuation half sat constant</td> <td>1.831</td> <td>mgO<sub>2</sub>/L</td> <td>k<sub>spi</sub></td>	Sed P oxygen attenuation half sat constant	1.831	mgO <sub>2</sub> /L	k <sub>spi</sub>
Max Growth         2.5         /d         kgp           Temperature correction         1.07         0         0           Respiration rate         0.1         /d         kgp           Temperature correction         1.07         0         /d           Temperature correction         1.07         0         0           Death rate         0         /d         kgp           Death rate         0         /d         kgp           External Nitrogen half sat constant         1         0         0           Light model         Half saturation	Phytoplankton		<b>e</b> -	
Temperature correction         1.07         0         0           Respiration rate         0.1         /d         Krp           Temperature correction         1.07         0         0           Excretion rate         0         /d         Krp           Temperature correction         1.07         0         0           Death rate         0         /d         Krp           Temperature correction         1         0         0           External Nitrogen half sat constant         2         ugN/L         Krp           Inorganic carbon half sat constant         2.00E-005         moles/L         Ksp           Light constant         57.6         langleys/d         Krup           Ammonia preference         25         ugN/L         Knmp           Bottom Algae	Max Growth	2.5	/d	k <sub>ap</sub>
Respiration rate       0.1       /d       k <sub>rp</sub> Temperature correction       1.07       0       0         Death rate       0       /d       k <sub>gp</sub> Temperature correction       1.07       0       0         Death rate       0       /d       kgp         Temperature correction       1       0       0         External Nitrogen half sat constant       2       ugP/L       k_sNp         Inorganic carbon half sat constant       2.00E-005       moles/L       k_sco         Light model       Half saturation	Temperature correction	1.07		θ <sub>αρ</sub>
Temperature correction1.07 $\theta_{rp}$ Excretion rate0/d $k_{ep}$ Temperature correction1.07 $\theta_{ep}$ Death rate0/d $k_{dp}$ Temperature correction1 $\theta_{dp}$ External Nitrogen half sat constant15 $ugN/L$ $k_{sNp}$ External Phosphorus half sat constant2.00E-005moles/L $k_{sSCp}$ Light modelHalf saturationLight constant $x_{sCp}$ Light constant57.6langleys/d $K_{LD}$ Ammonia preference25 $ugN/L$ $k_{hnxp}$ Setting velocity0.15m/d $v_a$ Bottom Algae1/d $k_{hp}$ Excretion rate1.07 $\theta_{ab}$ Temperature correction1.07 $\theta_{ab}$ Temperature correction1.07<	Respiration rate	0.1	/ <b>d</b>	k <sub>rp</sub>
Excretion rate         0         /d         kep           Temperature correction         1.07         0         0           Death rate         0         /d         kdgp           Temperature correction         1         0         0           External Nitrogen half sat constant         1         0         0           Inorganic carbon half sat constant         2         ugP/L         kspp           External Phosphorus half sat constant         2.00E-005         moles/L         kscp           Light model         Half saturation         kscp         kscp           Light constant         57.6         langleys/d         KLp           Ammonia preference         25         ugN/L         khnxp           Setting velocity         0.15         m/d         va           Bottom Algae	Temperature correction	1.07		θ <sub>rp</sub>
Temperature correction1.07 $\theta_{ep}$ Death rate0/d $k_{dp}$ Temperature correction1 $\theta_{dp}$ External Nitrogen half sat constant2ugN/L $k_{sPp}$ External Phosphorus half sat constant2.00E-005moles/L $k_{sCp}$ Light modelHalf saturationLight constant2.00E-005moles/L $k_{sCp}$ Light constant57.6langleys/d $K_{Lp}$ $K_{Lp}$ Ammonia preference25ugN/L $k_{hnxp}$ Setting velocity0.15m/dvaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa<	Excretion rate	0	/ <b>d</b>	k <sub>ep</sub>
Death rate0/dkdpTemperature correction100External Nitrogen half sat constant15ugN/LksPpExternal Phosphorus half sat constant2ugP/LksNpInorganic carbon half sat constant2.00E-005moles/LksCpLight modelHalf saturationLight constant57.6langleys/dKLpAmmonia preference25ugN/LkhmxpSetting velocity0.15m/dvaBottom AlgaeGrowth modelZero-orderMax Growth300mgA/m²/dCabRespiration rate1/dktbRespiration rate1.0700Bettor rate0.09/dkdbTemperature correction1.0700Bettr rate0.09/dkdbTemperature correction1.0700Bettr rate0.09/dkdbTemperature correction1.0700Light constant9.052ugN/LksNbExternal Nitrogen half sat constant9.052ugN/LksNbExternal Nitrogen half sat constant9.052ugN/LksNbExternal Nitrogen half sat constant9.052kscbkstbLight constant1.00700KLbDissolution rate7.179/dkdtTernoperature correction1.0700Dissolut	Temperature correction	1.07		θ <sub>ep</sub>
Temperature correction1 $\theta_{dp}$ External Nitrogen half sat constant15ugN/L $k_{sPD}$ External Phosphorus half sat constant2.00E-005moles/L $k_{sND}$ Inorganic carbon half sat constant2.00E-005moles/L $k_{sND}$ Light modelHalf saturationLight constantKL_DAmmonia preference25ugN/L $k_{hnxD}$ Setting velocity0.15m/d $v_a$ Bottom AlgaeGrowth modelZero-orderMax Growth300mgA/m²/d $C_{gb}$ Respiration rate1/d $k_{rb}$ Temperature correction1.07 $\theta_{rb}$ Excretion rate0.5k_{eb}Death rate0.09/d $k_{db}$ Temperature correction1.07 $\theta_{db}$ Death rate0.052ugN/L $k_{sND}$ Inorganic carbon half sat constant9.052 $k_{sND}$ Inorganic carbon half sat constant1.00E-05 $k_{sCD}$ Light modelHalf saturationUight constant7.779/d $k_{dL}$ Detritus (POM)Detritus (POM)Decay0.88/d $k_{dx}$ Temperature correction1.07 $\theta_{dt}$ Fraction of dissolution to fast CBOD1.00 $\Gamma_{f}$ Setting velocity0.236m/d $v_{dt}$ PathogensDecay0.88/d	Death rate	0	/ <b>d</b>	k <sub>dp</sub>
External Nitrogen half sat constant15ugN/LkspcExternal Phosphorus half sat constant2.00E-005moles/LksNpInorganic carbon half sat constant2.00E-005moles/LkscoLight modelHalf saturationstrattionstrattionLight constant57.6langleys/dKLpAmmonia preference25ugN/LkhnxpSetting velocity0.15m/dvaBottom AlgaeGrowth modelZero-orderMax Growth300mgA/m²/dCgbTemperature correction1.070gbRespiration rate0.5kkebTemperature correction1.070gbExcretion rate0.5kkebTemperature correction1.070gbExternal Nitrogen half sat constant0.052ugN/LLight modelHalf saturationLight constantLight modelHalf saturationkspbExternal Nitrogen half sat constant0.052ugN/LLight modelHalf saturationLight constantLight modelHalf saturationLight constantLight modelHalf saturationLight constantDissolution rate7.179/dPath model1.070gLight constant1.07Dissolution rate7.179Fraction of dissolution to fast CBOD1.00FrSetting velocity0.236MdbMdVdtPathogens <td>Temperature correction</td> <td>1</td> <td></td> <td>θ<sub>dp</sub></td>	Temperature correction	1		θ <sub>dp</sub>
External Phosphorus half sat constant2ugP/LksNpInorganic carbon half sat constant2.00E-005moles/LksCpLight modelHalf saturation11Light constant57.6langleys/dKLpAmmonia preference25ugN/LkhnxpSetting velocity0.15m/dvaBottom Algae011Growth modelZero-order1Max Growth300mgA/m²/dCabTemperature correction1.070dgbTemperature correction1.00E-05ksPbInorganic carbon half sat constant1.00E-05ksPbLight constant76.319langleys/dKLbDisolution rate7.179/dkdtTemperature correction1.070dgtDetritus (POM)11.00FrSetting velocity0.236m/dVdt <tr< td=""><td>External Nitrogen half sat constant</td><td>15</td><td>ugN/L</td><td>K<sub>sPn</sub></td></tr<>	External Nitrogen half sat constant	15	ugN/L	K <sub>sPn</sub>
Inorganic carbon half sat constant         2.00E-005         moles/L         kscp           Light model         Half saturation         Kscp           Light constant         57.6         langleys/d         KLp           Ammonia preference         25         ugN/L         khnxp           Setting velocity         0.15         m/d         va           Bottom Algae              Growth model         Zero-order             Max Growth         300         mgA/m²/d         Cab           Respiration rate         1         /d         Krb           Temperature correction         1.007         0db           Respiration rate         0.5         Keb           Temperature correction         1.007         0db           Death rate         0.09         /d         Kdb           Temperature correction         1.007         0dbb         0db           External Nitrogen half sat constant         0.052         ugN/L         ksNb           External Phosphorus half sat constant         96.379         ugP/L         kspb           Inorganic carbon half sat constant         76.319         langleys/d         KLb           Ammonia p	External Phosphorus half sat constant	2	ugP/L	k <sub>sNp</sub>
Light model       Half saturation       0000         Light constant       57.6       langleys/d       K <sub>Lp</sub> Ammonia preference       25       ugN/L       k <sub>hnxp</sub> Setting velocity       0.15       m/d       va         Bottom Algae	Inorganic carbon half sat constant	2.00E-005	moles/L	k <sub>sCn</sub>
Light constant57.6langleys/dK_LDAmmonia preference25ugN/LkhnxpSetting velocity0.15m/dvaBottom AlgaeGrowth modelZero-orderMax Growth300mgA/m²/dCabTemperature correction1.070/dbRespiration rate1/dKrbTemperature correction1.070/bExcretion rate0.5kebTemperature correction1.070/bDeath rate0.09/dkdbTemperature correction1.070/dbDeath rate0.09/dkdbTemperature correction1.070/dbDeath rate0.09/dkdbTemperature correction1.070/dbExternal Nitrogen half sat constant0.052ugN/LInorganic carbon half sat constant1.00E-05kscbLight modelHalf saturation1Light constant76.319langleys/dLight constant7.179/dkdtDetritus (POM)Dissolution rate7.179/dkdtTemperature correction1.070/dtFraction of dissolution to fast CBOD1.00FrSetting velocity0.8/dkdxTemperature correction1.070/dtSetting velocity0.8/dkdxTemperature correction1.070/dtLight cons	Light model	Half saturation		300
Ammonia preference25ugN/LkhnxpSetting velocity0.15m/dvaBottom Algae0.15m/dvaGrowth modelZero-ordermgA/m²/dCgbMax Growth300mgA/m²/dCgbTemperature correction1.070gbRespiration rate1/dKrbTemperature correction1.070rbExcretion rate0.5kebTemperature correction1.070dbDeath rate0.09/dkdbTemperature correction1.070dbDeath rate0.09/dkdbExternal Nitrogen half sat constant0.052ugN/LksNbExternal Nitrogen half sat constant1.00E-05kscbkspbInorganic carbon half sat constant1.00E-05kscbkgpdLight modelHalf saturation11dLight constant76.319langleys/dKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)010Dissolution rate7.179/dkdtTemperature correction1.070ddFfSetting velocity0.8/dkdxTemperature correction1.00FfSetting velocity0.8/dkdxTemperature correction1.070ddSetting velocity0.8/dkdxTemperature correction1.070ddSetting velocity1	Light constant	57.6	langlevs/d	Kin
Setting velocity       0.15       m/d       va         Bottom Algae	Ammonia preference	25	uaN/L	<b>k</b> hnyn
Bottom AlgaeordenGrowth modelZero-orderMax Growth300mgA/m²/dCab300mgA/m²/dCab1.07 $\theta_{gb}$ Respiration rate1/dTemperature correction1.07 $\theta_{rb}$ Temperature correction rate0.5kebExcretion rate0.5 $\theta_{eb}$ Temperature correction1.07 $\theta_{eb}$ Death rate0.09/dkdbTemperature correction1.07 $\theta_{eb}$ Death rate0.09/dkdbTemperature correction1.07 $\theta_{db}$ External Nitrogen half sat constant0.052ugN/LKsPbNorganic carbon half sat constant1.00E-05kscbLight modelHalf saturationIILight constant76.319langleys/dKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)0.236m/dVdtDissolution rate7.179/dkdtTemperature correction1.07 $\theta_{dt}$ Fraction of dissolution to fast CBOD1.00FrSetting velocity0.236m/dVdtPathogens00.8/dkdxTemperature correction1.07 $\theta_{dx}$	Setting velocity	0.15	m/d	Va
Crowth modelZero-orderMax Growth300mgA/m²/dCabTemperature correction1.070Respiration rate1/dkrbTemperature correction1.070Excretion rate0.5kebTemperature correction1.050Death rate0.09/dkdbTemperature correction1.070Bespiration rate0.09/dkdbTemperature correction1.0500Death rate0.09/dkdbTemperature correction1.0700External Nitrogen half sat constant0.052ugN/LksNbExternal Phosphorus half sat constant1.00E-05KsCbLight modelHalf saturation11Light constant76.319langleys/dKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)0Fr10Dissolution rate7.179/dkdtTemperature correction1.00FrFrSetting velocity0.8/dkdxTemperature correction1.00FrGSetting velocity0.8/dkdxTemperature correction1.070ddxSetting velocity1m/dVxSetting velocity11m/dSetting velocity11N/dSetting velocity11N/dSetting veloc	Bottom Algae			- a
Max Growth300mgA/m²/d $C_{gb}$ Temperature correction1.07 $\theta_{gb}$ Respiration rate1/d $k_{rb}$ Temperature correction1.07 $\theta_{rb}$ Excretion rate0.5 $k_{eb}$ Temperature correction1.05 $\theta_{eb}$ Death rate0.09/d $k_{db}$ Temperature correction1.07 $\theta_{db}$ Death rate0.09/d $k_{db}$ Temperature correction1.07 $\theta_{db}$ External Nitrogen half sat constant0.052 $ugN/L$ $k_{sNb}$ External Phosphorus half sat constant1.00E-05 $k_{scb}$ Light modelHalf saturation1ULight constant76.319langleys/d $K_{Lb}$ Ammonia preference99.982 $ugN/L$ $k_{hnxb}$ Detritus (POM)	Growth model	Zero-order		
Temperature correction1.07 $\theta_{gb}$ Respiration rate1//d $k_{rb}$ Temperature correction1.07 $\theta_{rb}$ Excretion rate0.5 $k_{eb}$ Temperature correction1.05 $\theta_{eb}$ Death rate0.09//d $k_{db}$ Temperature correction1.07 $\theta_{db}$ External Nitrogen half sat constant0.052 $ugN/L$ $k_{sNb}$ External Phosphorus half sat constant96.379 $ugP/L$ $k_{sPb}$ Inorganic carbon half sat constant1.00E-05 $k_{sCb}$ $k_{sCb}$ Light modelHalf saturationLight constant76.319langleys/d $K_{Lb}$ Ammonia preference99.982 $ugN/L$ $k_{hnxb}$ Detritus (POM) </td <td>Max Growth</td> <td>300</td> <td>maA/m<sup>2</sup>/d</td> <td>Cab</td>	Max Growth	300	maA/m <sup>2</sup> /d	Cab
Respiration rate1/dKubTemperature correction1.07 $\theta_{rb}$ Excretion rate0.5KebTemperature correction1.05 $\theta_{eb}$ Death rate0.09/dKdbTemperature correction1.07 $\theta_{db}$ External Nitrogen half sat constant0.052ugN/LKsNbExternal Phosphorus half sat constant96.379ugP/LKsPbInorganic carbon half sat constant1.00E-05KsCbLight modelLight modelHalf saturationLight constant76.319langleys/dKLbKhnxbDetritus (POM) </td <td>Temperature correction</td> <td>1.07</td> <td></td> <td>egb Øgb</td>	Temperature correction	1.07		egb Øgb
Temperature correction1.07 $\theta_{rb}$ Excretion rate0.5 $k_{eb}$ Temperature correction1.05 $\theta_{eb}$ Death rate0.09/d $k_{db}$ Temperature correction1.07 $\theta_{db}$ External Nitrogen half sat constant0.052 $ugN/L$ $k_{sNb}$ External Phosphorus half sat constant96.379 $ugP/L$ $k_{sPb}$ Inorganic carbon half sat constant1.00E-05 $k_{sCb}$ $k_{scb}$ Light modelHalf saturation11 $k_{hnxb}$ Detritus (POM)00 $F_i$ 0Dissolution rate7.179/d $k_{dt}$ $k_{dt}$ Temperature correction1.00 $F_i$ $F_i$ Setting velocity0.236m/d $v_{dt}$ Pathogens001.07 $\theta_{dx}$ $\theta_{dx}$ $k_{dt}$ $T_{emperature correction1.07\theta_{dx}Settling velocity0.8/dk_{dx}k_{dx}T_{emperature correction1.07\theta_{dx}$	Respiration rate	1	/d	k <sub>rb</sub>
Excretion rateNotHoExcretion rate0.5KebTemperature correction1.05 $\theta_{eb}$ Death rate0.09/dKdbTemperature correction1.07 $\theta_{db}$ External Nitrogen half sat constant0.052ugN/LKsNbExternal Phosphorus half sat constant96.379ugP/LKsPbInorganic carbon half sat constant1.00E-05KsCbLight modelLight constant76.319langleys/dKLbAmmonia preference99.982ugN/LKhnxbDetritus (POM)	Temperature correction	1.07	, 4	θικ
Temperature correction1.05 $\theta_{eb}$ Death rate0.09/d $k_{db}$ Temperature correction1.07 $\theta_{db}$ External Nitrogen half sat constant0.052ugN/L $k_{sNb}$ External Phosphorus half sat constant96.379ugP/L $k_{sPb}$ Inorganic carbon half sat constant1.00E-05 $k_{sCb}$ Light modelHalf saturationLight constant76.319langleys/d $K_{Lb}$ Ammonia preference99.982ugN/L $k_{hnxb}$ Detritus (POM)	Excretion rate	0.5		K <sub>ab</sub>
Death rate0.09/dkdbTemperature correction1.070dbExternal Nitrogen half sat constant0.052ugN/LksNbExternal Phosphorus half sat constant96.379ugP/LksPbInorganic carbon half sat constant1.00E-05ksCbksCbLight modelHalf saturation11KLbLight constant76.319langleys/dKLbKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)	Temperature correction	1.05		
Temperature correction1.07HubTemperature correction1.07θdbExternal Nitrogen half sat constant0.052ugN/LksNbExternal Phosphorus half sat constant96.379ugP/LksPbInorganic carbon half sat constant1.00E-05ksCbksCbLight modelHalf saturation1.00E-05ksCbksCbLight constant76.319langleys/dKLbKhnxbAmmonia preference99.982ugN/LkhnxbkhnxbDetritus (POM)01.07θdtHalfDissolution rate7.179/dkdtKdtTemperature correction1.070.236m/dVdtPathogens0.236m/dVdtPathogens0.88/dkdxDecay0.88/dkdx1.07θdxSettling velocity1m/dVx	Death rate	0.09	/d	Kab
External Nitrogen half sat constant0.052ugN/LksNbExternal Phosphorus half sat constant96.379ugP/LksPbInorganic carbon half sat constant1.00E-05ksCbLight modelHalf saturation1Light constant76.319langleys/dKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)010Dissolution rate7.179/dkdtFraction of dissolution to fast CBOD1.00FriSetting velocity0.236m/dvdtPathogens0.8/dkdxTemperature correction1.070Quart0.8/dkdxTemperature correction1.070Athogens010Decay0.8/dkdxTemperature correction1.070Athogens0.8/dkdxTemperature correction1.070Decay0.8/dkdxTemperature correction1.070Mathogens0.8/dDecay1m/dVxSettling velocity1m/dVx	Temperature correction	1.07	, 4	equip
External Phosphorus half sat constant96.379ugP/LkspbInorganic carbon half sat constant1.00E-05kscbLight modelHalf saturation1.00E-05kscbLight constant76.319langleys/dKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)	External Nitrogen half sat constant	0.052	uaN/L	KaNh
Inorganic carbon half sat constant1.00E-05 $k_{gCb}$ Light modelHalf saturationLight constant76.319langleys/dKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)	External Phosphorus half sat constant	96.379	ugP/L	Kaph
Light modelHalf saturationLight modelHalf saturationLight constant76.319langleys/dKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)	Inorganic carbon half sat constant	1.00E-05	•g. / =	Kach
Light constant76.319langleys/dKLbAmmonia preference99.982ugN/LkhnxbDetritus (POM)Dissolution rate7.179/dkdtTemperature correction1.07 $\theta_{dt}$ Fraction of dissolution to fast CBOD1.00 $F_f$ Setting velocity0.236m/dVdtPathogensDecay0.8/dkdxTemperature correction1.07 $\theta_{dx}$ Settling velocity0.107 $\theta_{dx}$ Temperature correction1.07 $\psi_{dx}$ Decay0.8/d $\psi_{dx}$ Temperature correction1.07 $\psi_{dx}$ Temperature correction1.07 $\psi_{dx}$ Settling velocity1m/d $\psi_x$	Light model	Half saturation		500
Ammonia preference99.982ugN/LkhnxbDetritus (POM)	Light constant	76.319	langlevs/d	Кир
Detritus (POM)Coroci digitalDissolution rate7.179/dkdtTemperature correction1.07Fraction of dissolution to fast CBOD1.00FfSetting velocity0.236m/dVdtPathogensDecay0.8/dkdxTemperature correction1.07Octage0.8/dkdxTemperature correction1.07Octage0.8/dkdxTemperature correction1.07Value0.8/d1.07Octage0.8/d1.07Value1.07Octage0.8/d1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image1.07Image </td <td>Ammonia preference</td> <td>99.982</td> <td>uaN/L</td> <td>Khavh</td>	Ammonia preference	99.982	uaN/L	Khavh
$\begin{array}{c c c c c c c } \hline Dissolution rate & 7.179 & /d & k_{dt} \\ \hline Dissolution rate & 7.179 & /d & k_{dt} \\ \hline Temperature correction & 1.07 & & \theta_{dt} \\ \hline Fraction of dissolution to fast CBOD & 1.00 & & F_f \\ \hline Setting velocity & 0.236 & m/d & v_{dt} \\ \hline Pathogens & & & & \\ \hline Decay & 0.8 & /d & k_{dx} \\ \hline Temperature correction & 1.07 & & \theta_{dx} \\ \hline Settling velocity & 1 & m/d & v_x \\ \hline \end{array}$	Detritus (POM)		•••9•••	11120
$\begin{tabular}{ c c c c c } \hline Temperature correction & 1.07 & $$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$	Dissolution rate	7,179	/d	Kat
Fraction of dissolution to fast CBOD     1.00     F <sub>f</sub> Setting velocity     0.236     m/d     V <sub>dt</sub> Pathogens     0.8     /d     k <sub>dx</sub> Decay     0.8     /d     k <sub>dx</sub> Temperature correction     1.07     θ <sub>dx</sub> Settling velocity     1     m/d     V <sub>x</sub>	Temperature correction	1.07	/ 🕰	A <sub>dt</sub>
Setting velocity     0.236     m/d     v <sub>dt</sub> Pathogens     0.8     /d     k <sub>dx</sub> Decay     0.8     /d     k <sub>dx</sub> Temperature correction     1.07     θ <sub>dx</sub> Settling velocity     1     m/d     v <sub>x</sub>	Fraction of dissolution to fast CBOD	1 00		– – – – – – – – – – – – – – – – – – –
Pathogens     0.8     /d     kdx       Decay     0.8     /d     kdx       Temperature correction     1.07     θdx       Settling velocity     1     m/d     Vx	Setting velocity	0 236	m/d	Vat
Decay     0.8     /d     k <sub>dx</sub> Temperature correction     1.07     θ <sub>dx</sub> Settling velocity     1     m/d     v <sub>x</sub>	Pathogens	0.200	ini/G	• at
Temperature correction     1.07     θdx       Settling velocity     1     m/d     vx	Decay	0.8	/d	k.
Setting velocity         1         m/d         v <sub>x</sub>	Temperature correction	1 07	,u	A .
	Settling velocity	1.07	m/d	v dx
PH	PH	•	in/u	¥ <sub>X</sub>
Partial pressure of carbon dioxide 347 ppm Part	Partial pressure of carbon dioxide	347	nnm	Para

#### 2.2.4 Boundary Conditions and Point Sources

The QUAL2K model uses various data groups to define model boundary conditions. It uses the headwater data group to define upstream boundary conditions of the model domain. Downstream boundary conditions can be defined by the user, or computed internally. The point source data group defines the condition of point source discharges from facilities or small tributaries that enter simulated stream segments.

Headwater conditions for the Ventura River QUAL2K Model were characterized by using water quality monitoring data collected by UCSB at Station 12 (downstream of Matilija Dam), and flow data compiled as part of the Ventura River Hyrdology Model (Tertatech, 2008), which are shown in Table 2.3 for the years of 2006 through 2010 and the TMDL scenarios. Tributaries were modeled as point sources based on water quality data from North Folk Matilija Creek, Matilija Creek, San Antonio Creek and Cañada Larga. Water released from Casitas into Coyote Creek downstream from Casitas Dam is negligible. Thus, Coyote Creek was not considered a point source to the Ventura River.

Annual mean concentrations were determined for all stations in the model and were used as calibration points for the model. Annual means were determined for the applicable monitoring periods during the April-October sampling months. Mean concentrations over the period were used along with mean flows to calibrate the model for annual dry conditions. Dry season (April - October) mean concentrations were then used as the inputs for simulations in critical summer conditions using the rates from the calibrated mean conditions model. The option of internally calculating downstream boundary conditions was selected for development of the Ventura River QUAL2K Model.

					ei Sileu	
Headwater Water Quality	Units	2006	2007	2008	2010	TMDL
Headwater Flow	m3/s	3.51	0.254	0.305	0.56	1.03
Prescribed downstream boundary		NO	NO	NO	NO	NO
Temperature	С	24.7	24.7	24.7	24.7	24.7
Conductivity	umhos	862	862	862	862	862
Inorganic Solids	mgD/L	NA	NA	NA	NA	NA
Dissolved Oxygen	mg/L	9.94	9.94	9.94	9.94	9.94
CBOD slow	mgO2/L	NA	NA	NA	NA	NA
CBOD fast	mgO2/L	NA	NA	NA	NA	NA
Dissolved Organic Nitrogen*	ugN/L	74.2	74.2	74.2	74.2	23.6
NH4-Nitrogen*	ugN/L	9.97	9.97	9.97	9.97	0.48
NO3-Nitrogen*	ugN/L	10.0	10.0	5.1	5.1	24.08
Dissolved Organic Phosphorus*	ugP/L	38.1	38.1	38.1	38.1	1.09
Inorganic Phosphorus (SRP)*	ugP/L	12.0	5.0	4.9	4.9	5.70
Phytoplankton	ugP/L	NA	NA	NA	NA	NA
Detritus (POM)	ugA/L	NA	NA	NA	NA	NA
Pathogen	mgD/L	NA	NA	NA	NA	NA
Alkalinity*	mgCaCO3/L	100	100	100	100	100
pH*		8.09	8.09	8.09	8.09	8.09

\*Cited from University of California at Santa Barbara (UCSB) 2009 Report and Santa Barbara Channel Keeper monitoring data (2001 through 2008).

## 2.2.5 Diffuse Sources

The diffuse sources data group defines the condition of uniformly distributed flow over the entire length of the model reach. The uniformly distributed flow could be groundwater inflow and/or distributed surface runoff that is assumed constant over time. Concentrations of nutrients in the inflow were estimated by starting with headwater concentrations and adjusting them as necessary to account for the effect of groundwater input.

The presence of a large number of residential septic tanks in unsewered areas of the Ventura River watershed is perceived as a non-point source of nitrogen and phosphorus to shallow groundwater. Based on the assumption that there are 2131 septic tanks in area draining to the Ventura River and San Antonia Creek, and that residential households generate 200 gallons per day of septic tank influent with nutrient concentrations of 36 mg/L nitrogen and 6 mg/L phosphorus. For these septic systems, 32 percent of the nitrogen loads and 10 percent of the phosphorus loads were assumed to enter the surface water from groundwater. Using the above assumptions, the daily nitrogen and phosphorus loads entering the Ventura River through groundwater are estimated as 41 lb/day and 2.13 lb/day respectively.

# 3.0 Model Calibration and Validation

The overall model development process involves creation of a set of data that characterizes the physical aspects of the Ventura River and describes the flow and quality at the upstream end of the river and all the tributary inflows. The model was run and the model predictions were compared to a set of measured data describing the in-river water quality. The model was then calibrated by adjusting model parameters to better fit the model prediction to the measured data. Additional data sets of measured data were used then to validate the model to ensure that the model can predict real situations in a reliable manner.

The data requirements for the QUAL2K model for one simulation include flow, water quality, and meteorological data. Data are required for input to the model, as well as to be used for comparison with model output for calibration and validation purposes.

# 3.1 Model Calibration

The model was calibrated for a typical day in the dry season. Under low flow conditions, the concentration of nutrients would be higher, stream temperature would be higher, and dissolved oxygen concentrations would be lower. The

required set of flow and water quality sampling data for all measurements at all locations were not available for any single day. To best characterize typical dry conditions, a dataset was developed to create a full set of conditions representative of a typical dry day.

For a given site, the mean values of all measured data during the dry season for the period of record for a given constituent were calculated. In other words, the mean values of data were used as a measure of typical dry season conditions. Flow data were compiled as part of the Ventura River Hyrdology Model (Tertatech, 2008) and water quality data were obtained from Santa Barbara ChannelKeeper (monitoring data, 2001-2008) and University of California at Santa Barbara (UCSB) (monitoring data, 2008). This method was used to create representative water-quality measurements and concentrations for all inflow water sources to the modeled reach. The minimum and maximum measurements for the dry season from the period of record of the data were computed and used to define the expected range of conditions during the dry season. The minimum and maximum data were developed for comparison with the calibrated model output to provide visual bounds of expected water quality conditions. Meteorological conditions are represented by hourly data for air temperature, dew point temperature, wind speed, and cloud cover. Hourly meteorological conditions are required for QUAL2K simulations. These data, represented by hourly data for air temperature, dew point temperature, and wind speed, were developed from NOAA weather station data at Oxnard as shown in Figure 3.1. Twenty percent of sky is assumed as the cloud cover during a typical day.

Hydrology was the first model component calibrated because simulation of water quality relies heavily on flow prediction. The hydrology calibration involves a comparison of model results to flow observations at selected locations. The model results for flow rate and water depth along the Ventura River were compared with measured data collected by Regional Board staff on May 12, 2010 and presented in Figure 3.2 and Figure 3.3. The comparisons of model results with observed data for flow rate and water depth are fairly good.

To further calibrate the Ventura River QUAL2K model, flow and water quality conditions in dry weather (April and October) observed by UCSB during 2008 were compared with model predictions. The flow rate and water depth along the Ventura River reach were presented in Figure 3.4 and Figure 3.5.

Inputs for the headwaters and tributaries were based on available data. Waterquality data consisted of measures of water quality at the headwaters and all water inflow points. These data consisted of values of conductivity, pH, and concentrations of dissolved oxygen, nutrient species, phytoplankton, and alkalinity. The input loads used for the Ventura River QUAL2K Model calibration and validation are presented in Table 3.1. Several graphs for selected parameters obtained by the model are shown below. Figures 3.6 to 3.9 show model calibration results for various forms of nutrients, and benthic chlorophyll-a. Model calibration average results are presented as black lines. Dotted red lines represent minimum and maximum model results. Observed data at the monitoring sites are shown as symbols representing mean, maximum, and minimum values. The calibration results show that nitrate-nitrogen, total nitrogen, total phosphorus and benthic chlorophyll-a are calibrated reasonably well.

 Table 3.1 Loading Conditions of Point Sources in Ventura River

 Watershed during 2006-2008 for Calibration and Validation

2008										
	Flow	DO	Chlor-a	Org- N	NH4- N	NO2-N+ NO3-N	ΤN	Org- P	Inor- P	ТР
Station	cms	mg/L	mg/L	µg/L	μg/L	µg/L	μg/L	μg/L	μg/L	μg/L
San Antonio	0.08	11.74	NA	252	19.8	68.5	340	34	16.67	51
Canada Larga	0.093	4.98	NA	118	3.93	1.7	124	8.93	1.73	11
Ojai WWTP	0.090	11.74	NA	730	90	4160	4980	220	1210	1430

2007										
	Flow	DO	Chlor-a	Org- N	NH4- N	NO2-N+ NO3-N	TN	Org- P	Inor- P	ТР
Station	cms	mg/L	mg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
San Antonio	0.020	11.74	NA	252	19.8	20.0	292	34	18.0	52
Canada Larga	0.04	4.98	NA	118	3.93	1.7	124	8.93	1.73	11
Ojai WWTP	0.086	11.74	NA	760	300	5730	6790	790	1630	2420

2006										
	Flow	DO	Chlor-a	Org- N	NH4- N	NO2-N+ NO3-N	TN	Org- P	Inor- P	ТР
Station	cms	mg/L	mg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L	μg/L
San Antonio	0.59	11.74	NA	252	19.8	1950	2222	34	19.0	53
Canada Larga	0.052	4.98	NA	118	3.93	120	242	8.93	17.0	26
Ojai WWTP	0.100	11.74	NA	830	0	5670	6500	790	1870	2660

### 3.2 Model Validation

To ensure that the model can predict real situations in a reliable manner, additional data sets of measured data were then used to validate the model. Two data sets from 2006 and 2007 were used in the model validation. The model parameters used were the same as in the calibrated model and only different input point sources from tributaries were used as presented in Table 3.1.

Figures 3.10 to 3.13 show model validation results for flow rate and nitrate nitrogen. The model results show that flow rate and nitrate-nitrogen are validated reasonably well with observed data.

## 4.0 Establishment of Algae and Nutrient TMDLs for Ventura River

After completing model calibration and validation for hydrology and water quality, the model can be applied to the selected modeling scenarios. For the Ventura River algae and nutrient TMDLs, existing source loadings were modeled first and then a source reduction scenario was modeled for the purposed of assigning load and waste load allocations. The model was run with a 180-day accrual period.

## 4.1 Model Input Loadings

The major contributions of potential nutrient sources by order of significance in the Ventura River watershed for dry weather are summarized as follows:

- Ojai Valley Wastewater Treatment Plant discharge
- Animal waste from horse and cattle facilities
- Runoff from developed urban areas
- Agricultural discharge
- Onsite wastewater treatment and septic system discharges
- Runoff from undeveloped natural areas
- Atmospheric deposition

The annual loads of total nitrogen and total phosphorus for these sources were estimated in detail in the Source Assessment section of the Staff Report and summarized as shown in Table 4.1. For the existing condition in the Ventura River watershed, total annual loads of nutrients from these sources required by the nutrient model for each subwatershed and two tributaries (San Antonio Creek and Cañada Larga) were estimated in the Sources Assessment section of the Staff Report as well and presented in Table 4.2. The total nitrogen concentration and total phosphorus concentration for treated Ojai WWTP effluent were estimated as 5.86 mg/L and 1.38 mg/L, respectively, based on the effluent data of 2000 through 2012. For the reduction scenario, the loads of total nitrogen and total phosphorus in each subwatershed were estimated as shown in Table 4.3.

Source Type	Flow	Total Nitrogen	Total Phosphorus
	(cfs)	Mass (Ib/year)	Mass (Ib/year)
Dry weather runoff from undeveloped area	11.68	6879	1042
Ojai Valley WWTP	3.25	33984	8030
Animal waste from horse and cattle	NA	19860	4700
Septic systems	0.66	14955	779
Agriculture	1.24	10389	41
Dry weather urban runoff	3.46	18480	172
Runoff from Caltrans	NA	701	70
Atmospheric deposition	NA	641	50
Total	20.29	105889	14884

Table 4.1 Summary of Total Nitrogen (TN) and Total Phosphorus (TP) Loads for Dry Weather in Ventura River Watershed

Table 4.2 Summary of Total Nitrogen (TN) and Total Phosphorus (TP) Loads for Existing Scenario in each Subwatershed

Subwatershed	Flow	Total Nitrogen	Total Phosphorus
	(cfs)	Mass (Ib/year)	Mass (Ib/year)
Upper Watershed	36.38	3122	440
Reach 4	0.78	9664	438
Reach 3	0.42	5267	799
Lower Watershed	0.42	11085	923
San Antonio Creek	6.00	17172	1628
Canada Larga Creek	2.47	9999	1796
Ojai Valley WWTP	3.25	33984	8030

Table 4.3 Summary of Total Nitrogen (TN) and Total Phosphorus (TP) Loads
for Reduction Scenario in each Subwatershed

Subwatershed	Flow	Total Nitrogen	Total Phosphorus
	(cfs)	Mass (Ib/year)	Mass (Ib/year)
Upper Watershed	36.38	3006	439
Reach 4	0.78	4569	135
Reach 3	0.42	1307	73
Lower Watershed	0.42	4205	129
San Antonio Creek	6.00	6795	324
Canada Larga Creek	2.47	1981	152
Ojai Valley WWTP	3.25	17397	5799

Nitrogen and phosphorus loads from undeveloped runoff, urban runoff, and animal waste from horses/livestock are grouped into six sub-watersheds, which are the Upper Watershed, San Antonio Creek Watershed, Cañada Larga Watershed, Reach 4 Watershed, Reach 3 Watershed and Lower Watershed. These nutrient loads from six sub-watersheds are incorporated as discharges to the Ventura River as point source inputs in the QUAL2K model.

The nutrient loads from agriculture and septic tank systems are modeled as diffuse sources (line sources) and distributed to adjacent stream reaches. For agriculture loads, the diffuse segments start from the headwater to Cañada Larga. The diffuse segments for septic tank systems start from two miles upstream of San Antonio Creek to Foster Park.

## 4.2 Model Results

A source reduction scenario was developed for nutrient loads from point sources and nonpoint sources in order to reach numeric targets based on a reduction in existing loads. The values presented in Table 4.2 and in Table 4.3 were used to evaluate the water quality in the Ventura River for existing and reduction scenarios simulated by the QUAL2K model.

To compare the model results for the existing and reduction scenarios, the nutrient concentrations along the River are presented after a long term simulation for the dry-weather condition. The modeled nitrate and phosphate concentrations along the River are presented in Figure 4.1 and Figure 4.2, respectively. The maximum and minimum nitrate and phosphate concentrations of measured data between 2006 and 2008 are shown in theses figures. Comparison of model results with the available stream measured data at various locations in the watershed demonstrates that the highest concentration for nitrate and phosphorus constituents along the Ventura River is located at downstream of Ojai WWTP discharge location.

The predicted concentrations of total nitrogen and total phosphorus along the River for the existing and reduction scenarios are presented in Figure 4.3 and Figure 4.4, respectively.

The relationship between chlorophyll a and total nitrogen concentration is established and presented in Figure 4.5 by using the model results and available measured data. It can be seen that for chlorophyll a of 150 mg/m<sup>2</sup>, the total nitrogen concentration is 1.15 mg/L. Similarly, the relationship between chlorophyll a and total phosphorus is presented in Figure 4.6 and the corresponding total phosphorus concentration for chlorophyll a of 150 mg/m<sup>2</sup> is 0.067 mg/L.

It can be seen from Figures 4.3 and 4.4 that the existing condition of source inputs cannot meet the required total nitrogen and total phosphorus concentrations for the length of the river between Foster Park and Shell Road and between Stanley Drain and Main Street. However, the modeled results for the reduction scenario showed that the required concentrations can be met all along the Ventura River.

#### 4.3 Model Prediction for the Estuary

To calculate nutrient concentrations in Ventura River Estuary for the specified nutrient loading from the upstream watershed, the California Nutrient Endpoints (NNE) BATHTUB spreadsheet model (version 13) is used. The input parameters of the NNE BATHTUB spreadsheet model are listed in Table 4.4.

Input Parameters	Values	Remark
Lake volume	0.058877 x 10 <sup>6</sup> m <sup>3</sup>	surface area x average depth
Surface area	52602 m <sup>2</sup>	Estimated based on remote sensing
		imagery
Average depth	1.12 m	Estimated based on measured data
Mixed depth	0.90 m	80 % of average depth
Net evap-precip rate	63 in/year	Gage data
Secchi depth at typical Chl-a	0.5 m	Field data
Typical Chl-a	9.2 ug/L	Field data
P load	932 kg	See Staff Report
N load	7250 kg	See Staff Report
Ortho P load	954 kg	See Staff Report
Inorg N load	4388 kg	See Staff Report
Inflow	6.56 hm <sup>3</sup>	See Staff Report

 Table 4.4 - Input Information for California BATHTUB Spreadsheet Model

The predicted growing season water quality concentrations for total nitrogen, total phosphorus, average chlorophyll a, and median secchi depth are presented in Figure 4.7. It can be seen that the concentration of total nitrogen in Ventura River Estuary is estimated to be 1.06 mg/L, which is close to the value of 1.18 mg/L in the river mouth as shown in Figure 4.3 predicted by QUAL2K model.

## 5.0 Summary

A nutrient model using the QUAL2K framework has been developed and calibrated and validated through comparisons with measured data for the Ventura River watershed. The calibration results show that the model predicts reasonably well for nitrate-nitrogen, total nitrogen, total phosphorus and benthic chlorophyll-a using data from 2008. In addition, the model was validated reasonably well for flow rate and nitrate-nitrogen using data sets from 2006 and 2007.

After completing model calibration and validation for hydrology and water quality, the model was applied to the selected modeling scenarios including the existing condition. The modeled results for the existing and load reduction scenarios demonstrated that the current loadings from Ojai WWTP and other sources should be reduced by at least half of the existing loads so that the required concentrations of of 1.15 mg/L total nitrogen and 0.067 mg/L total phosphorus can be met.

The relationship between chlorophyll a and total nitrogen and total phosphorus are established based on the model results and observed data. If a chlorophyll a value of 150 mg/m<sup>2</sup> is selected as a numeric target, the total nitrogen and total phosphorus concentrations are found to be 1.15 mg/L and 0.067 mg/L from these relationships.

# 6.0 References

- 1. "Source Assessment Report: Nitrogen and Phosphorus in the Ventura River Watershed", prepared by Larry Walker Associates, prepared for Ojai Valley Sanitary District, August 2009.
- "An Assessment of Numeric Algal and Nutrient Targets for Ventura River Watershed Nutrient Total Maximum Daily Loads (TMDLs)", Final Report, prepared by University of California, Santa Barbara, prepared for Los Angeles Regional Water Quality Control Board, May 2009.
- 3. "Baseline Model Calibration and Validation Report, Ventura River Watershed Hydrology Model", prepared by Tetra Tech, prepared for Ventura County Watershed Protection District, April 2009.
- 4. "Data Summary Report, Ventura River Watershed Hydrology Model", prepared by Tetra Tech, prepared for Ventura County Watershed Protection District, June 2008.
- 5. "Hydrology, Hydraulics, and Sediment Studies for the Matilija dam Ecosystem Restoration Project, Ventura, California", Draft Report, U.S. Department of the Interior Bureau of Reclamation, November 2006.

- "QUAL2K: A Modeling Framework for Simulating River and Stream Water Quality: Documentation and Users Manual." S.C.Chapra and G.J Pelletier. 2003.Civil and Environmental Engineering Dept., Tufts University, Medford, MA.
- 7. "Ventura River Flows and Estuary Conditions" Final Report prepared by Tetra Tech, prepared for U.S. EPA Region IX, June 22, 2012.



Figure 2.1 Map of Ventura River watershed and model segmentations







Figure 3.1 Air temperature, dewpoint temperature and wind speed data at Oxnard used in the Ventura River model



Figure 3.2.Comparison of calculated flow rate with observed data in 2010 for model calibration



Figure 3.3.Comparison of calculated water depth with observed data in 2010 for model calibration



Figure 3.4.Comparison of calculated flow rate with observed data in 2008 for model calibration



Figure 3.5.Comparison of calculated water depth with observed data in 2008 for model calibration



Figure 3.6.Comparison of calculated nitrate nitrogen with observed data in 2008 for model calibration



Figure 3.7.Comparison of calculated Benthic Algae with observed data in 2008 for model calibration



Figure 3.8.Comparison of calculated total nitrogen with observed data in 2008 for model calibration



Figure 3.9.Comparison of calculated total phosphorus with observed data in 2008 for model calibration







Figure 3.11 Comparison of calculated nitrate nitrogen with observed data in 2007 for model validation



Figure 3.12 Comparison of calculated flow rate with observed data in 2006 for model validation



Figure 3.13 Comparison of calculated Nitrate Nitrogen with observed data in 2006 for model validation



Figure 4.1 Nitrate concentrations along the Ventura River for different modeling scenarios in the periods of 2006 through 2008.



Figure 4.2 Phosphate concentrations along the Ventura River for different modeling scenarios in the periods of 2006 through 2008.



Figure 4.3 Total nitrogen concentrations along the Ventura River for different modeling scenarios.



Figure 4.4 Total phosphorus concentrations along the Ventura River for different modeling scenarios.



Figure 4.5 Relationship between chlorophyll a and total nitrogen concentrations in the Ventura River.



Figure 4.6 Relationship between chlorophyll a and total phosphorus concentrations in the Ventura River.



Figure 4.7 Predicted total nitrogen and total phosphorus concentrations induced by the loads entering into the Estuary from upstream of Ventura River Watershed by using NNE BATHTUB Spreadsheet Model.