

Los Angeles Regional Water Quality Control Board

Mr. Mondher Saied
City of Hermosa Beach, Public Works
1315 Valley Drive
Hermosa Beach, CA 90254

VIA CERTIFIED MAIL
RETURN RECEIPT REQUESTED
No. 7008 1140 0002 8671 8373

WATER QUALITY CERTIFICATION FOR PROPOSED HERMOSA BEACH PIER REPAIRS PROJECT, PACIFIC OCEAN, CITY OF HERMOSA BEACH, LOS ANGELES COUNTY (File No. 12-090)

Dear Mr. Saied:

Board staff has reviewed your request on behalf of City of Hermosa Beach, Public Works (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on September 12, 2012.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

Please read this entire document carefully. The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo, Lead, Section 401 Program, at (213) 576-6759.



Samuel Unger, P.E.
Executive Officer

Oct. 3, 2012
Date

DISTRIBUTION LIST

TranSystems Corporations (via electronic copy)
Gilbert Conn
505 14th St./Suite 1000
Oakland, CA 94612

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Daniel Swenson (via electronic copy)
U.S. Army Corps of Engineers
Regulatory Branch, Los Angeles District
P.O. Box 532711
Los Angeles, CA 90053-2325

Paul Amato (via electronic copy)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Jim Bartel (via electronic copy)
U.S. Fish and Wildlife Service
6010 Hidden Valley Road
Carlsbad, CA 92009

ATTACHMENT A

Project Information
File No. 12-090

1. Applicant: Mondher Saied
City of Hermosa Beach, Public Works
1315 Valley Drive
Hermosa Beach, CA 90254
Phone: (310) 318-0211 Fax: (310) 937-5015
2. Applicant's Agent TranSystems Corporation
Gilbert Conn
505 14th Street, Suite 1000
Oakland, CA 94612
3. Project Name: Hermosa Beach Pier Repairs
4. Project Location: Hermosa Beach Pier, Los Angeles County

<u>Latitude</u>	<u>Longitude</u>
33.8617	118.4019
33.8611	118.4054
33.8611	118.4053
33.8610	118.4056
33.8612	118.4056
33.8612	118.4054
33.8612	118.4054
33.8618	118.4019

5. Type of Project: Beach Pier Repair
6. Project Purpose: The purpose of this proposed project is to make the necessary repairs in order to maintain a safe pier for recreational use by the public, and to avoid the possibility of more extensive repairs in the future that could require pier closure.

7. Project Description: There are two types of repairs proposed for this project: repairs to six spalled pier pilings; and removal of one broken concrete pier deck panel, with construction of a new concrete deck panel in its place.

Piling repairs to five piling will consist of installation of fiberglass jackets filled with grout and mortar. The five piling repair locations are above the Mean High Tide line and can be repaired in dry conditions. One of the concrete pilings to be repaired at Bent 16

ATTACHMENT A

Project Information

File No. 12-090

will require in-water repair by divers. The existing broken concrete deck panel to be replaced is approximately 1.5-feet thick by 5-feet wide, by approximately 32-feet long.

Work from the pier will employ the use of scaffolding, a boom crane, debris netting, and floating debris booms, where necessary. Repairs have the potential to impact water quality from debris and repair materials inadvertently entering the water.

The proposed construction will begin on January 7, 2013, within approximately 45 working days. The project is to be completed on February 21, 2013. The total project area is within 0.004 acres.

In addition, *Caulerpa* and eelgrass surveys will be conducted within a 30-day period prior to project construction, in compliance with Condition No. 15 (see Attachment B).

- | | |
|--|--|
| 8. Federal Agency/Permit: | U.S. Army Corps of Engineers
NWP No. 3 |
| 9. Other Required
Regulatory Approvals: | California Coastal Commission
Coastal Development Permit or Waiver of Coastal Development
Permit |
| 10. California
Environmental Quality
Act Compliance: | The proposed project is Categorical Exempt from CEQA
pursuant to the CEQA Guidelines, Section 15302 Replacement or
Reconstruction. |
| 11. Receiving Water: | Hermosa Beach, Pacific Ocean (Hydrologic Unit No. 405.12) |
| 12. Designated Beneficial
Uses: | IND, NAV, REC-1, REC-2, COMM, MAR, WILD, RARE, MIGR,
SPWN, SHELL |
| 13. Impacted Waters of the
United States: | Ocean: 0.004 permanent acres |
| 14. Dredge Volume: | None |

ATTACHMENT A

Project Information File No. 12-090

15. Related Projects Implemented/to be Implemented by the Applicant: The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.
16. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
- Floating debris booms will be used at work sites, where applicable.
 - Plastic tarp or netting will be used to capture any falling debris.
 - Work areas will be fenced in to protect the public from construction work, where applicable.
 - Temporary enclosures will be used to reduce airborne debris from escaping the work locations, as necessary.
 - Construction equipment will be staged and utilized from the pier, away from water areas, as feasible.
 - On especially windy days, construction will be monitored to avoid debris and materials from entering the water.
 - Mixing of any adhesives and other chemical coating products will occur away from water areas.
 - In-water work for the one 16-inch piling, and shoreline work for the five other concrete piling will be performed during low tides, as feasible, with debris booms surrounding work areas.
 - Subsequent to the repair of piling utilizing fiberglass jackets, inspection for breakage and/or deterioration of fiberglass will be performed every year, in conjunction with normal inspection of the pier by the City.
17. Proposed Compensatory Mitigation: The Applicant has not proposed any additional compensatory mitigation.
18. Required Compensatory Mitigation: The Regional Board will not require any additional compensatory mitigation due to the small size of the project (0.004 acres).
- See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 12-090

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Game's (CDFG) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFG's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.
5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, the approved plan and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

ATTACHMENT B

Conditions of Certification

File No. 12-090

6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact the Land Disposal Unit at the Regional Board for further information regarding the disposal of solid wastes.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
12. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
13. All project activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading,

ATTACHMENT B

Conditions of Certification

File No. 12-090

as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.

14. Ocean water quality monitoring shall be performed by the Applicant. A Water Quality Monitoring Plan shall be submitted prior to any project construction activities. Baseline sampling may be conducted at one location within the project boundary. Monitoring for the following shall be included:

- pH
- temperature
- dissolved oxygen
- turbidity
- total suspended solids(TSS)
- visual assessment for floating particulates (oil and grease shall not be visible)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to project commencement (baseline sampling) and then monitored on a daily basis during the first week of construction, and then on a weekly basis, thereafter, until the work is complete. Monitoring shall ensure compliance with all water quality objectives specified in the 2005 Ocean Plan.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Construction activities shall not result in the degradation of beneficial uses or non-compliance of any water quality objectives. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

15. Pre-and-post construction surveys for eelgrass and invasive *caulerpa taxifolia* ("Caulerpa") shall be in accordance with the most recent National Marine Fisheries Service *Caulerpa* Control Protocol and the Southern California Eelgrass Mitigation Policy, as well as construction-period water quality monitoring to ensure that water quality is being maintained during the construction period.
16. The Applicant shall restore **all areas** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.
17. The Applicant shall submit to this Regional Board a Final Project **Monitoring Report** (Final Report) by **January 1st** of the year following project completion. The Annual Reports shall describe in detail all of the project/construction activities performed during the

ATTACHMENT B

Conditions of Certification File No. 12-090

previous year and all restoration efforts. At a minimum the Annual Reports shall include the following documentation:

- (a) Color photo documentation before, during and after project construction.
 - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project areas;
 - (c) The overall status of project including a detailed schedule of work;
 - (d) Copies of all permits revised as required in Additional Condition 1;
 - (e) Water quality monitoring results (as required) compiled in an easy to interpret format;
 - (f) A certified Statement of "no net loss" of wetlands associated with this project;
 - (g) Discussion of any monitoring activities and exotic plant control efforts; and
 - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
18. Prior to any subsequent maintenance activities within the subject drainages/basin, including clearing, maintenance by-hand, and/or the application of pesticides, the Applicant shall submit to this Regional Board a NOTIFICATION of any such activity. Notification shall include: (a) the proposed schedule; (b) a description of the drainage's/basin's existing condition/capacity; (c) the area of proposed temporary impact within waters of the State; (d) a description of any existing aquatic resources (e.g., wetland/riparian vegetation); and (e) any proposed compensatory mitigation. Notifications must be submitted a minimum of **three (3) weeks** prior to commencing work activities.
19. All applications, reports, or information submitted to the Regional Board shall be signed:
- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.

ATTACHMENT B

Conditions of Certification
File No. 12-090

20. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

"I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the _____ day of _____ at _____.

(Signature)
(Title)"

21. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **12-090**. Submittals shall be sent to the attention of the 401 Certification Unit.
22. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
23. The project shall comply with the local regulations associated with the Regional Board's **Municipal Stormwater Permit** issued to Los Angeles County and co-permittees under NPDES No. CAS004001 and Waste Discharge Requirements Order No. 01-182. This includes the Standard Urban Storm Water Mitigation Plan (SUSMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 2009-009-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.
24. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
25. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant

ATTACHMENT B

Conditions of Certification

File No. 12-090

becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.

26. *Enforcement:*

- (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.

27. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.

