

[ADDITIONS ARE UNDERLINED;
DELETIONS ARE IN STRIKE THROUGH FORMAT]

Redondo Beach, Rolling Hills, Rolling Hills Estates, Rosemead, San Dimas, San Fernando, San Gabriel, San Marino, Santa Clarita, Santa Fe Springs, Santa Monica, Sierra Madre, Signal Hill, South El Monte, South Gate, South Pasadena, Temple City, Torrance, Vernon, Walnut, West Covina, West Hollywood, Westlake Village, and Whittier, in order to meet the provisions contained in Division 7 of the CWC and regulations adopted thereunder, and the provisions of the CWA, as amended, and regulations and guidelines adopted thereunder, shall comply with the following:

Part 1. DISCHARGE PROHIBITIONS

Part 1. A. The Permittees shall effectively prohibit non-storm water discharges into the MS4 and watercourses, except where such discharges:

1. Are covered by a separate individual or general NPDES permit for non-storm water discharges; or
2. Fall within one of the categories below, and meet all conditions when specified by the Regional Board Executive Officer:
 - a) Category A - Natural flow:
 - (1) Natural springs and rising ground water;
 - (2) Flows from riparian habitats or wetlands;
 - (3) Stream diversions, permitted by the State Board; and
 - (4) Uncontaminated ground water infiltration [as defined by 40 CFR 35.2005(20)].
 - b) Category B - Flows from emergency fire fighting activity.
 - c) Category C - Flows incidental to urban activities:
 - (1) Reclaimed and potable landscape irrigation runoff;
 - (2) Potable drinking water supply and distribution system releases (consistent with American Water Works Association guidelines for dechlorination and suspended solids reduction practices);
 - (3) Drains for foundations, footings, and crawl spaces;
 - (4) Air conditioning condensate;
 - (5) Dechlorinated/debrominated swimming pool discharges;
 - (6) Dewatering of lakes and decorative fountains;

**T
E
N
T
A
T
I
V
E**

[ADDITIONS ARE UNDERLINED;
DELETIONS ARE IN STRIKE THROUGH FORMAT]

- (7) Non-commercial car washing by residents or by non-profit organizations; and
- (8) Sidewalk rinsing.

The Regional Board Executive Officer may add or remove categories of non-storm water discharges above. Furthermore, in the event that any of the above categories of non-storm water discharges are determined to be a source of pollutants by the Regional Board Executive Officer, the discharge will no longer be exempt from this prohibition unless the Permittee implements conditions approved by the Regional Board Executive Officer to ensure that the discharge is not a source of pollutants. Notwithstanding the above, the Regional Board Executive Officer may impose additional prohibitions of non-storm water discharges in consideration of antidegradation policies and TMDLs.

Part 1. B. Discharges of Summer Dry Weather¹ flows from MS4s into Santa Monica Bay² that cause or contribute to exceedances of the bacteria Receiving Water Limitations in Part 2.5 below are prohibited.³

Part 2. RECEIVING WATER LIMITATIONS

1. Discharges from the MS4 that cause or contribute to the violation of Water Quality Standards or water quality objectives are prohibited.
2. Discharges from the MS4 of storm water, or non-storm water, for which a Permittee is responsible for, shall not cause or contribute to a condition of nuisance.
3. The Permittees shall comply with Part 2.1. and 2.2. through timely implementation of control measures and other actions to reduce pollutants in the discharges in accordance with the SQMP and its components and other requirements of this Order including any modifications. The SQMP and its components shall be designed to achieve compliance with receiving water limitations. If exceedances of Water Quality Objectives or Water Quality Standards (collectively, Water Quality Standards) persist, notwithstanding implementation of the SQMP and its components and other requirements of this permit, the Permittee

¹ Dry Weather shall be determined as set forth in the Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan dated April 7, 2004, or any amendments thereto.

² Santa Monica Bay encompasses the coastal waters from Point Dume to Point Fermin and seaward to the 500-meter depth contour. It includes all beaches from the Los Angeles/Ventura County line south to the Outer Cabrillo Beach located just south of the Palos Verdes Peninsula.

³ Responsibility for such prohibited discharges is determined as indicated in Table 7-4.1 of the Basin Plan. All Permittees within a subwatershed of the Santa Monica Bay Watershed Management Area are jointly responsible for compliance with the limitations imposed therein.

[ADDITIONS ARE UNDERLINED;
DELETIONS ARE IN STRIKE THROUGH FORMAT]

shall assure compliance with discharge prohibitions and receiving water limitations by complying with the following procedure:

- a) Upon a determination by either the Permittee or the Regional Board that discharges are causing or contributing to an exceedance of an applicable Water Quality Standard, the Permittee shall promptly notify and thereafter submit a Receiving Water Limitations (RWL) Compliance Report (as described in the Program Reporting Requirements, Section I of the Monitoring and Reporting Program) to the Regional Board that describes BMPs that are currently being implemented and additional BMPs that will be implemented to prevent or reduce any pollutants that are causing or contributing to the exceedances of Water Quality Standards. This RWL Compliance Report may be incorporated in the annual Storm Water Report and Assessment unless the Regional Board directs an earlier submittal. The RWL Compliance Report shall include an implementation schedule. The Regional Board may require modifications to the RWL Compliance Report.
 - b) Submit any modifications to the RWL Compliance Report required by the Regional Board within 30 days of notification.
 - c) Within 30 days following the approval of the RWL Compliance Report, the Permittee shall revise the SQMP and its components and monitoring program to incorporate the approved modified BMPs that have been and will be implemented, an implementation schedule, and any additional monitoring required.
 - d) Implement the revised SQMP and its components and monitoring program according to the approved schedule.
4. So long as the Permittee has complied with the procedures set forth above and is implementing the revised SQMP and its components, the Permittee does not have to repeat the same procedure for continuing or recurring exceedances of the same receiving water limitations unless directed by the Regional Board to develop additional BMPs.
5. During Summer Dry Weather there shall be no discharges of bacteria from MS4s into the Santa Monica Bay that cause or contribute to exceedances in the Wave Wash⁴, of the applicable bacteria objectives. The applicable bacteria objectives include both the single sample and geometric mean bacteria objectives set to protect the Water Contact Recreation (REC-1) beneficial use, as set forth in the Basin Plan.

⁴ Samples collected for determining compliance with the receiving water limitations of Part 2.5 shall be processed in accordance with the sampling procedures and analytical methodology set forth in the *Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan* dated April 7, 2004.

[ADDITIONS ARE UNDERLINED;
DELETIONS ARE IN STRIKE THROUGH FORMAT]

Part 3. STORM WATER QUALITY MANAGEMENT PROGRAM
(SQMP) IMPLEMENTATION

A. General Requirements

- 1. Each Permittee shall, at a minimum, implement the SQMP. The SQMP is an enforceable element of this Order. The SQMP shall be implemented no later than February 1, 2002, unless a later date has been specified for a particular provision in this Order.
- 2. The SQMP shall, at a minimum, comply with the applicable storm water program requirements of 40 CFR 122.26(d)(2). The SQMP and its components shall be implemented so as to reduce the discharges of pollutants in storm water to the MEP.
- 3. Each Permittee shall implement additional controls, where necessary, to reduce the discharges of pollutants in storm water to the MEP.
- 4. Permittees that modify the countywide SQMP (i.e., implement additional controls, implement different controls than described in the countywide SQMP, or determine that certain BMPs in the countywide SQMP are not applicable in the area under its jurisdiction), shall develop a local SQMP, no later than August 1, 2002. The local SQMP shall be customized to reflect the conditions in the area under the Permittee's jurisdiction and shall specify activities being implemented under the appropriate elements described in the countywide SQMP.

B. Best Management Practice Implementation

The Permittees shall implement or require the implementation of the most effective combination of BMPs for storm water/urban runoff pollution control. When implemented, BMPs are intended to result in the reduction of pollutants in storm water to the MEP.

C. Revision of the Storm Water Quality Management Program

The Permittees shall revise the SQMP, at the direction of the Regional Board Executive Officer, to incorporate program implementation amendments so as to comply with regional, watershed specific requirements, and/or waste load

T
E
N
T
A
T
I
V
E

[PERMIT LANGUAGE CONTINUES AS ADOPTED IN ORDER 01-182]