

California Regional Water Quality Control Board
North Coast Region

Order No. R1-2013-0002

Rescission of Waste Discharge Requirements

For

Clos du Bois Wines, Inc.

Order No. 98-102, WDID No. 1B90025RSON
Sonoma County

Seghesio Wineries, Inc.

Order No. 99-066, WDID No. 1B801260SON
Sonoma County

Hartford Court Winery

Order No. 97-025, WDID No. 1B96005RSON
Sonoma County

Sonoma-Cutrer Vineyards

Order No. 96-45, WDID No. 1B811520SON
Sonoma County

Matanzas Creek Winery

Order No. 96-036, WDID No. 1B780030SON
Sonoma County

E. & J. Gallo Winery dba Frei Brothers

Order No. 85-136, WDID No. 1B791540SON
Sonoma County

De Loach Vineyards 2120 Crush Facility

Order No. R1-2000-46, WDID No. 1B98079RSON
Sonoma County

Graton Land Company

Order No. 95-17, WDID No. 1B801240SON
Sonoma County

J. Pedroncelli Winery

Order No. 89-17, WDID No. 1B831010SON
Sonoma County

Fritz Cellars

Order No. 87-28, WDID No. 1B791990SON
Sonoma County

Wine World Inc. dba Chateau Souverain
Order No. 87-60, WDID No. 1B762130SON
Sonoma County

Guild Wineries and Distilleries dba Cresta Blanca Vineyards
Order No. 86-110, WDID No. 1B790810MEN
Mendocino County

The California Regional Water Quality Control Board, North Coast Region (Regional Water Board) finds that:

Industrial Waste Discharges

Clos du Bois Wines, Inc.

1. On September 24, 1998, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 98-102, requiring Clos du Bois Wines, Inc. to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility is now under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 98-102 are no longer needed for the protection of water quality.

Seghesio Wineries, Inc.

1. On September 23, 1999, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 99-066, requiring Seghesio Wineries, Inc. to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility is now under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 99-066 are no longer needed for the protection of water quality.

Hartford Court Winery

1. On March 27, 1997, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 97-025, requiring Hartford Court Winery to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility is now under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 97-025 are no longer needed for the protection of water quality.

Sonoma-Cutrer Vineyards

1. On June 27, 1996, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 96-045, requiring Sonoma-Cutrer Vineyards to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility is now under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 96-045 are no longer needed for the protection of water quality.

Matanzas Creek Winery

1. On June 27, 1996, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 96-036, requiring Matanzas Creek Winery to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility is now under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 96-036 are no longer needed for the protection of water quality.

E. & J. Gallo Winery dba Frei Brothers

1. On October 23, 1985, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 85-136, requiring E. & J. Gallo Winery dba Frei Brothers to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility is now under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 85-136 are no longer needed for the protection of water quality.

De Loach Vineyards 2120 Crush Facility

1. On June 22, 2000, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. R1-2000-46, requiring De Loach Vineyards 2120 Crush Facility to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility has been sold to Aubergine LLC dba Sonoma Wine Company – Olivet facility and is under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 2000-46 are no longer needed for the protection of water quality.

Graton Land Company

1. On March 23, 1995, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 95-17, requiring Graton Land Company to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility has been sold to Purple Wine Real Estate dba Sonoma Wine Company, LLC – Graton facility, and is under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 95-17 are no longer needed for the protection of water quality.

J. Pedroncelli Winery

1. On February 22, 1989, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 89-17, requiring J. Pedroncelli Winery to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility is now under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 89-17 are no longer needed for the protection of water quality.

Fritz Cellars

1. On March 26, 1987, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 87-28, requiring Fritz Cellars to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility is now under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 87-28 are no longer needed for the protection of water quality.

Wine World Inc. dba Chateau Souverain

1. On May 28, 1987, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 87-60, requiring Chateau Souverain to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility has been sold to Francis Coppola Winery, LLC and is under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 87-60 are no longer needed for the protection of water quality.

Guild Wineries and Distilleries dba Cresta Blanca Vineyards

1. On June 27, 1986, the North Coast Regional Water Quality Control Board adopted Individual Waste Discharge Requirements Order No. 86-110, requiring Cresta Blanca Vineyards to comply with discharge prohibitions and effluent limitations for the treatment and discharge of winery process wastewater. The facility has been sold to Constellation Brands U.S. Operations, Inc. dba Dunnewood Winery and is under General Waste Discharge Requirements for Discharges of Winery Waste to Land, Order No. R1-2002-0012. The requirements contained in Order 86-110 are no longer needed for the protection of water quality.

THEREFORE, IT IS HEREBY ORDERED that Waste Discharge Requirements Order Nos. 98-102, 99-066, 97-025, 96-45, 96-036, 85-136, 2000-46, 95-17, 89-17, 87-28, 87-60, 86-110 and associated Monitoring and Reporting Programs be rescinded.

CERTIFICATION

I, Matthias St. John, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, North Coast Region, on January 24, 2013.

Matthias St. John
Executive Officer