

NOTICE OF CONSIDERATION
OF COVERAGE UNDER
GENERAL WASTE DISCHARGE REQUIREMENTS
ORDER NO. R1-2004-0021

FOR

The Gas Station
240 Main Street (Highway 1)
Point Arena, CA
Mendocino County

Posting Date: **February 4, 2011**

Comment Period Ends: **March 7, 2011**

The California Regional Water Quality Control Board (Regional Water Board), North Coast Region, proposes to extend coverage under General Waste Discharge Requirements Order No. R1-2004-0021 (Order) for The Gas Station, 240 Main Street, Point Arena, California (Site). A release from the former underground gasoline storage tanks discharged petroleum hydrocarbons and associated chemicals to the subsurface that have impacted groundwater. As part of the approved remedial action plan, the discharger proposes to use X-19 micro-organisms to clean up petroleum hydrocarbons in the soil and groundwater. On May 12, 2004, the Regional Water Board adopted General Order No. R1-2004-0021 for the addition of nutrients, microorganisms, and/or an oxygen source to soils and/or groundwater. Therefore, all sites injecting nutrients, microorganisms, and/or oxygen must be covered under Order No. R1-2004-0021.

The discharger and/or other interested persons may call Bonnie Rolandelli at (707) 576-2667 or submit to the Regional Board office at 5550 Skylane Boulevard, Suite A, Santa Rosa, CA 95403, written comments, technical reports, testimony, and other material concerning this matter by 5:00 p.m. on March 7, 2011

The Order is available for review on the Regional Water Board web site at: http://water100.waterboards.ca.gov/rb1/adopted_orders. The Order, the site file, related documents and comments received are on file and may be inspected or copied at the Regional Water Board office Mondays through Fridays from 8:00 a.m. to 5:00 p.m.

Appointments are recommended for file review and can be made by calling (707) 576-2220. Coverage under Order No. R1-2004-0021 will be extended after March 7, 2011, unless the Executive Officer receives information that the project may not meet the intent of the Order.