

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
NORTH COAST REGION

NOTICE OF PROPOSED SETTLEMENT WITH  
HUMBOLDT REDWOOD COMPANY, LLC

FOR ALLEGED VIOLATIONS OF CLEANUP AND ABATEMENT  
ORDERS R1-2004-0028, R1-2006-0046, AND R1-2006-0055

WRITTEN COMMENTS DUE NO LATER THAN  
**5:00 P.M., November 15, 2010**

On or after December 9, 2010, the North Coast Regional Water Quality Control Board, (Regional Board) [Executive Officer, if delegated] will consider approval of a proposed settlement with the Humboldt Redwood Company, LLC to resolve alleged violations of Cleanup and Abatement Orders R1-2004-0028, R1-2006-0046, and R1-2006-0055. The Prosecution Team proposes that the Regional Board impose civil liability in the amount of \$330,000 for various violations of the Cleanup Orders, The Humboldt Redwood Company, LLC and the Prosecution Team have entered into a tentative settlement for these alleged violations, and have agreed to jointly seek the Regional Board's approval of that settlement through the adoption of a Stipulated Administrative Civil Liability Order. The proposed Order is available on the Regional Board's website at [www.waterboards.ca.gov/northcoast](http://www.waterboards.ca.gov/northcoast).

Persons may comment on the proposed settlement by submitting written comments so that they are received no later than 5:00 p.m. on **November 15, 2010**. Written comments should include "Humboldt Redwood Company, LLC; Proposed Stipulated Order" in the subject line, and should be submitted to the attention of Mark Alpert, North Coast Regional Water Quality Control Board, 5550 Skylane Blvd., Suite A, Santa Rosa Ca. 95403 or [MAlpert@waterboards.ca.gov](mailto:MAlpert@waterboards.ca.gov).

If the written material is more than five (5) pages or contains foldouts, maps, etc., twenty (20) copies must be submitted for distribution to the Regional Board members and staff, and for distribution to the public at the Regional Board meeting. E-mail comments on this matter will be accepted and provided to the Regional Board as long as the total submittal (including attachments) does not exceed five (5) printed pages in length.

If the Regional Board does not adopt the proposed Order, the matter may be scheduled for an evidentiary hearing at a subsequent Regional Water Board meeting. Please check the Regional Board's website for any updates on this matter.