

California North Coast Regional Water Quality Control Board
5550 Skylane Boulevard, Suite A
Santa Rosa, CA 95403
(707) 576-2220

Notice of Postponement of Public Hearing

For Regional Water Board Consideration of

Proposed Waste Discharge Requirements Order No. R1-2012-0063

For

CLOSURE OF THE
HUMBOLDT WASTE MANAGEMENT AUTHORITY
CUMMINGS ROAD CLASS III SOLID WASTE DISPOSAL SITE
WDID NO. 1B79133OHUM

Humboldt County

Humboldt Waste Management Authority (HWMA) has filed an application for revision of Waste Discharge Requirements (WDRs) for the final closure of the subject permitted waste management unit. Staff of the North Coast Regional Water Quality Control Board (Regional Water Board) prepared draft waste discharge requirements for this discharger containing limitations and provisions in accordance with title 27 California Code of Regulations and the California Porter-Cologne Water Quality Control Act.

Because numerous public comments were received, the hearing for this matter is being delayed in order to respond to comments and make any revisions to draft WDR. This item is tentatively scheduled for the January 2013 Board Meeting, and will be noticed and available for a second public comment period prior to the hearing.

Contact Gina Morrison at (707) 576-2501, or by e-mail at gina.morrison@waterboards.ca.gov if you have any questions on this matter, if you wish to be deleted from the interested parties list, or to change your contact information to accept notices via email.

Gina M. Morrison
Water Resource Control Engineer

August 14, 2012