

**California Regional Water Quality Control Board
North Coast Region**

Resolution No. R1-2015-0018

Attachment 2

**~~Strikeout~~ / Underline version of the proposed revisions to the
Section 3 of the Water Quality Control Plan for the North
Coast Region**

3. WATER QUALITY OBJECTIVES

3.1 INTRODUCTION

~~Water Code section 13241 provides that the California Water Code, Division 7, Chapter 4, Section 13241 specifies that each~~ Regional Water Quality Control Board (Regional Water Board) ~~shall~~ is responsible for establishing water quality objectives which, in the Regional Water Board's judgment, are necessary for the reasonable protection of the beneficial uses and for the prevention of nuisance.^{1, 2} Establishing objectives involves, first designating beneficial uses; and second selecting the water quality constituents or characteristics and limits or levels necessary to protect those beneficial uses. The beneficial uses of waters in the North Coast Region are described in Chapter 2 and include uses associated with aquatic life, ecological functioning, and human health and welfare. Existing and potential beneficial uses are designated for individual waterbodies in Table 2-1. Programs of implementation for achieving water quality objectives are contained within Chapter 4.

The Regional Water Board reviews the Basin Plan, including the water quality standards, every triennial review period to evaluate the need for appropriate modification, as described in Chapter 1. As part of the state's continuing planning process, data is collected and new or revised numeric water quality objectives are developed as sufficient information becomes available for the establishment of such objectives.

3.1.1 FEDERAL AND STATE LAW

The federal Clean Water Act (33 U.S.C. § 303) requires the State to submit to the Administrator of the U.S. Environmental Protection Agency for approval all new or revised water quality standards, which are established for surface and ocean waters that are waters of the United States. ~~Under federal terminology, water quality standards consist of the beneficial uses enumerated in Table 2-1 and the water quality objectives contained in this section~~ include designated uses (i.e., beneficial uses), water quality criteria (i.e., water quality objectives), and an antidegradation policy. The beneficial uses in Chapter 2 of this Basin Plan, the water quality objectives contained in this Chapter, and the *Statement of Policy with Respect to Maintaining High Quality Waters in California*, comprise water quality standards for purposes of the federal Clean Water Act.

The Porter-Cologne Water Quality Control Act requires the Regional Water Board to establish beneficial uses and water quality objectives for waters of the state.³ "Water quality objectives" means the limits or levels of water quality constituents or characteristics which are established for the reasonable protection of beneficial uses of water or the prevention of nuisance within a specific area.⁴ Other water quality objectives [e.g., taste and odor thresholds or other secondary Maximum Contaminant Levels (MCLs)] and policies (e.g., State Water Board Resolution No. 92-49 *Policies and Procedures for Investigation and Cleanup and Abatement of Discharges Under Water Code Section 13304*) may apply and may be more stringent. Where more than one objective exists for the same water quality parameter, the objective protective of the most sensitive beneficial use applies. The water quality objectives for ocean waters, inland surface waters, enclosed bays, and estuaries, and groundwaters contained herein are designed to satisfy all state and federal requirements.

~~As new information becomes available, the Regional Water Board will review the appropriateness of the objectives contained herein. These objectives will be subject to public hearing at least once during each three-year period following adoption of this Basin Plan to determine the need for review and modification as appropriate.~~

The quality of water is defined by the chemical, physical, biological, bacteriological, radiological, and other

¹ Wat. Code § 13241

² Wat. Code § 13050(m)

³ Waters of the state are any surface water or groundwater, including saline water, within the boundary of the state.

⁴ Wat. Code, § 13050, subd. (h)

Resolution R1-2015-0018

Attachment 2

properties and characteristics of water that affect its use.⁵ Water quality objectives can be either *narrative* or *numeric*. Narrative objectives provide a general description of water quality that must be attained, and numeric objectives provide a quantitative limitation on pollutant concentrations or levels, to protect beneficial uses of the water body. Both must be attained through pollution control measures, watershed management, restoration and other actions.

~~The water quality objectives contained herein are a compilation of objectives adopted by the State Water Board, the Regional Water Board, and other state and federal agencies. Other water quality objectives and policies may apply that may be more stringent. Whenever several different objectives exist for the same water quality parameter, the strictest objective applies. In addition, the State Water Board "Policy With Respect to Maintaining High Quality Waters in California" also applies. The state policy incorporates the federal Antidegradation Policy, where the federal Antidegradation Policy is applicable.~~

Controllable water quality factors shall conform to the water quality objectives contained herein. When other factors result in the degradation of water quality beyond the levels or limits established herein as water quality objectives, then controllable factors shall not cause further degradation of water quality. Controllable water quality factors are those actions, conditions, or circumstances resulting from ~~man's~~ human activities that may influence the quality of the waters of the ~~S~~state and that may be reasonably controlled.

~~Water quality objectives form the basis for establishment of waste discharge requirements, waste discharge prohibitions, or maximum acceptable cleanup standards for all individuals and dischargers.~~

~~These water quality objectives are considered to be necessary to protect those present and probable future beneficial uses enumerated in Table 2-1 and to protect existing high quality waters of the State. These objectives will be achieved primarily through the establishment of waste discharge requirements and through the implementation of this Basin Plan. The appropriate numeric water quality standards will be established in waste discharge orders.~~

~~The Regional Water Board, in setting waste discharge requirements, will consider, among other things, the potential impact on beneficial uses within the area of influence of the discharge, the existing quality of receiving waters, and the appropriate water quality objectives. The Regional Water Board will make a finding as to the beneficial uses to be protected within the area of influence of the discharge and establish waste discharge requirements to protect these uses and to meet water quality objectives. Resolution Nos. 87-113, 89-131, and 92-135 describe the policy of the Regional Water Board regarding the specific types of waste discharge for which it will waive issuance of waste discharge requirements. These resolutions are included in the Appendix Section of this Plan.~~

~~The water quality objectives for the Region refer to several classes of waters. Ocean waters are waters of the Pacific Ocean outside of enclosed bays, estuaries, and coastal lagoons, and within the territorial (3 mile) limit. Bays are indentations along the coast which include oceanic waters within distinct headlands or harbor works whose narrowest opening is less than 75 percent of the greatest dimension of the enclosed portion of the bay; this definition includes only Crescent City Harbor in the Klamath River Basin, and Humboldt Bay and Bodega Bay in the North Coastal Basin. Estuaries are waters at the mouths of streams which serve as mixing zones for freshwater and seawater; they generally extend from the upstream limit of tidal action to a bay or open ocean. The principal estuarine areas of the Region are at the mouths of the Smith and Klamath Rivers, Lakes Earl and Talawa, and at the mouths of the Eel, Noyo, and Russian Rivers. Inland waters include all surface waters and groundwaters of the basin not included in the definitions of ocean waters, enclosed bays, or estuaries. Interstate waters include all rivers, streams, and lakes which flow across or form part of a state boundary. Groundwaters are any subsurface bodies of water which are beneficially used or usable. They include perched water if such water is used or usable or is hydraulically continuous with used or usable water.~~

~~The water quality objectives which follow supersede and replace those contained in the 1971 "Interim Water Quality Control Plan for the Klamath River Basin," the 1967 "Water Quality Control Policy for the Klamath~~

⁵ [Wat. Code § 13050\(g\)](#)

~~River in California," the 1967 "Water Quality Control Policy for the Smith River in California," the 1967 "Water Quality Control Policy for the Humboldt-Del Norte Coastal Waters," the 1969 "Water Quality Control Policy for the Lost River," the 1971 "Interim Water Quality Control Plan for the North Coastal Basin," the 1967 "Water Quality Control Policy for the Sonoma-Mendocino Coast," the 1975 "Water Quality Control Plan for the Klamath River Basin (1A)," the 1975 "Water Quality Control Plan for the North Coastal Basin (1B)," and the 1988 "Water Quality Control Plan for the North Coast Region".~~

3.2 GENERAL OBJECTIVE ANTIDEGRADATION POLICY

The following ~~objective policy~~ shall apply to all waters of the Region, or as described.

Whenever the existing quality of water is better than ~~the that water quality objectives~~ established ~~herein by water quality objectives~~, such existing water quality shall be maintained unless otherwise provided by the provisions of ~~the State Water Resources Control Board Resolution No. 68-16, "Statement of Policy with Respect to Maintaining High Quality of Waters in California" (state Antidegradation Policy),~~ including any revisions thereto. ~~A copy of this policy is included verbatim in the Appendix Section of this Plan.~~

~~State Water Resources Control Board (State Board) Resolution No. 68-16 contains the state Antidegradation Policy. It is titled the "Statement of Policy with Respect to Maintaining High Quality Waters in California and is commonly known as "Resolution 68-16." The State Water Board has interpreted Resolution No. 68-16 the state Antidegradation Policy to incorporate the federal Antidegradation Policy where the federal policy applies. (State Board Order WQO 86-17). The state Antidegradation Policy can be found at the State Water Board's website. The federal Antidegradation Policy policy is found at 40 CFR Section 131.12. The state and federal antidegradation policies are included as Appendices to the Basin Plan. A summary of the state and federal antidegradation policies is provided here for the convenience of the reader. These summaries are not intended to augment or modify the state and federal policies.~~

The state Antidegradation Policy applies more comprehensively to water quality changes than the federal policy. In particular, the state ~~Antidegradation Policy policy~~ applies to both those groundwaters and surface waters in which whose the existing water quality meets or exceeds (is better than) water quality objectives. Such groundwaters and surface waters are defined as high quality waters. The state ~~Antidegradation Policy policy~~ establishes two conditions that must be met before the quality of high quality waters may be lowered by nonpoint or point source waste discharges, whether or not such a discharge is allowed under a new, renewed, or revised permit.

First, the state must determine that lowering the quality of high quality waters:

- 1) Will be consistent with the maximum benefit to the people of the state,
- 2) Will not unreasonably affect present and anticipated beneficial uses of such water, and
- 3) Will not result in water quality less than that prescribed in state policies (e.g., water quality objectives in ~~Water Quality Control Plans~~ water quality control plans).

Second, any activities that result in discharges to high quality waters are required to:

- a) Mmeet waste discharge requirements that will result in the best practicable treatment or control of the discharge necessary to avoid pollution or nuisance and
- b) Maintain the highest water quality consistent with the maximum benefit to the people of the state.

If best practicable such treatment or control results in a discharge that maintains the existing high water quality, then a less stringent level of treatment or control would not be in compliance with the state Antidegradation Policy ~~68-16~~.

Likewise, ~~the a~~ discharge to high quality water could not be allowed under ~~Resolution 68-16~~the state Antidegradation Policy if ~~a~~) the discharge, even after treatment or control, would unreasonably affect beneficial uses or ~~b~~) would not comply with applicable provisions of water quality control plans.

The federal Antidegradation Policy applies to surface waters, regardless of the level of existing water quality. Where water quality is better than the minimum necessary to support existing or anticipated instream-beneficial uses of surface water, the federal Antidegradation Policy~~policy~~ requires that quality to be maintained and protected, unless the state finds, after ensuring public participation, that:

- 1) Such activity is necessary to accommodate important economic or social development in the area in which the waters are located;~~i~~
- 2) Water quality is adequate to protect existing beneficial uses fully;~~i~~ and~~i~~
- 3) The highest statutory and regulatory requirements for all new and existing point source discharges and all cost-effective and reasonable best management practices for non-point source control are achieved.

Under ~~this policy~~the federal Antidegradation Policy, an activity that results in discharge to surface water would be prohibited if the discharge ~~will~~ would lower the quality of surface waters that do not currently attain water quality standards. Both the state and federal antidegradation policies acknowledge that an activity that results in a minor water quality lowering, even if incrementally small, can result in a violation of antidegradation policies through cumulative effects, especially, for example, when the waste discharge is-contains a cumulative, persistent, or bioaccumulative pollutant or pollutants.

~~The state and federal antidegradation policies are enforceable independent of this Basin Plan provision. The above summary of the state and federal antidegradation policies is provided merely for the convenience of the reader.~~

3.3 WATER QUALITY OBJECTIVES FOR OCEAN WATERS

The provisions of the State Water Board's "Water Quality Control Plan for Ocean Waters of California" (Ocean Plan);~~)~~ and "Water Quality Control Plan for Control of Temperature in the Coastal and Interstate Waters and Enclosed Bays and Estuaries of California" (Thermal Plan);~~)~~ and any revisions thereto shall apply.~~Copies of these to ocean waters within the North Coast Region. These plans are included verbatim in the Appendix Section of this Plan can be found at the State Water Board website.~~

3.4 WATER QUALITY OBJECTIVES FOR INLAND SURFACE WATERS, ENCLOSED BAYS, AND ESTUARIES

Federal water quality criteria contained in the National Toxics Rule⁶ (NTR) and the California Toxics Rule⁷ (CTR) address human health and aquatic life protection and shall apply to inland surface waters, enclosed bays, and estuaries of the North Coast Region. NTR and CTR water quality criteria are implemented through the provisions of the State Water Board's Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California (SIP). This policy can be found at the State Water Board website.

In addition to, the ~~General Objective~~ Antidegradation Policy, the waterbody-specific objectives contained in Tables 3-1, 3-1a, and 3-1b, and the following objectives shall apply ~~for to~~ inland surface waters, enclosed bays, and estuaries of the North Coast Region. The water quality objectives are presented below alphabetically.

3.4.1 Bacteria

⁶ 40 C.F.R. § 131.36.

⁷ 40 C.F.R. § 131.38.

Resolution R1-2015-0018

Attachment 2

The bacteriological quality of waters of the North Coast Region shall not be degraded beyond natural background levels. In no case shall coliform concentrations in waters of the North Coast Region exceed the following:

In waters designated for contact recreation (REC-1), the median fecal coliform concentration based on a minimum of not less than five samples for any 30-day period shall not exceed 50/100 ml, nor shall more than ten percent of total samples during any 30-day period exceed 400/100 ml (State Department of Health Services).

At all areas where shellfish may be harvested for human consumption (SHELL), the fecal coliform concentration throughout the water column shall not exceed 43/100 ml for a 5-tube decimal dilution test or 49/100 ml when a three-tube decimal dilution test is used (National Shellfish Sanitation Program, *Manual of Operation*).

3.4.2 Biostimulatory Substances

Waters shall not contain biostimulatory substances in concentrations that promote aquatic growths to the extent that such growths cause nuisance or adversely affect beneficial uses.

3.4.3 Chemical Constituents

Waters ~~designated for use as agricultural supply (AGR)~~ shall not contain concentrations of chemical constituents in amounts ~~which that cause nuisance or~~ adversely affect ~~such~~ beneficial uses.

~~In no case shall W~~waters designated for use as domestic or municipal supply (MUN) ~~shall not~~ contain concentrations of chemical constituents in excess of the ~~limits specified in California Code of Regulations, Title 22, Chapter 15, Division 4, Article 4, Section 64435 (Tables 2 and 3), and Section 64444.5 (Table 5), and listed in Table 3-2 of this Plan.~~ following maximum contaminant level (MCL) and secondary maximum contaminant level (SMCL) provisions specified in title 22 of the California Code of Regulations:

- a) Table 64431-A, MCLs - Inorganic Chemicals (§ 64431)
- b) Table 64444-A, MCLs - Organic Chemicals (§ 64444)
- c) Table 64449-A, SMCLs - "Consumer Acceptance Contaminant Levels" (§ 64449)
- d) Table 64449-B, SMCLs - "Consumer Acceptance Contaminant Level Ranges" (§ 64449)
- e) Table 64442, Radionuclide Maximum Containment Levels and Detection Levels for Purposes of Reporting (DLRs) (§ 64442)
- f) Table 64443, Radionuclide Maximum Contaminant Levels and
- g) DLRs (§ 64443)

These provisions are incorporated by reference into this Basin Plan. This incorporation by reference is prospective, including future changes to the incorporated provisions as the changes take effect.

~~Waters designated for use as agricultural supply (AGR) shall not contain concentrations of chemical constituents in amounts which cause nuisance or adversely affect such beneficial uses.~~

Numerical water quality objectives for individual waterbodies are contained in Table 3-1, 3-1a, and 3-1b.

3.4.4 Color

Waters shall be free of coloration that causes nuisance or adversely affects beneficial uses.

3.4.5 Dissolved Oxygen

Dissolved oxygen (DO) concentrations shall conform to the following aquatic life requirements or as specified. ~~limits listed in Table 3-1 and 3-1a. For waters not listed in Table 3-1 or 3-1a, and where dissolved oxygen objectives are not prescribed, the dissolved oxygen concentrations shall not be reduced below the following minimum levels at any time.~~

~~Waters designated WARM, MAR, or SAL.....5.0 mg/L
 Waters designated COLD.....6.0 mg/L
 Waters designated SPWN.....7.0 mg/L
 Waters designated SPWN during critical
 spawning and egg incubation periods.....9.0 mg/L~~

<u>Beneficial Use</u>	<u>Daily Minimum Objective (mg/L)</u>	<u>7-Day Moving Average Objective (mg/L)⁸</u>
<u>Marine Habitat (MAR)</u> <u>Inland Saline Water Habitat (SAL)</u>	<u>5.0</u>	<u>NA</u>
<u>Warm Freshwater Habitat (WARM)</u>	<u>5.0</u>	<u>6.0</u>
<u>Cold Freshwater Habitat (COLD)⁹</u>	<u>6.0</u>	<u>8.0</u>
<u>Spawning, Reproduction, and/or Early Development (SPWN)¹⁰</u>	<u>9.0</u>	<u>11.0</u>

Dissolved oxygen concentrations in Humboldt Bay and Bodega Bay shall conform to a daily minimum objective of 6.0 mg/L. As required by the Ocean Plan, dissolved oxygen concentrations in ocean waters shall not at any time be depressed more than 10 percent from that which occurs naturally in ocean waters.

Upon approval from the Executive Officer, in those waterbodies for which the aquatic life-based DO requirements are unachievable due to natural conditions¹¹, site specific background DO requirements can be applied as water quality objectives by calculating the daily minimum DO necessary to maintain 85% DO saturation during the dry season and 90% DO saturation during the wet season under site salinity, site atmospheric pressure, and natural receiving water temperatures.¹² In no event may controllable factors reduce the daily minimum DO below 6.0 mg/L.

For the protection of estuarine habitat (EST), the dissolved oxygen concentration of enclosed bays and estuaries shall not be depressed to levels adversely affecting beneficial uses as a result of controllable water quality factors.

Dissolved oxygen concentrations for the Klamath River Watershed shall conform to the waterbody-specific objectives listed in Table 3-1a.

3.4.6 Floating Material

Waters shall not contain floating material, including solids, liquids, foams, and scum, in concentrations that cause nuisance or adversely affect beneficial uses.

⁸ A 7-day moving average is calculated by taking the average of each set of seven consecutive daily averages.

⁹ Water quality objectives designed to protect COLD-designated waters are based on the aquatic life-based requirements of salmonids but apply to all waters designated in Table 2-1 of the Basin Plan as COLD regardless of the presence or absence of salmonids.

¹⁰ Water quality objectives designed to protect SPWN-designated waters apply to all fresh waters designated in Table 2-1 of the Basin Plan as SPWN in those reaches and during those periods of time when spawning, egg incubation, and larval development are occurring or have historically occurred. The period of spawning, egg incubation, and emergence generally occur in the North Coast Region between the dates of September 15 and June 4.

¹¹ Natural conditions are conditions or circumstances affecting the physical, chemical, or biological integrity of water that are not influenced by past or present anthropogenic activities.

¹² The method(s) used to estimate natural temperatures for a given waterbody or stream length must be approved by the Executive Officer and may include, as appropriate, comparison with reference streams, simple calculation, or computer models.

3.4.7 Oil and Grease

Waters shall not contain oils, greases, waxes, or other materials in concentrations that result in a visible film or coating on the surface of the water or on objects in the water, that cause nuisance, or that otherwise adversely affect beneficial uses.

3.4.8 Pesticides

~~Waters shall not contain any~~ ~~No~~ individual pesticide or combination of pesticides ~~shall be present~~ in concentrations that cause nuisance or adversely affect beneficial uses. There shall be no bioaccumulation of pesticide concentrations ~~found~~ in bottom sediments or aquatic life that cause nuisance or adversely affect beneficial uses.

~~In no case shall w~~Waters designated for use as domestic or municipal supply (MUN) ~~shall not~~ contain concentrations of pesticides in excess of the numeric limits established in title 22 and as prospectively incorporated in 3.4.3 Chemical Constituents. ~~the limiting concentrations set forth in California Code of Regulations, Title 22, Division 4, Chapter 15, Article 4, Section 64444.5 (Table 5), and listed in Table 3-2 of this Plan.~~

3.4.9 pH

The pH shall conform to those limits listed in Table 3-1. For waters not listed in Table 3-1 and where pH objectives are not prescribed, the pH shall not be depressed below 6.5 nor raised above 8.5. Changes in normal ambient pH levels shall not exceed 0.2 units in waters with ~~designated marine habitat (MAR)~~ or ~~saline (SAL)~~ beneficial uses nor 0.5 units within the range specified above in fresh waters with ~~designated (COLD)~~ or ~~(WARM)~~ beneficial uses.

3.4.10 Radioactivity

~~Waters shall not contain r~~Radionuclides ~~shall not be present~~ in concentrations ~~which that~~ are deleterious to human, plant, animal, or aquatic life nor ~~which~~ result in the accumulation of radionuclides in the food web to an extent that which presents a hazard to human, plant, animal, or indigenous aquatic life.

In no case shall waters designated for use as MUN contain concentrations of radionuclides in excess of the numeric limits established in title 22 and as prospectively incorporated in 3.4.3 Chemical Constituents.

~~Waters designated for use as domestic or municipal supply (MUN) shall not contain concentrations of radionuclides in excess of the limits specified in California Code of Regulations, Title 22, Division 4, Chapter 15, Article 4, Section 64443, Table 4, and listed below:~~

MCL Radioactivity

<u>Constituent</u>	<u>Maximum Contaminant Level, pCi/L</u>
Combined Radium 226 and Radium 228.....	5
Gross Alpha particle activity.....	15
—— (including Radium 226 but excluding Radon and Uranium)	
Tritium	20,000
Strontium 90.....	8
Gross Beta particle activity	50
Uranium.....	20

3.4.11 Sediment

Resolution R1-2015-0018

Attachment 2

The suspended sediment load and suspended sediment discharge rate ~~to~~ of surface waters shall not be altered in such a manner as to cause nuisance or adversely affect beneficial uses.

3.4.12 Settleable Material

Waters shall not contain substances in concentrations that result in deposition of material that causes nuisance or adversely affect beneficial uses.

3.4.13 Suspended Material

Waters shall not contain suspended material in concentrations that cause nuisance or adversely affect beneficial uses.

3.4.14 Tastes and Odors

Waters shall not contain taste- or odor-producing substances in concentrations that impart undesirable tastes or odors to fish flesh or other edible products of aquatic origin, or that cause nuisance or adversely affect beneficial uses.

~~In no case shall waters designated for use as MUN contain concentrations of chemicals in excess of the numeric taste and odor limits established in title 22 and as prospectively incorporated in 3.4.3 Chemical Constituents. Numeric water quality objectives with regards to taste and odor thresholds have been developed by the State Department of Health Services and the U.S. EPA. These numeric objectives, as well as those available in the technical literature, are incorporated into waste discharge requirements and cleanup and abatement orders as appropriate.~~

3.4.15 Temperature

Temperature objectives for ~~COLD~~ interstate waters, ~~associated with COLD~~, ~~WARM~~ interstate waters, enclosed bays, and ~~Enclosed Bays and Estuaries~~ estuaries are as specified in the "State Water Board Water Quality Control Plan for Control of Temperature in the Coastal and Interstate Waters and Enclosed Bays of California" (Thermal Plan) including any revisions thereto. ~~A copy of this plan~~ The Thermal Plan is ~~included verbatim in the Appendix Section of this Plan~~ available at the State Water Board website.

In addition, the following temperature objectives apply to surface waters:

The natural receiving water temperature of intrastate waters shall not be altered unless it can be demonstrated to the satisfaction of the Regional Water Board that such alteration in temperature does not adversely affect beneficial uses.

At no time or place shall the temperature of any COLD water be increased by more than 5°F above natural receiving water temperature.

At no time or place shall the temperature of WARM intrastate waters be increased more than 5°F above natural receiving water temperature.

Waterbody-specific objectives for temperature in the Upper Trinity River are listed in Table 3-1b.

3.4.16 Toxicity

~~All w~~Waters shall ~~be maintained free of~~ not contain toxic substances in concentrations that are toxic to, or that produce detrimental physiological responses in human, plant, animal, or aquatic life. This objective applies regardless of whether the toxicity is caused by a single substance or the synergistic effect of multiple substances. Compliance with this objective ~~will~~ shall be

Resolution R1-2015-0018

Attachment 2

determined by use of indicator organisms, analyses of species diversity, population density, growth anomalies, bioassays of appropriate duration, or other appropriate methods as specified by the Regional Water Board.

The survival of aquatic life in surface waters subjected to a waste discharge, or other controllable water quality factors, shall not be less than that for the same ~~water body~~ waterbody in areas unaffected by the waste discharge, or when necessary for other control water that is consistent with the requirements for "experimental water" as described in ~~"Standard Methods for the Examination of Water and Wastewater", 18th Edition (1992).~~ Standard Methods for the Examination of Water and Wastewater, latest edition (American Public Health Association, et al.). As a minimum, compliance with this objective ~~as stated in the previous sentence~~ shall be evaluated with a 96-hour bioassay.

In addition, effluent limits based upon ~~acute~~ bioassays of effluents will be prescribed. ~~Where appropriate, additional numerical receiving water objectives for specific toxicants will be established as sufficient data become available, and source control of toxic substances will~~ may be encouraged required.

3.4.17 Turbidity

Turbidity shall not be increased more than 20 percent above naturally occurring background levels. Allowable zones of dilution within which higher percentages can be tolerated may be defined for specific discharges upon the issuance of discharge permits or waiver thereof.

3.5 WATER QUALITY OBJECTIVES FOR GROUNDWATERS¹³

General Objectives

The following objectives shall apply to groundwaters of the North Coast Region. Waterbody-specific objectives contained in Table 3-1 also apply.

3.5.1 Bacteria

In groundwaters used for domestic or municipal supply (MUN), the median of the most probable number of coliform organisms over any 7-day period shall be less than 1.1 MPN/100 ml, less than 1 colony/100 ml, or absent (State Department of Health Services).

3.5.2 Chemical Constituents

Groundwaters shall not ~~used for domestic or municipal supply (MUN) shall not~~ contain concentrations of chemical constituents ~~in excess of the limits specified in California Code of Regulations, Title 22, Division 4, Chapter 15, Article 4, Section 64435 Tables 2 and 3, and Section 64444.5 (Table 5) and listed in Table 3-2 of this Plan.~~

~~Groundwaters used for agricultural supply (AGR) shall not contain concentrations of chemical constituents~~ in amounts that cause nuisance or adversely affect ~~such~~ beneficial uses.

In no case shall groundwaters designated for use as MUN contain concentrations of chemical constituents in excess of the following MCL and SMCL provisions specified in title 22 of the California Code of Regulations:

- a) Table 64431-A, MCLs - Inorganic Chemicals (§ 64431)
- b) Table 64444-A, MCLs - Organic Chemicals (§ 64444)

¹³ Groundwater is defined as subsurface water in soils and geologic formations that are fully saturated all or part of the year. Groundwater is any subsurface body of water which is beneficially used or usable; and includes perched water if such water is used or usable or is hydraulically continuous with used or usable water.

Resolution R1-2015-0018

Attachment 2

- c) [Table 64449-A, SMCLs - "Consumer Acceptance Contaminant Levels" \(§ 64449\)](#)
- d) [Table 64449-B, SMCLs - "Consumer Acceptance Contaminant Level Ranges" \(§ 64449\)](#)
- e) [Table 64442, Radionuclide MCLs and Detection Levels for Purposes of Reporting \(DLRs\) \(§ 64442\)](#)
- f) [Table 64443, Radionuclide MCLs and](#)
- g) [DLRs \(§ 64443\)](#)

[These provisions are incorporated by reference into this Basin Plan. This incorporation by reference is prospective, including future changes to the incorporated provisions as the changes take effect.](#)

~~Waterbody-specific numerical objectives for certain constituents for individual groundwaters are contained in Table 3-1. As part of the state's continuing planning process, data will be collected and numerical water quality objectives will be developed for those mineral and nutrient constituents where sufficient information is presently not available for the establishment of such objectives.~~

3.5.3 Radioactivity

Groundwaters ~~used for domestic or municipal supply (MUN)~~ shall not contain concentrations of radionuclides in ~~excess of the limits specified in California Code of Regulations, Title 22, Division 4, Chapter 15, Article 5, Section 64443, Table 4 and listed in Table 3-2 of this Plan~~ [concentrations that cause nuisance or adversely affect beneficial uses.](#)

[In no case shall waters designated for use as MUN contain concentrations of radionuclides in excess of the numeric limits established in title 22 and as prospectively incorporated in 3.5.2 Chemical Constituents.](#)

3.5.4 Tastes and Odors

Groundwaters shall not contain taste- or odor-producing substances in concentrations that cause nuisance or adversely affect beneficial uses.

[In no case shall waters designated for use as MUN contain concentrations of chemicals in excess of the numeric taste and odor limits established in title 22 and as prospectively incorporated in 3.5.2 Chemical Constituents.](#)

~~Numeric water quality objectives have been developed by the State Department of Health Services and U.S. EPA. These numeric objectives, as well as those available in the technical literature, are incorporated into waste discharge requirements and cleanup and abatement orders as appropriate.~~

3.5.5 Toxicity

[Groundwaters shall not contain toxic substances in concentrations that are toxic to, or that produce detrimental physiological responses in, humans or that adversely affects beneficial uses. This objective applies regardless of whether the toxicity is caused by a single substance or the synergistic effect of multiple substances.](#)

3.6. COMPLIANCE WITH WATER QUALITY OBJECTIVES

[The primary ways in which the Regional Water Board implements water quality objectives is through permits, orders, and other actions for specific and general categories of discharges and potential discharges, and associated controllable water quality factors. These permits, orders, and other actions include, but are not limited to waste discharge requirements \(including provisions required by federal law\), waivers of waste discharge requirements, total maximum daily loads, water quality certifications, waste discharge prohibitions, and cleanup orders. Water quality objectives are also implemented by other state and federal agencies in some circumstances.](#)

Water quality objectives must be implemented in accordance with the applicable laws governing the regulated activity. Compliance with applicable water quality objectives is achieved through implementation of individual or general permits, orders and other regulatory actions in accordance with statute, regulation, and actions plans contained in Chapter 4. It is not feasible to predetermine the circumstances and conditions that could be created by all discharges. Also, it is not practical to specify how water quality objectives are implemented as appropriate for all conditions which could be created by discharges and other controllable water quality factors.

The Regional Water Board recognizes that immediate compliance with new effluent and/or receiving water limitations or cleanup levels based on new, revised or newly interpreted water quality objectives or prohibitions adopted by the Regional Water Board or the State Water Board, or with new, revised or newly interpreted water quality criteria promulgated by the U.S. Environmental Protection Agency (U.S. EPA)¹⁴, may not be technically or economically feasible in all circumstances. Therefore, it is within the discretion of the Regional Water Board to establish the terms of compliance with applicable water quality objectives and the Antidegradation Policy within individual or general permits, orders and other regulatory actions, by evaluating site-specific characteristics or constraints and establishing schedules of compliance.¹⁵ Any schedule of compliance shall require attainment of water quality objectives within the shortest feasible period of time. The issuance of an NPDES permit containing a compliance schedule will be in accordance with the State Water Board *Policy for Compliance Schedules in NPDES Permits*.¹⁶

3.6.1 Discharge Limitations and Cleanup Levels

The Regional Water Board, in setting waste discharge requirements, will consider, among other things, the potential impact on beneficial uses within the area of influence of the discharge, the appropriate water quality objectives, the existing quality of receiving waters, and the Antidegradation Policy. The Regional Water Board will make a finding as to the beneficial uses to be protected and establish requirements to protect those uses, to meet water quality objectives and the Antidegradation Policy.

In setting discharge limitations and cleanup levels, the Regional Water Board need not authorize the utilization of the full waste assimilation capacities of the receiving waters.¹⁷ Therefore, in some cases, with appropriate considerations and findings, the Regional Water Board may adopt discharge limitations and cleanup levels that are more stringent in order to preserve high quality waters and to fully protect the existing and potential beneficial uses.

For NPDES permits, discharge limitations are developed in accordance with the provisions of the State Water Board's *Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California* (SIP). Cleanup levels are developed in conformance with State Water Board Resolution No. 92-49 *Policies and Procedures for Investigation and Cleanup and Abatement of Discharges Under Water Code Section 13304*, which sets natural background as the presumptive cleanup level.

When it is necessary to derive numeric values in order to develop discharge limitations and cleanup levels that implement narrative water quality objectives, or to evaluate compliance with narrative water quality objectives, the Regional Water Board may consider all relevant and scientifically valid evidence. Generally, numeric values are derived from validated site-specific data, scientific peer-reviewed literature, and numeric values established in other state or federal laws, regulations, plans, policies, or guidelines, or developed and published by other governmental or non-governmental agencies and organizations.

¹⁴ New, revised, or newly interpreted water quality objectives, criteria, or prohibitions means: 1) objectives as defined in Section 13050(h) of Porter-Cologne; 2) criteria as promulgated by the U.S. EPA; or 3) prohibitions as defined in the Water Quality Control Plan for the North Coast Region that are adopted, revised, or newly interpreted after November 29, 2006. Objectives and criteria may be narrative or numeric.

¹⁵ Wat. Code § 13300

¹⁶ State Water Board Resolution No. 2008-0025.

¹⁷ Wat. Code § 13263 (b)

Resolution R1-2015-0018

Attachment 2

Established governmental and non-governmental agencies and organizations include, but are not limited to: California State Water Resources Control Board, California Department of Public Health, California Office of Environmental Health Hazard Assessment, California Department of Toxic Substances Control, University of California Cooperative Extension, California Department of Fish and Wildlife, U.S. Environmental Protection Agency, U.S. Food and Drug Administration, National Science Foundation, National Academy of Sciences, U.S. Fish and Wildlife Service, the Food and Agricultural Organization of the United Nations and the World Health Organization. The State Water Board has compiled numeric chemical constituent and toxicant values from the literature for over 860 chemical constituents in a document entitled *A Compilation of Water Quality Goals*. A searchable *Water Quality Goals* database is accessible on the State Water Board website. The Regional Water Board has compiled sediment thresholds from the literature for sediment-related indices and published them in a peer-reviewed report entitled *Desired Salmonid Freshwater Habitat Conditions for Sediment-Related Indices* (July 2006). This document can be found on the Regional Water Board website. On a case by case basis, the Regional Water Board may collect or require that a discharger collect site-specific data or conduct site-specific water quality assessments or studies for the purpose of supporting the development of appropriate discharge limitations or cleanup levels, which translate the applicable narrative water quality objective for unique site conditions.

Staff Report for the Proposed WQO Update Amendment
Appendix A – Basin Plan Chapter 3 Update Language

**TABLE 3-1
SPECIFIC WATER QUALITY OBJECTIVES FOR THE NORTH COAST REGION**

Waterbody ¹	Specific Conductance (micromhos) @ 77°F		Total Dissolved Solids (mg/L)		Dissolved Oxygen (mg/L)			Hydrogen Ion (pH)		Hardness (mg/L)	Boron (mg/L)	
	90% Upper Limit ³	50% Upper Limit ²	90% Upper Limit ³	50% Upper Limit ²	Min	90% Upper Limit ³	50% Upper Limit ²	Max	Min	50% Upper Limit ²	90% Upper Limit ³	50% Upper Limit ²
Lost River HA												
Clear Lake Reservoir & Upper Lost River	300	200			5.0		8.0	9.0	7.0	60	0.5	0.1
Lower Lost River	1000	700			5.0		-	9.0	7.0	-	0.5	0.1
Other Streams	250	150			7.0		8.0	8.4	7.0	50	0.2	0.1
Tule Lake	1300	900			5.0		-	9.0	7.0	400	-	-
Lower Klamath Lake	1150	850			5.0		-	9.0	7.0	400	-	-
Groundwaters ⁴	1100	500			-		-	8.5	7.0	250	0.3	0.2
Butte Valley HA												
Streams	150	100			7.0		9.0	8.5	7.0	30	0.1	0.0
Meiss Lake	2000	1300			7.0		8.0	9.0	7.5	100	0.3	0.1
Groundwaters ⁴	800	400			-		-	8.5	6.5	120	0.2	0.1
Shasta Valley HA												
Shasta River	800	600			7.0		9.0	8.5	7.0	220	1.0	0.5
Other Streams	700	400			7.0		9.0	8.5	7.0	200	0.5	0.1
Lake Shastina	300	250			6.0		9.0	8.5	7.0	120	0.4	0.2
Groundwaters ⁴	800	500			-		-	8.5	7.0	180	1.0	0.3
Scott River HA												
Scott River	350	250			7.0		9.0	8.5	7.0	100	0.4	0.1
Other Streams	400	275			7.0		9.0	8.5	7.0	120	0.2	0.1
Groundwaters ⁴	500	250			-		-	8.0	7.0	120	0.1	0.1
Salmon River HA												
All Streams	150	125			9.0		10.0	8.5	7.0	60	0.1	0.0

**TABLE 3-1
SPECIFIC WATER QUALITY OBJECTIVES FOR THE NORTH COAST REGION**

Waterbody ¹	Specific Conductance (micromhos) @ 77°F		Total Dissolved Solids (mg/L)		Dissolved Oxygen (mg/L)			Hydrogen Ion (pH)		Hardness (mg/L)	Boron (mg/L)	
	90% Upper Limit ³	50% Upper Limit ²	90% Upper Limit ³	50% Upper Limit ²	Min	90% Upper Limit ³	50% Upper Limit ²	Max	Min	50% Upper Limit ²	90% Upper Limit ³	50% Upper Limit ²
Middle Klamath River HA												
Klamath River above Iron Gate Dam including Iron Gate & Copco Reservoirs ¹¹	425	275			4.3		4.3	8.5	7.0	60	0.3	0.2
Klamath River below Iron Gate Dam ¹¹	350	275			4.3		4.3	8.5	7.0	80	0.5	0.2
Other Streams	300	150			7.0		9.0	8.5	7.0	60	0.1	0.0
Groundwaters ⁴	750	600			-		-	8.5	7.5	200	0.3	0.1
Applegate River HA												
All Streams	250	175			7.0		9.0	8.5	7.0	60	-	-
Upper Trinity River HA												
Trinity River	200	175			7.0		10.0	8.5	7.0	80	0.1	0.0
Other Streams	200	150			7.0		10.0	8.5	7.0	60	0.0	0.0
Clair Engle Trinity Lake & Lewiston Reservoir	200	150			7.0		10.0	8.5	7.0	60	0.0	0.0
Hayfork Creek												
Hayfork Creek	400	275			7.0		9.0	8.5	7.0	150	0.2	0.1
Other Streams	300	250			7.0		9.0	8.5	7.0	125	0.0	0.0
Ewing Reservoir	250	200			7.0		9.0	8.0	6.5	150	0.1	0.0
Groundwaters ⁴	350	225			-		-	8.5	7.0	100	0.2	0.1
S.F. Trinity River HA												
S.F. Trinity River	275	200			7.0		10.0	8.5	7.0	100	0.2	0.0
Other Streams	250	175			7.0		9.0	8.5	7.0	100	0.0	0.0
Lower Trinity River HA												
Trinity River	275	200			8.0		10.0	8.5	7.0	100	0.2	0.0

**TABLE 3-1
SPECIFIC WATER QUALITY OBJECTIVES FOR THE NORTH COAST REGION**

Waterbody ¹	Specific Conductance (micromhos) @ 77°F		Total Dissolved Solids (mg/L)		Dissolved Oxygen (mg/L)			Hydrogen Ion (pH)		Hardness (mg/L)	Boron (mg/L)	
	90% Upper Limit ³	50% Upper Limit ²	90% Upper Limit ³	50% Upper Limit ²	Min	90% Upper Limit ³	50% Upper Limit ²	Max	Min	50% Upper Limit ²	90% Upper Limit ³	50% Upper Limit ²
Other Streams	250	200			9.0		10.0	8.5	7.0	100	0.1	0.0
Groundwaters ⁴	200	150			-		-	8.5	7.0	75	0.1	0.1
Lower Klamath River HA												
Klamath River ¹¹	300 ⁶⁵	200 ⁶⁵			13		13	8.5	7.0	75 ⁶⁵	0.5 ⁶⁵	0.2 ⁶⁵
Other Streams	200 ⁶⁵	125 ⁶⁵			8.0		10.0	8.5	6.5	25 ⁶⁵	0.1 ⁶⁵	0.0 ⁶⁵
Groundwaters ⁴	300	225			-		-	8.5	6.5	100	0.1	0.0
Illinois River HA												
All Streams	200	125			8.0		10.0	8.5	7.0	75	0.1	0.0
Winchuck River HU												
All Streams	200 ⁶⁵	125 ⁶⁵			8.0		10.0	8.5	7.0	50 ⁶⁵	0.0 ⁶⁵	0.0 ⁶⁵
Smith River HU												
Smith River-Main Forks	200	125			8.0		11.0	8.5	7.0	60	0.1	0.1
Other Streams	150 ⁶⁵	125 ⁶⁵			7.0		10.0	8.5	7.0	60 ⁶⁵	0.1 ⁶⁵	0.0 ⁶⁵
Smith River Plain HSA												
Smith River	200 ⁶⁵	150 ⁶⁵			8.0		11.0	8.5	7.0	60 ⁶⁵	0.1 ⁶⁵	0.0 ⁶⁵
Other Streams	150 ⁶⁵	125 ⁶⁵			7.0		10.0	8.5	6.5	60 ⁶⁵	0.1 ⁶⁵	0.0 ⁶⁵
Lakes Earl & Talawa	-	-			7.0		9.0	8.5	6.5	-	-	-
Groundwaters ⁴	350	100			-		-	8.5	6.5	75	1.0	0.0
Crescent City Harbor	-	-										
Redwood Creek HU												
Redwood Creek	220 ⁶⁵	125 ⁶⁵	115 ⁶⁵	75 ⁶⁵	7.0	7.5	10.0	8.5	6.5			
Mad River HU												
Mad River	300 ⁶⁵	150 ⁶⁵	160 ⁶⁵	90 ⁶⁵	7.0	7.5	10.0	8.5	6.5			

**TABLE 3-1
SPECIFIC WATER QUALITY OBJECTIVES FOR THE NORTH COAST REGION**

Waterbody ¹	Specific Conductance (micromhos) @ 77°F		Total Dissolved Solids (mg/L)		Dissolved Oxygen (mg/L)			Hydrogen Ion (pH)		Hardness (mg/L)	Boron (mg/L)	
	90% Upper Limit ³	50% Upper Limit ²	90% Upper Limit ³	50% Upper Limit ²	Min	90% Upper Limit ³	50% Upper Limit ²	Max	Min	50% Upper Limit ²	90% Upper Limit ³	50% Upper Limit ²
Eureka Plain HU												
Humboldt Bay	-	-	-	-	6.0	6.2	7.0	8.5	Footnote 76			
Eel River HU												
Eel River	375 ⁶⁵	225 ⁶⁵	275 ⁶⁵	140 ⁶⁵	7.0	7.5	10.0	8.5	6.5			
Van Duzen River	375	175	200	100	7.0	7.5	10.0	8.5	6.5			
South Fork Eel River	350	200	200	120	7.0	7.5	10.0	8.5	6.5			
Middle Fork Eel River	450	200	230	130	7.0	7.5	10.0	8.5	6.5			
Outlet Creek	400	200	230	125	7.0	7.5	10.0	8.5	6.5			
Cape Mendocino HU												
Bear River	390 ⁶⁵	255 ⁶⁵	240 ⁶⁵	150 ⁶⁵	7.0	7.5	10.0	8.5	6.5			
Mattole River	300 ⁶⁵	170 ⁶⁵	170 ⁶⁵	105 ⁶⁵	7.0	7.5	10.0	8.5	6.5			
Mendocino Coast HU												
Ten Mile River	-	-	-	-	7.0	7.5	10.0	8.5	6.5			
Noyo River	185 ⁶⁵	150 ⁶⁵	120 ⁶⁵	105 ⁶⁵	7.0	7.5	10.0	8.5	6.5			
Jug Handle Creek	-	-	-	-	7.0	7.5	10.0	8.5	6.5			
Big River	300 ⁶⁵	195 ⁶⁵	190 ⁶⁵	130 ⁶⁵	7.0	7.5	10.0	8.5	6.5			
Albion River	-	-	-	-	7.0	7.5	10.0	8.5	6.5			
Navarro River	285 ⁶⁵	250 ⁶⁵	170 ⁶⁵	150 ⁶⁵	7.0	7.5	10.0	8.5	6.5			
Garcia River	-	-	-	-	7.0	7.5	10.0	8.5	6.5			
Gualala River	-	-	-	-	7.0	7.5	10.0	8.5	6.5			
Russian River HU												
(upstream) ⁷⁸	320	250	170	150	7.0	7.5	10.0	8.5	6.5			
(downstream) ⁸⁹	375 ⁶⁵	285 ⁶⁵	200 ⁶⁵	170 ⁶⁵	7.0	7.5	10.0	8.5	6.5			
Laguna de Santa Rosa	-	-	-	-	7.0	7.5	10.0	8.5	6.5			
Bodega Bay	-	-	-	-	6.0	6.2	7.0	8.5	Footnote 76			
Coastal Waters ⁴⁹⁹	-	-	-	-	11	11	11	Footnote 1210	Footnote 1210			

¹ Water-bodies are grouped by hydrologic unit (HU), hydrologic area (HA), or hydrologic subarea (HSA).

Resolution R1-2015-0018

Attachment 2

² 50% upper and lower limits represent the 50 percentile values of the monthly means for a calendar year. 50% or more of the monthly means must be less than or equal to an upper limit and greater than or equal to a lower limit.

³ 90% upper and lower limits represent the 90 percentile values for a calendar year. 90% or more of the values must be less than or equal to an upper limit and greater than or equal to a lower limit.

⁴ Value may vary depending on the aquifer being sampled. This value is the result of sampling over time, and as pumped, from more than one aquifer.

Daily Average Not to Exceed	Period	River Reach
60°F	July 1 - Sept. 14	Lewiston Dam to Douglas City Bridge
56°F	Sept. 15 - Oct. 1	Lewiston Dam to Douglas City Bridge
56°F	Oct. 1 - Dec. 31	Lewiston Dam to confluence of North Fork Trinity River

⁵⁶ Does not apply to estuarine areas.

⁶⁷ pH shall not be depressed below natural background levels.

⁷⁸ Russian River (upstream) refers to the mainstem river upstream of its confluence with Laguna de Santa Rosa.

⁸⁸ Russian River (downstream) refers to the mainstem river downstream of its confluence with Laguna de Santa Rosa.

⁹⁺⁰ The State Water Board Ocean Plan applies to all North Coast Region coastal waters.

¹¹ ~~Dissolved oxygen concentrations shall not at any time be depressed more than 10 percent from that which occurs naturally.~~

¹⁰⁺² pH shall not be changed at any time more than 0.2 units from that which occurs naturally.

¹¹⁺³ The [Site Waterbody](#) Specific Objectives ([WSSOs](#)) for dissolved oxygen (DO) have been recalculated for the mainstem Klamath River and are presented separately in Table 3-1a.

- no water-body specific objective available.

TABLE 3-1a¹ <u>WATERBODY-SPECIFIC OBJECTIVES FOR</u> <u>DISSOLVED OXYGEN (DO) IN THE MAINSTEM KLAMATH RIVER</u>		
Location²	Percent DO Saturation Based On Natural Receiving Water Temperatures³	Time Period
Stateline to the Scott River	85%	April 1 through September 30
	90%	October 1 through March 31
Scott River to Upstream Hoopa-California boundary	90%	Year round
Downstream of Hoopa-California boundary to Turwar	85%	June 1 through August 31
	90%	September 1 through May 31
Upper and Middle Estuary	80%	August 1 through August 31
	85%	September 1 through October 31 and June 1 through July 31
	90%	November 1 through May 31
Lower Estuary	For the protection of estuarine habitat (EST), the dissolved oxygen content of the lower estuary shall not be depressed to levels adversely affecting beneficial uses as a result of controllable water quality factors.	

¹ States may establish [site waterbody](#)- specific objectives equal to natural background (USEPA, 1986. Ambient Water Quality Criteria for Dissolved Oxygen, EPA 440/5-86-033; USEPA Memo from Tudor T. Davies, Director of Office of Science and Technology, USEPA Washington, D.C. dated November 5, 1997). For aquatic life uses, where the natural background condition for a specific parameter is documented, by definition that condition is sufficient to support the level of aquatic life expected to occur naturally at the site absent any interference by humans (Davies, 1997). These DO objectives are derived from the T1BSR run of the Klamath TMDL model and described in Tetra Tech, December 23, 2009 *Modeling Scenarios: Klamath River Model for TMDL Development*. They represent natural DO background conditions due only to non-anthropogenic sources and a natural flow regime.

² These objectives apply to the maximum extent allowed by law. To the extent that the State lacks jurisdiction, the [reach Site Specific Dissolved Oxygen Objectives](#) for the Mainstem Klamath River are extended as a recommendation to the applicable regulatory authority.

³ Corresponding DO concentrations are calculated as daily minima, based on [site waterbody](#)- specific barometric pressure, water-specific salinity, and natural receiving water temperatures as estimated by the T1BSR run of the Klamath TMDL model and described in Tetra Tech, December 23, 2009. *Modeling Scenarios: Klamath River Model for TMDL Development*. The estimates of natural receiving water temperatures used in these calculations may be updated as new data or method(s) become available. After opportunity for public comment, any update or improvements to the estimate of natural receiving water temperature must be reviewed and approved by Executive Officer before being used for this purpose.

<u>TABLE 3-1b</u> <u>WATERBODY-SPECIFIC OBJECTIVES FOR TEMPERATURE</u> <u>IN THE UPPER TRINITY RIVER</u>		
<u>Location/River Reach</u>	<u>Daily Average Not to Exceed</u>	<u>Time Period</u>
<u>Lewiston Dam to Douglas City Bridge</u>	<u>60°F</u>	<u>July 1 – September 14</u>
	<u>56°F</u>	<u>September 15 – October 1</u>
<u>Lewiston Dam to confluence of North Fork Trinity River</u>	<u>56°F</u>	<u>October 1 - December 31</u>

TABLE 3-2

**INORGANIC, ORGANIC, AND FLUORIDE CONCENTRATIONS NOT TO BE
EXCEEDED IN DOMESTIC OR MUNICIPAL SUPPLY^{1,2}**

LIMITING CONCENTRATION IN MILLIGRAMS PER LITER

Constituent	Lower	Optimum	Upper	Maximum Contaminant Level, mg/L
-------------	-------	---------	-------	------------------------------------

Fluoride³

53.7 and below	0.9	1.2	1.7	2.4
53.8 to 58.3	0.8	1.1	1.5	2.2
58.4 to 63.8	0.8	1.0	1.3	2.0
63.9 to 70.6	0.7	0.9	1.2	1.8
70.7 to 79.2	0.7	0.8	1.0	1.6
79.3 to 90.5	0.6	0.7	0.8	1.4

Inorganic Chemicals

*	Aluminum			1.0
	Arsenic			0.05
	Barium			1.0
	Cadmium			0.01
	Chromium		0.05	
	Lead			0.05
	Mercury			0.002
	Nitrate-N (as NO ₃)			45.
	Selenium			0.01
	Silver			0.05

Organic Chemicals**(a) Chlorinated Hydrocarbons**

	Endrin			0.0002
	Lindane			0.004
	Methoxychlor			0.1
	Toxaphene			0.005

(b) Chlorophenoxys

	2,4-D			0.1
	2,4,5-TP (Silvex)			0.01

(c) Synthetics

	Atrazine			0.003
	Bentazon			0.018
	Benzene			0.001
	Carbon Tetrachloride			0.0005
	Carbofuran			0.018
	Chlordane			0.0001

TABLE 3-2 (CONTINUED)

**INORGANIC, ORGANIC, AND FLUORIDE CONCENTRATIONS NOT TO BE
EXCEEDED IN DOMESTIC OR MUNICIPAL SUPPLY^{1,2}**

LIMITING CONCENTRATION IN MILLIGRAMS PER LITER	
Constituent	Maximum Contaminant Level, mg/L
(c) Synthetics (cont'd.)	
1,2-Dibromo-3-chloropropane	0.0002
1,4-Dichlorobenzene	0.005
1,1-Dichloroethane	0.005
1,2-Dichloroethane	0.0005
cis-1,2-Dichloroethylene	0.006
trans-1,2-Dichloroethylene	0.01
1,1-Dichloroethylene	0.006
1,2-Dichloropropane	0.005
1,3-Dichloropropene	0.0005
Di(2-ethylhexyl)phthalate	0.004
* Ethylbenzene	0.680
Ethylene Dibromide	0.00002
Glyphosate	0.7
Heptachlor	0.00001
Heptachlor epoxide	0.00001
Molinate	0.02
Monochlorobenzene	0.030
Simazine	0.010
1,1,2,2-Tetrachloroethane	0.001
Tetrachloroethylene	0.005
* Thiobencarb	0.07
1,1,1-Trichloroethane	0.200
1,1,2-Trichloroethane	0.032
Trichloroethylene	0.005
Trichlorofluoromethane	0.15
1,1,2-Trichloro-1,2,2-Trifluoroethane	1.2
Vinyl Chloride	0.0005
* Xylenes ⁴	1.750

¹ Values included in this table have been summarized from California Code of Regulations, Title 22, Division 4, Chapter 15, Article 4, Sections 64435 (Tables 2 and 3) and 64444.5 (Table 5).

² The values included in this table are maximum contaminant levels for the purposes of groundwater and surface water discharges and cleanup. Other water quality objectives (e.g., taste and odor thresholds or other secondary MCLs) and policies (e.g., State Water Board "Policy With Respect to Maintaining High Quality Waters in California") that are more stringent may apply.

³ Annual Average of Maximum Daily Air Temperature, °F Based on temperature data obtained for a minimum of five years. The average concentration of fluoride during any month, if added, shall not exceed the upper concentration. Naturally occurring fluoride concentration shall not exceed the maximum contaminant level.

⁴ Maximum Contaminant Level is for either a single isomer or the sum of the isomers.

* Constituents marked with an * also have taste and odor thresholds that are more stringent than the MCL listed. Taste and odor thresholds have also been developed for other constituents not listed in this table.

WATER QUALITY OBJECTIVES FOR GROUNDWATERS

General Objectives

Resolution R1-2015-0018

Attachment 2

Tastes and Odors

~~Groundwaters shall not contain taste or odor-producing substances in concentrations that cause nuisance or adversely affect beneficial uses.~~

~~Numeric water quality objectives have been developed by the State Department of Health Services and U.S. EPA. These numeric objectives, as well as those available in the technical literature, are incorporated into waste discharge requirements and cleanup and abatement orders as appropriate.~~

Bacteria

~~In groundwaters used for domestic or municipal supply (MUN), the median of the most probable number of coliform organisms over any 7-day period shall be less than 1.1 MPN/100 ml, less than 1 colony/100 ml, or absent (State Department of Health Services).~~

Radioactivity

~~Groundwaters used for domestic or municipal supply (MUN) shall not contain concentrations of radionuclides in excess of the limits specified in California Code of Regulations, Title 22, Division 4, Chapter 15, Article 5, Section 64443, Table 4 and listed in Table 3-2 of this Plan.~~

Chemical Constituents

~~Groundwaters used for domestic or municipal supply (MUN) shall not contain concentrations of chemical constituents in excess of the limits specified in California Code of Regulations, Title 22, Division 4, Chapter 15, Article 4, Section 64435 Tables 2 and 3, and Section 64444.5 (Table 5) and listed in Table 3-2 of this Plan.~~

~~Groundwaters used for agricultural supply (AGR) shall not contain concentrations of chemical constituents in amounts that adversely affect such beneficial use.~~

~~Numerical objectives for certain constituents for individual groundwaters are contained in Table 3-1. As part of the state's continuing planning process, data will be collected and numerical water quality objectives will be developed for those mineral and nutrient constituents where sufficient information is presently not available for the establishment of such objectives.~~

COMPLIANCE WITH WATER QUALITY OBJECTIVES

~~The Regional Water Board recognizes that immediate compliance with new effluent and/or receiving water NPDES permit limitations based on new, revised or newly interpreted water quality objectives or prohibitions adopted by the Regional Water Board or the State Water Resources Control Board, or with new, revised or newly interpreted water quality criteria promulgated by the U.S. Environmental Protection Agency (USEPA)¹, may not be technically and/or economically feasible² in all circumstances.~~

~~Where the Regional Water Board determines that it is infeasible for an existing discharger³ to immediately comply with NPDES permit effluent limitations or where appropriate, receiving water limitations, specified to implement new, revised or newly interpreted water quality objectives, criteria or prohibitions; issuance of a schedule of compliance⁴ may be appropriate.~~

~~Similarly, immediate compliance may not be technically and/or economically feasible for existing non-NPDES dischargers that, under new interpretation of law, are newly required to comply with new NPDES permitting requirements. Issuance of a schedule of compliance may be appropriate in these circumstances as well, to comply with effluent and/or receiving water limitations specified to implement objectives, criteria, or prohibitions that are adopted, revised, or reinterpreted after July 1, 1977, and that were not included in the non-NPDES permit.~~

Resolution R1-2015-0018
Attachment 2

~~Any schedule of compliance shall require achievement of the effluent limitations and/or receiving water limitations within the shortest feasible period of time, taking into account the factors identified in Chapter 4 for the implementation of schedules of compliance. All schedules of compliance will be limited to the time frames set out in Chapter 4.~~

¹ ~~New, revised, or newly interpreted water quality objectives, criteria, or prohibitions means: 1) objectives as defined in Section 13050(h) of Porter Cologne; 2) criteria as promulgated by the USEPA; or 3) prohibitions as defined in the Water Quality Control Plan for the North Coast Region that are adopted, revised, or newly interpreted after November 29, 2006. Objectives and criteria may be narrative or numeric.~~

² ~~Technical and economic feasibility shall be determined consistent with State Board Resolution No. 92-49.~~

³ ~~Existing discharger as defined in the State "Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California," (CTR-SIP) means: any discharger (non-NPDES or NPDES) that is not a new discharger. An existing discharger includes an increasing discharger (i.e., an existing facility, with treatment systems in place for its current discharge that is or will be expanding, upgrading, or modifying its existing permitted discharge after November 29, 2006). A new discharger includes any building, structure, facility, or installation from which there is, or may be, a discharge of pollutants, the construction of which commenced after November 29, 2006.~~

⁴ ~~Schedule of compliance: as defined in Section 502 (17) of the Clean Water Act, means: a schedule of remedial measures including an enforceable sequence of actions or operations leading to compliance with an effluent limitation, other limitation, prohibition, or standard.~~