

From: Dania Huggins
To: Melissa Turner
CC: Dania Huggins; 'Joe McGahan'; 'Michael L. Johnson'; 'Parry Klassen'
Date: 1/3/2011 2:30 PM
Subject: RE: SJR C-D TMDL Rpt - Photos

Thank you Melissa. Management is reviewing staff response/comments to Annual SJR C-D TMDL Report. I will let you know as soon as I know what is the status on this.

Dania

>>> Melissa Turner <mturner@mjl-llc.com> 12/14/2010 8:52 AM >>>

Dear Dania,

In response to your email on November 24, 2010 an additional appendix of sampling photos is being submitted for the 2010 Chlorpyrifos and Diazinon TMDL report (submitted October 31, 2010). Monitoring photos from both the ESJWQC and the Westside Coalition are included in the appendix.

Attached is the appendix of photos (Appendix VI) and a cover letter with an electronic signature by Parry Klassen (ESJWQC). We will mail in a cover letter with a wet signature tomorrow.

Please let me know if you have any questions,
Melissa

Melissa Turner

Michael L. Johnson, LLC

mturner@mjl-llc.com

632 Cantrill Dr, Davis CA 95618

P: 530 756 5200 F: 530 756-5225

<http://www.mjl-llc.com/>

From: Dania Huggins [<mailto:dhuggins@waterboards.ca.gov>]
Sent: Wednesday, November 24, 2010 9:56 AM
To: Melissa Turner
Subject: SJR C-D TMDL Rpt - Photos

Good morning Melissa,

It is described in the field sheets for the ESJWQC compliance monitoring sites that pictures were taken at every site for every event. However, I could not find any of those pictures in the report or in CD. Could you please send me those? It appears that the Westside did not take any pictures, at least is not stated in the field sheets, is that correct?

Dania

Dania Huggins
Water Resource Control Engineer
Monitoring and Implementation Unit
Irrigated Lands Regulatory Program
Central Valley Regional Water Quality Control Board
11020 Sun Center Drive Suite 200
Rancho Cordova, CA 95670-6114

dhuggins@waterboards.ca.gov

Phone : 916-464-4843

Fax : 916-464-4780

Ag Waiver Program http://www.waterboards.ca.gov/centralvalley/programs/irrigated_lands/