Table 4. Depth to Groundwater and Groundwater Elevations

Well No.	Date	Top of Casing Elevation	Depth to Groundwater (feet TOC)	Groundwater Elevation	Notes
MW-13	Apr-97	77.45	14.73	62.72	3
	Jul-97		14.68	62.77	3
	Oct-97		14.30	63.15	3
	Jan-98		14.28	63.17	3
	Feb-98		13.18	64.27	3
	Apr-98		13.72	63.73	3
	Jul-98		14.10	63.35	3
	Nov-98		13.32	64.13	3
	Apr-99		13.82	63.63	3
	Oct-99		13.47	63.98	3
	Apr-00		13.20	64.25	3
	Nov-00		13.11	64.34	3
	Jun-01		13.12	64.33	3
	Jan-07	79.38	13.75	65.63	4
	Mar-07		13.78	65.60	4
MW-14	Apr-97	88.87	26.68	62.19	3
	Jul-97		26.80	62.07	3
	Oct-97		26.80	62.07	3
	Jan-98		26.64	62.23	3
	Feb-98		26.51	62.36	3
	Apr-98		26.37	62.50	3
	Jul-98		26.11	62.76	3
	Nov-98		26.00	62.87	3
	Apr-99		25.80	63.07	3
	Oct-99		25.18	63.69	3
	Apr-00		25.85	63.02	3
	Nov-00		25.80	63.07	3
	Jun-01		25.78	63.09	3
	Jan-07	90.98	25.99	64.99	4
	Mar-07		26.22	64.76	4
MW-15	Apr-97	90.93	29.88	61.05	3
	Jul-97		29.84	61.09	3
	Oct-97		29.85	61.08	3
	Jan-98		29.73	61.20	3
	Feb-98		29.71	61.22	3
	Apr-98		29.51	61.42	3
	Jul-98		29.23	61.70	3
	Nov-98		29.08	61.85	3
	Apr-99		28.82	62.11	3
	Oct-99		28.93	62.00	3
	Apr-00		28.82	62.11	3
	Nov-00		29.80	61.13	3
	Jun-01		28.79	62.14	3
	Jan-07	91.96	29.04	62.92	4
	Mar-07		28.50	63.46	4

Table 4. Depth to Groundwater and Groundwater Elevations

Well No.	Date	Top of Casing Elevation	Depth to Groundwater (feet TOC)	Groundwater Elevation	Notes
MW-16	Jul-97	92.74	32.40	60.34	3
	Oct-97		32.37	60.37	3
	Jan-98		32.29	60.45	3
	Feb-98		32.24	60.50	3
	Apr-98		32.04	60.70	3
	Jul-98		31.79	60.95	3
	Nov-98		31.62	61.12	3
	Apr-99		31.26	61.48	3
	Oct-99		39.39	53.35	3
	Apr-00		31.42	61.32	3
	Nov-00		31.80	60.94	3
	Jun-01		31.55	61.19	3
	Jan-07	93.59	31.57	62.02	4
	Mar-07		31.71	61.88	4
MW-17	Jul-97	92.13	31.52	60.61	3
	Oct-97		31.86	60.27	3
	Jan-98		31.75	60.38	3
	Feb-98		31.75	60.38	3
	Apr-98		31.55	60.58	3
	Jul-98		31.28	60.85	3
	Nov-98		31.10	61.03	3
	Apr-99		30.80	61.33	3
	Oct-99		30.83	61.30	3
	Apr-00		30.86	61.27	3
	Nov-00		31.22	60.91	3
	Jun-01		31.00	61.13	3
MW-17a	Feb-07		31.06		
	Mar-07		31.23		

Notes
-- indicates data not available.
TOC: Top of well casing.
1) Groundwater elevations relative to an assumed datum of 100 feet for TOC at MW-3.
2) Groundwater elevations relative to an assumed datum of 87 feet for TOC at MW-6.
3) Top of casing elevations from Environ (1996).
4) Surveyed by Guida Surveying, Inc. in January 2007.
5) TOC elevation not known.

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	TPH (gasoline)[1]	TEPH[2]	Acetone	tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	2-Butanone (MEK)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	2-Chloroethyl vinyl ether	bis (2-Chloroethyl) ether	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis+1,2-Dichloroethene	trans-1,2-Dichloroethene
MW-1	Jul-88	--	--	--	--	<0.5	--	--	<0.5	<0.5	<0.5	--	<1	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	6.4	<0.5	--	--	<0.5	--	--	--	<0.5	<0.5	<0.5	<0.5	5.6	<0.5	<0.5	--	<0.5
	Jan-90	<50	--	<20	--	0.7	--	--	<1	<1	<1	--	<10	--	--	--	<1	<1	<1	<1	<2	--	6	<1	--	--	<1	--	--	--	<1	<1	<1	--	3	<1	<1	23	
	Jun-91	--	--	--	--	0.9	--	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	--	<0.5	--	--	--	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-96	<100	--	--	--	--	--	--	<20	<20	<20	--	--	--	--	--	--	<20	<20	<20	<20	--	<20	<20	--	--	<20	--	--	--	<20	<20	<20	--	<20	<20	<20	--	<20
	Aug-96	<100	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	3.1	<1	--	--	<1	--	--	--	<1	<1	<1	--	1.2	<1	<1	--	<1
	Oct-96	<100	--	--	--	--	--	--	<20	<20	<20	--	--	--	--	--	--	<20	<20	<20	<20	--	<20	<20	--	--	<20	--	--	--	<20	<20	<20	--	<20	<20	<20	--	<20
	Jan-97	110	--	--	--	--	--	--	<5	<5	<10	--	--	--	--	--	--	<5	<10	<25	<25	--	<5	<10	--	--	<5	--	--	--	<10	<10	<10	--	<5	<5	<5	15	<5
	Apr-97	74	--	--	--	--	--	--	<2.5	<2.5	<5	--	--	--	--	--	--	<2.5	<5	<13	<13	--	3.2	<5	--	--	<2.5	--	--	--	<5	<5	<5	--	<2.5	<2.5	<2.5	21	<2.5
	Jul-97	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	NS	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	--	NS	NS	NS	NS	NS
	Oct-97	<100	--	--	--	--	--	--	<2	<2	<3	--	--	--	--	--	--	<3	<2	<2	--	--	<3	<3	--	--	<2	--	--	--	<2	<3	<3	--	<3	<2	<2	14	<3
	Jan-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Apr-98	<50	--	--	--	--	--	--	<5	<5	<10	--	--	--	--	--	--	<5	<10	<25	--	--	<5	<10	--	--	<5	--	--	--	<10	<10	<10	<10	<5	<5	<5	20	<5
	Jul-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Nov-98	76	--	--	--	--	--	--	<10	<10	<20	--	--	--	--	--	--	<10	<20	<50	--	--	<10	<20	--	--	<10	--	--	--	<20	<20	<20	<20	<10	<10	<10	<10	<10
	Apr-99	--	--	--	--	--	--	--	<2.5	<2.5	<5	--	--	--	--	--	--	<2.5	<5	<13	--	--	<2.5	<5	--	--	<2.5	--	--	--	<5	<5	<5	<5	<2.5	<2.5	<2.5	16	<2.5
	Oct-99	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	3.0	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	<0.5	<0.5	29	<0.5
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	3.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	8.3	<0.5
	Nov-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	<0.5	<0.5	21	<0.5
	Jun-01	--	--	<50	<5	<0.5	<1	<1	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	18	<0.5
	Jan-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	2.0	<1
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	1.5	<1
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	1.8	<1
MW-2	Jul-88	--	--	--	--	<0.5	--	--	<0.5	<0.5	<0.5	--	<1	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	7.6	<0.5	--	--	<0.5	--	--	--	<0.5	<0.5	<0.5	<0.5	8.1	<0.5	4.8	--	<0.5
	Jan-90	<50	--	<20	--	<0.5	--	--	<1	<1	<1	--	<10	--	--	--	<1	<1	<1	<1	<2	--	<2	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	5	
	Jun-91	--	--	--	--	<0.5	--	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	<0.5	<0.5	<0.5	--	--	0.6	<0.5	--	--	<0.5	--	--	--	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-96	<100	--	--	--	--	--	--	<2	<2	<2	--	--	--	--	--	--	<2	<2	<2	<2	--	<2	<2	--	--	<2	--	--	--	<2	<2	<2	--	<2	<2	<2	--	<2
	Aug-96	<100	--	--	--	--	--	--	<2	<2	<2	--	--	--	--	--	--	<2	<2	<2	<2	--	<2	<2	--	--	<2	--	--	--	<2	<2	<2	--	<2	<2	<2	--	<2
	Oct-96	<100	--	--	--	--	--	--	<8	<8	<8	--	--	--	--	--	--	<8	<8	<8	<8	--	<8	<8	--	--	<8	--	--	--	<8	<8	<8	--	<8	<8	<8	--	<8
	Jan-97	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	<2.5	--	0.67	<1	--	--	<0.5	--	--	--	<1	<1	<1	--	<0.5	<0.5	<0.5	0.73	<0.5
	Apr-97	<50	--	--	--	--	--	--	<1.3	<1.3	<2.5	--	--	--	--	--	--	<1.3	<2.5	<6.3	<6.3	--	1.6	<2.5	--	--	<1.3	--	--	--	<2.5	<2.5	<2.5	--	<1.3	<1.3	<1.3	<1.3	<1.3
	Jul-97	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	NS	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	--	NS	NS	NS	NS	NS
	Oct-97	<100	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<1	<0.5	<0.5	--	--	1.4	<1	--	--	<0.5	--	--	--	<0.5	<1	<1	--	<1	<0.5	<0.5	1.2	<2
	Jan-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Apr-98	<50	--	--	--	--	--	--	<1.3	<1.3	<2.5	--	--	--	--	--	--	<1.3	<2.5	<6.3	--	--	<1.3	<2.5	--	--	<1.3	--	--	--	<2.5	<2.5	<2.5	<2.5	<1.3	<1.3	<1.3	<1.3	<1.3
	Jul-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Nov-98	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	1.0	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	<0.5	0.62	<0.5
	Apr-99	--	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	1.1	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5
	Oct-99	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	<0.5
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5
	Nov-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5
	Jun-01	--	--	<50	<5	<0.5	<1	<1	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	Jan-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane	1,1-Dichloropropane	cis-1,3-Dichloropropane	trans-1,3-Dichloropropane	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	2-Hexanone	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	4-Methyl-2-pentanone	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Acetate	Vinyl chloride	m,p-Xylenes	o-Xylene	Notes
MW-1	Jul-88	<0.5	--	--	--	<0.5	<0.5	--	<0.5	--	--	--	--	--	<1	<1	--	--	--	--	--	<0.5	8.3	<0.9	--	--	17.2	<0.5	880	<0.5	--	--	--	--	--	<1	<0.5		3,4
	Jan-90	<1	--	--	--	<1	<1	--	<1	--	--	<5	--	--	<5	<5	--	--	--	<1	--	<3	6	<1	--	--	6	<1	1,400	<1	--	<1	--	--	<5	<1	<1		5
	Jun-91	<0.5	--	--	--	<0.5	<0.5	--	<0.5	--	--	--	--	--	<0.5	--	--	--	--	--	--	<0.5	5.1	<0.5	--	--	3.3	<0.5	670	<0.5	--	--	--	--	--	<0.5	<0.5		5
	Apr-96	<20	--	--	--	<20	<20	--	--	--	--	--	--	--	<20	--	--	--	--	--	--	<20	<20	--	--	--	<20	<20	300	<20	--	--	--	--	--	<20	--	--	4
	Aug-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	4.7	--	--	--	<1	<1	250	--	--	--	--	--	--	<1	--	--	4
	Oct-96	<20	--	--	--	<20	<20	--	--	--	--	--	--	--	<20	--	--	--	--	--	--	<20	<20	--	--	--	<20	<20	280	<20	--	--	--	--	--	<20	--	--	4
	Jan-97	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<50	--	--	--	--	--	--	<5	12	--	--	--	<5	<5	330	<5	--	--	--	--	--	<10	--	--	4
	Apr-97	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<25	--	--	--	--	--	--	<2.5	5.9	--	--	--	<2.5	<2.5	220	<2.5	--	--	--	--	--	<5	--	--	4
	Jul-97	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	--	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Oct-97	<2	--	--	--	<2	<2	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<3	3.5	--	--	--	<3	<3	220	<2	--	<5	--	--	--	<2	--	--	4
	Jan-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	NS	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	--	--	7
	Apr-98	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<100	--	--	--	--	--	<5	<5	<5	--	--	--	<5	<5	190	<10	--	--	--	--	--	<10	--	--	4
	Jul-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Nov-98	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<200	--	--	--	--	--	<10	<10	<10	--	--	--	<10	<10	610	<20	--	--	--	--	--	<20	--	--	4
	Apr-99	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<50	--	--	--	--	--	<2.5	<2.5	3.0	--	--	--	<2.5	<2.5	180	<5	--	--	--	--	--	<5	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<50	<5	<1	<1	<0.5	<0.5	<0.5	<1	4.0	<0.5	<0.5	<0.5	<0.5	<0.5	190	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	520	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Nov-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<10	<5	<1	<1	<0.5	<0.5	<0.5	<1	2.9	<0.5	<0.5	<0.5	<0.5	<0.5	160	0.7	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Jun-01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<10	<0.5	<0.5	<50	<5	<1	<0.5	<0.5	<1	<0.5	<1	3.2	<0.5	<0.5	<0.5	<0.5	<0.5	140	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1	<0.5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	3.1	<0.5	<1	<1	<1	<1	60	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.1	<0.5	<1	<1	<1	<1	35	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.1	<0.5	<1	<1	<1	<1	33	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
MW-2	Jul-88	<0.5	--	--	--	<0.5	<0.5	--	<0.5	--	--	--	--	--	<1	<1	--	--	--	--	--	<0.5	15.2	<0.9	--	--	38.5	<0.5	1,200	<0.5	--	--	--	--	--	<1	<0.5		3,4
	Jan-90	<1	--	--	--	<1	<1	--	<1	--	--	<5	--	--	<5	<5	--	--	--	<1	--	<3	3	<1	--	--	3	<1	230	<1	--	<1	--	--	<5	<1	<1		5
	Jun-91	<0.5	--	--	--	<0.5	<0.5	--	<0.5	--	--	--	--	--	<0.5	--	--	--	--	--	--	<0.5	4.0	<0.5	--	--	1.2	<0.5	180	<0.5	--	--	--	--	--	<0.5	<0.5		5
	Apr-96	<2	--	--	--	<2	<2	--	--	--	--	--	--	--	<2	--	--	--	--	--	--	<2	2.1	--	--	--	<2	<2	51	<2	--	--	--	--	--	<2	--	--	4
	Aug-96	<2	--	--	--	<2	<2	--	--	--	--	--	--	--	<2	--	--	--	--	--	--	<2	3.5	--	--	--	<2	<2	70	<2	--	--	--	--	--	<2	--	--	4
	Oct-96	<8	--	--	--		<8	--	--	--	--	--	--	--	<8	--	--	--	--	--	--	<8	<8	--	--	--	<8	<8	57	<8	--	--	--	--	--	<8	--	--	4
	Jan-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<0.5	1.6	--	--	--	<0.5	<0.5	41	<0.5	--	--	--	--	--	<1	--	--	4
	Apr-97	<1.3	--	--	--	<1.3	<1.3	--	--	--	--	--	--	--	<13	--	--	--	--	--	--	<1.3	2.7	--	--	--	<1.3	<1.3	70	<1.3	--	--	--	--	--	<2.5	--	--	4
	Jul-97	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	--	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Oct-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<2	--	--	--	--	--	--	<1	2.7	--	--	--	<1	<1	60	<0.5	--	<2	--	--	--	<0.5	--	--	4
	Jan-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Apr-98	<1.3	--	--	--	<1.3	<1.3	--	--	--	--	--	--	--	<25	--	--	--	--	--	<1.3	<1.3	2.8	--	--	--	<1.3	<1.3	57	<2.5	--	--	--	--	--	<2.5	--	--	4
	Jul-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Nov-98	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.1	<0.5	2.1	--	--	--	<0.5	<0.5	41	<1	--	--	--	--	--	<1	--	--	4
	Apr-99	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	1.9	--	--	--	<0.5	<0.5	49	<1	--	--	--	--	--	<1	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<50	<5	<1	<1	<0.5	<0.5	<0.5	<1	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	55	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	30	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Nov-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<10	<5	<1	<1	<0.5	<0.5	<0.5	<1	2.2	<0.5	<0.5	<0.5	<0.5	<0.5	60	0.7	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Jun-01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<10	<0.5	<0.5	<50	<5	<1	<0.5	<0.5	<1	<0.5	<1	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	40	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1	<0.5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	12	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	2.2	<0.5	<1	<1	<1	<1	18	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.3	<0.5	<1	<1	<1	<1	14	<1	<1	--	<1	<1	--	<1	<1	<0.5	6

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	TPH (gasoline)[1]	TRPH[2]	Acetone	tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	2-Butanone (MEK)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	2-Chloroethyl vinyl ether	bis (2-Chloroethyl) ether	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene
MW-3	Jul-88	--	2,200	--	--	<0.5	--	--	<0.5	14.7	<0.5	--	<1	--	--	--	--	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	--	--	<0.5	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5
	Jan-90	<50	--	<20	--	0.6	--	--	<1	<1	<1	--	<10	--	--	--	<1	<1	<1	<1	<2	--	5	<1	--	--	<1	--	--	--	<1	<1	<1	--	1	<1	<1	17	
	Jun-91	--	--	--	--	<0.5	--	--	<0.5	<0.5	<0.5	--	--	--	--	--	--	<0.5	<0.5	<0.5	--	--	3.1	<0.5	--	--	<0.5	--	--	--	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-96	<100	--	--	--	--	--	--	<10	<10	<10	--	--	--	--	--	--	<10	<10	<10	<10	--	<10	<10	--	--	<10	--	--	--	<10	<10	<10	--	<10	<10	<10	--	<10
	Aug-96	<100	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	2.2	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	--	<1
	Oct-96	<100	--	--	--	--	--	--	<20	<20	<20	--	--	--	--	--	--	<20	<20	<20	<20	--	<20	<20	--	--	<20	--	--	--	<20	<20	<20	--	<20	<20	<20	--	<20
	Jan-97	220	--	--	--	--	--	--	<5	<5	<10	--	--	--	--	--	--	<5	<10	<25	<25	--	<5	<10	--	--	<5	--	--	--	<10	<10	<10	--	<5	<5	<5	<5	<5
	Apr-97	760	--	--	--	<0.3	--	--	<25	<25	<50	--	--	--	--	--	--	<25	<50	<130	<130	--	<25	<50	--	--	<25	--	--	--	<50	<50	<50	--	<25	<25	<25	<25	<25
	Jul-97	230	--	--	--	--	--	--	<25	<25	<50	--	--	--	--	--	--	<25	<50	<130	<130	--	<25	<50	--	--	<25	--	--	--	<50	<50	<50	--	<25	<25	<25	<25	<25
	Oct-97	200	--	--	--	--	--	--	<10	<10	<20	--	--	--	--	--	--	<20	<10	<10	--	--	<20	<20	--	--	<10	--	--	--	<10	<20	<20	--	<20	<10	<10	<10	<40
	Jan-98	290	--	--	--	--	--	--	<25	<25	<50	--	--	--	--	--	--	<25	<50	<130	--	--	<25	<50	--	--	<25	--	--	--	<50	<50	<50	<50	<25	<25	<25	<25	<25
	Apr-98	180	--	--	--	--	--	--	<13	<13	<25	--	--	--	--	--	--	<13	<25	<63	--	--	<13	<25	--	--	<13	--	--	--	<25	<25	<25	<25	<13	<13	<13	<13	<13
	Jul-98	140	--	--	--	--	--	--	<13	<13	<25	--	--	--	--	--	--	<13	<25	<63	--	--	<13	<25	--	--	<13	--	--	--	<25	<25	<25	<25	<13	<13	<13	<13	<13
	Nov-98	100	--	--	--	--	--	--	Note 8	Note 8	Note 8	--	--	--	--	--	--	Note 8	Note 8	Note 8	--	--	<13	Note 8	--	--	Note 8	--	--	--	Note 8	Note 8	Note 8	Note 8	<13	Note 8	<13	<13	<13
	Apr-99	--	--	--	--	--	--	--	<5	<5	<10	--	--	--	--	--	--	<5	<10	<25	--	--	<5	<10	--	--	<5	--	--	--	<10	<10	<10	<10	<5	<5	<5	6.4	<5
	Oct-99	--	--	<250	--	<2.5	<5	<5	<2.5	<2.5	<2.5	--	<50	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<2.5	--	--	3.8	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	8.8	<2.5
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	6.6	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	1.3	13	<0.5
	Nov-00	--	--	<500	--	<5	<10	<10	<5	<5	<5	--	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	<5	9.9	<5
	Jun-01	--	--	<500	<50	<5	<10	<10	<5	<5	<5	<100	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	<5	14	<5
	Jan-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	1.2	<1
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	1.1	<1
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
MW-4	Mar-89	--	<500	--	--	<0.6	--	--	<1	<1	<5	--	--	--	--	--	--	<1	<1	<5	<10	--	<1	<5	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	--	<1
	Jan-90	<50	--	<20	--	<0.5	--	--	<1	<1	<1	--	<10	--	--	--	<1	<1	<1	<1	<2	--	<2	<1	--	--	<1	--	--	--	<1	<1	<1	--	1	<1	<1	2	
	Apr-96	<100	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	<1	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	1.6	--	<1
	Aug-96	<100	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	<1	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	2.5	--	<1
	Oct-96	<100	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	<1	<1	--	--	<1	--	--	--	<1	<1	<1		<1	<1	2.3	<1	<1
	Jan-97	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	<2.5	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	--	<0.5	<0.5	1.3	0.74	<0.5
	Apr-97	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	<2.5	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	--	<0.5	<0.5	<0.5	1.5	<0.5
	Jul-97	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	NS	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	--	NS	NS	NS	NS	NS
	Oct-97	<100	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<1	<0.5	<0.5	--	--	1.0	<1	--	--	<0.5	--	--	--	<0.5	<1	<1	--	<1	<0.5	1.3	<0.5	<2
	Jan-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Apr-98	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	0.55	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	1.3	<0.5	<0.5
	Jul-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Nov-98	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	1.9	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	0.91	<0.5	<0.5
	Apr-99	--	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	1.9	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	0.81	<0.5	<0.5
	Oct-99	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	2.8	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5
	Nov-00	--	--	<50	--	<0.5	<1	<1	0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	8.9	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.3	<0.5	<0.5	<0.5	<0.5	<0.3
	Jun-01	--	--	<50	<5	<0.5	<1	<1	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	<0.5	<0.5
	Jan-07	--	--			<0.5	<1	<1	<1	<1	<1			<1	<1	<1		<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
	Mar-07	--	--			<0.5	<1	<1	<1	<1	<1			<1	<1	<1		<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
	Jul-07	--	--			<0.5	<1	<1	<1	<1	<1			<1	<1	<1		<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane	1,1-Dichloropropane	cis-1,3-Dichloropropane	trans-1,3-Dichloropropane	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	2-Hexanone	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	4-Methyl-2-pentanone	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Acetate	Vinyl chloride	m,p-Xylene	o-Xylene	Notes
MW-3	Jul-88	<0.5	--	--	--	<0.5	<0.5	--	<0.5	--	--	--	--	--	<1	<1	--	--	--	--	--	<0.5	<0.9	<0.9	--	--	<0.5	<0.5	2,000	<0.5	--	--	--	--	--	<1	<0.5		3,4
	Jan-90	<1	--	--	--	<1	<1	--	<1	--	--	<5	--	--	<5	<5	--	--	--	<1	--	<3	7	<1	--	--	5	<1	1,000	<1	--	<1	--	--	<5	<1	<1		5
	Jun-91	<0.5	--	--	--	<0.5	<0.5	--	<0.5	--	--	--	--	--	<0.5	--	--	--	--	--	--	<0.5	4.6	<0.5	--	--	1.0	<0.5	807	<0.5	--	--	--	--	--	<0.5	<0.5		5
	Apr-96	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<10	--	--	--	--	--	--	<10	<10	--	--	--	<10	<10	280	<10	--	--	--	--	--	<10	--	--	4
	Aug-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	5.6	--	--	--	<1	<1	350	<1	--	--	--	--	--	<1	--	--	4
	Oct-96	<20	--	--	--	<20	<20	--	--	--	--	--	--	--	<20	--	--	--	--	--	--	<20	<20	--	--	--	<20	<20	600	<20	--	--	--	--	--	<20	--	--	4
	Jan-97	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<50	--	--	--	--	--	--	<5	8.4	--	--	--	<5	<5	460	<5	--	--	--	--	--	<10	--	--	4
	Apr-97	<25	--	--	--	<25	<25	--	<0.3	--	--	--	--	--	<250	--	<20	--	--	--	--	<25	<25	<0.3	--	--	<25	<25	2,300	<25	--	--	--	--	--	<50	<0.6		3,4
	Jul-97	<25	--	--	--	<25	<25	--	--	--	--	--	--	--	<250	--	--	--	--	--	--	<25	<25	--	--	--	<25	<25	1,100	<25	--	--	--	--	--	<50	--	--	4
	Oct-97	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<40	--	--	--	--	--	--	<20	<10	--	--	--	<20	<20	940	<10	--	<40	--	--	--	<10	--	--	4
	Jan-98	<25	--	--	--	<25	<25	--	--	--	--	--	--	--	<500	--	--	--	--	--	<25	<25	<25	--	--	--	<25	<25	1,700	<50	--	--	--	--	--	<50	--	--	4
	Apr-98	<13	--	--	--	<13	<13	--	--	--	--	--	--	--	<250	--	--	--	--	--	<13	<13	<13	--	--	--	<13	<13	530	<25	--	--	--	--	--	<25	--	--	4
	Jul-98	<13	--	--	--	<13	<13	--	--	--	--	--	--	--	<250	--	--	--	--	--	<13	<13	<13	--	--	--	<13	<13	480	<25	--	--	--	--	--	<25	--	--	4
	Nov-98	Note 8	--	--	--	Note 8	Note 8	--	--	--	--	--	--	--	Note 8	--	--	--	--	--	Note 8	Note 8	<13	--	--	--	Note 8	<13	350	Note 8	--	--	--	--	--	<25	--	--	4,8
	Apr-99	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<100	--	--	--	--	--	<5	<5	<5	--	--	--	<5	<5	500	<10	--	--	--	--	--	<10	--	--	4
	Oct-99	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<250	<25	<5	<5	<2.5	<2.5	<2.5	<5	3.1	<2.5	<2.5	<2.5	<2.5	<2.5	610	<2.5	<2.5	<25	<2.5	<2.5	--	<2.5	<7.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	6.7	<0.5	<0.5	<0.5	1.9	<0.5	1,300	<0.5	<0.5	13	0.6	<0.5	--	<0.5	<1.5		6
	Nov-00	<5	<5	<5	<5	<5	<5	--	<5	--	<5	<100	<5	<5	<100	<50	<10	<10	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	380	<5	<5	<50	<5	<5	--	<5	<15		6
	Jun-01	<5	<5	<5	<5	<5	<5	<50	<5	<50	<5	<100	<5	<5	<500	<50	<10	<5	<5	<10	<5	<10	<5	<5	<5	<5	<5	<5	260	<5	<5	<50	<5	<5	--	<5	<10	<5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	2.5	<0.5	<1	<1	<1	<1	54	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.8	<0.5	<1	<1	<1	<1	48	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	42	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
MW-4	Mar-89	<1	--	--	--	<1	<1	--	<1	--	--	--	--	--	<10	--	--	--	--	--	--	<1	<1	3.5	--	--	<1	<1	<1	<1	--	--	--	--	--	<5	1.6		3,4
	Jan-90	<1	--	--	--	<1	<1	--	<1	--	--	<5	--	--	<5	<5	--	--	--	<1	--	<3	1	<1	--	--	<1	<1	1	<1	--	<1	--	--	<5	<1	<1		5
	Apr-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	2.5	--	--	--	<1	<1	<1	<1	--	--	--	--	--	<1	--	--	4
	Aug-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	3.2	--	--	--	<1	<1	<1	<1	--	--	--	--	--	<1	--	--	4
	Oct-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	3.0	--	--	--	<1	<1	<1	<1	--	--	--	--	--	<1	--	--	4
	Jan-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<0.5	2.0	--	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	<1	--	--	4
	Apr-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<0.5	0.56	--	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	<1	--	--	4
	Jul-97	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	--	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Oct-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<2	--	--	--	--	--	--	<1	2.5	--	--	--	<1	<1	<0.5	<0.5	--	<2	--	--	--	<0.5	--	--	4
	Jan-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Apr-98	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	3.4	--	--	--	<0.5	<0.5	<0.5	<1	--	--	--	--	--	<1	--	--	4
	Jul-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Nov-98	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	1.6	--	--	--	<0.5	<0.5	<0.5	<1	--	--	--	--	--	<1	--	--	4
	Apr-99	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	1.6	--	--	--	<0.5	<0.5	<0.5	<1	--	--	--	--	--	<1	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<50	<5	<1	<1	<0.5	<0.5	<0.5	<1	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Nov-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<10	<5	<1	<1	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	0.7	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Jun-01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<10	<0.5	<0.5	<50	<5	1.5	<0.5	<0.5	<1	<0.5	<1	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1	<0.5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5		<0.5		<1		<1	<1	<1		--	<1	<1	<1	<1	<1	1.1	<0.5	<1	<1	<1	<1	<1	<1	<1		<1	<1	--	<1	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5		<0.5		<1		<1	<1	<1		--	<1	<1	<1	<1	<1	1.8	<0.5	<1	<1	<1	<1	<1	<1	<1		<1	<1	--	<1	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5		<0.5		<1		<1	<1	<1		--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	<1	<1	<1		<1	<1	--	<1	<1	<0.5	6

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	TPH (gasoline)[3]	TRPH[2]	Acetone	tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromodichloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	2-Butanone (MEK)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	2-Chloroethyl vinyl ether	bis (2-Chloroethyl) ether	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene
MW-5	Mar-89	--	<500	--	--	<0.6	--	--	<1	<1	<5	--	--	--	--	--	--	<1	<1	<5	<10	--	<1	<5	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	--	<1
	Jan-90	<50	--	<20	--	<0.5	--	--	<1	<1	<1	--	<10	--	--	--	<1	<1	<1	<1	<2	--	<2	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	<1	
	Apr-96	<100	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	<1	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	--	<1
	Aug-96	<100	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	<1	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	--	<1
	Oct-96	<100	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	<1	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	--	<1
	Jan-97	<50	--	--	--	--	--	--	<0.5	<0.5	<1.0	--	--	--	--	--	--	<0.5	<1	<2.5	<2.5	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	--	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-97	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	<2.5	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	--	<0.5	<0.5	<0.5	<0.5	<0.5
	Jul-97	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	NS	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	--	NS	NS	NS	NS	NS
	Oct-97	<100	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<1	<0.5	<0.5	--	--	<1	<1	--	--	<0.5	--	--	--	<0.5	<1	<1	--	<1	<0.5	<0.5	<0.5	<2
	Jan-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Apr-98	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5
	Jul-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Nov-98	<50	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-99	--	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5
	Oct-99	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	Nov-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	Jun-01	--	--	<50	<5	<0.5	<1	<1	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	Jan-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	<1
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
MW-6	Jan-90	<50	--	<2	--	<0.5	--	--	<0.5	<0.5	<0.5	--	<2	--	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	--	9.7	<0.5	--	--	<0.5	--	--	--	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-96	--	--	--	--	--	--	--	<2.5	<2.5	<2.5	--	--	--	--	--	--	<2.5	<2.5	<2.5	<2.5	--	28	<2.5	--	--	<2.5	--	--	--	6.1	<2.5	<2.5	--	<2.5	<2.5	<2.5	--	<2.5
	Aug-96	<100	--	--	--	--	--	--	<10	<10	<10	--	--	--	--	--	--	<10	<10	<10	<10	--	28	<10	--	--	<10	--	--	--	<10	<10	<10	--	<10	<10	<10	--	<10
	Oct-96	<100	--	--	--	--	--	--	<4	<4	<4	--	--	--	--	--	--	<4	<4	<4	<4	--	6.9	<4	--	--	<4	--	--	--	<4	<4	<4	--	<4	<4	<4	--	<4
	Jan-97	79	--	--	--	--	--	--	<1	<1	<2	--	--	--	--	--	--	<1	<2	<5	<5	--	15	<2	--	--	<1	--	--	--	4.8	<2	<2	--	<1	<1	<1	<1	<1
	Apr-97	150	--	--	--	3.4	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	<2.5	--	9.5	<1	--	--	<0.5	--	--	--	7.2	<1	1.9	--	<0.5	<0.5	<0.5	<0.5	<0.5
MW-7	Mar-90	--	<3,000	--	--	0.4	--	--	<0.1	<0.2	<0.1	--	--	--	--	--	--	<0.1	<0.1	<0.1	<1	--	0.7	<0.1	--	--	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	--	<0.1	2.8	0.5	0.6	<0.1
	Apr-96	--	--	--	--	--	--	--	<50	<50	<50	--	--	--	--	--	--	<50	<50	<50	<50	--	<50	<50	--	--	<50	--	--	--	<50	<50	<50	--	<50	<50	<50	--	<50
	Aug-96	<100	--	--	--	--	--	--	<100	<100	<100	--	--	--	--	--	--				<100	--	<100	<100	--	--	<100	--	--	--	<100	<100	<100	--	<100	<100	<100	--	<100
	Oct-96	<100	--	--	--	--	--	--	<200	<200	<200	--	--	--	--	--	--	<200	<200	<200	<200	--	<200	<200	--	--	<200	--	--	--	<200	<200	<200	--	<200	<200	<200	--	<200
	Jan-97	610	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	<250	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	--	<50	<50	<50	<50	<50
	Apr-97	780	--	--	--	<0.3	--	--	<25	<25	<50	--	--	--	--	--	--	<25	<50	<130	<130	--	<25	<50	--	--	<25	--	--	--	<50	<50	<50	--	<25	<25	<25	<25	<25
MW-8	Mar-90	--	<3,000	--	--	<0.1	--	--	<0.1	<0.2	<0.1	--	--	--	--	--	--	<0.1	<0.1	<0.1	<1	--	<0.5	<0.1	--	--	<0.1	<0.1	--	--	<0.1	<0.1	<0.1	--	<0.1	<0.1	<0.1	<0.1	<0.1
	Apr-96	--	--	--	--	--	--	--	<2	<2	<2	--	--	--	--	--	--	<2	<2	<2	<2	--	<2	<2	--	--	<2	--	--	--	<2	<2	<2	--	<2	<2	<2	--	16
	Aug-96	<100	--	--	--	--	--	--	<5	<5	<5	--	--	--	--	--	--	<5	<5	<5	<5	--	<5	<5	--	--	<5	--	--	--	<5	<5	<5	--	<5	<5	<5	--	27
	Oct-96	<100	--	--	--	--	--	--	<4	<4	<4	--	--	--	--	--	--	<4	<4	<4	<4	--	<4	<4	--	--	<4	--	--	--	<4	<4	<4	--	<4	<4	<4	--	15
	Jan-97	64	--	--	--	--	--	--	<2.5	<2.5	<5	--	--	--	--	--	--	<2.5	<5	<13	<13	--	<2.5	<5	--	--	<2.5	--	--	--	<5	<5	<5	--	<2.5	<2.5	<2.5	<2.5	<2.5
	Apr-97	<50	--	--	--	<0.3	--	--	<1.3	<1.3	<2.5	--	--	--	--	--	--	<1.3	<2.5	<6.3	<6.3	--	<1.3	<2.5	--	--	<1.3	--	--	--	<2.5	<2.5	<2.5	--	<1.3	<1.3	<1.3	<1.3	3.9

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane	1,1-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	2-Hexanone	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	4-Methyl-2-pentanone	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Acetate	Vinyl chloride	m,p-Xylenes	o-Xylene	Notes
MW-5	Mar-89	<1	--	--	--	<1	<1	--	<1	--	--	--	--	--	<10	--	--	--	--	--	--	<1	<1	1.0	--	--	<1	<1	<1	<1	--	--	--	--	--	<5	<1		3,4
	Jan-90	<1	--	--	--	<1	<1	--	<1	--	--	<5	--	--	<5	<5	--	--	--	<1	--	<3	<1	<1	--	--	<1	<1	2	<1	--	<1	--	--	<5	<1	<1		5
	Apr-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	<1	--	--	--	<1	<1	<1	<1	--	--	--	--	--	<1	--	--	4
	Aug-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	<1	--	--	--	<1	<1	<1	<1	--	--	--	--	--	<1	--	--	4
	Oct-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	<1	--	--	--	<1	<1	<1	<1	--	--	--	--	--	<1	--	--	4
	Jan-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<0.5	<0.5	--	--	--	<0.5	<0.5	0.58	<0.5	--	--	--	--	--	<1	--	--	4
	Apr-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<0.5	<0.5	--	--	--	<0.5	<0.5	1.1	<0.5	--	--	--	--	--	<1	--	--	4
	Jul-97	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	--	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Oct-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<2	--	--	--	--	--	--	<1	<0.5	--	--	--	<1	<1	2.0	<0.5	--	<2	--	--	--	<0.5	--	--	4
	Jan-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	NS	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Apr-98	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	<0.5	--	--	--	<0.5	<0.5	0.86	<1	--	--	--	--	--	<1	--	--	4
	Jul-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Nov-98	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	<0.5	--	--	--	<0.5	<0.5	<0.5	<1	--	--	--	--	--	<1	--	--	4
	Apr-99	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	<0.5	--	--	--	<0.5	<0.5	<0.5	<1	--	--	--	--	--	<1	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<50	<5	1.1	<1	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Nov-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<10	<5	<1	<1	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Jun-01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<10	<0.5	<0.5	<50	<5	<1	<0.5	<0.5	<1	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1	<0.5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	<1	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	<1	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	<1	<1	<1	--	<1	<1	--	<0.5	<1	<0.5	6
MW-6	Jan-90	<0.5	--	--	--	<0.5	<0.5	--	<05	--	--	<2	--	--	<2	<2	--	--	--	<0.5	--	<0.5	26	<0.5	--	--	<0.5	<0.5	42	<0.5	--	<0.5	--	--	<0.5	<0.5	<0.5		5
	Apr-96	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<2.5	--	--	--	--	--	--	<2.5	15	--	--	--	<2.5	<2.5	75	<2.5	--	--	--	--	--	<2.5	--	--	4
	Aug-96	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<10	--	--	--	--	--	--	<10	18	--	--	--	<10	<10	89	<10	--	--	--	--	--	<10	--	--	4
	Oct-96	<4	--	--	--	<4	<4	--	--	--	--	--	--	--	<4	--	--	--	--	--	--	<4	14	--	--	--	<4	<4	53	<4	--	--	--	--	--	<4	--	--	4
	Jan-97	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<10	--	--	--	--	--	--	<1	14	--	--	--	<1	1.7	55	<1	--	--	--	--	--	<2	--	--	4
	Apr-97	<0.5	--	--	--	<0.5	<0.5	--	<0.3	--	--	--	--	--	<5	--	980	--	--	--	--	<0.5	14	0.32	--	--	<0.5	1.4	39	<0.5	--	--	--	--	--	<1	<0.6		3,4
MW-7	Mar-90	<0.1	--	--	--	<0.1	<0.1	--	<0.1	--	--	--	--	--	<1	--	--	--	--	--	--	<0.5	980	<0.5	--	--	<0.1	<0.1	6.1	<0.5	--	<0.5	--	--	--	<0.1	<0.2		3,4
	Apr-96	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<50	--	--	--	--	--	--	<50	1,900	--	--	--	<50	<50	<50	<50	--	--	--	--	--	<50	--	--	4
	Aug-96	<100	--	--	--	<100	<100	--	--	--	--	--	--	--	<100	--	--	--	--	--	--	<100	2,200	--	--	--	<100	<100	<100	<100	--	--	--	--	--	<100	--	--	4
	Oct-96	<200	--	--	--	<200	<200	--	--	--	--	--	--	--	<200	--	--	--	--	--	--	<200	1,900	--	--	--	<200	<200	<200	<200	--	--	--	--	--	<200	--	--	4
	Jan-97	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<500	--	--	--	--	--	--	<50	2,100	--	--	--	<50	<50	<50	<50	--	--	--	--	--	<100	--	--	4
	Apr-97	<25	--	--	--	<25	<25	--	<0.3	--	--	--	--	--	<250	--	<10	--	--	--	--	<25	2,400	<0.3	--	--	<25	<25	<25	<25	--	--	--	--	--	<50	<0.6		3,4
MW-8	Mar-90	<0.1	--	--	--	<0.1	<0.1	--	2.5	--	--	--	--	--	<1	--	--	--	--	--	--	<0.5	750	<0.5	--	--	<0.1	<0.1	16	<0.5	--	<0.5	--	--	--	<0.1	<0.2		3,4
	Apr-96	<2	--	--	--	<2	<2	--	--	--	--	--	--	--	<2	--	--	--	--	--	--	<2	52	--	--	--	<2	<2	42	<2	--	--	--	--	--	<2	--	--	4
	Aug-96	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<5	47	--	--	--	<5	<5	46	<5	--	--	--	--	--	<5	--	--	4
	Oct-96	<4	--	--	--	<4	<4	--	--	--	--	--	--	--	<4	--	--	--	--	--	--	<4	43	--	--	--	<4	<4	33	<4	--	--	--	--	--	<4	--	--	4
	Jan-97	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<25	--	--	--	--	--	--	<2.5	140	--	--	--	<2.5	<2.5	12	<2.5	--	--	--	--	--	<5	--	--	4
	Apr-97	<1.3	--	--	--	<1.3	<1.3	--	<0.3	--	--	--	--	--	<13	--	18	--	--	--	--	<1.3	100	<0.3	--	--	<1.3	<1.3	30	<1.3	--	--	--	--	--	<2.5	<0.6		3,4

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	TPH (gasoline)[1]	TRPH[2]	Acetone	tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromodichloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	2-Butanone (MEK)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	2-Chloroethyl vinyl ether	bis (2-Chloroethyl) ether	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromomethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene
MW-9	Mar-90	–	<3,000	–	–	<0.5	–	–	<0.5	<1	<0.5	–	–	–	–	–	–	<0.5	<0.5	<0.5	<5	–	3.0	<0.5	–	–	<0.5	<0.5	–	–	<0.5	<0.5	<0.5	–	<0.5	<0.5	<0.5	6.0	<0.5
	Apr-96	<100	–	–	–	–	–	–	<2	<2	<2	–	–	–	–	–	–	<2	<2	<2	<2	–	2.6	<2	–	–	<2	–	–	–	<2	<2	<2	–	<2	<2	<2	–	<2
	Aug-96	<100	–	–	–	–	–	–	<50	<50	<50	–	–	–	–	–	–	<50	<50	<50	<50	–	<50	<50	–	–	<50	–	–	–	<50	<50	<50	–	<50	<50	<50	–	<50
	Oct-96	<100	–	–	–	–	–	–	<20	<20	<20	–	–	–	–	–	–	<20	<20	<20	<20	–	<20	<20	–	–	<20	–	–	–	<20	<20	<20	–	<20	<20	<20	–	<20
	Jan-97	170	–	–	–	–	–	–	<10	<10	<20	–	–	–	–	–	–	<10	<20	<50	<50	–	<10	<20	–	–	<10	–	–	–	<20	<20	<20	–	<10	<10	<10	<10	<10
	Apr-97	230	–	–	–	–	–	–	<13	<13	<25	–	–	–	–	–	–	<13	<25	<63	<63	–	<13	<25	–	–	<13	–	–	–	<25	<25	<25	–	<13	<13	<13	<13	<13
	Jul-97	110	–	–	–	–	–	–	<10	<10	<20	–	–	–	–	–	–	<10	<20	<50	<50	–	<10	<20	–	–	<10	–	–	–	<20	<20	<20	–	<10	<10	<10	<10	<10
	Oct-97	120	–	–	–	–	–	–	<3	<3	<5	–	–	–	–	–	–	<5	<3	<3	–	–	<5	<5	–	–	<3	–	–	–	<3	<3	<3	–	<3	<3	<3	<3	<10
	Jan-98	110	–	–	–	–	–	–	<6.5	<6.5	<13	–	–	–	–	–	–	<6.5	<13	<33	–	–	<6.5	<13	–	–	<6.5	–	–	–	<13	<13	<13	<13	<6.5	<6.5	<6.5	<6.5	<6.5
	Apr-98	110	–	–	–	–	–	–	<6.5	<6.5	<13	–	–	–	–	–	–	<6.5	<13	<33	–	–	<6.5	<13	–	–	<6.5	–	–	–	<13	<13	<13	<13	<6.5	<6.5	<6.5	<6.5	<6.5
	Jul-98	76	–	–	–	–	–	–	<5	<5	<10	–	–	–	–	–	–	<5	<10	<25	–	–	<5	<10	–	–	<5	–	–	–	<10	<10	<10	<10	<5	<5	<5	<5	<5
	Nov-98	100	–	–	–	–	–	–	<5	<5	<10	–	–	–	–	–	–	<5	<10	<25	–	–	<5	<10	–	–	<5	–	–	–	<10	<10	<10	<10	<5	<5	<5	<5	<5
	Apr-99	–	–	–	–	–	–	–	<5	<5	<10	–	–	–	–	–	–	<5	<10	<25	–	–	<5	<10	–	–	<5	–	–	–	<10	<10	<10	<10	<5	<5	<5	<5	<5
	Oct-99	–	–	<250	–	<2.5	<5	<5	<2.5	<2.5	<2.5	–	<50	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<2.5	–	–	3.2	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
	Apr-00	–	–	<50	–	<0.5	<1	<1	<0.5	<0.5	<0.5	–	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	–	–	4.0	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.6	0.8	<0.5
	Nov-00	–	–	<500	–	<5	<10	<10	<5	<5	<5	–	<100	<5	<5	<5	<100	<5	<5	<5	–	–	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
	Jun-01	–	–	<500	<50	<5	<10	<10	<5	<5	<5	<100	<100	<5	<5	<5	<100	<5	<5	<5	–	–	5.3	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
	Jan-07	–	–	–	–	<0.5	<1	<1	<1	<1	<1	–	–	<1	<1	<1	–	<0.5	<1	<1	–	–	1.6	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	1.4	<1
	Mar-07	–	–	–	–	<0.5	<1	<1	<1	<1	<1	–	–	<1	<1	<1	–	<0.5	<1	<1	–	–	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	1.2	<1
	Jul-07	–	–	–	–	<0.5	<1	<1	<1	<1	<1	–	–	<1	<1	<1	–	<0.5	<1	<1	–	–	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	1.1	<1
MW-10	May-91	–	<1,000	–	–	<0.5	–	–	<0.5	<0.5	<0.5	–	–	–	–	–	–	<0.5	<0.5	<0.5	–	–	<0.5	<0.5	–	–	<0.5	–	–	–	<0.5	<0.5	<0.5	–	<0.5	<0.5	<0.5	–	<0.5
	Apr-96	–	–	–	–	–	–	–	<1	<1	<1	–	–	–	–	–	–	<1	<1	<1	<1	–	<1	<1	–	–	<1	–	–	–	<1	<1	<1	–	<1	<1	<1	–	<1
	Aug-96	<100	–	–	–	–	–	–	<1	<1	<1	–	–	–	–	–	–	<1	<1	<1	<1	–	<1	<1	–	–	<1	–	–	–	<1	<1	<1	–	<1	<1	<1	–	<1
	Oct-96	NS	–	–	–	–	–	–	NS	NS	NS	–	–	–	–	–	–	NS	NS	NS	NS	–	NS	NS	–	–	NS	–	–	–	NS	NS	NS	–	NS	NS	NS	–	NS
	Jan-97	<50	–	–	–	–	–	–	<0.5	<0.5	<1	–	–	–	–	–	–	<0.5	<1	<2.5	<2.5	–	<0.5	<1	–	–	<0.5	–	–	–	<1	<1	<1	–	<0.5	<0.5	<0.5	<0.5	<0.5
	Apr-97	<50	–	–	–	<0.3	–	–	<0.5	<0.5	<1	–	–	–	–	–	–	<0.5	<1	<2.5	<2.5	–	<0.5	<1	–	–	<0.5	–	–	–	<1	<1	<1	–	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	Jan-97	74	–	–	–	–	–	–	<2.5	<2.5	<5	–	–	–	–	–	–	<2.5	<5	<13	<13	–	<2.5	<5	–	–	<2.5	–	–	–	<5	<5	<5	–	<2.5	<2.5	20	41	<2.5
	Apr-97	120	–	–	–	–	–	–	<2.5	<2.5	<5	–	–	–	–	–	–	<2.5	<5	<13	<13	–	<2.5	<5	–	–	<2.5	–	–	–	<5	<5	<5	–	<2.5	<2.5	18	49	<2.5
	Jul-97	5,100	–	–	–	–	–	–	<2.5	<2.5	<5	–	–	–	–	–	–	<2.5	<5	<13	<13	–	<2.5	<5	–	–	<2.5	–	–	–	<5	<5	<5	–	2.5	<2.5	24	22	<2.5
	Oct-97	110	–	–	–	–	–	–	<2	<2	<3	–	–	–	–	–	–	<3	<2	<2	–	–	<3	<3	–	–	<2	–	–	–	<2	<3	<3	–	<3	<2	22	40	<3
	Jan-98	NS	–	–	–	–	–	–	NS	NS	NS	–	–	–	–	–	–	NS	NS	NS	–	–	NS	NS	–	–	NS	–	–	–	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Apr-98	80	–	–	–	–	–	–	<5	<5	<10	–	–	–	–	–	–	<5	<10	<25	–	–	<5	<10	–	–	<5	–	–	–	<10	<10	<10	<10	<5	<5	25	33	<5
	Jul-98	NS	–	–	–	–	–	–	NS	NS	NS	–	–	–	–	–	–	NS	NS	NS	–	–	NS	NS	–	–	NS	–	–	–	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Nov-98	<50	–	–	–	–	–	–	<1.3	<1.3	<2.5	–	–	–	–	–	–	<1.3	<2.5	<6.3	–	–	<1.3	<2.5	–	–	<1.3	–	–	–	<2.5	<2.5	<2.5	<2.5	2.5	<1.3	24	16	<1.3
	Apr-99	–	–	–	–	–	–	–	<1.3	<1.3	<2.5	–	–	–	–	–	–	<1.3	<2.5	<6.3	–	–	<1.3	<2.5	–	–	<1.3	–	–	–	<2.5	<2.5	<2.5	<2.5	2.2	<1.3	21	24	<1.3
	Oct-99	–	–	<50	–	<0.5	<1	<1	<0.5	<0.5	<0.5	–	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	–	–	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	4.1	<0.5	35	13	<0.5
	Apr-00	–	–	<50	–	<0.5	<1	<1	<0.5	<0.5	<0.5	–	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	–	–	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	3.3	0.8	28	8.1	<0.5
	Nov-00	–	–	<50	–	<0.5	<1	<1	<0.5	<0.5	<0.5	–	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	–	–	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	2.6	0.8	21	20	<0.5
	Jun-01	–	–	<50	<5	<0.5	<1	<1	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	–	–	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	3.0	0.8	23	14	0.7
	Jan-07	–	–	–	–	<0.5	<1	<1	<1	<1	<1	–	–	<1	<1	<1	–	<0.5	<1	<1	–	–	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	5.7	6.7	<1
	Mar-07	–	–	–	–	<0.5	<1	<1	<1	<1	<1	–	–	<1	<1	<1	–	<0.5	<1	<1	–	–	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	6.3	11	<1
	Jul-07	–	–	–	–	<0.5	<1	<1	<1	<1	<1	–	–	<1	<1	<1	–	<0.5	<1	<1	–	–	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	6.7	13	<1

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane	1,1-Dichloropropene	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	2-Hexanone	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	4-Methyl-2-pentanone	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Acetate	Vinyl chloride	m,p-Xylenes	o-Xylene	Notes
MW-9	Mar-90	<0.5	--	--	--	<0.5	<0.5	--	<0.5	--	--	--	--	--	<5	--	--	--	--	--	--	<2	11	<2	--	--	7.1	<0.5	200	<2	--	<2	--	--	--	<0.5	<1		3,4
	Apr-96	<2	--	--	--	<2	<2	--	--	--	--	--	--	--	<2	--	--	--	--	--	--	<2	5.8	--	--	--	<2	<2	540	<2	--	--	--	--	--	<2	--	--	4
	Aug-96	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<50	--	--	--	--	--	--	<50	<50	--	--	--	<50	<50	510	<50	--	--	--	--	--	<50	--	--	4
	Oct-96	<20	--	--	--	<20	<20	--	--	--	--	--	--	--	<20	--	--	--	--	--	--	<20	<20	--	--	--	<20	<20	510	<20	--	--	--	--	--	<20	--	--	4
	Jan-97	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<100	--	--	--	--	--	--	<10	<10	--	--	--	<10	<10	510	<10	--	--	--	--	--	<20	--	--	4
	Apr-97	<13	--	--	--	<13	<13	--	--	--	--	--	--	--	<130	--	--	--	--	--	--	<13	<13	--	--	--	<13	<13	890	<13	--	--	--	--	--	<25	--	--	4
	Jul-97	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<100	--	--	--	--	--	--	<10	10	--	--	--	<10	<10	440	<10	--	--	--	--	--	<20	--	--	4
	Oct-97	<3	--	--	--	<3	<3	--	--	--	--	--	--	--	<10	--	--	--	--	--	--	<5	8.7	--	--	--	<5	<5	350	<3	--	<10	--	--	--	<3	--	--	4
	Jan-98	<6.5	--	--	--	<6.5	<6.5	--	--	--	--	--	--	--	<130	--	--	--	--	--	<6.5	<6.5	10	--	--	--	<6.5	<6.5	390	<13	--	--	--	--	--	<13	--	--	4
	Apr-98	<6.5	--	--	--	<6.5	<6.5	--	--	--	--	--	--	--	<130	--	--	--	--	--	<6.5	<6.5	8.6	--	--	--	<6.5	<6.5	290	<13	--	--	--	--	--	<13	--	--	4
	Jul-98	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<100	--	--	--	--	--	<5	<5	5.5	--	--	--	<5	<5	190	<10	--	--	--	--	--	<10	--	--	4
	Nov-98	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<100	--	--	--	--	--	<5	<5	15	--	--	--	<5	<5	360	<10	--	--	--	--	--	<10	--	--	4
	Apr-99	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<100	--	--	--	--	--	<5	<5	9.5	--	--	--	<5	<5	360	<10	--	--	--	--	--	<10	--	--	4
	Oct-99	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<250	<25	<5	<5	<2.5	<2.5	<2.5	<5	9.7	<2.5	<2.5	<2.5	<2.5	<2.5	510	<25	<2.5	<25	<2.5	<2.5	--	<2.5	<7.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	15	<0.5	<0.5	<0.5	<0.5	<0.5	630	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Nov-00	<5	<5	<5	<5	<5	<5	--	<5	--	<5	<100	<5	<5	<100	<50	<10	<10	<5	<5	<5	<10	9.0	<5	<5	<5	<5	<5	680	<5	<5	<50	<5	<5	--	<5	<15		6
	Jun-01	<5	<5	<5	<5	<5	<5	<50	<5	<50	<5	<100	<5	<5	<500	<50	<10	<5	<5	<10	5.6	<10	8.5	8.1	<5	<5	<5	<5	700	<5	<5	<50	5.5	<5	--	<5	<10	<5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	3.4	<0.5	<1	<1	<1	<1	140	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.8	<0.5	<1	<1	<1	<1	100	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.5	<0.5	<1	<1	<1	<1	99	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
MW-10	May-91	<0.5	--	--	--	<0.5	<0.5	--	<0.5	--	--	--	--	--	<0.5	--	--	--	--	--	--	<0.5	0.6	<0.5	--	--	<0.5	<0.5	430	<0.5	--	--	--	--	--	<0.5	<0.5		5
	Apr-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	1.7	--	--	--	<1	<1	9.3	<1	--	--	--	--	--	<1	--	--	4
	Aug-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	1.7	--	--	--	<1	<1	9.8	<1	--	--	--	--	--	<1	--	--	4
	Oct-96	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	--	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Jan-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<0.5	<0.5	--	--	--	<0.5	<0.5	3.1	<0.5	--	--	--	--	--	<1	--	--	4
	Apr-97	<0.5	--	--	--	<0.5	<0.5	--	<0.3	--	--	--	--	--	<5	--	<10	--	--	--	--	<0.5	<0.5	<0.3	--	--	<0.5	<0.5	1.9	<0.5	--	--	--	--	--	<1	<0.6		3,4
MW-11	Jan-97	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<25	--	--	--	--	--	--	<2.5	13	--	--	--	<2.5	<2.5	160	<2.5	--	--	--	--	--	<5	--	--	4
	Apr-97	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<25	--	--	--	--	--	--	<2.5	20	--	--	--	<2.5	<2.5	180	<2.5	--	--	--	--	--	<5	--	--	4
	Jul-97	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<25	--	--	--	--	--	--	<2.5	15	--	--	--	<2.5	<2.5	150	<2.5	--	--	--	--	--	<5	--	--	4
	Oct-97	<2	--	--	--	<2	<2	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<3	20	--	--	--	<3	<3	200	<2	--	<5	--	--	--	<2	--	--	4
	Jan-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Apr-98	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<100	--	--	--	--	--	<5	<5	17	--	--	--	<5	<5	170	<10	--	--	--	--	--	<10	--	--	4
	Jul-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Nov-98	<1.3	--	--	--	<1.3	<1.3	--	--	--	--	--	--	--	<25	--	--	--	--	--	<1.3	<1.3	12	--	--	--	<1.3	<1.3	84	<2.5	--	--	--	--	--	<2.5	--	--	4
	Apr-99	<1.3	--	--	--	<1.3	<1.3	--	--	--	--	--	--	--	<25	--	--	--	--	--	<1.3	<1.3	13	--	--	--	<1.3	<1.3	120	<2.5	--	--	--	--	--	<2.5	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<50	<5	<1	<1	<0.5	<0.5	<0.5	<1	10	<0.5	<0.5	<0.5	<0.5	<0.5	74	<0.5	<0.5	<5	<0.5	<0.5	--	0.9	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	9.4	<0.5	<0.5	<0.5	<0.5	<0.5	48	<5	<0.5	<5	<0.5	<0.5	--	0.8	<1.5		6
	Nov-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<10	<5	<1	<1	<0.5	<0.5	<0.5	<1	9.6	<0.5	<0.5	<0.5	<0.5	<0.5	96	0.6	<0.5	<5	<0.5	<0.5	--	1.1	<1.5		6
	Jun-01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<10	<0.5	<0.5	<50	<5	<1	<0.5	<0.5	<1	<0.5	<1	8.7	<0.5	<0.5	<0.5	<0.5	<0.5	66	<0.5	<0.5	<5	<0.5	<0.5	--	1.2	<1	<0.5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	2.0	<0.5	<1	<1	<1	<1	29	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	2.8	<0.5	<1	<1	<1	<1	52	<1	<1	--	<1	<1	--	1.0	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	3.3	<0.5	<1	<1	<1	<1	65	<1	<1	--	<1	<1	--	1.0	<1	<0.5	6

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	TPH (gasoline)[1]	TRPH[2]	Acetone	tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	2-Butanone (MEK)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	2-Chloroethyl vinyl ether	bis (2-Chloroethyl) ether	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene
MW-12	Jan-97	760	--	--	--	--	--	--	<10	<10	<20	--	--	--	--	--	--	<10	<20	<50	<50	--	<10	<20	--	--	<10	--	--	--	<20	<20	<20	--	<10	<10	<10	130	<10
	Apr-97	360	--	--	--	--	--	--	<5	<5	<10	--	--	--	--	--	--	<5	<10	<25	<25	--	<5	<10	--	--	<5	--	--	--	<10	<10	<10	--	<5	<5	<5	110	<5
	Jul-97	450	--	--	--	--	--	--	<6.3	<6.3	<13	--	--	--	--	--	--	<6.3	<13	<31	<31	--	<6.3	<13	--	--	<6.3	--	--	--	<13	<13	<13	<13	<6.3	<6.3	<6.3	120	<6.3
	Oct-97	340	--	--	--	--	--	--	<3	<3	<5	--	--	--	--	--	--	<5	<3	<3	--	--	<5	<5	--	--	<3	--	--	--	<3	<5	<5	--	<5	<3	4.9	75	<10
	Jan-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Apr-98	330	--	--	--	--	--	--	<6.5	<6.5	<13	--	--	--	--	--	--	<6.5	<13	<33	--	--	<6.5	<13	--	--	<6.5	--	--	--	<13	<13	<13	<13	<6.5	<6.5	7.5	88	<6.5
	Jul-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Nov-98	170	--	--	--	--	--	--	<5	<5	<10	--	--	--	--	--	--	<5	<10	<25	--	--	<5	<10	--	--	<5	--	--	--	<10	<10	<10	<10	<5	<5	9.3	26	<5
	Apr-99	--	--	--	--	--	--	--	<2.5	<2.5	<5	--	--	--	--	--	--	<2.5	<5	<13	--	--	<2.5	<5	--	--	<2.5	--	--	--	<5	<5	<5	<5	<2.5	<2.5	11	15	<2.5
	Oct-99	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	2.3	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	<0.5	9.0	28	<0.5
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	1.8	<0.5	8.3	11	<0.5
	Nov-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	1.0	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	<0.5	2.7	24	<0.5
	Jun-01	--	--	<50	<5	<0.5	<1	<1	<0.5	<0.5	<0.5	<10	<10	<0.5	1.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	7.8	62	<0.5
	Jan-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	1.8	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	2.6	1.5	<1
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	1.2	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	1.4	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1
MW-13	Apr-97	270	--	--	--	--	--	--	<10	<10	<20	--	--	--	--	--	--	<10	<20	<30	<50	--	<10	<20	--	--	<10	--	--	--	<20	<20	<20	--	<10	<10	<10	730	<10
	Jul-97	57	--	--	--	--	--	--	<13	<13	<25	--	--	--	--	--	--	<13	<25	<63	<63	--	<13	<25	--	--	<13	--	--	--	<25	<25	<25	--	<13	<13	<13	710	<13
	Oct-97	220	--	--	--	--	--	--	<5	<5	<10	--	--	--	--	--	--	<10	<5	<5	--	--	<10	<10	--	--	<5	--	--	--	<5	<10	<10	--	<10	<5	<5	670	<20
	Jan-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Apr-98	170	--	--	--	--	--	--	<10	<10	<20	--	--	--	--	--	--	<10	<20	<50	--	--	<10	<20	--	--	<10	--	--	--	<20	<20	<20	<20	<10	<10	<10	440	<10
	Jul-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Nov-98	130	--	--	--	--	--	--	<5	<5	<10	--	--	--	--	--	--	<5	<10	<25	--	--	<5	<10	--	--	<5	--	--	--	<10	<10	<10	<10	<5	<5	<5	330	<5
	Apr-99	--	--	--	--	--	--	--	<13	<13	<25	--	--	--	--	--	--	<13	<25	<63	--	--	<13	<25	--	--	<13	--	--	--	<25	<25	<25	<25	<13	<13	<13	390	<13
	Oct-99	--	--	<250	--	<2.5	<5	<5	<2.5	<2.5	<2.5	--	<50	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<2.5	--	--	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	430	5.2
	Apr-00	--	--	<50	--	0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	100	2.1
	Nov-00	--	--	<50	--	0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	91	1.8
	Jun-01	--	--	<50	<5	0.9	<1	<1	<0.5	<0.5	<0.5	<10	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	250	3.5
	Jan-07	--	--			<0.5	<1	<1	<1	<1	<1			<1	<1	<1		<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	20	<1
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	26	<1
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	14	<1
MW-14	Apr-97	480	--	--	--	--	--	--	<13	<13	<25	--	--	--	--	--	--	<13	<25	<63	<63	--	<13	<25	--	--	<13	--	--	--	<25	<25	<25	--	<13	<13	<13	89	<13
	Jul-97	99	--	--	--	--	--	--	<2.5	<2.5	<5	--	--	--	--	--	--	<2.5	<5	<13	<13	--	<2.5	<5	--	--	<2.5	--	--	--	<5	<5	<5	<5	3.4	<2.5	29	30	<2.5
	Oct-97	130	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<1	<0.5	<0.5	--	--	<1	<1	--	--	<0.5	--	--	--	<0.5	<1	<1	--	3.5	1.3	25	31	<2
	Jan-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Apr-98	120	--	--	--	--	--	--	<2.5	<2.5	<5	--	--	--	--	--	--	<2.5	<5	<13	--	--	<2.5	<5	--	--	<2.5	--	--	--	<5	<5	<5	<5	2.5	<2.5	21	23	<2.5
	Jul-98	NS	--	--	--	--	--	--	NS	NS	NS	--	--	--	--	--	--	NS	NS	NS	--	--	NS	NS	--	--	NS	--	--	--	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Nov-98	58	--	--	--	--	--	--	<1	<1	<2	--	--	--	--	--	--	<1	<2	<5	--	--	<1	<2	--	--	<1	--	--	--	<2	<2	<2	<2	3.0	<1	27	4.1	<1
	Apr-99	--	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	2.4	0.58	14	5.7	<0.5
	Oct-99	--	--	<50	--	0.6	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	3.4	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	2.4	<0.5	9.6	12	<0.5
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	2.5	0.8	16	15	<0.5
	Nov-00	--	--	<50	--	0.6	<1	<1	<0.5	<0.5	<0.5	--	<10	3.7	4.1	0.5	<10	<0.5	<0.5	1.0	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	1.6	4.0	0.7
	Jun-01	--	--	<50	<5	<0.5	<1	<1	<0.5	<0.5	<0.5	<10	<10	1.3	1.4	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	6.0	6.8	<0.5
	Jan-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	2.2	<1	<1
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	2.1	3.7	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane	1,1-Dichloropropene	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	2-Hexanone	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	4-Methyl-2-pentanone	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Acetate	Vinyl chloride	m,p-Xylene	o-Xylene	Notes
MW-12	Jan-97	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<100	--	--	--	--	--	--	<10	65	--	--	--	<10	<10	650	<10	--	--	--	--	--	250	--	--	4
	Apr-97	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<50	--	--	--	--	--	--	<5	39	--	--	--	<5	<5	280	<5	--	--	--	--	--	130	--	--	4
	Jul-97	<6.3	--	--	--	<6.3	<6.3	--	--	--	--	--	--	--	<130	--	--	--	--	--	<6.3	<6.3	40	--	--	--	<6.3	<6.3	350	<13	--	--	--	--	--	150	--	--	4
	Oct-97	<3	--	--	--	<3	<3	--	--	--	--	--	--	--	<10	--	--	--	--	--	--	<5	48	--	--	--	<5	<5	300	<3	--	<10	--	--	--	87	--	--	4
	Jan-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Apr-98	<6.5	--	--	--	<6.5	<6.5	--	--	--	--	--	--	--	<130	--	--	--	--	--	<6.5	<6.5	46	--	--	--	<6.5	<6.5	250	<13	--	--	--	--	--	33	--	--	4
	Jul-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Nov-98	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<100	--	--	--	--	--	<5	<5	27	--	--	--	<5	<5	210	<10	--	--	--	--	--	63	--	--	4
	Apr-99	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<50	--	--	--	--	--	<2.5	<2.5	19	--	--	--	<2.5	<2.5	190	<5	--	--	--	--	--	30	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	0.6	<0.5	<50	<5	1.3	<1	<0.5	<0.5	<0.5	<1	15	<0.5	<0.5	<0.5	<0.5	<0.5	120	<0.5	<0.5	<5	<0.5	<0.5	--	59	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	0.5	0.9	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	13	<0.5	<0.5	<0.5	<0.5	<0.5	74	<5	<0.5	<5	<0.5	<0.5	--	52	<1.5		6
	Nov-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<10	<5	<1	<1	<0.5	<0.5	<0.5	<1	5.9	<0.5	<0.5	<0.5	<0.5	<0.5	49	0.6	<0.5	<5	<0.5	<0.5	--	39	<1.5		6
	Jun-01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<10	<0.5	0.9	<50	<5	<1	<0.5	<0.5	<1	<0.5	<1	12	<0.5	<0.5	<0.5	<0.5	<0.5	110	<0.5	<0.5	<5	<0.5	<0.5	--	48	<1	<0.5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	1.8	<1	<1	--	--	<1	3.1	<1	<1	<1	5.8	<0.5	<1	<1	<1	<1	49	<1	<1	--	<1	<1	--	5.8	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	1.2	<1	<1	<1	2.4	<0.5	<1	<1	<1	<1	7.0	<1	<1	--	<1	<1	--	4.7	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	1.5	<1	<1	<1	3.0	<0.5	<1	<1	<1	<1	7.2	<1	<1	--	<1	<1	--	3.0	<1	<0.5	6
MW-13	Apr-97	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<100	--	--	--	--	--	--	<10	<10	--	--	--	<10	<10	170	<10	--	--	--	--	--	<20	--	--	4
	Jul-97	<13	--	--	--	<13	<13	--	--	--	--	--	--	--	<130	--	--	--	--	--	--	<13	<13	--	--	--	<13	<13	26	<13	--	--	--	--	--	<25	--	--	4
	Oct-97	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<20	--	--	--	--	--	--	<10	<5	--	--	--	<10	<10	34	<5	--	<20	--	--	--	5.2	--	--	4
	Jan-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Apr-98	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<200	--	--	--	--	--	<10	<10	<10	--	--	--	<10	<10	<10	<20	--	--	--	--	--	<20	--	--	4
	Jul-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Nov-98	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<100	--	--	--	--	--	<5	<5	<5	--	--	--	<5	<5	<5	<10	--	--	--	--	--	<10	--	--	4
	Apr-99	<13	--	--	--	<13	<13	--	--	--	--	--	--	--	<250	--	--	--	--	--	<13	<13	<13	--	--	--	<13	<13	<13	<25	--	--	--	--	--	<25	--	--	4
	Oct-99	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<50	<2.5	<2.5	<250	<25	<5	<5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	12	<25	<2.5	<25	<2.5	<2.5	--	<2.5	<7.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.8	<0.5	<0.5	<5	<0.5	<0.5	--	18	<1.5		6
	Nov-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<10	<5	<1	<1	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.7	0.5	<0.5	<5	<0.5	<0.5	--	14	<1.5		6
	Jun-01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<10	<0.5	<0.5	<50	<5	<1	<0.5	<0.5	<1	<0.5	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	12	<0.5	<0.5	<5	<0.5	<0.5	--	7.7	<1	<0.5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5		<0.5		<1		<1	<1	<1		--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	4.8	<1	<1		<1	<1	--	1.0	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	3.3	<0.5	<1	<1	<1	<1	9.0	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	3.7	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
MW-14	Apr-97	<13	--	--	--	<13	<13	--	--	--	--	--	--	--	<130	--	--	--	--	--	--	<13	15	--	--	--	<13	<13	600	<13	--	--	--	--	--	58	--	--	4
	Jul-97	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<50	--	--	--	--	--	<2.5	<2.5	10	--	--	--	<2.5	<2.5	140	<2.5	--	--	--	--	--	88	--	--	4
	Oct-97	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<2	--	--	--	--	--	--	<1	11	--	--	--	<1	<1	110	<0.5	--	<2	--	--	--	50	--	--	4
	Jan-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Apr-98	<2.5	--	--	--	<2.5	<2.5	--	--	--	--	--	--	--	<50	--	--	--	--	--	<2.5	<2.5	9.3	--	--	--	<2.5	<2.5	74	<5	--	--	--	--	--	55	--	--	4
	Jul-98	NS	--	--	--	NS	NS	--	--	--	--	--	--	--	NS	--	--	--	--	--	NS	NS	NS	--	--	--	NS	NS	NS	NS	--	--	--	--	--	NS	--	--	7
	Nov-98	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<20	--	--	--	--	--	<1	<1	7.8	--	--	--	<1	<1	29	<2	--	--	--	--	--	14	--	--	4
	Apr-99	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	5.9	--	--	--	<0.5	<0.5	18	<1	--	--	--	--	--	19	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	1.2	<0.5	<50	<5	1.7	<1	<0.5	<0.5	<0.5	<1	3.8	<0.5	<0.5	<0.5	<0.5	<0.5	33	<0.5	<0.5	<5	<0.5	<0.5	--	63	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	7.0	<0.5	<0.5	<0.5	<0.5	<0.5	36	<5	<0.5	<5	<0.5	<0.5	--	8.0	<1.5		6
	Nov-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	1.5	<0.5	<10	<5	<1	0.6	<0.5	<0.5	<0.5	<1	3.4	<0.5	<0.5	<0.5	<0.5	<0.5	7.0	0.6	<0.5	<5	<0.5	3.8	--	94	<1.5		6
	Jun-01	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<5	<0.5	<10	0.5	0.7	<50	<5	<1	<0.5	<0.5	<1	<0.5	<1	2.9	<0.5	<0.5	<0.5	<0.5	<0.5	6.4	<0.5	<0.5	<5	<0.5	<0.5	--	12	<1	<0.5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	0.91	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.4	<0.5	<1	<1	<1	<1	2.5	<1	<1	--	<1	<1	--	1.7	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	7.4	--	<1	--	3.6	<1	<1	--	--	<1	<1	<1	<1	<1	1.3	<0.5	<1	<1	<1	<1	1.5	<1	<1	--	<1	<1	--	11	<1	<0.5	6

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	TPH (gasoline)[3]	TRPH[2]	Acetone	tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromochloroethene	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	2-Butanone (MEK)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	2-Chloroethyl vinyl ether	bis (2-Chloroethyl) ether	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene
	Jul-07	-	-	-	-	<0.5	<1	<1	<1	<1	<1	-	-	4.0	3.0	<1	-	<0.5	<1	<1	-	-	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	<1	<1

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane	1,1-Dichloropropene	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	2-Hexanone	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	4-Methyl-2-pentanone	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Acetate	Vinyl chloride	m,p-Xylenes	o-Xylene	Notes
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	-	6.1	-	<1	-	3.0	<1	<1	-	-	3.9	3.8	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	1.9	<1	<1	-	<1	<1	-	10	<1	<0.5	6

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	TPH (gasoline)[1]	TRPH[2]	Acetone	tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	2-Butanone (MEK)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	2-Chloroethyl vinyl ether	bis (2-Chloroethyl) ether	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene
MW-15	Apr-97	1,700	--	--	--	--	--	--	<63	<63	<130	--	--	--	--	--	--	<63	<130	<310	<310	--	<63	<130	--	--	<63	--	--	--	<130	<130	<130	--	<63	<63	<63	360	<63
	Jul-97	460	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	<250	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	--	<50	<50	<50	290	<50
	Oct-97	1,300	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<100	<50	<50	--	--	<100	<100	--	--	<50	--	--	--	<50	<100	<100	--	<100	<50	<50	260	<200
	Jan-98	1,200	--	--	--	--	--	--	<0.5	<0.5	<1	--	--	--	--	--	--	<0.5	<1	<2.5	--	--	<0.5	<1	--	--	<0.5	--	--	--	<1	<1	<1	<1	<0.5	<0.5	<0.5	210	<0.5
	Apr-98	1,900	--	--	--	--	--	--	<250	<250	<500	--	--	--	--	--	--	<250	<500	<1,300	--	--	<250	<500	--	--	<250	--	--	--	<500	<500	<500	<500	<250	<250	<250	<250	<250
	Jul-98	1,600	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	--	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	<100	<50	<50	<50	250	<50
	Nov-98	1,500	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	--	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	<100	<50	<50	<50	150	<50
	Apr-99	--	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	--	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	<100	<50	<50	<50	180	<50
	Oct-99	--	--	<500	--	<5	<10	<10	<5	<5	<5	--	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	8.1	43	<5
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	<0.5	5.9	82	0.8
	Nov-00	--	--	<500	--	<5	<10	<10	<5	<5	<5	--	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	8.5	130	<5
	Jun-01	--	--	<500	<50	<5	<10	<10	<5	<5	<5	<100	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	5.5	200	<5
	Jan-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	3.3	110	1.2
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	10	<1
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	11	<1
MW-16	Jul-97	480	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	<250	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	--	<50	<50	<50	1,200	<50
	Oct-97	640	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<100	<50	<50	--	--	<100	<100	--	--	<50	--	--	--	<50	<100	<100	--	<100	<50	<50	570	<200
	Jan-98	840	--	--	--	--	--	--	<25	<25	<50	--	--	--	--	--	--	<25	<50	<130	--	--	<25	<50	--	--	<25	--	--	--	<50	<50	<50	<50	<25	<25	<25	490	<25
	Apr-98	1,200	--	--	--	--	--	--	<130	<130	<250	--	--	--	--	--	--	<130	<250	<630	--	--	<130	<250	--	--	<130	--	--	--	<250	<250	<250	<250	<130	<130	<130	450	<130
	Jul-98	900	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	--	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	<100	<50	<50	<50	520	<50
	Nov-98	850	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	--	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	<100	<50	<50	<50	240	<50
	Apr-99	--	--	--	--	--	--	--	<50	<50	<100	--	--	--	--	--	--	<50	<100	<250	--	--	<50	<100	--	--	<50	--	--	--	<100	<100	<100	<100	<50	<50	<50	200	<50
	Oct-99	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	9.2	<0.5
	Apr-00	--	--	<50	--	1.4	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	3.8	<0.5	11	130	1.1
	Nov-00	--	--	<500	--	<5	<10	<10	<5	<5	<5	--	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	6.7	74	<5
	Jun-01	--	--	<500	<50	<5	<10	<10	<5	<5	<5	<100	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	12	78	<5
	Jan-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	5.6	43	<1
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	4.5	32	<1
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	3.7	42	<1
MW-17	Jul-97	70	--	--	--	--	--	--	<10	<10	<20	--	--	--	--	--	--	<10	<20	<50	<50	--	<10	<20	--	--	<10	--	--	--	<20	<20	<20	--	<10	<10	<10	470	14
	Oct-97	350	--	--	--	--	--	--	<3	<3	<3	--	--	--	--	--	--	<3	<3	<3	--	--	<3	<3	--	--	<3	--	--	--	<3	<3	<3	--	<3	<3	7.0	440	15
	Jan-98	150	--	--	--	--	--	--	<10	<10	<20	--	--	--	--	--	--	<10	<20	<50	--	--	<10	<20	--	--	<10	--	--	--	<20	<20	<20	<20	<10	<10	<10	520	14
	Apr-98	240	--	--	--	--	--	--	<25	<25	<50	--	--	--	--	--	--	<25	<50	<130	--	--	<25	<50	--	--	<25	--	--	--	<50	<50	<50	<50	<25	<25	<25	810	26
	Jul-98	310	--	--	--	--	--	--	<10	<10	<20	--	--	--	--	--	--	<10	<20	<50	--	--	<10	<20	--	--	<10	--	--	--	<20	<20	<20	<20	<10	<10	<10	530	20
	Nov-98	150	--	--	--	--	--	--	Note 8	Note 8	Note 8	--	--	--	--	--	--	Note 8	Note 8	Note 8	--	--	<10	Note 8	--	--	Note 8	--	--	--	Note 8	Note 8	Note 8	Note 8	<10	Note 8	53	400	13
	Apr-99	--	--	--	--	--	--	--	<25	<25	<50	--	--	--	--	--	--	<25	<50	<130	--	--	<25	<50	--	--	<25	--	--	--	<50	<50	<50	<50	<25	<25	<25	810	<25
	Oct-99	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	5.0	0.6	19	520	33
	Apr-00	--	--	<50	--	<0.5	<1	<1	<0.5	<0.5	<0.5	--	<10	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5	<0.5	<0.5	3.7	0.8	38	160	8.6
	Nov-00	--	--	<500	--	<5	<10	<10	<5	<5	<5	--	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	7.0	660	30
	Jun-01	--	--	<500	<50	<5	<10	<10	<5	<5	<5	<100	<100	<5	<5	<5	<100	<5	<5	<5	--	--	<5	<5	<5	<5	<5	<5	<100	<5	<5	<5	<5	<5	<5	<5	7.2	530	34
MW-17a	Feb-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	2.8	27	9.5
	Mar-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	26	11
	Jul-07	--	--	--	--	<0.5	<1	<1	<1	<1	<1	--	--	<1	<1	<1	--	<0.5	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<0.5	<1	16	6.9

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane	1,1-Dichloropropene	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	n-Hexanone	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	4-Methyl-2-pentanone	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Acetate	Vinyl chloride	m,p-Xylenes	o-Xylene	Notes
MW-15	Apr-97	<63	--	--	--	<63	<63	--	--	--	--	--	--	--	<630	--	--	--	--	--	--	<63	<63	--	--	--	<63	<63	4,500	<63	--	--	--	--	--	<130	--	--	4
	Jul-97	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<500	--	--	--	--	--	--	<50	<50	--	--	--	<50	<50	3,700	<50	--	--	--	--	--	<100	--	--	4
	Oct-97	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<200	--	--	--	--	--	--	<100	<50	--	--	--	<100	<100	3,700	<50	--	<200	--	--	--	53	--	--	4
	Jan-98	<0.5	--	--	--	<0.5	<0.5	--	--	--	--	--	--	--	<10	--	--	--	--	--	<0.5	<0.5	78	--	--	--	<0.5	<0.5	4,300	<1	--	--	--	--	--	<1	--	--	4
	Apr-98	<250	--	--	--	<250	<250	--	--	--	--	--	--	--	<5,000	--	--	--	--	--	<250	<250	<250	--	--	--	<250	<250	4,700	<500	--	--	--	--	--	<500	--	--	4
	Jul-98	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<1,000	--	--	--	--	--	<50	<50	<50	--	--	--	<50	<50	3,800	<100	--	--	--	--	--	370	--	--	4
	Nov-98	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<1,000	--	--	--	--	--	<50	<50	<50	--	--	--	<50	<50	4,300	<100	--	--	--	--	--	210	--	--	4
	Apr-99	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<1,000	--	--	--	--	--	<50	<50	<50	--	--	--	<50	<50	3,600	<100	--	--	--	--	--	170	--	--	4
	Oct-99	<5	<5	<5	<5	<5	<5	--	<5	<5	<5	<100	<5	<5	<500	<50	<10	<10	<5	<5	<5	<10	30	<5	<5	<5	<5	<5	2,900	<5	<5	<50	<5	<5	--	26	<15		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	34	<0.5	<0.5	<0.5	<0.5	0.6	5,100	<0.5	<0.5	35	<0.5	<0.5	--	6.8	<1.5		6
	Nov-00	<5	<5	<5	<5	<5	<5	--	<5	--	<5	<100	<5	<5	<100	<50	<10	<10	<5	<5	<5	<10	33	<5	<5	<5	<5	<5	6,400	<5	<5	<50	<5	<5	--	7.8	<15		6
	Jun-01	<5	<5	<5	<5	<5	<5	<50	<5	<50	<5	<100	<5	<5	<500	<50	<10	<5	<5	<10	<5	<10	22	6.1	<5	<5	<5	<5	3,300	<5	<5	<50	<5	<5	--	<5	<10	<5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	19	<0.5	<1	<1	<1	<1	3,300	<1	<1	--	<1	<1	--	9.0	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	2.4	<0.5	<1	<1	<1	<1	360	<1	<1	--	<1	<1	--	<1	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	3.0	0.70	<1	<1	<1	<1	290	<1	<1	--	<1	<1	--	6.8	<1	<0.5	6
MW-16	Jul-97	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<500	--	--	--	--	--	--	<50	<50	--	--	--	<50	<50	2,900	<50	--	--	--	--	--	540	--	--	4
	Oct-97	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<200	--	--	--	--	--	--	<100	<50	--	--	--	<100	<100	3,600	<50	--	<200	--	--	--	340	--	--	4
	Jan-98	<25	--	--	--	<25	<25	--	--	--	--	--	--	--	<500	--	--	--	--	--	<25	<25	32	--	--	--	<25	<25	2,400	<50	--	--	--	--	--	260	--	--	4
	Apr-98	<130	--	--	--	<130	<130	--	--	--	--	--	--	--	<2,500	--	--	--	--	--	<130	<130	<130	--	--	--	<130	<130	3,800	<250	--	--	--	--	--	<250	--	--	4
	Jul-98	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<1,000	--	--	--	--	--	<50	<50	<50	--	--	--	<50	<50	2,300	<100	--	--	--	--	--	290	--	--	4
	Nov-98	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<1,000	--	--	--	--	--	<50	<50	<50	--	--	--	<50	<50	2,500	<100	--	--	--	--	--	190	--	--	4
	Apr-99	<50	--	--	--	<50	<50	--	--	--	--	--	--	--	<1,000	--	--	--	--	--	<50	<50	<50	--	--	--	<50	<50	3,000	<100	--	--	--	--	--	110	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<50	<5	<1	<1	<0.5	<0.5	<0.5	<1	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	130	<0.5	<0.5	<5	<0.5	<0.5	--	<0.5	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	1.0	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	34	<0.5	<0.5	<0.5	<0.5	0.6	1,900	<0.5	<0.5	24	<0.5	<0.5	--	98	<1.5		6
	Nov-00	<5	<5	<5	<5	<5	<5	--	<5	--	<5	<100	<5	<5	<100	<50	<10	<10	<5	<5	<5	<10	12	<5	<5	<5	<5	<5	1,900	<5	<5	<50	<5	<5	--	52	<15		6
	Jun-01	<5	<5	<5	<5	<5	<5	<50	<5	<50	<5	<100	<5	<5	<500	<50	<10	<5	<5	<10	<5	<10	28	<5	<5	<5	<5	<5	3,800	<5	<5	<50	<5	<5	--	92	<10	<5	6
	Jan-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	12	<0.5	<1	<1	<1	<1	2,800	<1	<1	--	<1	<1	--	6.7	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	8.0	<0.5	<1	<1	<1	<1	2,100	<1	<1	--	<1	<1	--	4.7	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	9.6	<0.5	<1	<1	<1	<1	2,500	<1	<1	--	<1	<1	--	2.2	<1	<0.5	6
MW-17	Jul-97	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<100	--	--	--	--	--	--	<10	<10	--	--	--	<10	<10	570	<10	--	--	--	--	--	<20	--	--	4
	Oct-97	<3	--	--	--	<3	<3	--	--	--	--	--	--	--	<10	--	--	--	--	--	--	<5	4.5	--	--	--	<5	<5	460	<3	--	<10	--	--	--	<3	--	--	4
	Jan-98	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<200	--	--	--	--	--	<10	<10	<10	--	--	--	<10	<10	520	<20	--	--	--	--	--	<20	--	--	4
	Apr-98	<25	--	--	--	<25	<25	--	--	--	--	--	--	--	<500	--	--	--	--	--	<25	<25	<25	--	--	--	<25	<25	580	<50	--	--	--	--	--	<50	--	--	4
	Jul-98	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<200	--	--	--	--	--	<10	<10	<10	--	--	--	<10	<10	350	<20	--	--	--	--	--	<20	--	--	4
	Nov-98	Note 8	--	--	--	Note 8	Note 8	--	--	--	--	--	--	--	Note 8	--	--	--	--	--	Note 8	Note 8	<10	--	--	--	Note 8	<10	290	Note 8	--	--	--	--	--	<20	--	--	4,8
	Apr-99	<25	--	--	--	<25	<25	--	--	--	--	--	--	--	<500	--	--	--	--	--	<25	<25	<25	--	--	--	<25	<25	520	<50	--	--	--	--	--	<50	--	--	4
	Oct-99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<50	<5	1.6	<1	<0.5	<0.5	<0.5	<1	3.5	<0.5	<0.5	<0.5	<0.5	<0.5	280	<0.5	<0.5	<5	<0.5	<0.5	--	7.2	<1.5		6
	Apr-00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<10	<0.5	<0.5	<20	<5	<1	<1	<0.5	<0.5	<0.5	<1	7.3	<0.5	<0.5	<0.5	<0.5	0.6	120	<5	<0.5	<5	<0.5	<0.5	--	1.4	<1.5		6
	Nov-00	<5	<5	<5	<5	<5	<5	--	<5	--	<5	<100	<5	<5	<100	<50	<10	<10	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	360	<5	<5	<50	<5	<5	--	9.7	<15		6
	Jun-01	<5	<5	<5	<5	<5	<5	<50	<5	<50	<5	<100	<5	<5	<500	<50	<10	<5	<5	<10	<5	<10	<5	<5	<5	<5	<5	<5	270	<5	<5	<50	<5	<5	--	26	<10	<5	6
MW-17a	Feb-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	<1	<0.5	<1	<1	<1	<1	26	<1	<1	--	<1	<1	--	20	<1	<0.5	6
	Mar-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.4	<0.5	<1	<1	<1	<1	20	<1	<1	--	<1	<1	--	29	<1	<0.5	6
	Jul-07	<1	<1	<1	<1	<0.5	<0.5	--	<0.5	--	<1	--	<1	<1	<1	--	--	<1	<1	<1	<1	<1	1.6	<0.5	<1	<1	<1	<1	18	<1	<1	--	<1	<1	--	16	<1	<0.5	6

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	TPH (gasoline)[1]	TRPH[2]	Acetone	tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	2-Butanone (MEK)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	2-Chloroethyl vinyl ether	Bis (2-Chloroethyl) ether	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene
B-7 Water	Dec-87	<1,000	--	--	--	<25	--	--	<10	<10	<10	--	--	--	--	--	--	<10	<25	<10	<10	--	<10	<10	--	--	<10	--	--	--	<25	<25	<25	<10	<10	<10	<10	--	83
GW-EB1	Oct-96	--	--	--	--	--	--	--	<5	<5	<5	--	--	--	--	--	--	<5	<5	<5	<5	--	<5	<5	--	--	<5	--	--	--	<5	<5	<5	--	<5	<5	<5	--	<5
GW-EB2	Oct-96	--	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	<1	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	--	<1
GW-EB3	Oct-96	--	--	--	--	--	--	--	<1	<1	<1	--	--	--	--	--	--	<1	<1	<1	<1	--	<1	<1	--	--	<1	--	--	--	<1	<1	<1	--	<1	<1	<1	--	<1
GW-EB4	Oct-96	--	--	--	--	--	--	--	<10	<10	<10	--	--	--	--	--	--	<10	<10	<10	<10	--	<10	<10	--	--	<10	--	--	--	<10	<10	<10	--	<10	<10	<10	--	<10

Table 5: Summary of Analytical Results: Monitoring Well Groundwater Samples

Well ID	Date Sampled	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane	1,1-Dichloropropene	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	2-Hexanone	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	4-Methyl-2-pentanone	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl Acetate	Vinyl chloride	m,p-Xylene	o-Xylene	Notes
B-7 Water	Dec-87	<10	--	--	--	<10	<10	--	<25	--	--	--	--	--	<100	--	--	--	--	--	--	<10	25.0	<25	--	--	<10	<10	550	<100	--	--	--	--	--	<10	<25	37	3,4,9
GW-EB1	Oct-96	<5	--	--	--	<5	<5	--	--	--	--	--	--	--	<5	--	--	--	--	--	--	<5	<5	--	--	--	<5	<5	59	<5	--	--	--	--	--	<5	--	--	4,9
GW-EB2	Oct-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	<1	--	--	--	<1	<1	28	<1	--	--	--	--	--	<1	--	--	4,9
GW-EB3	Oct-96	<1	--	--	--	<1	<1	--	--	--	--	--	--	--	<1	--	--	--	--	--	--	<1	<1	--	--	--	<1	<1	<1	<1	--	--	--	--	--	<1	--	--	4,9
GW-EB4	Oct-96	<10	--	--	--	<10	<10	--	--	--	--	--	--	--	<10	--	--	--	--	--	--	<10	<10	--	--	--	<10	<10	170	<10	--	--	--	--	--	<10	--	--	4,9

Notes:

Bold indicates analyte detected.

< indicates analyte not detected above indicated laboratory reporting limit.

-- indicates not analyzed.

NS indicates well not sampled.

1) Total petroleum hydrocarbons as gasoline, analyzed in general accordance with U.S.EPA Method No. 8015m. Results are in micrograms per liter (µg/L).
2) Total recoverable petroleum hydrocarbons (TRPH), analyzed in general accordance with U.S.EPA Method No. 418.1. Results are in µg/L.
3) Benzene, toluene, ethylbenzene, and total xylenes (BTEX) analyzed in general accordance with U.S.EPA Method No. 8020 or 601. Results are in µg/L.
4) Halogenated volatile organic compounds (HVOCs) analyzed in general accordance with U.S.EPA Method No. 8010 or 602. Results are in µg/L.
5) Volatile organic compounds (VOCs) analyzed in general accordance with U.S.EPA Method No. 8240 or 624. Results are in micrograms per liter (µg/L).
6) Volatile organic compounds (VOCs) analyzed in general accordance with U.S.EPA Method No. 8260. Results are in micrograms per liter (µg/L).
7) Well not sampled during monitoring round.
8) Laboratory report not available for review. Partial results are from summary table provided in Environ, 1998.
9) Grab groundwater sample collected from soil boring.

Table 6: Summary of Analytical Results: Off-Site Discrete-Depth Groundwater Samples

Location ID	Depth Interval (feet bgs)	Volatile Organic Compounds (VOCs)[1]. Concentrations are in micrograms per liter (µg/L)																																		
		tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane
CPT1	32-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	37-40	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.7	103	<0.5	<0.5	<0.5	<0.5
	42.5-45.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.2	56	<0.5	<0.5	<0.5	<0.5
CPT2	29-32	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	84	<0.5	<0.5	<0.5	<0.5	<0.5
	33-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	300	6.5	<0.5	<0.5	<0.5
	38-41	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	11	<0.5	<0.5	<0.5	<0.5	<0.5
CPT3	20-23	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5
	25-28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	31-34	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT4	20-23	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	26-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	33-36	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	28	<0.5	<0.5	<0.5	<0.5
CPT6	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	132	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.9	<0.5	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	5.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	11	<0.5	<0.5	<0.5	<0.5
	43-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	<0.5	3.7	<0.5	<0.5
CPT7	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	34-37	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	41-11	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT8	27-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	43-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT9	27-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	43-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT10	21-24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	49	<0.5	<0.5	<0.5	<0.5
	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	3.7	4.8	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	35	1,120	<0.5	<0.5
CPT11	30-33	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	164	170	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	39	32	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	40-43	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.7	371	3.6	<0.5	<0.5
CPT12	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	2.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	53	3.2	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	42-45	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	26	<0.5	<0.5	<0.5	<0.5
CPT13	26-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	363	2.8	<0.5	<0.5	<0.5
	31-34	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	116	1.1	<0.5	<0.5	<0.5
	36-39	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	12	<0.5	<0.5	<0.5	<0.5

Table 6: Summary of Analytical Results: Off-Site Discrete-Depth Groundwater Samples

Location ID	Depth Interval (feet bgs)	Volatile Organic Compounds (VOCs)[1]. Concentrations are in micrograms per liter (µg/L)																													
		1,1-Dichloropropene	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl chloride	m,p-Xylenes
CPT1	32-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	28	<0.5	<0.5	<0.5	<0.5	<0.5	6.1	<0.5
	37-40	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	23	<0.5	<0.5	<0.5	<0.5	<0.5	4,760	<0.5	<0.5	22	<0.5	<0.5	3.2	<0.5
	42.5-45.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	26	<0.5	<0.5	<0.5	<0.5	<0.5	4,440	<0.5	<0.5	24	<0.5	<0.5	7.8	<0.5
CPT2	29-32	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.9	<0.5	<0.5	<0.5	<0.5	<0.5	122	<0.5	<0.5	<0.5	<0.5	<0.5	256	<0.5
	33-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	75	<0.5	<0.5	<0.5	<0.5	<0.5	2,190	<0.5	<0.5	<0.5	3.8	<0.5	89	<0.5
	38-41	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	9.0	<0.5	<0.5	<0.5	<0.5	<0.5	685	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT3	20-23	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	25-28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	31-34	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT4	20-23	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	26-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	37	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	33-36	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	21	<0.5	<0.5	<0.5	<0.5	<0.5	5,660	<0.5	<0.5	29	<0.5	<0.5	<0.5	<0.5
CPT6	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	54	144	<0.5	<0.5	290	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	<0.5	<0.5	404	<0.5	<0.5	35
	35-38	<0.5	<0.5	<0.5	<0.5	6.9	<0.5	<0.5	5.2	<0.5	<0.5	<0.5	92	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.6	<0.5	<0.5	<0.5	2.5	<0.5	<0.5	<0.5
	43-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	<0.5	<0.5	<0.5	1.0	<0.5	<0.5	<0.5
CPT7	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	37	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	34-37	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	154	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	41-44	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	259	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT8	27-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.9	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	43-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT9	27-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	43-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT10	21-24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	16.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	22	<0.5	<0.5	<0.5	<0.5	<0.5	10,200	<0.5	<0.5	4.0	<0.5	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	116	<0.5	<0.5	<0.5	<0.5	<0.5	71,000	<0.5	<0.5	134	<0.5	<0.5	13	<0.5
CPT11	30-33	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	190	86	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	15	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	42	16	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	40-43	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	76	<0.5	<0.5	43	<0.5	1.0	20,400	<0.5	<0.5	70	<0.5	<0.5	5.0	<0.5
CPT12	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	35-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	42-45	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	5.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT13	26-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.5	<0.5	<0.5	<0.5	<0.5	<0.5	250	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	31-34	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	129	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	36-39	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	244	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 6: Summary of Analytical Results: Off-Site Discrete-Depth Groundwater Samples

Location ID	Depth Interval (feet bgs)	Volatile Organic Compounds (VOCs)[1]. Concentrations are in micrograms per liter (µg/L)																																			
		tert-Amyl methyl ether (TAME)	Benzene	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane
CPT14	19-21	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	26-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	33-36	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.0	<0.5	<0.5	<0.5
CPT15	21-24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	33-36	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.9	<0.5	<0.5	<0.5	<0.5	<0.5
CPT16	32-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	<0.5	<0.5	<0.5	<0.5	<0.5
	37-40	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.0	<0.5	<0.5	<0.5	<0.5	<0.5
	42-45	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	15	35	<0.5	<0.5	<0.5	<0.5
CPT17	32-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.2	23	<0.5	<0.5	<0.5	<0.5
	37-40	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	12	85	<0.5	<0.5	<0.5	<0.5
	43-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	63	581	<0.5	<0.5	<0.5	<0.5

Table 6: Summary of Analytical Results: Off-Site Discrete-Depth Groundwater Samples

Location ID	Depth Interval (feet bgs)	Volatile Organic Compounds (VOCs)[1], Concentrations are in micrograms per liter (µg/L)																													
		1,1-Dichloropropene	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	Isopropylbenzene	p-Isopropyltoluene	Methylene Chloride	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl chloride	m,p-Xylenes
CPT14	19-21	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	26-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	33-36	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	<0.5	<0.5	<0.5	<0.5	<0.5	41	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT15	21-24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	28-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	33-36	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	8.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT16	32-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	37-40	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	207	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	42-45	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	23	<0.5	<0.5	<0.5	<0.5	<0.5	2,970	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT17	32-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.9	<0.5	<0.5	<0.5	<0.5	<0.5	274	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	37-40	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.5	<0.5	<0.5	<0.5	<0.5	<0.5	3,530	<0.5	<0.5	3.4	<0.5	<0.5	<0.5	<0.5
	43-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	230	<0.5	<0.5	<0.5	<0.5	<0.5	3,930	<0.5	<0.5	243	<0.5	<0.5	84	<0.5

Notes:

Bold indicates analyte detected.

< indicates analyte not detected above indicated laboratory reporting limit.

1) Volatile organic compounds (VOCs) analyzed in general accordance with U.S.EPA Method No. 8260. Results are in micrograms per liter (µg/L).

2) Groundwater samples were not collected at location CPT5.

Table 7: Summary of Analytical Results: Off-Site Discrete-Depth Groundwater Samples

Location ID	Depth Interval (feet bgs)	Volatile Organic Compounds (VOCs)[1]. Concentrations are in micrograms per liter (µg/L).																																
		Benzene	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	tert-Butanol (TBA)	n-Butylbenzene	sec-Butylbenzene	tert-Butylbenzene	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	2-Chlorotoluene	4-Chlorotoluene	Dibromochloromethane	1,2-Dibromoethane	1,2-Dibromo-3-chloropropane	Dibromomethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	1,2-Dichloropropane	1,3-Dichloropropane	2,2-Dichloropropane
CPT101	20-25	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.5	<0.5	<0.5	<0.5	<0.5
	27-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.3	<0.5	<0.5	<0.5	<0.5
	33-35	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	16	2.4	<0.5	<0.5	<0.5
CPT102	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	33	<0.5	<0.5	<0.5	<0.5
	30-33	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	85	<0.5	<0.5	<0.5	<0.5
	33-36	1.8	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.3	124	2.5	<0.5	<0.5
CPT103	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	34	72	<0.5	<0.5
	34-39	1.9	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	42-45	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	2.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.4	3.7	<0.5	<0.5	<0.5
CPT104	25-30	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.0	5.5	<0.5	<0.5	<0.5
	32-37	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	39-44	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.2	<0.5	4.0	22	2.9	<0.5	<0.5
CPT105	15-19	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	21-24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	26-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT106	26-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.0	<0.5	<0.5	63	7.2	<0.5	<0.5
	35-39	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.5	<0.5	7.6	22	4.1	<0.5	<0.5
	40-44	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.4	1.0	23	23	3.3	<0.5	<0.5
CPT107	14-19	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	11	4.2	<0.5	<0.5
	20-24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.8	<0.5	<0.5	<0.5	2.6	<0.5	<0.5
	25-28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.1	<0.5	2.7	<0.5	<0.5	<0.5
CPT108	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.5	5.5	<0.5	<0.5
	34-39	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	77	190	<0.5	<0.5
	41-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.3	3.1	<0.5	<0.5
CPT109	15-20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	21-26	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	26-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT110	14-19	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	27	<0.5	<0.5	<0.5
	22-27	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	18	<0.5	<0.5	<0.5
	30-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.8	<0.5	<0.5	<0.5
CPT111	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	30-34	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	34-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.8	1.1	<0.5	2.9	2.4	<0.5	<0.5
CPT112	24-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.8	<0.5	2.6	3.8	<0.5	<0.5
	30-33	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	80	16	<0.5	<0.5	<0.5
	34-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.5	<0.5	201	32	<0.5	<0.5	<0.5
CPT113	23-28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	30-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.2	3.0	<0.5	<0.5
	37-42	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	2.4	2.6	<0.5	<0.5

Table 7: Summary of Analytical Results: Off-Site Discrete-Depth Groundwater Samples

Location ID	Depth Interval (feet bgs)	Volatile Organic Compounds (VOCs)[1]. Concentrations are in micrograms per liter (µg/L).																													
		1,1-Dichloropropene	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Diisopropyl Ether (DIPE)	Ethylbenzene	Ethyl tert-butyl ether (ETBE)	Hexachlorobutadiene	Isopropylbenzene	4-Isopropyltoluene	Methylene Chloride	Methyl tert-butyl ether (MTBE)	Naphthalene	n-Propylbenzene	Styrene	tert-Amyl methyl ether (TAME)	1,1,1,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,2,3-Trichlorobenzene	1,2,4-Trichlorobenzene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene (TCE)	Trichlorofluoromethane	1,2,3-Trichloropropane	Trichlorotrifluoroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Vinyl chloride	Xylenes
CPT101	20-25	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	5.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	27-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	27	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	33-35	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	169	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT102	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	85	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	30-33	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	212	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	33-36	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.1	<0.5	<0.5	<0.5	<0.5	<0.5	506	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	<0.5
CPT103	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.94	<0.5	<0.5	5.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	103	<0.5	<0.5	<0.5	2.1	1.0	<0.5	<0.5
	34-39	<0.5	<0.5	<0.5	<0.5	2.0	<0.5	<0.5	0.76	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	508	<0.5	<0.5	<0.5	2.7	1.1	<0.5	<0.5
	42-45	<0.5	<0.5	<0.5	<0.5	2.0	<0.5	<0.5	2.3	4.0	<0.5	1.0	9.1	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	44	<0.5	<0.5	<0.5	33	7.4	<0.5	<0.5
CPT104	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	27	<0.5
	32-37	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	39-44	<0.5	<0.5	<0.5	<0.5	2.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	325	<0.5	<0.5	<0.5	<0.5	<0.5	2.5	<0.5
CPT105	15-19	<0.5	<0.5	<0.5	<0.5	8.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	21-24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	26-30	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT106	26-31	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	43	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	35-39	<0.5	<0.5	<0.5	<0.5	2.1	<0.5	<0.5	<0.5	<0.5	<0.5	5.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.8	<0.5	<0.5	<0.5	<0.5	<0.5	18	<0.5	<0.5	<0.5	<0.5	<0.5	3.0	<0.5
	40-44	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.8	<0.5	<0.5	<0.5	<0.5	<0.5	250	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	<0.5
CPT107	14-19	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	20-24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	25-28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT108	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	14	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	34-39	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.2	<0.5	<0.5	<0.5	<0.5	<0.5	40	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	41-46	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	15	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	160	<0.5	<0.5	<0.5	<0.5	<0.5	12	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT109	15-20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	21-26	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	26-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT110	14-19	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	12	<0.5	<0.5	<0.5	<0.5	<0.5	1.3	<0.5
	22-27	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	10	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	<0.5
	30-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	12	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT111	25-30	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	30-34	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	34-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
CPT112	24-29	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	<0.5
	30-33	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4.4	<0.5
	34-38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	5.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	62	<0.5	<0.5	<0.5	<0.5	<0.5	4.3	<0.5
CPT113	23-28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	49	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	30-35	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	6.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	72	<0.5	<0.5	<0.5	<0.5	<0.5	2.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	37-42	<0.5	<0.5	<0.5	<0.5	2.2	<0.5	<0.5	<0.5	<0.5	<0.5	5.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	365	<0.5	<0.5	<0.5	<0.5	<0.5	91	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Notes:

Bold indicates analyte detected.
< indicates analyte not detected above indicated laboratory reporting limit.

1) Volatile organic compounds (VOCs) analyzed in general accordance with U.S.EPA Method No. 8260B.