

Mercury Data from POTWs (2000 to 2003)

Table 1: Advanced Secondary Treatment Plants

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	1/5/2000		0.00765	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	1/12/2000		0.00547	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	2/9/2000		0.00691	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	2/17/2000		0.00635	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	3/8/2000		0.00325	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	3/15/2000		0.00454	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	4/4/2000		0.0066	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	4/11/2000		0.0054	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	5/11/2000		0.0036	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	5/16/2000		0.0034	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	6/14/2000		0.0036	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	6/21/2000		0.0093	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/5/2000		0.0035	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/13/2000		0.0041	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	8/3/2000		0.0053	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	8/9/2000		0.0063	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	9/6/2000		0.0032	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	9/14/2000		0.0067	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/5/2000		0.005	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/12/2000		0.0049	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	11/9/2000		0.0034	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	11/15/2000		0.0035	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	12/9/2000		0.0044	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	12/14/2000		0.0032	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	1/3/2001		0.0048	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	1/10/2001		0.0069	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	2/7/2001		0.0058	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	2/14/2001		0.0048	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	3/7/2001		0.0042	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	3/14/2001		0.0039	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	4/4/2001		0.0088	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	4/10/2001		0.0042	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	5/2/2001		0.0042	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	5/9/2001		0.0047	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	6/6/2001		0.0091	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	6/13/2001		0.006	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/1/2001		0.0056	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/11/2001		0.0071	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	8/2/2001		0.0067	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	8/9/2001		0.0073	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/4/2001		0.0049	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/11/2001		0.0049	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/17/2001		0.0044	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	11/7/2001		0.0049	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	11/14/2001		0.0042	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	12/5/2001		0.0058	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	12/12/2001		0.0056	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	1/3/2002		0.0043	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	1/9/2002		0.0042	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	3/6/2002		0.0041	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	3/13/2002		0.0047	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	4/1/2002		0.0061	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	4/11/2002		0.0052	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	5/9/2002		0.0062	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	5/15/2002		0.0027	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	6/4/2002		0.0048	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	6/11/2002		0.0026	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/3/2002		0.0046	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/10/2002		0.003	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	8/3/2002		0.004	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	8/10/2002		0.012	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	9/2/2002		0.0033	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	9/16/2002		0.0042	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/2/2002		0.0084	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/9/2002		0.021	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	11/6/2002		0.019	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	11/13/2002		0.0049	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	12/3/2002		0.0037	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	12/10/2002		0.0026	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	1/7/2003		0.0038	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	1/14/2003		0.0033	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	2/4/2003		0.0084	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	2/11/2003		0.0041	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	3/5/2003		0.004	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	3/12/2003		0.015	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	4/3/2003		0.0029	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	4/9/2003		0.0021	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	5/7/2003		0.0036	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	5/28/2003		0.0026	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	6/4/2003		0.0022	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	6/17/2003		0.0032	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/2/2003		0.002	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/9/2003		0.0019	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	7/16/2003		0.0024	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	8/6/2003		0.0018	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	8/20/2003		0.0022	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	9/2/2003		0.0019	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	9/10/2003		0.002	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/7/2003		0.0018	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	10/14/2003		0.0023	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	11/5/2003		0.0015	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	11/12/2003		0.0018	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	12/4/2003		0.0027	ug/l
Fairfield-Suisun Sewer District	E-001-A Eff Daily Maximum	Hg	12/16/2003		0.0025	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	2/9/2000		0.008	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/2/2000		0.0047	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/9/2000		0.0053	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/16/2000		0.0049	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/22/2000		0.0012	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	9/13/2000		0.0084	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/4/2000		0.0064	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/11/2000		0.0064	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/18/2000		0.0074	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/23/2000		0.0075	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/2/2000		0.017	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/9/2000		0.012	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/17/2000		0.008	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/30/2000		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/4/2000		0.0081	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/6/2000		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/11/2000		0.0073	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/12/2000		0.0065	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/18/2000		0.0076	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/19/2000		0.0069	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/27/2000		0.0075	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/28/2000		0.0072	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/2/2001		0.0073	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/3/2001		0.0078	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/9/2001		0.0071	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/10/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/16/2001		0.0067	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/17/2001		0.0071	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/24/2001		0.0075	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/30/2001		0.0057	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/31/2001		0.0057	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	2/3/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	2/7/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	2/13/2001		0.006	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	2/22/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	2/28/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	3/7/2001		0.005	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	3/14/2001		0.018	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	3/22/2001		0.025	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	3/29/2001		0.018	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	4/4/2001		0.026	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	4/11/2001		0.058	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	4/18/2001		0.015	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	4/21/2001		0.015	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	4/25/2001		0.038	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/2/2001		0.03	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/9/2001		0.014	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/16/2001		0.016	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/17/2001		0.0084	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/21/2001		0.0086	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/22/2001		0.0073	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/24/2001		0.0097	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/29/2001		0.0112	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/30/2001		0.011	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/31/2001		0.034	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/4/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/5/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/12/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/13/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/14/2001		0.006	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/18/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/19/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/20/2001		0.014	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/25/2001		0.006	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/26/2001		0.006	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/27/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/2/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/5/2001		0.0081	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/10/2001		0.0063	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/11/2001		0.0119	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/16/2001		0.0108	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/17/2001		0.0078	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/18/2001		0.0081	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/24/2001		0.0121	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/25/2001		0.0131	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/26/2001		0.0122	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/30/2001		0.0086	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/1/2001		0.0098	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/7/2001		0.0071	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/8/2001		0.0101	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/9/2001		0.0101	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/13/2001		0.009	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/14/2001		0.0081	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/15/2001		0.01	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/21/2001		0.0084	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/29/2001		0.0086	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	9/3/2001		0.0071	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	9/11/2001		0.0081	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	9/19/2001		0.0059	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	9/26/2001		0.011	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/4/2001		0.0087	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/11/2001		0.0054	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/18/2001		0.007	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/25/2001		0.0048	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/1/2001		0.0058	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/8/2001		0.0067	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/19/2001		0.0056	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/4/2001		0.0058	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/7/2002		0.011	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	2/5/2002		0.01	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	3/4/2002		0.0052	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	4/8/2002		0.013	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/7/2002		0.0076	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/3/2002		0.0077	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/8/2002		0.0072	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/6/2002		0.008	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	9/9/2002		0.0064	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/7/2002		0.0063	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/4/2002		0.0076	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/9/2002		0.005	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	1/6/2003		0.0028	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	2/3/2003		0.0035	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	3/3/2003		0.0049	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	4/1/2003		0.0053	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	5/5/2003		0.0048	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	6/2/2003		0.0045	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	7/1/2003		0.0042	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	8/6/2003		0.0036	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	9/9/2003		0.0034	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	10/8/2003		0.0026	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	11/3/2003		0.0026	ug/l
Mt. View Sanitary District	E-001 (Same as former E-001D) Eff Daily Maximum	Hg	12/8/2003		0.0042	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	1/12/2000		0.004	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	2/9/2000		0.00511	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	3/8/2000		0.00285	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	4/12/2000		0.00259	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	5/10/2000		0.00261	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	6/7/2000		0.00278	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	7/12/2000		0.0041	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	8/9/2000		0.00277	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	9/13/2000		0.00484	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	10/18/2000		0.0183	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	11/15/2000		0.00852	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	12/6/2000		0.00716	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	1/9/2001		0.00476	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	2/6/2001		0.00502	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	3/13/2001		0.00491	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	4/10/2001		0.00611	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	5/8/2001		0.0016	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	6/5/2001		0.0037	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	7/10/2001		0.0047	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	8/7/2001		0.008	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	9/11/2001		0.0095	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	10/16/2001		0.0067	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	11/6/2001		0.0057	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	12/11/2001		0.0043	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	1/8/2002		0.0042	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	2/5/2002		0.019	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	3/12/2002		0.0079	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	4/9/2002		0.0069	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Palo Alto	E-001 Eff Daily Maximum	Hg	5/14/2002		0.0057	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	6/11/2002		0.0053	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	7/9/2002		0.0059	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	8/13/2002		0.0082	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	9/10/2002		0.004	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	10/8/2002		0.0075	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	11/12/2002		0.0042	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	12/10/2002		0.0052	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	1/7/2003		0.0032	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	2/4/2003		0.0036	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	3/11/2003		0.0044	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	4/8/2003		0.0062	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	5/13/2003		0.0094	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	6/10/2003		0.0049	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	8/12/2003		0.0054	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	9/9/2003		0.0051	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	10/7/2003		0.0072	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	11/4/2003		0.0042	ug/l
Palo Alto	E-001 Eff Daily Maximum	Hg	12/9/2003		0.0031	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	1/1/2000		0.00654	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	2/1/2000		0.0101	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	3/1/2000		0.0101	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	4/1/2000		0.0103	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	5/1/2000		0.00452	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	7/1/2000		0.00593	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	8/1/2000		0.00421	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	9/1/2000		0.0043	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	10/1/2000		0.0044	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	11/9/2000		0.0046	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	12/1/2000		0.0055	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	1/12/2001		0.0061	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	2/14/2001		0.0065	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	3/14/2001		0.0073	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	4/11/2001		0.0052	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	11/13/2001		0.0037	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	12/6/2001		0.0048	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	1/3/2002		0.0066	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	2/12/2002		0.0065	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	4/8/2002		0.0076	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	11/5/2002		0.0056	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	12/6/2002		0.0057	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	1/6/2003		0.0084	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	2/13/2003		0.0059	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	3/10/2003		0.01	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	4/3/2003		0.021	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	5/14/2003		0.0057	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	9/2/2003		0.0045	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	10/6/2003		0.0038	ug/l
Petaluma Permit	E-001 Eff Daily Maximum	Hg	11/6/2003		0.0043	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Petaluma Permit	E-001 Eff Daily Maximum	Hg	12/10/2003		0.0055	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	1/20/2000		0.005	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	2/9/2000		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	3/22/2000		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	4/6/2000		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	5/2/2000		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	6/8/2000		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	7/19/2000		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	7/20/2000		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	8/17/2000		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	9/6/2000		0.004	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	9/7/2000		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	10/3/2000		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	10/4/2000		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	11/14/2000		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	11/15/2000		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	12/7/2000		0.004	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	1/17/2001		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	2/13/2001		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	3/9/2001		0.004	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	4/4/2001	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	5/9/2001	<	0.0025	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	6/6/2001		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	7/24/2001		0.0025	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	8/14/2001		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	9/12/2001		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	10/10/2001		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	11/7/2001		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	12/4/2001		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	1/2/2002	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	2/5/2002		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	3/5/2002	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	4/2/2002		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	5/7/2002		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	6/4/2002		0.002	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Clara						
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	7/2/2002	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	8/6/2002	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	9/3/2002	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	10/1/2002	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	11/5/2002		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	12/3/2002		0.003	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	1/7/2003	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	2/4/2003		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	3/4/2003	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	4/1/2003	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	5/6/2003	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	6/3/2003		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	7/1/2003	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	8/5/2003		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	9/3/2003		0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	10/7/2003	<	0.002	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	11/4/2003		0.00195	ug/l
San Jose & Santa Clara	E-001 Eff Daily Maximum	Hg	12/2/2003		0.00202	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	5/6/2000		0.011	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	6/6/2000		0.0095	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	7/5/2000		0.0085	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	8/7/2000		0.011	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	9/12/2000		0.0127	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	5/8/2001		0.0098	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	6/5/2001		0.013	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	7/10/2001		0.011	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	8/12/2001		0.011	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	9/11/2001		0.0065	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	5/5/2002		0.011	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	6/4/2002		0.0079	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	7/8/2002		0.0059	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	8/6/2002		0.009	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	9/16/2002		0.0089	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	5/7/2003		0.013	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	6/8/2003		0.0064	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	7/8/2003		0.0072	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	8/5/2003		0.0048	ug/l
San Mateo City	E-001(Dry) Eff Daily Maximum	Hg	9/8/2003		0.012	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	1/11/2000	<	0.006	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	1/23/2000	<	0.005	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Sunnyvale	E-001 Eff Daily Maximum	Hg	2/9/2000	<	0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	2/24/2000	<	0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	3/8/2000		0.005	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	3/26/2000		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	4/13/2000		0.005	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	4/18/2000		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	5/11/2000		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	5/25/2000	<	0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	6/14/2000		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	6/27/2000	<	0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	7/18/2000		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	7/25/2000		0.007	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	8/8/2000		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	8/15/2000		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	9/20/2000		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	9/26/2000		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	10/12/2000		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	10/25/2000		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	11/5/2000		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	11/20/2000		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	12/13/2000		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	12/19/2000		0.006	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	1/9/2001		0.006	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	1/15/2001		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	2/14/2001		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	2/22/2001		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	3/5/2001		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	3/12/2001		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	4/2/2001		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	4/24/2001		0.001	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	5/14/2001		0.009	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	6/7/2001		0.001	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	7/11/2001		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	7/18/2001		0.006	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	8/7/2001		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	8/23/2001		0.007	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	9/5/2001		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	9/20/2001		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	10/3/2001	<	0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	10/23/2001		0.006	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	11/13/2001		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	12/4/2001		0.005	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	1/10/2002		0.008	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	2/8/2002		0.005	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	3/7/2002		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	4/10/2002		0.006	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	5/14/2002		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	6/14/2002		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	7/11/2002		0.002	ug/l

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Sunnyvale	E-001 Eff Daily Maximum	Hg	8/14/2002		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	9/9/2002		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	10/8/2002		0.005	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	11/5/2002		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	12/10/2002		0.005	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	1/6/2003		0.004	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	2/11/2003		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	3/6/2003		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	4/7/2003		0.006	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	5/2/2003		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	6/3/2003		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	7/7/2003		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	8/7/2003		0.0023	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	9/9/2003		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	10/7/2003		0.003	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	11/4/2003		0.002	ug/l
Sunnyvale	E-001 Eff Daily Maximum	Hg	12/3/2003		0.005	ug/l

Table 2: Secondary Treatment Plants

<u>PermitTitle</u>	<u>Description</u>	<u>Pollutant</u>	<u>Date</u>	<u>GTLT</u>	<u>Value</u>	<u>Unit</u>
Benicia, City of	E-001 Eff Daily Maximum	Hg	1/10/2000		0.0306	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	2/16/2000		0.0174	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	3/7/2000		0	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	4/4/2000		0.015	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	5/18/2000		0.012	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	6/13/2000		0.017	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	7/12/2000		0.023	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	8/8/2000		0.019	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	9/28/2000		0.022	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	10/18/2000		0.019	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	11/15/2000		0.013	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	12/14/2000		0.011	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	1/25/2001		0.008	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	2/7/2001		0.011	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	3/7/2001		0.0073	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	4/5/2001		0.06	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	7/12/2001		0.01	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	8/9/2001		0.0064	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	8/10/2001		0.0064	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	9/27/2001		0.0066	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	9/27/2001		0.0066	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	9/28/2001	J	0.014	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	10/17/2001		0.018	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	10/17/2001		0.018	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	11/6/2001		0.011	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	11/6/2001		0.011	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	12/10/2001		0.02	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	12/10/2001		0.02	ug/l

Benicia, City of	E-001 Eff Daily Maximum	Hg	12/11/2001	J	0.03	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	1/11/2002		0.021	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	1/11/2002		0.021	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	2/2/2002		0.015	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	2/3/2002		0.015	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	3/8/2002		0.0056	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	3/9/2002		0.0056	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	4/4/2002		0.0089	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	5/15/2002		0.011	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	6/11/2002		0.014	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	7/22/2002		0.0061	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	8/23/2002		0.0082	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	9/15/2002		0.008	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	10/26/2002		0.0079	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	11/14/2002		0.02	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	12/11/2002		0.0063	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	1/6/2003		0.0053	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	1/7/2003		0.0053	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	2/3/2003		0.0068	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	3/7/2003		0.011	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	4/20/2003		0.0058	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	5/22/2003		0.0083	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	6/14/2003		0.0049	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	7/9/2003		0.0091	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	8/6/2003		0.0068	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	10/16/2003		0.01	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	11/16/2003		0.007	ug/l
Benicia, City of	E-001 Eff Daily Maximum	Hg	12/6/2003		0.0065	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	1/6/2000		0.00748	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	2/2/2000		0.0071	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	3/1/2000		0.00856	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	4/17/2000		0.0113	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	5/5/2000		0.0133	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	7/21/2000		0.017	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	8/8/2000		0.00449	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	9/13/2000		0.0114	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	10/4/2000		0.00827	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	11/6/2000		0.0062	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	12/5/2000		0.01	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	1/6/2001		0.0093	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	3/6/2001		0.006	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	4/5/2001		0.0075	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	5/9/2001		0.0081	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	6/5/2001		0.007	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	7/3/2001		0.0056	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	8/9/2001		0.0082	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	9/12/2001		0.02	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	10/3/2001		0.0047	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	11/8/2001		0.0069	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	12/10/2001		0.021	ug/l

Burlingame	E-001 Eff Daily Maximum	Hg	1/7/2002	0.0071	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	2/7/2002	0.0061	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	3/7/2002	0.012	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	4/10/2002	0.0079	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	5/9/2002	0.0082	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	6/2/2002	0.0046	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	7/2/2002	0.009	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	8/5/2002	0.086	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	8/15/2002		ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	9/19/2002	0.0063	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	10/4/2002	0.0059	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	11/8/2002	0.012	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	12/13/2002	0.0039	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	1/3/2003	0.0047	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	2/7/2003	0.0038	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	3/7/2003	0.0062	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	4/4/2003	0.0074	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	5/2/2003	0.0052	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	6/19/2003	0.0057	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	7/15/2003	0.006	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	8/7/2003	0.0046	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	9/10/2003	0.016	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	10/9/2003	0.0035	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	11/11/2003	0.01	ug/l
Burlingame	E-001 Eff Daily Maximum	Hg	12/10/2003	0.0075	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	1/5/2000	0.019	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	2/3/2000	< 0.016	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	3/2/2000	0.025	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	4/5/2000	0.017	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	5/4/2000	0.022	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	6/12/2000	0.028	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	7/7/2000	0.029	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	8/3/2000	0.029	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	9/7/2000	0.029	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	10/4/2000	0.039	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	11/3/2000	0.042	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	12/6/2000	0.022	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	1/23/2001	0.044	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	2/8/2001	0.03	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	3/6/2001	0.016	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	4/3/2001	0.023	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	5/8/2001	0.018	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	6/5/2001	0.018	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	7/10/2001	0.022	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	8/2/2001	0.028	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	9/13/2001	0.023	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	10/3/2001	0.024	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	11/6/2001	0.022	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	12/12/2001	0.03	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	1/9/2002	0.027	ug/l

Central Contra Costa	E-001 Eff Daily Maximum	Hg	2/11/2002	d	0.04	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	3/6/2002		0.025	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	4/11/2002		0.04	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	5/2/2002		0.029	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	6/4/2002		0.028	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	7/2/2002		0.034	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	8/8/2002		0.027	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	9/5/2002		0.023	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	10/2/2002		0.024	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	11/5/2002		0.028	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	12/3/2002		0.029	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	1/7/2003		0.013	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	2/11/2003		0.0231	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	3/4/2003		0.031	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	4/2/2003		0.027	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	5/7/2003		0.023	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	6/3/2003		0.0336	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	7/2/2003		0.03	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	8/19/2003		0.029	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	9/9/2003		0.0312	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	10/7/2003		0.032	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	11/4/2003		0.018	ug/l
Central Contra Costa	E-001 Eff Daily Maximum	Hg	12/2/2003		0.013	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	1/5/2000		0.00549	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	2/2/2000		0.00671	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	3/8/2000		0.0141	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	4/5/2000		0.00971	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	5/3/2000		0.00834	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	6/7/2000		0.00604	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	7/6/2000		0.00447	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	8/2/2000		0.0038	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	9/6/2000		0.0042	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	10/4/2000		0.00365	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	11/8/2000		0.0122	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	12/6/2000		0.00931	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	1/3/2001		0.0056	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	2/7/2001		0.005	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	4/4/2001		0.0042	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	5/2/2001		0.0072	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	6/6/2001		0.0034	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	7/6/2001		0.0049	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	8/8/2001		0.01	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	9/5/2001		0.0042	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	10/3/2001		0.0041	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	11/7/2001		0.0049	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	12/5/2001		0.0063	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	1/9/2002		0.0086	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	2/6/2002		0.0077	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	3/6/2002		0.016	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	4/5/2002		0.0059	ug/l

Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	5/8/2002	0.0054	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	6/5/2002	0.0046	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	7/3/2002	0.0058	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	8/7/2002	0.0052	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	9/11/2002	0.0075	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	10/2/2002	0.0064	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	11/6/2002	0.0055	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	12/5/2002	0.0041	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	1/8/2003	0.0063	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	2/5/2003	0.0055	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	3/5/2003	0.0066	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	4/2/2003	0.0068	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	5/7/2003	0.005	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	6/4/2003	0.0048	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	7/2/2003	0.0059	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	8/6/2003	0.005	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	9/10/2003	0.011	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	10/8/2003	0.0049	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	11/5/2003	0.0031	ug/l
Central Marin Sanitation Agency	E-001/M-001 Eff Daily Maximum	Hg	12/10/2003	0.019	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	1/4/2000	0.01	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	1/19/2000	0.01	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	2/14/2000	0.012	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	3/8/2000	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	3/21/2000	0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/9/2000	0.0092	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	6/6/2000	0.0086	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	6/19/2000	0.0116	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	8/1/2000	0.015	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/13/2000	< 0.0165	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/17/2000	0.00866	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/20/2000	0.0108	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	10/4/2000	0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	11/1/2000	0.0123	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	11/15/2000	0.0107	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	12/5/2000	0.0145	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	12/19/2000	0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	1/3/2001	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	1/16/2001	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	2/5/2001	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	2/20/2001	0.017	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	3/8/2001	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	3/20/2001	0.016	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	4/3/2001	0.016	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	4/17/2001	0.016	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/7/2001	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/15/2001	0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	6/5/2001	0.012	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	6/19/2001	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	7/2/2001	0.014	ug/l

Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	7/16/2001	0.0097	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	8/1/2001	0.01	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	8/15/2001	0.0074	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/4/2001	0.0082	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/17/2001	0.0078	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	10/2/2001	0.0073	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	10/15/2001	0.01	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	1/3/2002	0.01	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	1/16/2002	0.0085	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	2/5/2002	0.017	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	2/20/2002	0.016	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	3/6/2002	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	3/20/2002	0.015	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	4/2/2002	0.016	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	4/17/2002	0.0098	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/1/2002	0.025	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/14/2002	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/15/2002	0.015	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/16/2002	0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	6/6/2002	0.017	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	6/17/2002	0.016	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	7/2/2002	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	7/16/2002	0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	8/7/2002	0.015	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	8/20/2002	0.028	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/4/2002	0.015	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/19/2002	0.018	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	10/2/2002	0.015	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	10/15/2002	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	11/6/2002	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	11/19/2002	0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	12/4/2002	0.029	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	12/16/2002	0.0094	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	1/2/2003	0.0096	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	1/14/2003	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	2/6/2003	0.01	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	2/19/2003	0.012	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	3/5/2003	0.016	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	3/19/2003	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	4/3/2003	0.012	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	4/15/2003	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/6/2003	0.018	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	5/21/2003	0.017	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	6/5/2003	0.012	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	6/18/2003	0.015	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	7/2/2003	0.013	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	7/17/2003	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	8/6/2003	0.019	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	8/19/2003	0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/3/2003	0.024	ug/l

Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	9/16/2003		0.014	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	10/1/2003		0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	10/14/2003		0.011	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	11/5/2003		0.0075	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	11/19/2003	<	0.00024	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	12/2/2003		0.0063	ug/l
Delta Diablo Sanitation District	E-001-D Eff Daily Maximum	Hg	12/16/2003		0.0073	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	1/5/2000		0.0198	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	1/19/2000		0.0267	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	2/2/2000		0.0187	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	2/16/2000		0.015	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	3/1/2000	N	0.0138	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	3/15/2000		0.0091	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	4/5/2000		0.018	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	4/19/2000		0.01	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	5/3/2000		0.014	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	5/17/2000		0.01	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	6/7/2000		0.012	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	6/21/2000		0.011	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	7/5/2000		0.01	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	7/19/2000		0.0132	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	8/2/2000		0.0158	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	8/16/2000		0.0112	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	9/5/2000		0.0114	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	10/4/2000		0.0136	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	11/1/2000		0.0118	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	12/6/2000		0.021	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	1/3/2001		0.031	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	2/7/2001		0.013	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	3/7/2001		0.011	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	4/2/2001		0.016	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	5/2/2001		0.015	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	6/6/2001		0.013	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	7/11/2001		0.014	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	8/1/2001		0.014	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	9/5/2001		0.034	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	10/3/2001		0.034	ug/l

EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	11/7/2001		0.021	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	12/5/2001		0.015	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	1/2/2002		0.038	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	2/6/2002		0.025	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	4/3/2002		0.038	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	5/1/2002		0.026	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	6/5/2002		0.03	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	7/10/2002		0.033	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	8/7/2002		0.04	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	9/4/2002		0.031	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	10/2/2002		0.024	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	11/6/2002		0.019	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	12/4/2002		0.023	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	1/8/2003		0.019	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	2/5/2003		0.029	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	3/5/2003		0.023	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	4/2/2003		0.032	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	5/7/2003		0.049	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	6/4/2003		0.017	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	7/2/2003		0.019	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	8/6/2003		0.013	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	9/4/2003		0.016	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	10/1/2003		0.019	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	11/5/2003		0.0149	ug/l
EBDA	E-001 (M-001) Combined Discharge Eff Daily Maximum	Hg	12/3/2003		0.00866	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/9/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/13/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/19/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/26/2000		0.031	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/4/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/10/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/15/2000		0.07	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/24/2000		0.031	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/5/2000		0.03	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/9/2000		0.03	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/15/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/19/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/29/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/5/2000	<	0.02	ug/l

EBMUD	E-001 Eff Daily Maximum	Hg	4/12/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/20/2000		0.023	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/27/2000		0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/4/2000		0.08	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/10/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/14/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/24/2000		0.026	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/1/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/8/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/11/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/21/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/27/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	7/6/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	7/12/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	7/20/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	7/26/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/3/2000		0.046	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/9/2000		0.053	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/13/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/23/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/24/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/29/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	9/6/2000		0.027	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	9/13/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	9/20/2000		0.027	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	9/24/2000		0.032	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	10/5/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	10/15/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	10/19/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	10/24/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	11/2/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	11/7/2000		0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	11/17/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	11/19/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	11/29/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	12/6/2000		0.024	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	12/13/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	12/19/2000	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	12/28/2000		0.022	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/4/2001		0.022	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/9/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/18/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/24/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/28/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/4/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/15/2001		0.024	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/23/2001		0.046	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/28/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/7/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/14/2001	<	0.02	ug/l

EBMUD	E-001 Eff Daily Maximum	Hg	3/25/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/29/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/4/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/11/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/19/2001		0.03	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/26/2001		0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/4/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/10/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/17/2001		0.048	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/20/2001		0.043	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/31/2001	<	0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/5/2001		0.022	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/13/2001		0.023	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/21/2001		0.02	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/27/2001		0.032	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	7/12/2001		0.011	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/10/2001		0.0086	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	9/14/2001		0.0098	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	10/4/2001		0.012	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	11/8/2001		0.011	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	12/6/2001		0.01	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/3/2002		0.04	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/6/2002		0.009	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/14/2002		0.0077	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/20/2002		0.0084	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/27/2002		0.0074	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/6/2002		0.011	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/4/2002		0.0098	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/2/2002		0.009	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/6/2002		0.0077	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	7/11/2002		0.0063	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/8/2002		0.0086	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	9/12/2002		0.01	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	10/3/2002		0.0071	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	11/6/2002		0.012	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	12/4/2002		0.013	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	1/8/2003		0.021	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	2/5/2003		0.0095	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	3/5/2003		0.0071	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	4/2/2003		0.0086	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	5/7/2003		0.0096	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	6/4/2003		0.0072	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	7/9/2003		0.013	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	8/6/2003		0.0079	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	9/3/2003		0.011	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	10/1/03		0.0089	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	11/5/03	DNQ	0.00035	ug/l
EBMUD	E-001 Eff Daily Maximum	Hg	12/3/03		0.00898	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	1/5/2000		0.0204	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	2/2/2000		0.0232	ug/l

Millbrae	E-001 Eff Daily Maximum	Hg	3/8/2000	0.0061	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	4/5/2000	0.0142	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	5/3/2000	0.0161	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	6/7/2000	0.0151	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	7/12/2000	0.01	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	8/2/2000	0.011	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	9/13/2000	0.0089	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	10/11/2000	0.012	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	11/14/2000	0.0084	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	12/13/2000	0.0063	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	1/17/2001	0.0088	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	2/21/2001	0.028	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	3/7/2001	0.023	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	4/4/2001	0.013	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	5/4/2001	0.0086	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	6/9/2001	0.0086	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	7/11/2001	0.0087	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	8/22/2001	0.02	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	9/12/2001	0.023	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	10/24/2001	0.016	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	11/15/2001	0.006	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	12/11/2001	0.01	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	1/29/2002	0.019	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	2/12/2002	0.021	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	2/13/2002	0.021	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	3/21/2002	0.011	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	4/10/2002	0.011	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	5/12/2002	0	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	5/21/2002	0.018	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	6/11/2002	0.0095	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	7/23/2002	0.0084	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	8/6/2002	0.016	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	9/6/2002	0.022	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	9/11/2002	0.022	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	10/10/2002	0.016	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	11/6/2002	0.0069	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	12/6/2002	0.0066	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	1/7/2003	0.0082	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	2/7/2003	0.0089	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	3/12/2003	0.015	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	4/9/2003	0.015	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	5/22/2003	0.01	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	6/5/2003	ND	0.00024 ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	7/8/2003	0.013	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	8/6/2003	0.01	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	9/4/2003	0.011	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	10/6/2003	0.0094	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	11/5/2003	0.0094	ug/l
Millbrae	E-001 Eff Daily Maximum	Hg	12/10/2003	0.0081	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	3/8/2000	0.00797	ug/l

Pinole-Hercules	E-001 Eff Daily Maximum	Hg	6/7/2000	0.0084	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	9/11/2000	0.0086	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	12/11/2000	0.007	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	3/7/2001	0.006	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	6/6/2001	0.0063	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	9/14/2001	0.011	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	10/17/2001	0.0068	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	11/14/2001	0.0098	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	12/12/2001	0.012	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	1/11/2002	0.0043	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	2/6/2002	0.0095	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	3/8/2002	0.0049	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	4/10/2002	0.0055	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	5/8/2002	0.0079	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	6/12/2002	0.0044	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	7/10/2002	0.0057	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	8/2/2002	0.0064	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	9/5/2002	0.0042	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	10/9/2002	0.0038	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	11/6/2002	0.0066	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	12/9/2002	0.013	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	1/9/2003	0.009	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	2/5/2003	0.0075	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	3/6/2003	0.012	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	4/9/2003	0.0049	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	5/7/2003	0.0041	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	6/10/2003	0.003	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	7/9/2003	0.041	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	8/6/2003	0.0026	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	9/10/2003	0.0029	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	10/8/2003	0.017	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	11/4/2003	0.042	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	12/5/2003	0.0082	ug/l
Pinole-Hercules	E-001 Eff Daily Maximum	Hg	12/5/2003	0.0082	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	1/31/2000	0.007	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	3/31/2000	0.02	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	4/30/2000	0.01	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	5/31/2000	0.01	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	6/30/2000	0.01	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	7/2/2000	0.0098	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	7/9/2000	0.0128	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	7/16/2000	0.0074	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	7/23/2000	0.0121	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	7/30/2000	0.013	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	8/31/2000	0.06	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	9/1/2000	0.033	ug/l

S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	2/21/2003	0.0069	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	3/5/2003	0.0155	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	3/12/2003	0.0091	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	3/26/2003	0.00949	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	4/5/2003	0.017	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	4/12/2003	0.0101	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	4/19/2003	0.00773	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	4/26/2003	0.0758	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	5/9/2003	0.0205	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	5/16/2003	0.0131	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	6/9/2003	0.0196	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	6/16/2003	0.0206	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	6/23/2003	0.0194	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	6/30/2003	0.0116	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	7/22/2003	0.0071	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	8/20/2003	0.002	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	9/4/2003	0.0089	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	9/18/2003	0.0091	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	9/25/2003	0.0067	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	10/10/2003	<	0.00695 ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	10/17/2003	0.0148	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	10/21/2003	<	0.2 ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	10/24/2003	0.0078	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	11/15/2003	0.006	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	11/23/2003	0.0035	ug/l
S.F.City & County Southeast, North Point & Bayside	E-001 Dry Weather Eff Daily Maximum	Hg	12/28/2003	0.0059	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	1/4/2000	0.068	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	2/8/2000	0.026	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	3/7/2000	0.014	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	4/2/2000	0.015	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	10/3/2000	0.0084	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	11/7/2000	0.0135	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	12/5/2000	0.0105	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	1/7/2001	0.012	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	2/7/2001	0.014	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	3/5/2001	0.0049	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	3/12/2001	0.0095	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	4/8/2001	0.014	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	10/2/2001	0.0075	ug/l

San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	1/8/2002		0.0052	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	2/5/2002		0.016	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	3/5/2002		0.013	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	4/1/2002		0.005	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	10/1/2002		0.0081	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	11/4/2002	<	0.0005	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	12/3/2002		0.0055	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	1/5/2003		0.0087	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	2/4/2003		0.0079	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	3/4/2003		0.0039	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	4/8/2003		0.0035	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	10/7/2003		0.0097	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	11/4/2003		0.021	ug/l
San Mateo City	E-001(Wet) Eff Daily Maximum	Hg	12/4/2003		0.021	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	1/2/2000		0.0224	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	2/2/2000		0.021	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	3/1/2000		0.0168	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	4/3/2000		0.0215	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	5/4/2000		0.0152	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	6/5/2000		0.0253	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	7/11/2000		0.03	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	8/3/2000		0.0117	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	9/6/2000		0.0195	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	10/3/2000		0.0221	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	12/10/2000		0.0234	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	1/1/2001		0.0235	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	2/1/2001		0.0235	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	3/4/2001		0.0369	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	4/4/2001		0.0286	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	5/2/2001		0.0239	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	6/4/2001		0.023	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	7/3/2001		0.017	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	8/5/2001		0.021	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	9/3/2001		0.019	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	10/3/2001		0.019	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	11/5/2001		0.022	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	12/3/2001		0.03	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	1/3/2002		0.032	ug/l
Sausalito-Marín Sanitary District Permit	E-001 Eff Daily Maximum	Hg	2/5/2002		0.02	ug/l

Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	4/1/2002	0.028	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	5/14/2002	0.048	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	7/14/2002	0.027	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	8/4/2002	0.024	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	9/3/2002	0.026	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	10/1/2002	0.021	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	12/2/2002	0.028	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	1/6/2003	0.023	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	2/3/2003	0.02	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	3/3/2003	0.021	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	4/8/2003	0.019	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	5/5/2003	0.016	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	6/9/2003	0.021	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	7/2/2003	0.038	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	9/2/2003	0.022	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	10/3/2003	0.03	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	11/5/2003	0.025	ug/l
Sausalito-Marin Sanitary District Permit	E-001 Eff Daily Maximum	Hg	12/3/2003	0.029	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	1/27/2000	0.0245	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	3/16/2000	0.0357	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	4/5/2000	0.0188	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	5/2/2000	0.0252	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	6/9/2000	0.011	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	7/13/2000	0.019	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	8/3/2000	0.019	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	9/6/2000	0.016	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	10/18/2000	0.019	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	11/5/2000	0.017	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	12/20/2000	0.02	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	1/3/2001	0.024	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	2/14/2001	0.02	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	3/14/2001	0.022	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	4/4/2001	0.025	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	5/9/2001	0.019	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	6/19/2001	0.017	ug/l

Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	7/26/2001	0.016	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	8/27/2001	0.022	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	9/21/2001	0.013	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	10/11/2001	0.017	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	11/19/2001	0.013	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	12/7/2001	0.016	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	1/25/2002	0.022	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	2/13/2002	0.02	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	2/21/2002	0.02	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	3/28/2002	0.024	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	4/25/2002	0.021	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	5/14/2002	0.017	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	6/7/2002	0.015	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	7/28/2002	0.033	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	8/6/2002	0.028	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	9/4/2002	0.015	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	10/16/2002	0.026	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	12/2/2002	0.018	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	1/8/2003	0.015	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	2/5/2003	0.021	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	2/6/2003	0.021	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	3/5/2003	0.014	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	4/8/2003	0.018	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	5/7/2003	0.017	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	6/6/2003	0.013	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	7/2/2003	0.029	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	8/3/2003	0.018	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	9/17/2003	0.019	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	10/25/2003	0.018	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	11/6/2003	0.014	ug/l
Sewerage Agency of Southern Marin Permit	E-001 Eff Daily Maximum	Hg	12/3/2003	0.014	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/1/2000	0.00438	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/10/2000	0.00502	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/18/2000	0.00537	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/24/2000	0.00524	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/31/2000	0.0058	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/7/2000	0.00744	ug/l

Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/14/2000	0.0117	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/22/2000	0.00865	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/28/2000	0.00466	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	3/6/2000	0.00601	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	3/13/2000	0.0065	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	3/20/2000	0.00355	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	3/27/2000	0.00458	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/3/2000	0.00572	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/10/2000	0.00467	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/17/2000	0.00575	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/24/2000	0.00404	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	5/1/2000	0.00522	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	5/8/2000	0.00439	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	5/15/2000	0.00395	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/6/2000	0.00593	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/13/2000	0.00433	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/20/2000	0.0033	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/27/2000	0.00559	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/4/2000	0.00533	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/11/2000	0.00304	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/18/2000	0.0047	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/26/2000	0.00436	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/2/2001	0.00424	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/8/2001	0.00435	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/16/2001	0.00663	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/22/2001	0.0035	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/29/2001	0.00501	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/6/2001	0.00478	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/13/2001	0.0038	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/20/2001	0.0054	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/26/2001	0.0076	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/5/2001	0.0047	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/13/2001	0.0054	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/19/2001	0.0045	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/26/2001	0.0047	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/4/2001	0.0044	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/10/2001	0.0041	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/17/2001	0.0032	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/26/2001	0.00659	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/3/2002	0.0079	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/7/2002	0.019	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/14/2002	0.009	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/16/2002	0.0076	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/22/2002	0.0057	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/28/2002	0.0049	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/4/2002	0.0035	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/6/2002	0.0029	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/11/2002	0.0028	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/19/2002	0.0024	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/25/2002	0.0037	ug/l

Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	3/4/2002	0.0023	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	3/11/2002	0.0032	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	3/19/2002	0.0019	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	3/25/2002	0.0018	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/2/2002	0.0023	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/8/2002	0.0029	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/15/2002	0.0029	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/22/2002	0.0026	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	4/29/2002	0.004	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	6/3/2002	0.0024	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	6/10/2002	0.0032	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	6/17/2002	0.0025	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	6/24/2002	0.0028	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	7/2/2002	0.0041	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	7/8/2002	0.004	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	7/15/2002	0.0034	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	7/22/2002	0.0039	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	7/29/2002	0.0034	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	8/5/2002	0.0027	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	9/3/2002	0.00526	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	9/9/2002	0.00164	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	9/16/2002	0.00444	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	9/23/2002	0.00287	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	9/24/2002	0.00292	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	9/30/2002	0.00397	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	10/7/2002	0.00519	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	10/14/2002	0.00524	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	10/21/2002	0.08448	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	10/28/2002	0.00468	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/4/2002	0.0118	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/12/2002	0.00553	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/18/2002	0.00407	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	11/25/2002	0.00355	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/2/2002	0.00309	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/9/2002	0.00415	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/16/2002	0.00903	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	12/23/2002	0.0101	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/2/2003	0.00845	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/6/2003	0.0355	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/13/2003	0.0122	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/21/2003	0.00762	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	1/27/2003	0.00852	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/4/2003	0.0102	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/10/2003	0.0084	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/19/2003	0.0073	ug/l
Sonoma Valley Permit	E-001 Eff Daily Maximum	Hg	2/24/2003	0.0069	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	5/22/2000	0.00421	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	5/30/2000	0.00417	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	6/5/2000	0.00413	ug/l

Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	6/12/2000	0.00458	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	6/19/2000	0.00392	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	6/26/2000	0.00364	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	7/5/2000	0.01	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	7/10/2000	0.0038	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	7/17/2000	0.00347	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	7/24/2000	0.00234	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	7/31/2000	0.00203	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	8/3/2000	0.00185	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	8/7/2000	0.00178	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	8/14/2000	0.00274	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	8/21/2000	0.00178	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	8/28/2000	0.00289	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	9/5/2000	0.00243	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	9/11/2000	0.00328	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	9/18/2000	0.00279	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	9/25/2000	0.00338	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	10/1/2000	0.00294	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	10/10/2000	0.00501	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	10/16/2000	0.00894	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	10/23/2000	0.00298	ug/l
Sonoma Valley Permit	E-001 (Recycling) Eff Daily Maximum	Hg	10/30/2000	0.00432	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	1/1/2000	0.027	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	2/2/2000	0.021	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	3/7/2000	0.028	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	4/4/2000	0.021	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	5/2/2000	0.023	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	6/1/2000	0.01	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	7/6/2000	0.016	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	8/3/2000	0.017	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	9/6/2000	0.023	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	10/3/2000	0.012	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	11/3/2000	0.015	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	12/13/2000	0.0244	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	1/10/2001	0.026	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	2/1/2001	0.019	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	3/5/2001	0.025	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	4/2/2001	0.0204	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	5/1/2001	0.016	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	6/5/2001	0.016	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	7/12/2001	0.012	ug/l

South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	8/7/2001	0.021	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	9/11/2001	0.014	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	10/10/2001	0.011	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	12/3/2001	0.0066	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	1/7/2002	0.008	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	2/4/2002	0.016	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	3/4/2002	0.018	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	4/1/2002	0.011	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	5/9/2002	0.012	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	6/3/2002	0.01	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	7/8/2002	0.01	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	8/6/2002	0.007	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	9/4/2002	0.009	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	10/7/2002	0.006	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	11/4/2002	0.008	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	12/3/2002	0.011	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	1/6/2003	0.011	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	2/4/2003	0.018	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	3/4/2003	0.009	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	4/1/2003	0.007	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	5/6/2003	0.006	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	6/3/2003	0.008	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	7/1/2003	0.006	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	8/5/2003	0.007	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	9/3/2003	0.008	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	10/1/2003	0.006	ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	11/5/2003	<	0.005 ug/l
South San Francisco & San Bruno	E-001 Eff Daily Maximum	Hg	12/2/2003	<	0.005 ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	1/4/2000	0.0291	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	2/1/2000	0.0234	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	3/1/2000	0.0129	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	4/3/2000	0.0208	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	5/2/2000	0.015	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	5/2/2000	0.015	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	6/13/2000	0.016	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	6/13/2000	0.016	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	7/11/2000	0.023	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	8/10/2000	0.014	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	9/13/2000	0.023	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	10/4/2000	0.025	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	11/8/2000	0.022	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	12/5/2000	0.018	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	1/3/2001	0.0363	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	2/6/2001	0.0215	ug/l

District	Daily Maximum				
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	3/6/2001	0.011	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	4/1/2001	0.012	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	5/8/2001	0.016	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	6/5/2001	0.011	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	7/4/2001	0.02	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	8/2/2001	0.019	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	9/5/2001	0.019	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	10/2/2001	0.02	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	11/6/2001	0.011	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	1/8/2002	0.022	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	2/5/2002	0.022	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	3/5/2002	0.025	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	4/2/2002	0.013	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	5/8/2002	0.011	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	6/4/2002	0.015	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	7/10/2002	0.013	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	8/6/2002	0.014	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	9/10/2002	0.017	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	1/7/2003	0.012	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	2/4/2003	0.015	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	3/5/2003	0.015	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	4/8/2003	0.017	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	5/8/2003	0.014	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	6/3/2003	0.018	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	7/9/2003	0.014	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	8/5/2003	0.021	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	9/9/2003	0.023	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	10/7/2003	0.02	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	11/5/2003	0.017	ug/l
Vallejo San & Flood Control District	E-001 Carquinez Strait (Deep) Eff Daily Maximum	Hg	12/3/2003	0.013	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	1/3/2000	0.069	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	2/22/2000	0.084	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	4/10/2000	0.035	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	5/8/2000	0.051	ug/l

S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	6/5/2000		0.024	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	7/10/2000		0.0444	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	8/7/2000		0.017	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	9/11/2000		0.013	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	10/2/2000		0.014	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	11/13/2000		0.026	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	12/11/2000		0.002	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	2/5/2001		0.01	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	3/5/2001		0.016	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	4/9/2001		0.008	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	5/7/2001		0.005	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	6/6/2001		0.01	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	7/16/2001		0.024	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	8/15/2001		0.017	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	9/20/2001	<	0.008	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	10/3/2001	<	0.006	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	12/13/2001		0.006	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	1/10/2002		0.015	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	2/14/2002		0.015	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	3/7/2002		0.01	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	4/2/2002	<	0.001	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	4/4/2002		0.025	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	5/7/2002		0.022	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	5/9/2002		0.024	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	6/3/2002		0.029	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	6/5/2002		0.024	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	7/8/2002		0.021	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	9/9/2002		0.012	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	10/7/2002		0.029	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	11/4/2002		0.021	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	12/9/2002		0.015	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	1/6/2003		0.009	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	2/3/2003		0.01	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	4/7/2003		0.0285	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	5/5/2003		0.0111	ug/l

S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	6/9/2003	0.0223	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	7/14/2003	0.005	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	8/4/2003	0.034	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	9/8/2003	0.0112	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	10/2/2003	0.0145	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	11/3/2003	0.0028	ug/l
S.F. Airport, Water Quality Control Plant	E-001 Eff Daily Maximum	Hg	12/8/2003	0.0026	ug/l