



EXECUTIVE OFFICER'S REPORT

Renee Purdy, Executive Officer

May 13, 2021

California Regional Water Quality Control Board
Los Angeles Region
320 W. 4th Street, Suite 200, Los Angeles, CA 90013

*Our mission is
to preserve, enhance, and restore the quality of California's water
resources and drinking water for the protection of the environment, public, health,
and all beneficial uses for the benefit of present and future
generations.*

Note: The Executive Officer's Report is not intended to be an exhaustive list of Los Angeles Water Board staff activities from the previous month, but rather provides highlights of these activities.

GROUNDWATER DIVISION

Hugh Marley, Assistant Executive Officer

Compliance and Enforcement Section – Russ Colby, Section Chief

Remediation Section – Dr. Arthur Heath, Section Chief

Underground Storage Tanks Section – Dr. Yue Rong, Section Chief

SURFACE WATER DIVISION

Jenny Newman, Assistant Executive Officer

Groundwater Permitting & Land Disposal Section – Milasol Gaslan, Section Chief

Regional Programs Section – Dr. LB Nye, Section Chief

Watershed Regulatory Section – Cris Morris, Section Chief

ADMINISTRATIVE SERVICES SECTION

Rosie Villar, Administrative Officer

PUBLIC PARTICIPATION PROGRAM

Susana Lagudis, Environmental Justice and Tribal Coordinator

Table of Contents

Groundwater Division	1
Compliance and Enforcement Section.....	1
Remediation Section	8
Underground Storage Tank Section	26
Surface Water Division	28
Groundwater Permitting & Land Disposal Section	28
Regional Programs Section	31
Watershed Regulatory Section	33
Administrative Services Section.....	35
Personnel Report.....	35

Groundwater Division

Compliance and Enforcement Section

The Enforcement Report for May 2021 includes data for March 2021 in the following tables:

Table No.	Title	Description
Tables 1 - 3	Enforcement Summary by Action	Enforcement actions taken by all Regional Water Board Programs
Table 4	Expedited Payment Letters Issued (EPLs)	Four (4) EPLs were issued in March 2021, for a total of \$84,000.
Table 5	EPLs Settled	Three (3) EPLs were settled in March 2021, for a total of \$27,000.
Table 6	Violations subject to Mandatory Minimum Penalties (MMPs)	Fifty-one (51) cases with 308 violations subject to MMPs remain unresolved.
Table 7	EPL Progress (NPDES): FY 20/21	\$909,000 in penalties were collected to date.
Table 8	Industrial/Construction Stormwater Program Notices of Non-Compliance (NNCs)	NNCs issued in this reporting period and the status of compliance
Table 9	Industrial/Construction Stormwater Program Notices of Violations (NOVs)	NOVs issued in this reporting period and the status of compliance

- Tables 1 - 3 summarize enforcement actions taken by all programs.
- Tables 4 - 9 list enforcement actions taken by the Compliance and Enforcement Section.

Summary of Enforcement-Related Activities

Table 1 – Informal Enforcement Actions

Action	March 2021	FY 2020/2021
Notices of Violation	32	401
Notices of Non-Compliance	5	88
Total	37	489

Table 2 – Formal Enforcement Actions

Action	March 2021	FY 2020/2021
Administrative Civil Liability Complaints	0	0
Notices to Comply	0	0
Water Code §13267 Orders	14	148
Cleanup and Abatement Orders/Amendments	6	88
H&S/13260 Directives	9	110
Total	29	346

Table 3 – Compliance Inspections

Action	March 2021	FY 2020/2021
NPDES (Major Permits)	1	14
NPDES (Minor Individual Permits)	2	4
NPDES (Minor General Permits)	4	9
Stormwater (Construction)	15	294
Stormwater (Industrial)	72	238
Stormwater (Municipal)	1	8
Total	95	567

Table 4 – EPLs Issued (March 2021)

Owner/Facility	Date Issued	Type of Alleged Violation	Amount
Los Angeles County MTA / Westside Subway Purple Line Ext Section 2	03/12/21	Effluent	\$60,000
AES Redondo, LLC / Redondo Generating Station	03/26/21	Effluent	\$6,000
100 N. Crescent, LLC / 100 N. Crescent, LLC (Dewatering)	03/12/21	Effluent and Late Reporting	\$6,000
Douglas Emmett Management, LLC / 9601 Wilshire	03/26/21	Effluent	\$12,000
Total	---	---	\$84,000

Table 5 – EPLs Settled (March 2021)

Owner/Facility	Date Issued	Type of Alleged Violation	Date Stipulated Order Issued	Date Paid	Amount
G & L 436 Bedford, LLC / Office Building Parking Garage	12/30/20	Effluent	03/26/21	03/17/21	\$15,000
Royal Catering Company / Royal Catering, El Monte	11/20/20	Effluent	03/01/21	04/01/21	\$6,000
Douglas Emmett 2008, LLC / 8383 Wilshire	07/30/20	Effluent	03/15/21	10/14/20	\$6,000
Total	---	---	---	---	\$27,000

Table 6 – Violations Subject to MMPs (March 2021)

Status	No. of Facilities	No. of Violations
Pending	51	308

Table 7 – EPL Progress (NPDES) for FY 20/21

Action Type	Number of EPLs	Number of Violations	Cumulative Number of EPLs (FY20/21)	Cumulative Number of Violations (FY20/21)
EPLs Issued	4	28	20	154
EPLs Settled	3	9	27	303
EPLs Withdrawn	0	0	0	0
Total Amount Collected to Date	---	---	\$909,000	---

Table 8 – Notices of Non-Compliance (NNC) Issued in March 2021

Facility Name	Facility Address	NNC Issue Date	NNC Response Due Date	Permit Type	Violations	Status
C & J Manufacturer	13018 Park Street, Santa Fe Springs	03/36/21	05/25/21	IGP	Denial of No Exposure Certification and Failure to Enroll Under the Requirements of the General Permit	Response not received

Facility Name	Facility Address	NNC Issue Date	NNC Response Due Date	Permit Type	Violations	Status
Great American Rolling, Inc.	9644 Washburn Road, Downey	03/36/21	05/25/21	IGP	Denial of No Exposure Certification and Failure to Enroll Under the Requirements of the General Permit	Response not received
Infinity Textile	10638 Painter Avenue, Santa Fe Springs	03/36/21	05/25/21	IGP	Denial of No Exposure Certification and Failure to Enroll Under the Requirements of the General Permit	Response received
Quentin Meats	13044 Park Street, Santa Fe Springs	03/36/21	05/25/21	IGP	Denial of No Exposure Certification and Failure to Enroll Under the Requirements of the General Permit	Response received
Lots of Parts, Inc.	15140 Arrow Highway, Irwindale	03/26/21	05/25/21	IGP	Failure to Obtain Coverage Under the Stormwater General Permit	Response not yet due

Table 9 – Notices of Violation (NOVs) Issued in March 2021

Facility Name	Facility Address	NOV Issue Date	NOV Response Due Date	Permit Type	Violations	Status
Aero Wheel & Brake Service Corporation	6900 Acco Street, Montebello	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
Alloys Cleaning, Inc.	1929 East 64 th Street, Huntington Park	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
Architectural Woodworking Company	582 Monterey Pass Road, Monterey Park	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received

Facility Name	Facility Address	NOV Issue Date	NOV Response Due Date	Permit Type	Violations	Status
Baker Hughes Company	11808 South Bloomfield Avenue, Santa Fe Springs	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
B D & G Sandblasting, Inc.	2428 East 54 th Street, Los Angeles	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
Berry Pack, Inc.	301 South Rose Avenue, Oxnard	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
Carcamo Trucking, Inc.	2223 East I Street, Wilmington	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
Davis Wire Corporation	5555 Irwindale Avenue, Irwindale	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
Import Parts Only Auto Dismantling	9337 San Fernando Road, Sun Valley	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
Industrial Sprockets and Gears, Inc.	13650 Rosecrans Avenue, Santa Fe Springs	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
LA World Auto Parts	11216 Tuxford Street, Sun Valley	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
Mechanical Metal Finishing	15220 South Broadway Street, Rosewood	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
Ormond Beach Generating Station	6635 South Edison Drive, Oxnard	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received

Facility Name	Facility Address	NOV Issue Date	NOV Response Due Date	Permit Type	Violations	Status
P V Auto Dismantling, Inc.	775 Alpha Street, Duarte	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
Sampson Operators	1531 Blin Avenue, Wilmington	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
Santa Barbara Transportation dba STA Irwindale Facility	15636 Cypress Street, Irwindale	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
SAQ Pallet Repair, Inc.	2205 Enterprise Street, Los Angeles	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
Southwest Moulding, Inc.	11034 Sherman Way, Sun Valley	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
Tru-Form Industries, Inc.	14511 Anson Avenue, Santa Fe Springs	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response received
V & L Auto Salvage	14511 Anson Avenue, Santa Fe Springs	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
Vulcan Materials Company	3901 Fish Canyon Road, Azusa	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
Vulcan Materials Company	6029 Vineyard Avenue, Oxnard	03/05/21	04/05/21	IGP	Failure to Collect and Analyze Samples of Stormwater Runoff	Response not received
American Industrial Services, Inc.	5626 Cherry Avenue, Long Beach	03/26/21	04/26/21	IGP	Deficient SWPPP/BMP	Response not yet due
4144 Arden Drive	4144 Arden Drive, El Monte	03/26/21	04/26/21	CGP	Deficient SWPPP/BMP	Response not yet due

Facility Name	Facility Address	NOV Issue Date	NOV Response Due Date	Permit Type	Violations	Status
Kaiser Woodland Hills ED	5601 De Soto Avenue, Woodland Hills	03/26/21	No response required	CGP	Failure to Obtain Coverage Under the Stormwater General Permit	Response not yet due
Deodar	11 Deodar Lane, Bradbury	03/26/21	04/26/21	CGP	Deficient SWPPP/BMP	Response not yet due
Five Single Family Houses	11710-11720 Forest Grove Street, El Monte	03/26/21	04/26/21	CGP	Deficient SWPPP/BMP	Response not yet due

Monthly update on COVID requests for Relief from Water Board requirements.

Although the number of new requests has slowed, we continue to receive them from the regulated community seeking relief from permit and other regulatory requirements during the COVID pandemic.

Every request is tracked, including when it was received and the status of the Region's response. All requests receive an email from staff acknowledging receipt of the request and ask for more information if needed. Each request is evaluated, and a response generated providing our assessment for relief based primarily on the expected effect of the proposed action on human health. Recommendations include extend or suspend requirements, extend comment due dates, delay Regional Board action; or deny the request.

Region 4 received 4 requests in March bringing the total to 191. In total, we issued 152 responses, of which 121 requests were approved, 31 were denied with none pending review. It is important to note that 39 of the requests were withdrawn, meaning the requestor was able to comply with the requirement in a timely manner.

Remediation Section

Former Kast Property Tank Farm, Carousel Tract Residential Neighborhood, Carson - Dr. Teklewold Ayalew, (213) 576-6739 Site Cleanup Unit III

Activities related to site investigation and cleanup work performed during March 2021 include the following:

1. On March 22, 2021, the Regional Board received reports summarizing results of sub-slab soil vapor sampling at 378 East 249th Street, 24416 Ravenna Avenue, 24423 Neptune Avenue, and 24823 and 24833 Panama Avenue. Sub-slab depressurization (SSD) systems are required for three of the five properties: 378 E. 249th Street; 24416 Ravenna Avenue; and 24423 Neptune Avenue. Sampling of the sub-slab soil vapor probes will continue at these properties until the constituents of concern (COC) detected are below the sub-slab soil vapor site-specific cleanup goals (SSCGs) for two consecutive sampling events following SSD system startup. Per RDIP Addendum No. 3, long-term sub-slab soil vapor sampling at 24823 Panama Avenue can be terminated because there have been four consecutive sampling rounds for at least two probes in which detected COC concentrations were below sub-slab soil vapor SSCGs. Sampling of the sub-slab soil vapor probes at 24833 Panama Avenue will continue every other year until there have been four consecutive sampling rounds for at least two probes in which detected COC concentrations are below sub-slab soil vapor SSCGs.
2. Cleanup of 171 (~60%) properties / homes is complete. All work is proceeding on schedule. The status of cleanup implementation at the Carousel Tract is as follows:

Clusters 16

- a. All homes are undergoing landscape and hardscape restoration, including installation of concrete surfaces for driveways, walkways, and patios, and decorative walls for courtyards.
- b. Each homeowner has been called to schedule two separate appointments in the upcoming weeks: one for installation of gas meters the week of March 29th and another for a post-construction inspection the week of April 5th.
- c. Work is on track to be completed by Friday, April 9th at 5 PM. Move back is scheduled for the week of April 12th.

Cluster 17

- a. All excavation and backfilling work are complete; and
- b. Installation of remediation systems in progress – drilling of wells for Soil Vapor Extraction, Sub-Slab Depressurization and restoration of utilities.

Former Athens Tank Farm / Ujima Village Apartments and Earvin Magic Johnson Regional Park (EMJRP), Los Angeles - Dr. Teklewold Ayalew, (213) 576-6739 Site Cleanup Unit III

Activities related to environmental site investigation of the Former Athens Tank Farm during March 2021 are summarized below:

1. On February 25, 2021, ExxonMobil Consultants (Kleinfelder) met with the County of Los Angeles Engineering staff and discussed the status of grading and construction around groundwater monitoring well ATF-4B.
2. Kleinfelder and ExxonMobil met on-site with Los Angeles County Parks and Recreation and Los Angeles County's outside architect to discuss redevelopment of the sports fields, and the area south of the remediation compound.
3. A summary of completed, ongoing and upcoming activities for the former Athens Tank Farm site are as follows:

Phase I Soil Vapor Extraction (SVE)

- a. Wells SVE-02 and SVE-11 have been connected to the Phase II SVE system.

Phase II SVE

- a. The system is operating and currently extracting from wells HRW-203 (all 3 screens), HRW-205 (all 3 screens), HRW-207 (all 3 screens) and from Phase I wells SVE-02 and SVE-11. Extraction from HRW-204 and HRW-206 have been temporarily suspended due to loss of vacuum in these lines.
- b. As of February 28, 2021, approximately 618,278 pounds of VOCs and 97,195 pounds of methane have been removed from both SVE systems.

Phase III Systems

NAPL Recovery Trailer

- a. The NAPL Recovery Trailer is currently operating on wells ATF-19B, ATF-21B and ATF-28B;
- b. As of February 28, 2021, the NAPL Tier 1 cumulative removal using the NAPL Recovery Trailer is 1,615 gallons and NAPL Tier II cumulative recovery using manual bailing is 288 gallons.

Air/Bio-Sparge System

- a. The system is operating and collecting system performance data.

Consent Judgment - Coast United Advertising, d/b/a Coast United Property Management

The Regional Board entered into a consent judgment settling a lawsuit to enforce a Cleanup and Abatement Order (CAO) against Coast United Advertising, d/b/a Coast United Property Management (Coast United) on April 21, 2021. Although the consent judgment still needs to be entered by the Court, we expect it will be done so within the next month by stipulation. As a result of the lawsuit, the property owner, Coast United, will have to fully delineate and clean up a plume of volatile organic compounds (VOCs) including trichloroethylene (TCE), among others, and continue mitigating for vapor intrusion into nearby homes and businesses. This consent judgment is one of the first of its kind, ensuring that Coast United paid penalties up front to fund a supplement environmental project or SEP; payment of full oversight costs to the Regional Board; and it has suspended penalties of approximately \$4.2 million pegged to cleanup tasks as set forth in the CAO. Once a task is completed fully to the Regional Board's satisfaction, a percentage of the penalties will be suspended. The Regional Board hopes this consent judgment will be a model for future CAO enforcement.

SITE CLEAN UP PROGRAM ACTIVITIES

March 2021

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
11105 La Cienega Properties	Assessment & Interim Remedial Action	11105 S. La Cienega Blvd., Los Angeles	1125B	Amendment to Order	03/29/21	Response to an Extension Request
11105 La Cienega Properties	Assessment & Interim Remedial Action	11105 S. La Cienega Blvd., Los Angeles	1125B	Amendment to Order	03/02/21	Response to an Extension Request
15191 Bledsoe (APN 2501-006-045)	Assessment & Interim Remedial Action	15191 Bledsoe St., Sylmar	1527	Cost Recovery Agreement / Notice of Reimbursement	03/29/21	Cost Recovery Agreement
3731 Park Place	Site Assessment	3731 Park Pl., Glendale	1523	Staff Letter	03/08/21	Approval of an Additional Subsurface Investigation Workplan
A H Plating, Inc.	Site Assessment	1837 Victory Pl., Burbank	104.0003	Staff Letter	03/18/21	Approval of a Supplemental Soil Assessment Workplan
Allied Signal (Park One) - L.A.	Remediation	9851 S. Sepulveda Blvd., Los Angeles	346	Staff Letter	03/11/21	Response to an Extension Request
Allied Signal (Park One) - L.A.	Remediation	9851 S. Sepulveda Blvd., Los Angeles	346	Staff Letter	03/02/21	Property Access Request

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
ARCO East Hynes Terminal	Remediation	5905 Paramount Blvd., Long Beach	211	PFAS Order	03/12/21	PFAS Sampling
ARCO Hathaway Terminal	Site Assessment	2350 Obispo Ave., Signal Hill	1167	Staff Letter	03/04/21	Review of an Extension Request
ARCO Refinery	Assessment & Interim Remedial Action	1801 Sepulveda Blvd., Carson	224	PFAS Order	03/12/21	PFAS Sampling
ARCO Vinvale Tank Farm	Remediation	8601 S. Garfield Ave., South Gate	55	PFAS Order	03/12/21	PFAS Sampling
Arcosa Lightweight Frazier Park (Former TXI Pacific Custom Materials)	Site Assessment	17410 E. Lockwood Valley Rd., Frazier Park	1078	Staff Letter	03/24/21	Review of Investigation Results and an Updated Conceptual Site Model
Arcturus Manufacturing Corporation	Remediation	6001 Arcturus Ave., Oxnard	1418	Staff Letter	03/26/21	Additional Groundwater Monitoring Well Installation Work Plan
Arden Drive Properties	Assessment & Interim Remedial Action	4221-4505 Arden Dr., El Monte	103.0116B	Staff Letter	03/22/21	Requirement for on-Site Investigation Work Plan
Ashland Chemicals	Assessment & Interim Remedial Action	10505 S. Painter Ave., Santa Fe Springs	816	13267 Requirement	03/27/21	Cleanup Workplan Approval
Ball-Incon, Ball Glass Div.	Site Assessment	4000 Arden Dr., El Monte	103.0049	Deadline Extension	03/29/21	Response to an Extension Request

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Boeing - Parcel 1	Remediation	233 East Manville St., Compton	462	Staff Letter	03/29/21	Approval Letter for Get System Workplan Modifications
Brea Oil / Joughin Unit 22F	Site Assessment	24404 Vermont Ave., Harbor City	1497	Staff Letter	03/03/21	Site Assessment Work Plan Approval Letter
Bryan Dry Cleaners	Verification Monitoring	9751 E Oak St., Bellflower	932	Staff Letter	03/01/21	Approval of Soil Vapor Survey and Groundwater Work Plan
Chemoil Tank Farm	Site Assessment	2365 E. Sepulveda Blvd., Carson	0453B	PFAS Order	03/12/21	PFAS Sampling
Chevron - El Segundo Refinery	Remediation	324 El Segundo Blvd., El Segundo	235	PFAS Order	03/12/21	PFAS Sampling
Chevron Montebello Terminal	Assessment & Interim Remedial Action	601 Vail Ave., Montebello	328	PFAS Order	03/12/21	PFAS Sampling
Chevron Terminal (Former)	Assessment & Interim Remedial Action	7201 E. Rosecrans St., Paramount	799	13267 Requirement	03/27/21	Approval of Revised Workplan
Coast Plating Inc., a Subsidiary of Valence Surface Technologies LLC	Site Assessment	417 164 th St., Carson	1367	13267 Requirement	03/02/21	Response to an Extension Request
Commercial Property	Assessment & Interim Remedial Action	8020 Deering Ave., Canoga Park	843	Staff Letter	03/29/21	Response to Extension Request

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Compton Pep Boys Facility (Former)	Assessment & Interim Remedial Action	1721 & 1725 North Long Beach Blvd., Compton	1332	Deadline Extension	03/01/21	Response to an Extension Request
Connector Plating	Site Assessment	327 West 132 nd St., Los Angeles	1365	PFAS Order	03/17/21	Satisfaction for Determination of PFAS Substances
ConocoPhillips Company, Los Angeles East Terminal # 0381	Assessment & Interim Remedial Action	13500 S. Broadway, Los Angeles	0627A	PFAS Order	03/12/21	PFAS Sampling
Cragar Wheel Facility (Former)	Site Assessment	19007 South Reyes, Compton	210	Staff Letter	03/09/21	Response to an Extension Request
Cragar Wheel Facility (Former)	Site Assessment	19007 South Reyes, Compton	210	Staff Letter	03/09/21	Response to an Extension Request
Crimson Pipeline - Ventura Grove	Assessment & Interim Remedial Action	Hall Canyon Road, Ventura	1383	Notice of Violation	03/26/21	Notice of Violation for Failure to Submit a Site Assessment Work Plan
Downey Industrial Center	Site Assessment	9300-9400 Hall Road, Downey	1420	Staff Letter	03/12/21	Remedial Action Approval Letter
Downey Industrial Center	Site Assessment	9300-9400 Hall Road, Downey	1420	Staff Letter	03/01/21	Requirement for Technical Report for Groundwater Plume Delineation
Dr. J's Cleaners	Site Assessment	4369 Woodman Ave., Sherman Oaks	1109	Technical Correspondence / Assistance / Other	03/17/21	Approval of Addendum to Work Plan for Indoor Air Investigation

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Earl Manufacturing	Site Assessment	11862 Burke St., Santa Fe Springs	725	Fact Sheets - Public Participation	03/01/21	Fact Sheet and Notice of Opportunity to Comment
Edgington Oil Co.	Remediation	2400 E. Artesia Blvd., Long Beach	236	Clean-Up and Abatement Order	03/24/21	Conditional Approval of Interim Remedial Action Plan
Edgington Oil Co.	Remediation	2400 E. Artesia Blvd., Long Beach	236	Technical Correspondence / Assistance / Other	03/01/21	Review of Indoor Air Sampling and Vapor Monitoring
EG & G Birtcher Facility (Former)	Assessment & Interim Remedial Action	4501 & 4505 Arden Dr., El Monte	103.0116	Staff Letter	03/29/21	Approval of Edison Spill Remedial Workplan
Encino Dry Cleaners	Site Assessment	16946 Ventura Blvd., Encino	1490	Staff Letter	03/01/21	Request for Access
Fashion Master Drycleaner	Site Assessment	1433 Huntington Dr., South Pasadena	115.0094	Staff Letter	03/12/21	Request for Modification of Groundwater Monitoring and Sampling Frequency
Foasberg Laundry & Dry Cleaners, Inc.	Site Assessment	640 E. Wardlow Road, Long Beach	1488	Amendment to Order	03/29/21	Conditional Approval of Initial Site Investigation Work Plan
Former Sweds Cleaners	Site Assessment	8841 East Las Tunas Dr., Temple City	115.0563	Technical Correspondence / Assistance / Other	03/09/21	Review of Indoor Air Assessment
Former Continental Graphics Facility	Remediation	181 South La Brea Ave., Los Angeles	1255	Staff Letter	03/25/21	Review of Soil Vapor Extraction Pilot Test Report

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Former Cosmodyne Facility	Remediation	2920 Columbia St., Torrance	1172	Staff Letter	03/03/21	Response to an Extension Request
Former Mobil Gas Station (Long Beach)	Site Assessment	4542 E. Pacific Coast Hwy, Long Beach	1504	Staff Letter	03/11/21	Approval of Monitoring Well Installation Work Plan
Former Mobil Torrance Refinery	Remediation	3700 W. 190 th St., Torrance	234	PFAS Order	03/12/21	PFAS Sampling
Former Pacific Electriccord	Site Assessment	747 W. Redondo Beach Blvd., Los Angeles	1180B	13267 Requirement	03/02/21	Response to an Extension Request
Former U.S. Flare Corporation	Site Assessment	12270 Montague St., Pacoima	1300Q	Technical Correspondence / Assistance / Other	03/30/21	Response to Comments
Former U.S. Flare Corporation	Site Assessment	12270 Montague St., Pacoima	1300Q	Staff Letter	03/01/21	Review and Approval of a Soil Management Plan
Graphic Research Inc.	Verification Monitoring	9334 Mason Ave., Chatsworth	509	Staff Letter	03/01/21	Review of a Soil and Soil Vapor Investigation Report
Graphic Research Inc.	Verification Monitoring	9334 Mason Ave., Chatsworth	509	Staff Letter	03/01/21	Review of a Well Installation and Groundwater Monitoring Report
Hallmark Cleaners	Assessment & Interim Remedial Action	1907 Wilshire Blvd., Santa Monica	1421	Staff Letter	03/23/21	Soil Vapor Extraction Well Installation and System Startup Report

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Henry Company	Remediation	2911 Slauson Ave., Huntington Park	1093	Cost Recovery Agreement / Notice of Reimbursement	03/29/21	Oversight Cost Reimbursement
Hi-Shear Corporation	Remediation	2600 Sky Park Dr., Torrance	218	Amendment to Order	03/29/21	Review of Technical Memorandum
Hi-Shear Corporation	Remediation	2600 Sky Park Dr., Torrance	218	Notice of Violation	03/01/21	Notice of Violation - Failure to Submit Technical Report
Hibco Parking Lot Area	Assessment & Interim Remedial Action	12620 Cerise Ave., Hawthorne	1217	Staff Letter	03/23/21	Groundwater Cleanup Approval
Hollyway Cleaners	Site Assessment	1157 Echo Park Ave., Los Angeles	75	Technical Correspondence / Assistance / Other	03/25/21	Review of 2020 Reports, Memos and Workplans
Honeywell International Corp.	Remediation	850 Sepulveda Blvd. South, El Segundo	41	Staff Letter	03/24/21	Response to an Extension Request
HR Textron Inc	Remediation	25200 Rye Canyon Rd. W. Valencia	669	Staff Letter	03/19/21	Approval of a Soil Vapor Sampling, Analysis, and Risk Workplan
HR Textron Inc	Remediation	25200 Rye Canyon Rd. W. Valencia	669	Staff Letter	03/19/21	Request for an Updated Site Conceptual Model
Hutchinson Seal Corporation	Site Assessment	11634 Patton Rd., Downey	1219	Staff Letter	03/26/21	Approval of a Soil Vapor Sampling Work Plan
Inglewood Basketball and Entertainment Center (IBEC)	Site Assessment	3700-4046 W. Century Blvd., Inglewood	1519	Staff Letter	03/24/21	Approval of a Soil Management Plan

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Jesse's Plating (Former HYC)	Site Assessment	12229 Montague St., Pacoima	111.261	Response to Comments	03/29/21	Response to an Extension Request
Jet Propulsion Laboratories (JPL)	Remediation	4800 Oak Grove, Pasadena	117.0001	Technical Correspondence / Assistance / Other	03/11/21	Final Institutional Control 2020 Annual Report
KMEP Carson Terminal (Former GATX)	Remediation	2000 E. Sepulveda Blvd., Carson	45	PFAS Order	03/12/21	PFAS Sampling
LADWP Streetlight Maintenance Headquarters	Site Assessment	611 North Hoover St., Los Angeles	803	13267 Requirement	03/29/21	Review of a Groundwater Monitoring Report
Laurel Canyon Boulevard & Osborne Street Property	Site Assessment	9750-9796 Laurel Canyon Blvd. and 13141-13145 Osborne St., Pacoima	1300AA	Staff Letter	03/03/21	Request for Interim Remedial Action Plan
Laurel Canyon Boulevard & Osborne Street Property	Site Assessment	9750-9796 Laurel Canyon Blvd. and 13141-13145 Osborne St., Pacoima	1300AA	Cost Recovery Agreement / Notice of Reimbursement	03/29/21	Oversight Cost Reimbursement Account
Laurel Canyon Boulevard & Osborne Street Property	Site Assessment	9750-9796 Laurel Canyon Blvd. and 13141-13145 Osborne St., Pacoima	1300AA	13267 Requirement	03/30/21	Response to Report Submitted

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Laurel Canyon Boulevard & Osborne Street Property	Site Assessment	9750-9796 Laurel Canyon Blvd. and 13141-13145 Osborne St., Pacoima	1300AA	13267 Requirement	03/29/21	Response to Report Submitted
Lorber Industries	Site Assessment	17908 S. Figueroa St., Gardena	1056	Notice of Violation	03/29/21	Notice of Violation
Lunday Thagard Refinery	Remediation	9301 South Garfield Ave., South Gate	835	PFAS Order	03/12/21	PFAS Sampling
Main Street Dry Cleaners	Remediation	1720 Main St., Venice	1038	13267 Requirement	03/17/21	Comments on an Additional Site Assessment Workplan
Manufacturer's Service, Inc.	Open - Inactive	2210 Chico Ave., South El Monte	107.0451	Access Agreement	03/03/21	Second Property Access Request Letter
Maxum Petroleum Facility	Remediation	1028 South Seaside Ave., Terminal Island	308	PFAS Order	03/12/21	PFAS Sampling
Mission Linen Supply	Remediation	11920 East Washington Blvd., Santa Fe Springs	713	Technical Correspondence / Assistance / Other	03/08/21	Approval of Well Destruction Work Plan.
MTA Division 12 Bus Maintenance Facility (Former)	Site Assessment	970 W. Chester Pl., Long Beach	1256	13267 Requirement	03/29/21	Notice of Violation - Technical Reports

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Multi-Tenant Office- Warehouse Property	Remediation	1500-1510 West 228 th St., Torrance	1294	Staff Letter	03/11/21	Approval of Workplan for Groundwater Impact Delineation
NEIS Air Treatment Facility	Assessment & Interim Remedial Action	2110 N. San Fernando Road, Los Angeles	1226	13267 Requirement	03/04/21	NEIS Extension Request Approval
New Century Industries, Inc.	Open - Site Assessment	7231 East Rosecrans Ave., Paramount	0799A	Technical Correspondence / Assistance / Other	03/27/21	New Century-Review of Report
Oil Operators, Inc., Pine Ave. and 27 th Street Spill	Open - Site Assessment	E. 27 th St., Long Beach	1472	Staff Letter	03/12/21	Site Assessment Work Plan Approval Letter
Oxnard Airport	Open - Site Assessment	2889 W 5 th St., Oxnard	1453	Deadline Extension	03/30/21	Response to an Extension Request
Pacific Crest Bank	Assessment & Interim Remedial Action	1800 West 220 th St., Torrance	889	13267 Requirement	03/10/21	Notice of Violation for Failure to Submit Tech Report
Pacific Crest Bank	Assessment & Interim Remedial Action	1800 West 220 th St., Torrance	889	13267 Requirement	03/17/21	Interim Vadose Zone Remediation Workplan Addendum
Pacific Transport	Site Assessment	10869 Drury Ln., Lynwood	R-25782, SCP 1502	Staff Letter	03/09/21	Response to Revised Work Plan
Pacific Valves	Site Assessment	3201 Walnut Ave., Signal Hill	I-11716	Staff Letter	03/22/21	Approval of Supplemental Interim Remedial Action Plan
Pacifica Equities, LLC	Site Assessment	1639 11 th St., Santa Monica	1302	Staff Letter	03/01/21	Review of Request to Re-Open
Pacifica Equities, LLC	Site Assessment	1639 11 th St., Santa Monica	1302	Staff Letter	03/01/21	Approval of Workplan

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Paramount Refinery	Assessment & Interim Remedial Action	14700 Downey Ave., Paramount	239	PFAS Order	03/12/21	PFAS Sampling
Pasadena Hope Center	Site Assessment	1000 E. Walnut St., Pasadena	1521	Staff Letter	03/16/21	Site Investigation Work Plan Approval
PHL Derailment	Site Assessment	Northeast Corner of Harbor Blvd., and Regan St., San Pedro	1525	Cost Recovery Agreement / Notice of Reimbursement	03/17/21	Oversight Cost Reimbursement Account
Pinto Petroleum (Former)	Site Assessment	1028 Front St., Ventura	1215	Letter - Notice	03/17/21	Access Request for Groundwater and Soil Vapor Investigation
Prairie Avenue Property	Site Assessment	Prairie Ave., Torrance	1474	Fact Sheets - Public Participation	03/22/21	Fact Sheet and Notice of Opportunity for Public Comment
Prairie Avenue Property	Site Assessment	Prairie Ave., Torrance	1474	Technical Correspondence / Assistance / Other	03/12/21	Appropriate Care Determination for the Response Plan
Precision Specialty Metals	Open - Inactive	3301 Medford St., Los Angeles	881	Staff Letter	03/01/21	Work Plan Approval
Prudential Overall Supply	Site Assessment	6920 & 6948 Bandini Blvd., Commerce	1340	Staff Letter	03/02/21	Soil Vapor Extraction Pilot Test Report Review Letter
Prudential Overall Supply	Site Assessment	6920 & 6948 Bandini Blvd., Commerce	1340	Staff Letter	03/09/21	Indoor Vapor Intrusion Mitigation Work Plan Approval Letter

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Rantec Microwave Systems, Inc. (Former)	Site Assessment	24003 Ventura Blvd., Calabasas	1298	Staff Letter	03/01/21	Approval of Time Extension for Phase 4 Investigation Report
SFPP, LP- Paramount and Artesia	Open - Assessment & Interim Remedial Action	Paramount Blvd. and Artesia Blvd., Long Beach	1518	Notice of Violation	03/15/21	Notice of Violation
Shell - Carson Terminal	Remediation	20945 Wilmington Ave., Carson	0229B	PFAS Order	03/12/21	PFAS Sampling
Shell - Mormon Island	Remediation	N/A Berths 167 - 169, Los Angeles	0229A	PFAS Order	03/12/21	PFAS Sampling
Shell Los Angeles Refinery	Remediation	2101 E. Pacific Coast Hwy., Wilmington	230	PFAS Order	03/12/21	PFAS Sampling
Shore Terminals - Wilmington	Remediation	841 La Paloma St., Wilmington	796	PFAS Order	03/12/21	PFAS Sampling
Sukut Real Properties	Site Assessment	4000 Arden Dr., El Monte	103.0049B	Deadline Extension	03/29/21	Response to an Extension Request
T.A. Davies (Former)	Assessment & Interim Remedial Action	363 and 378 West 133 St., Los Angeles	817	Clean-Up and Abatement Order	03/29/21	Comments on Cleanup Addendum
Technical Metal Finishing	Open - Site Assessment	3401 Pacific Ave., Burbank	104.1039	Staff Letter	03/02/21	Approval of Cleanup Addendum
Teledyne Cast Parts	Remediation	4200 Valley, Pomona	101.035	Technical Correspondence / Assistance / Other	03/30/21	Review Site Assessment and closure reports

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Torrance Logistics Company Southwest Terminal One	Remediation	799 South Seaside Ave., Terminal Island	333	PFAS Order	03/12/21	PFAS Sampling
Unocal - Torrance Tank Farm	Assessment & Interim Remedial Action	2650 W. Lomita Blvd., Torrance	0046B	PFAS Order	03/12/21	PFAS Sampling
Unocal - Torrance Tank Farm	Assessment & Interim Remedial Action	2650 W. Lomita Blvd., Torrance	0046B	PFAS Order	03/19/21	Request to Discontinue Vapor Remediation
Unocal - Tosco Los Angeles Refinery, Wilmington	Assessment & Interim Remedial Action	1660 W. Anaheim St., Wilmington	231	PFAS Order	03/12/21	PFAS Sampling
Unocal Marine Terminal	Assessment & Interim Remedial Action	Berths 148-151, Los Angeles	120	PFAS Order	03/12/21	PFAS Sampling
UPPC Bulk Terminal (Former)	Site Assessment	960 De Forest Ave., Long Beach	681	PFAS Order	03/12/21	PFAS Sampling
V&M Aerospace, LLC (Former V & M Plating)	Site Assessment	14024 South Avalon Blvd., Los Angeles	1357	Technical Correspondence / Assistance / Other	03/29/21	Response to an Extension Request
Valero Wilmington (Former Ultramar Refinery)	Remediation	2402 East Anaheim St., Wilmington	570	PFAS Order	03/12/21	PFAS Sampling
Vanowen Plaza	Assessment & Interim Remedial Action	22017 Vanowen St., Canoga Park	1153	Staff Letter	03/11/21	Requirement to Submit Human Health Risk Assessment

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comments
Vanowen Plaza	Assessment & Interim Remedial Action	22017 Vanowen St., Canoga Park	1153	Staff Letter	03/11/21	Requirement to Submit a Comprehensive Conceptual Site Model
Verizon Santa Monica Plant Yard (aka Former Boeing/Douglas Plant - A7)	Assessment & Interim Remedial Action	2902 Exposition Blvd., Santa Monica	0130C	Staff Letter	03/31/21	Response to an Extension Request
Western Fuel Oil Co.	Remediation	2100 N. Gaffey Ave., San Pedro	352	PFAS Order	03/12/21	PFAS Sampling
Williamhouse	Site Assessment	705 N. Baldwin Park Blvd., City of Industry	102.6837	13267 Requirement	03/29/21	Review of Indoor Air Quality Report

United Technologies Corporation Site

The United Technologies (formerly Pratt & Whitney Rocketdyne) Site in Canoga Park completed an additional round of soil vapor site assessment activities in January 2021. The technical report summarizing this data has been submitted and is currently being reviewed by Los Angeles Water Board staff. A work plan for additional off-site soil vapor assessment activities has also been submitted for staff review.

Underground Storage Tank Section

Completion of Corrective Actions at Leaking Underground Fuel Storage Tank Sites During the Reporting Period from March 1, 2021 through March 31, 2021

Regional Board staff have reviewed corrective actions taken for soil and/or groundwater contamination from leaking underground storage tanks and determined that a case closure is appropriate for the following sites:

Cardlock Fuels System Incorporated, Ventura (930030416)
Peace & Joy, Pico Rivera (R-05018)
USA Petroleum #235, Long Beach (908130334)

For the case closure sites above, a total of **22,931** pounds of hydrocarbons were removed by soil vapor extraction system. In addition, **639,416** gallons of impacted groundwater and **16,823** gallons of products were removed.

Corrective Action Plans for Leaking Underground Fuel Storage Tank Sites Received During the Reporting Period from March 1, 2021 through March 31, 2021

Former Texaco #0023 (908070070)
Former Chevron #306417 (900570152)

Corrective Action Plans for Leaking Underground Fuel Storage Tank Sites Approved During the Reporting Period from March 1, 2021 through March 31, 2021

Gallion's Castaic Corner (R-06569)
Picasso Auto Body (900480134)
Argo Realty Property (904040034)
Tosco - 76 Station #5608 (900320098)

Summaries of the Underground Storage Tank Section's performance and quantities of contamination removed through March 2021 are listed in Tables 1 and 2.

Table 1 – Underground Storage Tank Program Performance Summary (2021)

Month	Case Closures	Directives & Orders	Workplan Approvals	Other Letters Issued	Total
January	5	16	17	39	77
February	4	11	14	33	62
March	5	12	11	28	56
Total	14	39	42	100	195

Table 2 – Contamination Removed

Month	Contaminated soil (tons)	TPH mass (lbs.)
January	1,133	4,707
February	---	---
March	---	22,931
Total	1,133	27,638

Surface Water Division

Groundwater Permitting & Land Disposal Section

Summary of Activities Associated with General Waste Discharge Requirements

Maggie Addington and Milasol Gaslan

From March 1, 2021 to March 31, 2021, the Executive Officer terminated one enrollment for one discharger under General Waste Discharge Requirements (WDRs).

No.	General Waste Discharge Requirements for In-Situ Groundwater Remediation and Groundwater Re-Injection (Order No. R4-2014-0187)	Project Manager	Date of Coverage	Date of Revision	Date of Termination
1.	Former Country Hills Cleaners / CI-10397	Ann Chang	---	---	03/12/2021

Summary of Inspections

Maggie Addington and Milasol Gaslan

From March 1, 2021 to March 31, 2021, staff conducted 22 pre-permitting and compliance evaluation inspections.

No.	Date of Inspection	Inspection Type	Violations	Permittee	Project Manager
1.	03/04/2021	B Type Compliance	None	Durbin Landfill / CI-9196	Douglas Cross
2.	03/04/2021	B Type Compliance	None	Reliance Pit No. 2 / CI-7106	Douglas Cross
3.	03/04/2021	Pre-permitting	---	Mike Azarkman Single Family Residence / File No. 21-010	Ryan Nickerson
4.	03/09/2021	B Type Compliance	None	Toyon Canyon Landfill / CI-1695	Douglas Cross
5.	03/09/2021	B Type Compliance	None	Griffith Park Composting Facility / File No. 92-052	Douglas Cross
6.	03/09/2021	Pre-permitting	---	Thousand Trails Soledad Canyon RV and Camping Resort / File No. 20-116	Woonhoe Kim

No.	Date of Inspection	Inspection Type	Violations	Permittee	Project Manager
7.	03/10/2021	B Type Compliance	None	Market Place Sanitary Landfill / File No. 60-089	Enrique Casas
8.	03/10/2021	B Type Compliance	None	Jack in the Box #160 / CI-8710	Woonhoe Kim
9.	03/10/2021	B Type Compliance	None	Trancas Country Market / CI-8528	Woonhoe Kim
10.	03/10/2021	B Type Compliance	None	Portico at Malibu / CI-8804	Woonhoe Kim
11.	03/12/2021	B Type Compliance	None	Bishop's Canyon Landfill / File No. 64-151	Douglas Cross
12.	03/12/2021	B Type Compliance	None	Sheldon-Arleta Landfill / File No. 60-100	Douglas Cross
13.	03/17/2021	B Type Compliance	None	Gaffey Street Landfill / File No. 55-018	Douglas Cross
14.	03/17/2021	B Type Compliance	None	Helen Keller Community Park Landfill / File No. 12-100	Enrique Casas
15.	03/24/2021	B Type Compliance	None	Santa Monica City-Exploratory Well SM-10i / CI-10539	Woonhoe Kim
16.	03/24/2021	B Type Compliance	None	Claremont Landfill / File No. 66-016	Enrique Casas
17.	03/24/2021	Pre-permitting	---	3375 Mandeville Canyon Residence / File No. 20-129	Woonhoe Kim
18.	03/24/2021	B Type Compliance	None	Todd Road Jail / File No. 91-076	Ryan Nickerson
19.	03/25/2021	B Type Compliance	None	Simi Valley Landfill and Recycling Center / File No. 69-090	Enrique Casas
20.	03/25/2021	B Type Compliance	None	Bradley Landfill / CI-6434	Douglas Cross
21.	03/25/2021	B Type Compliance	None	Sun Valley Inert Landfill / File No. 82-031	Douglas Cross
22.	03/25/2021	B Type Compliance	None	Branford Landfill / File No. 56-101	Douglas Cross

Summary of Regulatory Actions Associated with Review of Technical Documents, Permit Applications and Other Correspondence
Maggie Addington and Milasol Gaslan

From March 1, 2021 to March 31, 2021, staff communicated the need for postclosure groundwater monitoring at a former landfill, approved a request to accept treated wood waste at a landfill and provided comments on the preliminary design report for the expansion of a wastewater treatment plant.

No.	Date Issued	Permittee/Description	Project Manager
1.	03/02/2021	Opinion on Postclosure Groundwater Monitoring – Former Kobra Landfill / File No. 60-029	Enrique Casas
2.	03/19/2021	Request to Accept Treated Wood Waste – Simi Valley Landfill and Recycling Center / File. No. 69-090	Enrique Casas
3.	03/24/2021	Comments on Malibu Civic Center WWTF Phase Two Preliminary Design Report / File No. 12-030	Woonhoe Kim

Regional Programs Section

Municipal Stormwater (MS4) Permitting Program

The Municipal Stormwater Permitting Unit continues to prepare the Regional MS4 Permit for Los Angeles and Ventura Counties. The written comment period for the tentative Regional MS4 Permit ended on December 7, 2020. Staff is currently responding to comments and meeting with stakeholders to discuss comments and requested revisions to the tentative permit.

Section 401 Water Quality Certification Program

From March 10, 2021 to April 8, 2021, the Regional Water Board received five new applications for Section 401 Water Quality Certification (WQC) actions.

DATE OF APPLICATION	APPLICANT	PROJECT
3/11/2021	Caltrans	Ven-1/33 Bridge Widening and Railing Upgrade Project
3/11/2021	Caltrans	BMPs for Stormwater Mitigation, SR-60 Between Phillips Ranch Road and Reservoir Street
3/11/2021	MC Global BP4	Amendment Request: MC GLOBAL BP4 Transpacific Fiber Optic Cables
3/18/2021	Grand Hills Development, LLC	Tentative Tract Map No. 53430 Project
3/30/2021	USC Wrigley Institute for Environmental Studies	Amendment Request: USC Catalina Island Shellfish Aquaculture Research Project

From March 10, 2021 to April 8, 2021, the Regional Water Board issued two new Section 401 Water Quality Certification (WQC) actions.

DATE OF ISSUANCE	APPLICANT	PROJECT	ACTION
3/12/2021	Los Angeles County Flood Control District	Cogswell and San Gabriel Reservoir Postfire Sediment Removal Project	Denial

4/6/2021	City of Los Angeles	Sixth Street Viaduct Project	Conditional WQC
----------	---------------------	------------------------------	-----------------

Certification project descriptions for applications currently being reviewed can be viewed on our website at the following link:

https://www.waterboards.ca.gov/losangeleswater_issues/programs/401_water_quality_certification/index.htm

For additional information regarding our Section 401 Program, please contact Céline Gallon at Celine.Gallon@waterboards.ca.gov.

TMDL Program

Staff is working on a bacteria TMDL for the Los Cerritos Channel and Estuary and the Alamitos Bay-Colorado Lagoon. Staff is finalizing the proposed draft TMDL and associated draft documents to present to the Board for consideration in the fall.

A groundwater study, funded by discretionary contract funds, to determine the impact of on-site wastewater treatment systems (OWTS) on the Santa Clara River Lakes was successfully completed on time by April 15. The contract was executed by the US Geological Survey, which included drilling groundwater monitoring wells, collecting groundwater data, and providing staff with documentation to be used for setting up and calibrating a groundwater model by the Regional Water Board staff.

Staff continues to participate in the bi-weekly meetings for the development of the *Ventura River Watershed Groundwater-Surface Water and Nutrient Transport Models*. There will be a series of three webinars coming up in May and June, where the State Board and Regional Water Board staff as well as the consultants in charge of this project will give joint presentations on the model development.

Watershed Regulatory Section

Regional Water Board staff in the Watershed Regulatory Section attended the virtual WaterReuse Symposium that was held throughout the month of March. The symposium focused on showcasing the important role that water recycling plays in ensuring water security, safety, and supply. Staff viewed recorded presentations and live roundtable discussions on topics including water recycling as a public health and resiliency strategy, regional approaches to water recycling, treatment approaches and emerging trends in recycled water used for drinking water, and implementation and operation of decentralized and centralized water recycling systems. The information provided at the symposium will be instrumental to staff when developing recycled water permits throughout the Los Angeles Region.

Staff also attended the virtual Statewide Advisory Committee on Cooling Water Intake Structures (SACCWIS) Annual Meeting. The purpose of the meeting was to consider approval of the Draft SACCWIS Report, which contains a recommendation to extend the Once-Through Cooling Policy compliance date for Redondo Beach Generating Station until December 31, 2023 to respond to system-wide grid reliability concerns. At the meeting, SACCWIS also heard comments from stakeholders, interested parties, and the public on the draft SACCWIS Report and recommendation regarding the Redondo Beach Generating Station. After a presentation on the draft SACCWIS Report and public comments, SACCWIS approved the report. The next step will be for the State Water Board to consider amending the OTC Policy to extend the compliance deadline for Redondo Beach Generating Station as recommended by SACCWIS, which is anticipated to take place later this year.

Summary of Inspections

One NPDES permitting inspection was conducted during the month of March.

No.	Date of Inspection	Permittee	Type of Inspection	Project Manager
1	3/18/2021	Vopak Inland Terminal	Pre-permitting	Rosario Aston

Summary of General Permitting Unit Activities

During the month of March 2021, 5 dischargers were enrolled under general NPDES permits.

The Table below shows the breakdown of the enrollments for the General Construction & Project Dewatering NPDES permit during the period. There are currently 41 enrollments and terminations in process.

General Construction & Project Dewatering NPDES Permit Activities during March 2021

No.	Discharger	Date of Coverage	Date of Revision	Date of Termination
1	Los Angeles County Department Of Public Works, Alamitos Barrier Project, San Gabriel Estuary, Long Beach (CI-8066)	3/8/2021	---	---
2	Metropolitan Water District Of Southern California, Foothill Feeder Power Plant, 31849 North Lake Hughes Road, Castaic, (CI-6743)	3/8/2021	---	---
3	942 North Broadway, Los Angeles, (CI-10594)	3/15/2021	---	---
4	2555 S. Mansfield Avenue Project, 2555 S. Mansfield Avenue, Los Angeles (CI-10596)	3/15/2021	---	---
5	Westmount Development LLC, 854 Westmount Drive, West Hollywood, (CI-10595)	3/29/2021	---	---

Administrative Services Section

Personnel Report

Staffing Level

As of May 13, 2021, the Regional Water Board staffing level is **137** staff, including **132** technical staff, **3** permanent analytical staff and **2** permanent clerical staff.

New Hire

Adriana Vallejo, Water Resources Control Engineer with the Watershed Regulatory Section, effective April 5, 2021.

Neils van Eybergen, Water Resources Control Engineer with the Watershed Regulatory Section, effective May 3, 2021.

Separation

Ginachi Amah, Senior Water Resources Control Engineer (Specialist) with the Regional Programs Section, separated for transfer to the State Water Board Division of Drinking Water, effective April 20, 2021.

Peter Raftery, Engineering Geologist with the Groundwater Permitting and Land Disposal Section retired, effective May 1, 2021.