Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		1	2	3	4	5a	5b	5b	6	7	8	9	10	11
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Antimony	Arsenic	Beryllium	Cadmium	Chromium III	Chromium VI	Total Chromium	Copper	Lead	Mercury	Nickel	Selenium	Silver
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999														
2/1/1999			<5		<1			<10	7.3	<5	<0.2	<5		
3/1/1999														
4/1/1999														
5/1/1999			<5		1.2			<10	32	<5	<0.2	<5		
6/1/1999														
7/1/1999														
8/1/1999			<5		<1			<10	13	7.1	<0.2	5.7		
9/1/1999														
10/1/1999														
11/1/1999	EC		<5		0.3			<10	4	<5	<0.2	<5		
12/1/1999														
1/1/2000														
2/1/2000	A		<5		<5		<10		**15**	<100	<0.2	<20		
3/1/2000														
4/1/2000														
5/1/00	A		<2		<10		<10		**20**	<50	<0.2	<10		
6/1/00														
7/1/00														
8/1/00	A		**4.5**		<10		**20**		**150**	<50	<0.2	**20**		
9/1/00														
10/1/00														
11/1/00	A		**3.5**		<10		<10		**10**	<5	<0.2	<10		
12/1/00														
1/30/01	EC									<50				
5/2/01	EC									<50				
7/31/01	C													
7/31/01	BC	**1.2**	**2.1**	<1	**0.29**	**2.6**	**3**		**17**	**1.8**	<0.2	**6.7**	*0.7*	
8/8/01	EC									<50				
8/22/01	BC	**2.0**	**3.3**	<1	*0.2*	**5.3**	**3**		**12**	**1.7**	<0.2	**5.2**	**1.2**	
8/22/01	C													
9/4/01	BC	**0.8**	*0.71*	<1	<1	**6.9**	**7.8**		**6.2**	**2.8**	<0.2	**4**	**1.1**	
9/4/01	C													
10/2/01	BC	**1.3**	**3.6**	<1	*0.16*	**1.6**	**1**		**9.8**	**2.6**	<0.2	**6.2**	**1.4**	**<1**
10/2/01	C													
11/2/01	BC	<1	**1.4**	<1	*0.32*	**1.9**	**4**		**13**	**1**	*<0.2*	**5**	*0.72*	<2
11/2/01	C													
11/6/01	EC									<50				
12/5/01	BC	<1	**2.1**	<1	*0.36*	**1.2**	<2		**8**	**1.2**	<0.2	**5.4**	**1**	<1
12/5/01	C													
1/9/02	C													
1/9/02	BC	*0.13*	*0.69*	<1	<1	**3.6**	<2		**9.5**	**0.91**	<0.2	**3.4**	*0.57*	**0.73**
2/5/02	EC									**2.5**				
2/6/02	BC	**2**	*0.9*	<1	*0.22*	**1.9**	**3**		**8.5**	**0.98**	<0.2	**4.8**	**1.3**	<1
2/6/02	C													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		1	2	3	4	5a	5b	5b	6	7	8	9	10	11
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Antimony	Arsenic	Beryllium	Cadmium	Chromium III	Chromium VI	Total Chromium	Copper	Lead	Mercury	Nickel	Selenium	Silver
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C													
3/6/02	BC	**0.68**	**2.2**	<1	**0.27**	**2.2**	**1.5**		**21.9**	**1.6**	<0.2	**6.4**	**1.4**	**0.42**
4/16/02	C													
4/16/02	BC	*0.81*	**1.7**	<1	*0.45*	**3.6**	**2**		**21.8**	**3.3**	**0.088**	**9.5**	**1.3**	*0.22*
5/7/02	C													
5/7/02	BC	*0.6*	**2.9**	<1	*0.28*	**3.1**	**3**		**34.6**	**5.2**	*0.063*	**10.2**	*0.8*	*0.21*
6/6/02	C													
6/6/02	BC	*0.55*	**2.3**	<1	*0.24*	**4.9**	**3**		**77.9**	**6.4**	<0.2	**8.1**	**1.2**	<1
7/2/02	BC	<2	**2.7**	<1	*0.32*	*2.7*	**3**		**36.3**	**4**	**0.33**	**7.4**	**<1**	<1
7/2/02	C													
8/6/02	EC									**4.8**				
8/7/02	BC	*0.38*	**4.2**	<1	*0.32*	**3.4**	**3**		**37.3**	**3.6**	<0.2	**9.6**	**1.9**	<1
8/7/02	C													
9/10/02	BC	*0.13*	*0.69*	<1	*<1*	**3.6**	<2		**9.5**	**1.7**	<0.2	**3.4**	**1.2**	**0.73**
9/10/02	C													
10/8/02	BC	*0.44*	**2.3**	<1	*0.21*	*2.3*	**3**		***29.6***	**2.2**	<0.2	**5**	*0.83*	<1
10/8/02	C													
11/5/02	EC									**1.5**				
11/6/02	BC	*0.71*	**1.7**	<1	*0.18*	*2.6*	**3**		**24**	**3.1**	<0.2	**4.4**	*0.94*	<1
11/6/02	C													
12/3/02	BC	*0.41*	**1.3**	<1	*1.8*	*2.6*	**5.6**		**9.2**	**1.1**	<0.2	**3.2**	**<2**	*0.19*
12/3/02	C													
1/1/03														
2/1/03	A		**3.9**		<1			1.1	26.6	<1	<0.2	5.4		
3/1/03					<1									
4/1/03					<1									
5/1/03	A		**3.1**		0.3			2.6	15.8	2.7	<0.2	4.4		
6/1/03					2.2									
7/1/03					0.9									
8/1/03	A		**6**		0.5			4	28	1	<0.2	8		
9/1/03					<1									
10/1/03					<1									
11/6/03	A		**3.3**		<0.5			4.1	16.6	1	<0.2	4.2		
11/6/03														
12/1/03					<0.5									
1/1/04	A				<0.5									
2/1/04	A		**1.6**		<0.5			19.2	12.3	2	<0.1	3.9		
3/1/04	A													
4/1/04	A													
5/1/04	A		**2.3**		0.4			5	55.8	3.4	<0.05	6.3		
5/4/04	EC												**2.9**	
6/1/04	A													
7/1/04	A													
8/1/04	A		**4**		<0.4			6.4	21.6	3.1	**0.08**	**5.7**		
9/1/04	A													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		1	2	3	4	5a	5b	5b	6	7	8	9	10	11
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Antimony	Arsenic	Beryllium	Cadmium	Chromium III	Chromium VI	Total Chromium	Copper	Lead	Mercury	Nickel	Selenium	Silver
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A													
11/1/04	A		**2.8**		<0.4			5.7	15	1.3	<0.2	**5.3**		
12/1/04	A													
1/1/05														
2/1/05	A		**0.8**		<0.4		**2.1**		**4**	**0.3**	<0.2	**1.4**		
3/1/05														
4/1/05														
5/1/05	A		**1.7**		<0.2		**5.7**		**7.2**	**2.4**	<0.2	**3.1**		
6/1/05														
7/1/05														
8/1/05	A		**3.3**		**0.2**		**4.1**		**11.6**	**1.6**	<0.2	**3.1**		
9/1/05														
10/1/05														
11/1/05	A		**1.9**		*0.1*		**5**		**10**	**1**	*0.14*	**3**		
12/1/05														
			2											
2/8/06			**2.3**		*0.1*		**6.7**		**10.6**	**1.2**	*0.06*	**3**		
5/2/06	eMR		**50.5**		*0.1*		**4.2**		**1.2**	**0.3**	**0.2**	**5.1**	**2.8**	*0.1*
MEC														
MAXIMUM		2	50.5	<1	2.2	6.9	20	19.2	150	7.1	0.33	20	2.9	0.73
MINIMUM		0.13	0.69	<1	0.1	1.2	1	1.1	1.2	0.3	0.06	1.4	0.57	0.1
DETECTS		15	35	0	26	18	22	8	40	35	7	34	18	7
COUNT		18	41	18	48	18	28	12	40	47	40	40	20	16
%NONDETECT		16.67	14.634	100	45.83	0	21.429	33.333	0	25.5319	82.5	15	10	56.25
AVE		0.81	3.84	#DIV/0!	0.46	3.11	4.40	6.01	21.84	2.35	0.14	5.75	1.29	0.37

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		12	13	14	16	17	18	19	20	21	22	23	24
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Thallium	Zinc	Cyanide	2,3,7,8-TCDD	Acrolein	Acrylonitrile	Benzene	Bromoform	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane (a.k.a Dibromochloromethane)	Chloroethane
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999													
2/1/1999			22	<20									
3/1/1999													
4/1/1999													
5/1/1999			37	<20									
6/1/1999													
7/1/1999													
8/1/1999			<50	<20									
9/1/1999													
10/1/1999													
11/1/1999	EC		27	<20									
12/1/1999													
1/1/2000													
2/1/2000	A		**36**	<5									
3/1/2000													
4/1/2000													
5/1/00	A		**24**	<0.02									
6/1/00													
7/1/00													
8/1/00	A		**420**	<0.02									
9/1/00													
10/1/00													
11/1/00	A		<50	<0.02									
12/1/00													
1/30/01	EC												
5/2/01	EC												
7/31/01	C												
7/31/01	BC	<1		*0.0033*									
8/8/01	EC												
8/22/01	BC	*0.09*		<5									
8/22/01	C												
9/4/01	BC								**1.6**			**3.9**	
9/4/01	C								**2.1**			**4.6**	
10/2/01	BC	<1	**32**	<5									
10/2/01	C												**0.8**
11/2/01	BC	<1	**77**	<5									
11/2/01	C												
11/6/01	EC												
12/5/01	BC	<1	**40**	<5									
12/5/01	C												
1/9/02	C								**1.7**			**1.8**	
1/9/02	BC	<1	**26**	<5									
2/5/02	EC												
2/6/02	BC	<1	**26**	<5									
2/6/02	C												

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		12	13	14	16	17	18	19	20	21	22	23	24
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Thallium	Zinc	Cyanide	2,3,7,8-TCDD	Acrolein	Acrylonitrile	Benzene	Bromoform	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane (a.k.a Dibromochloromethane)	Chloroethane
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C												
3/6/02	BC	<1	**34**	**12**									
4/16/02	C												
4/16/02	BC	<1	**63**	*3.8*									
5/7/02	C												
5/7/02	BC	<1	**66**	<5									
6/6/02	C												
6/6/02	BC	<1	**90**	<5									
7/2/02	BC	<1	**57**	<5									
7/2/02	C												
8/6/02	EC												
8/7/02	BC	<1	**59**	<20									
8/7/02	C												
9/10/02	BC	<1	**26**	<5									
9/10/02	C												
10/8/02	BC	<1	**43.4**	*2.5*									
10/8/02	C												
11/5/02	EC												
11/6/02	BC	<1	**31.6**	*<5*									
11/6/02	C												
12/3/02	BC	<1	**27.2**	*3*									
12/3/02	C												
1/1/03													
2/1/03	A		**31.3**	5									
3/1/03													
4/1/03													
5/1/03	A		**46.9**	11									
6/1/03													
7/1/03													
8/1/03	A		**68**	<5									
9/1/03													
10/1/03													
11/6/03	A		**46.9**	<5									
11/6/03													
12/1/03													
1/1/04	A												
2/1/04	A		**50.4**	<5									
3/1/04	A												
4/1/04	A												
5/1/04	A		**187**	<5									
5/4/04	EC												
6/1/04	A												
7/1/04	A												
8/1/04	A		**43.4**	<5									
9/1/04	A												

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		12	13	14	16	17	18	19	20	21	22	23	24
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Thallium	Zinc	Cyanide	2,3,7,8-TCDD	Acrolein	Acrylonitrile	Benzene	Bromoform	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane (a.k.a Dibromochloromethane)	Chloroethane
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A												
11/1/04	A		**22**	<5									
12/1/04	A												
1/1/05													
2/1/05	A		**20.1**	<5		<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
3/1/05													
4/1/05													
5/1/05	A		**22.6**	<5		<20	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
6/1/05													
7/1/05													
8/1/05	A		**25.8**	<5		<20	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
9/1/05													
10/1/05													
11/1/05	A		**14.7**	<5		<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
12/1/05													
2/8/06			**22.3**	**14**		<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
5/2/06	eMR		*5.5*	<5		<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MEC													
MAXIMUM		0.09	420	14	0	<50	<20	<0.5	2.1	<0.5	<0.5	4.6	0.8
MINIMUM		0.09	5.5	0.0033	0	<20	<5	<0.5	1.6	<0.5	<0.5	1.8	0.8
DETECTS		1	35	8	0	0	0	0	3	0	0	3	1
COUNT		17	37	39	0	6	6	6	9	6	6	9	7
%NONDETECT		94.118	5.405	79.487	#DIV/0!	100	100	100	66.667	100	100	66.66667	85.7
AVE		0.09	53.46	6.41	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	1.80	#DIV/0!	#DIV/0!	3.43	0.80

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		25	26	27	28	29	30	31	32	32	33	34	35	36
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	2-Chloroethylvinylether	Chloroform	Bromodichloromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethylene	1,2-Dichloropropane	trans-1,3-Dichloropropene	cis-1,3-Dichloropropene	Ethylbenzene	Bromomethane	Chloromethane	Methylene chloride
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999														
2/1/1999														
3/1/1999														
4/1/1999														
5/1/1999														
6/1/1999														
7/1/1999														
8/1/1999														
9/1/1999														
10/1/1999														
11/1/1999	EC													
12/1/1999														
1/1/2000														
2/1/2000	A													
3/1/2000														
4/1/2000														
5/1/00	A													
6/1/00														
7/1/00														
8/1/00	A													
9/1/00														
10/1/00														
11/1/00	A													
12/1/00														
1/30/01	EC													
5/2/01	EC													
7/31/01	C													
7/31/01	BC													
8/8/01	EC													
8/22/01	BC													
8/22/01	C													
9/4/01	BC		**1.3**	**2.6**										
9/4/01	C		**1.1**	**2.8**										
10/2/01	BC													
10/2/01	C													
11/2/01	BC													
11/2/01	C													*0.4*
11/6/01	EC													
12/5/01	BC													
12/5/01	C													
1/9/02	C		**3.4**											**3**
1/9/02	BC													
2/5/02	EC													
2/6/02	BC													
2/6/02	C													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		25	26	27	28	29	30	31	32	32	33	34	35	36
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	2-Chloroethylvinylether	Chloroform	Bromodichloromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethylene	1,2-Dichloropropane	trans-1,3-Dichloropropene	cis-1,3-Dichloropropene	Ethylbenzene	Bromomethane	Chloromethane	Methylene chloride
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C													
3/6/02	BC													
4/16/02	C		*0.3*											
4/16/02	BC													
5/7/02	C													
5/7/02	BC													
6/6/02	C													
6/6/02	BC													
7/2/02	BC													
7/2/02	C													
8/6/02	EC													
8/7/02	BC													
8/7/02	C													
9/10/02	BC													
9/10/02	C													
10/8/02	BC													
10/8/02	C													
11/5/02	EC													
11/6/02	BC													
11/6/02	C													
12/3/02	BC													
12/3/02	C													
1/1/03														
2/1/03	A													
3/1/03														
4/1/03														
5/1/03	A													
6/1/03														
7/1/03														
8/1/03	A													
9/1/03														
10/1/03														
11/6/03	A													
11/6/03														
12/1/03														
1/1/04	A													
2/1/04	A													
3/1/04	A													
4/1/04	A													
5/1/04	A													
5/4/04	EC													
6/1/04	A													
7/1/04	A													
8/1/04	A													
9/1/04	A													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		25	26	27	28	29	30	31	32	32	33	34	35	36
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	2-Chloroethylvinylether	Chloroform	Bromodichloromethane	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethylene	1,2-Dichloropropane	trans-1,3-Dichloropropene	cis-1,3-Dichloropropene	Ethylbenzene	Bromomethane	Chloromethane	Methylene chloride
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A													
11/1/04	A													
12/1/04	A													
1/1/05														
2/1/05	A	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<1
3/1/05														
4/1/05														
5/1/05	A	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<1
6/1/05														
7/1/05														
8/1/05	A	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<1
9/1/05														
10/1/05														
11/1/05	A	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<1
12/1/05														
2/8/06		<10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1		<0.5	<1	<0.5	<1
5/2/06	eMR	<10	<0.5	<0.5		<0.5	<0.5	<0.5	<1		<0.5	<1	<0.5	<1
MEC														
MAXIMUM		<10	3.4	2.8	<0.5	<0.5	<0.5	<0.5	<1	<0.5	<0.5	<1	<0.5	3
MINIMUM		<10	0.3	2.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5	0.4
DETECTS		0	4	2	0	0	0	0	0	0	0	0	0	2
COUNT		6	10	8	5	6	6	6	6	4	6	6	6	8
%NONDETECT		100	60	75	100	100	100	100	100	100	100	100	100	75
AVE		#DIV/0!	1.53	2.70	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	1.70

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		37	38	39	40	41	42	43	44	45	46	47	48	49
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	1,1,2,2-Tetrachloroethane	Tetrachloroethylene	Toluene	1,2-Trans-Dichloroethylene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethylene	Vinyl chloride	2-chlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2-Methyl-4,6,Dinitrophenol	2,4-Dinitrophenol
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999														
2/1/1999											<2	<2	<10	<10
3/1/1999														
4/1/1999														
5/1/1999														
6/1/1999														
7/1/1999														
8/1/1999											<2	<2	<10	<10
9/1/1999														
10/1/1999														
11/1/1999	EC													
12/1/1999														
1/1/2000														
2/1/2000	A										<5	<5	<50	<50
3/1/2000														
4/1/2000														
5/1/00	A													
6/1/00														
7/1/00														
8/1/00	A										<2	<2	<10	<10
9/1/00														
10/1/00														
11/1/00	A													
12/1/00														
1/30/01	EC													
5/2/01	EC													
7/31/01	C													
7/31/01	BC													
8/8/01	EC													
8/22/01	BC													
8/22/01	C													
9/4/01	BC			**0.16**										
9/4/01	C													
10/2/01	BC													
10/2/01	C													
11/2/01	BC													
11/2/01	C													
11/6/01	EC													
12/5/01	BC			*0.26*										
12/5/01	C													
1/9/02	C													
1/9/02	BC													
2/5/02	EC													
2/6/02	BC													
2/6/02	C													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		37	38	39	40	41	42	43	44	45	46	47	48	49
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	1,1,2,2-Tetrachloroethane	Tetrachloroethylene	Toluene	1,2-Trans-Dichloroethylene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethylene	Vinyl chloride	2-chlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2-Methyl-4,6,Dinitrophenol	2,4-Dinitrophenol
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C													
3/6/02	BC													
4/16/02	C													
4/16/02	BC													
5/7/02	C													
5/7/02	BC													
6/6/02	C													
6/6/02	BC													
7/2/02	BC													
7/2/02	C													
8/6/02	EC													
8/7/02	BC													
8/7/02	C													
9/10/02	BC													
9/10/02	C													
10/8/02	BC													
10/8/02	C													
11/5/02	EC													
11/6/02	BC													
11/6/02	C													
12/3/02	BC													
12/3/02	C													
1/1/03														
2/1/03	A									<2	<2	<2	<10	<10
3/1/03														
4/1/03														
5/1/03	A													
6/1/03														
7/1/03														
8/1/03	A									<2	<2	<2	<10	<10
9/1/03														
10/1/03														
11/6/03	A													
11/6/03														
12/1/03														
1/1/04	A													
2/1/04	A									<2	<2	<2	<10	<10
3/1/04	A													
4/1/04	A													
5/1/04	A													
5/4/04	EC													
6/1/04	A													
7/1/04	A													
8/1/04	A									<2	<1	<2	<5	<5
9/1/04	A													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		37	38	39	40	41	42	43	44	45	46	47	48	49
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	1,1,2,2-Tetrachloroethane	Tetrachloroethylene	Toluene	1,2-Trans-Dichloroethylene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethylene	Vinyl chloride	2-chlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2-Methyl-4,6,Dinitrophenol	2,4-Dinitrophenol
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A													
11/1/04	A													
12/1/04	A													
1/1/05														
2/1/05	A	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<5	<2	<5	<5
3/1/05														
4/1/05														
5/1/05	A	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5					
6/1/05														
7/1/05														
8/1/05	A	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<1	<2	<5	<5
9/1/05														
10/1/05														
11/1/05	A	<0.5	<0.5	*0.15*	<0.5	<0.5	<0.5	<0.5	<0.5					
12/1/05														
2/8/06		<0.5	<0.5	*0.15*	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<1	<2	<5	<5
5/2/06	eMR	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5					
MEC														
MAXIMUM		0	0	0.26	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<5	<5	<50	<50
MINIMUM		0	0	0.15	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<1	<2	<5	<5
DETECTS		0	0	4	0	0	0	0	0	0	0	0	0	0
COUNT		6	6	8	6	6	6	6	6	7	11	11	11	11
%NONDETECT		100	100	50	100	100	100	100	100	100	100	100	100	100
AVE		#DIV/0!	#DIV/0!	0.18	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		50	51	52	53	54	55	56	57	58	59	60	61	62
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	2-Nitrophenol	4-Nitrophenol	4-Chloro-3-Methylphenol	Pentachlorophenol	Phenol	2,4,6-Trichlorophenol	Acenaphthene	Acenaphthylene	Anthracene	Benzidine	Benzo(A)Anthracene	Benzo(A)Pyrene	Benzo(b)Fluoranthene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999														
2/1/1999		<2	<5	9.3	<10	<2	<5		<2	<0.1				
3/1/1999														
4/1/1999														
5/1/1999														
6/1/1999														
7/1/1999														
8/1/1999		<2	<5	<5	<10	<2	<5		<2	<2				
9/1/1999														
10/1/1999														
11/1/1999	EC													
12/1/1999														
1/1/2000														
2/1/2000	A	<5	<10	<5	<20	<5	<5		<5	<5				
3/1/2000														
4/1/2000														
5/1/00	A													
6/1/00														
7/1/00														
8/1/00	A	<2	<5	<5	<10	<2	<5		<2	<2				
9/1/00														
10/1/00														
11/1/00	A													
12/1/00														
1/30/01	EC													
5/2/01	EC													
7/31/01	C													
7/31/01	BC													
8/8/01	EC													
8/22/01	BC													
8/22/01	C													
9/4/01	BC													
9/4/01	C													
10/2/01	BC													
10/2/01	C													
11/2/01	BC													
11/2/01	C													
11/6/01	EC													
12/5/01	BC													
12/5/01	C		*0.4*											
1/9/02	C		*0.5*		*0.6*									
1/9/02	BC													
2/5/02	EC													
2/6/02	BC													
2/6/02	C													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		50	51	52	53	54	55	56	57	58	59	60	61	62
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	2-Nitrophenol	4-Nitrophenol	4-Chloro-3-Methylphenol	Pentachlorophenol	Phenol	2,4,6-Trichlorophenol	Acenaphthene	Acenaphthylene	Anthracene	Benzidine	Benzo(A)Anthracene	Benzo(A)Pyrene	Benzo(b)Fluoranthene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C		*0.4*											
3/6/02	BC													
4/16/02	C													
4/16/02	BC													
5/7/02	C													
5/7/02	BC													
6/6/02	C													
6/6/02	BC													
7/2/02	BC													
7/2/02	C													
8/6/02	EC													
8/7/02	BC													
8/7/02	C													
9/10/02	BC													
9/10/02	C													
10/8/02	BC													
10/8/02	C													
11/5/02	EC													
11/6/02	BC													
11/6/02	C													
12/3/02	BC													
12/3/02	C													
1/1/03														
2/1/03	A	<2	<2	<5	<10	<2	<5		<2	<2			<2	
3/1/03														
4/1/03														
5/1/03	A													
6/1/03														
7/1/03														
8/1/03	A	<2	<2	<5	<10	<2	<5		<2	<2			<2	
9/1/03														
10/1/03														
11/6/03	A													
11/6/03														
12/1/03														
1/1/04	A													
2/1/04	A	<2	<2	<5	<10	<2	<5		<2	<2			<2	
3/1/04	A													
4/1/04	A													
5/1/04	A													
5/4/04	EC													
6/1/04	A													
7/1/04	A													
8/1/04	A	<5	<5	<1	<1	<1	<5		<5	<5			<5	
9/1/04	A													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		50	51	52	53	54	55	56	57	58	59	60	61	62
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	2-Nitrophenol	4-Nitrophenol	4-Chloro-3-Methylphenol	Pentachlorophenol	Phenol	2,4,6-Trichlorophenol	Acenaphthene	Acenaphthylene	Anthracene	Benzidine	Benzo(A)Anthracene	Benzo(A)Pyrene	Benzo(b)Fluoranthene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A													
11/1/04	A													
12/1/04	A													
1/1/05														
2/1/05	A	<5	<5	<1	<1	<1	<5	<5	<5	<5	<5	<5	<5	<5
3/1/05														
4/1/05														
5/1/05	A													
6/1/05														
7/1/05														
8/1/05	A	<5	<5	<1	<1	<1	<5	<5	<5	<5	<5	<5	<5	<5
9/1/05														
10/1/05														
11/1/05	A													
12/1/05														
2/8/06		<5	<5	<1	<1	<1	<5	<5	<5	<5	<5	<5	<5	<5
5/2/06	eMR													
MEC														
MAXIMUM		<5	0.5	9.3	0.6	<5	<5	<5	<5	<5	<5	<5	<5	<5
MINIMUM		<2	0.4	9.3	0.6	<1	<5	<5	<2	<0.1	<5	<5	<2	<5
DETECTS		0	3	1	1	0	0	0	0	0	0	0	0	0
COUNT		11	14	11	12	11	11	3	11	11	3	3	7	3
%NONDETECT		100	78.571	90.909	91.6667	100	100	100	100	100	100	100	100	100
AVE		#DIV/0!	0.43	9.30	0.60	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		63	64	65	66	67	68	69	70	71	72	73	74
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Benzo(G.H.I.)perylene (1,12-BEN)	Benzo(K)fluoranthene	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate a.k.a. Diethylhexyl Phthalate	4-Bromophenyl phenylether	Butylbenzyl phthalate	2-Chloronaphthalene	4-Chlorophenylphenylether	Chrysene	Dibenzo(a,h)Anthracene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999													
2/1/1999			<2									<0.3	<0.6
3/1/1999													
4/1/1999													
5/1/1999													
6/1/1999													
7/1/1999													
8/1/1999			<2									<2	<3
9/1/1999													
10/1/1999													
11/1/1999	EC												
12/1/1999													
1/1/2000													
2/1/2000	A		<5									<5	<10
3/1/2000													
4/1/2000													
5/1/00	A												
6/1/00													
7/1/00													
8/1/00	A		<2									<2	<3
9/1/00													
10/1/00													
11/1/00	A												
12/1/00													
1/30/01	EC												
5/2/01	EC												
7/31/01	C												
7/31/01	BC												
8/8/01	EC												
8/22/01	BC												
8/22/01	C												
9/4/01	BC												
9/4/01	C						*0.8*						
10/2/01	BC						**1.7**						
10/2/01	C						*2*						
11/2/01	BC						**2.1**						
11/2/01	C						*2*						
11/6/01	EC												
12/5/01	BC												
12/5/01	C						*0.5*						
1/9/02	C						*0.8*						
1/9/02	BC												
2/5/02	EC												
2/6/02	BC												
2/6/02	C						*0.5*						

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		63	64	65	66	67	68	69	70	71	72	73	74
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Benzo(G.H.I.)perylene (1,12-BEN)	Benzo(K)fluoranthene	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate a.k.a. Diethylhexyl Phthalate	4-Bromophenyl phenylether	Butylbenzyl phthalate	2-Chloronaphthalene	4-Chlorophenylphenylether	Chrysene	Dibenzo(a,h)Anthracene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C						*4*						
3/6/02	BC												
4/16/02	C						*2*						
4/16/02	BC												
5/7/02	C						*3*						
5/7/02	BC												
6/6/02	C						*1*						
6/6/02	BC												
7/2/02	BC												
7/2/02	C						*3*						
8/6/02	EC												
8/7/02	BC												
8/7/02	C						**5**						
9/10/02	BC												
9/10/02	C						*0.9*						
10/8/02	BC												
10/8/02	C						*3*						
11/5/02	EC												
11/6/02	BC												
11/6/02	C						*1*						
12/3/02	BC								*0.9*				
12/3/02	C												
1/1/03													
2/1/03	A		<2									<2	<3
3/1/03													
4/1/03													
5/1/03	A												
6/1/03													
7/1/03													
8/1/03	A		<2									<2	<3
9/1/03													
10/1/03													
11/6/03	A												
11/6/03													
12/1/03													
1/1/04	A												
2/1/04	A		<2									<2	<3
3/1/04	A												
4/1/04	A												
5/1/04	A												
5/4/04	EC												
6/1/04	A												
7/1/04	A												
8/1/04	A		<5									<5	<5
9/1/04	A												

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		63	64	65	66	67	68	69	70	71	72	73	74
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Benzo(G.H.I.)perylene (1,12-BEN)	Benzo(K)fluoranthene	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate a.k.a. Diethylhexyl Phthalate	4-Bromophenyl phenylether	Butylbenzyl phthalate	2-Chloronaphthalene	4-Chlorophenylphenylether	Chrysene	Dibenzo(a,h)Anthracene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A												
11/1/04	A												
12/1/04	A												
1/1/05													
2/1/05	A	<5	<5	<5	<1	<2	<3	<5	<5	<5	<5	<5	<5
3/1/05													
4/1/05													
5/1/05	A												
6/1/05													
7/1/05													
8/1/05	A	<5	<5	<5	<1	<2	<3	<5	<5	<5	<5	<5	<5
9/1/05													
10/1/05													
11/1/05	A												
12/1/05													
2/8/06		<5	<5	<5	<1	<2	<3	<5	<5	<5	<5	<5	<5
5/2/06	eMR												
MEC													
MAXIMUM		<5	<5	<5	<1	<2	5	<5	0.9	<5	<5	<5	<10
MINIMUM		<5	<2	<5	<1	<2	0.5	<5	0.9	<5	<5	<0.3	<0.6
DETECTS		0	0	0	0	0	17	0	1	0	0	0	0
COUNT		3	11	3	3	3	20	3	4	3	3	11	11
%NONDETECT		100	100	100	100	100	15	100	75	100	100	100	100
AVE		#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	1.96	#DIV/0!	0.90	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		75	76	77	78	79	80	81	82	83	84	85	86	87	88
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene a.k.a P-dichlorobenzene	3,3'-Dichlorobenzidine	Diethyl Phthalate	Dimethyl Phthalate	Di-n-Butyl Phthalate	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Di-n-Octyl Phthalate	1,2-Diphenylhydrazine	Fluoranthene	Fluorene	Hexachlorobenzene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999															
2/1/1999														<0.4	
3/1/1999															
4/1/1999															
5/1/1999															
6/1/1999															
7/1/1999															
8/1/1999														<2	
9/1/1999															
10/1/1999															
11/1/1999	EC														
12/1/1999															
1/1/2000															
2/1/2000	A													<5	
3/1/2000															
4/1/2000															
5/1/00	A														
6/1/00															
7/1/00															
8/1/00	A													<2	
9/1/00															
10/1/00															
11/1/00	A														
12/1/00															
1/30/01	EC														
5/2/01	EC														
7/31/01	C														
7/31/01	BC														
8/8/01	EC														
8/22/01	BC														
8/22/01	C														
9/4/01	BC														
9/4/01	C														
10/2/01	BC														
10/2/01	C														
11/2/01	BC							**7.7**							
11/2/01	C							**6**							
11/6/01	EC														
12/5/01	BC														
12/5/01	C														
1/9/02	C			*0.4*											
1/9/02	BC														
2/5/02	EC														
2/6/02	BC														
2/6/02	C														

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		75	76	77	78	79	80	81	82	83	84	85	86	87	88
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene a.k.a P-dichlorobenzene	3,3'-Dichlorobenzidine	Diethyl Phthalate	Dimethyl Phthalate	Di-n-Butyl Phthalate	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Di-n-Octyl Phthalate	1,2-Diphenylhydrazine	Fluoranthene	Fluorene	Hexachlorobenzene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C							*0.7*							
3/6/02	BC														
4/16/02	C										*2*				
4/16/02	BC														
5/7/02	C														
5/7/02	BC														
6/6/02	C												**0.09**		
6/6/02	BC														
7/2/02	BC														
7/2/02	C												**0.1**		
8/6/02	EC														
8/7/02	BC														
8/7/02	C														
9/10/02	BC														
9/10/02	C														
10/8/02	BC														
10/8/02	C														
11/5/02	EC														
11/6/02	BC														
11/6/02	C														
12/3/02	BC							*1*							
12/3/02	C														
1/1/03															
2/1/03	A													<2	
3/1/03															
4/1/03															
5/1/03	A														
6/1/03															
7/1/03															
8/1/03	A													<2	
9/1/03															
10/1/03															
11/6/03	A														
11/6/03															
12/1/03															
1/1/04	A														
2/1/04	A													<2	
3/1/04	A														
4/1/04	A														
5/1/04	A														
5/4/04	EC														
6/1/04	A														
7/1/04	A														
8/1/04	A													<5	
9/1/04	A														

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		75	76	77	78	79	80	81	82	83	84	85	86	87	88
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene a.k.a P-dichlorobenzene	3,3'-Dichlorobenzidine	Diethyl Phthalate	Dimethyl Phthalate	Di-n-Butyl Phthalate	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Di-n-Octyl Phthalate	1,2-Diphenylhydrazine	Fluoranthene	Fluorene	Hexachlorobenzene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A														
11/1/04	A														
12/1/04	A														
1/1/05															
2/1/05	A	<0.5	<0.5	<0.5	<0.5	<2	<2	<5	<5	<5	<5	<1	<5	<5	<1
3/1/05															
4/1/05															
5/1/05	A	<0.5	<0.5	<0.5											
6/1/05															
7/1/05															
8/1/05	A	<0.5	<0.5	<0.5	<0.5	<2	<2	<5	<5	<5	<5	<1	<5	<5	<1
9/1/05															
10/1/05															
11/1/05	A	<0.5	<0.5	<0.5											
12/1/05															
2/8/06		<0.5	<0.5	<0.5	<5	<2	<2	*0.9*	<5	<5	<5	<1	<5	<5	<1
5/2/06	eMR	<0.5	<0.5	<0.5											
MEC															
MAXIMUM		<0.5	<0.5	0.4	<5	<2	<2	7.7	<5	<5	2	<1	0.1	<5	<1
MINIMUM		<0.5	<0.5	0.4	<0.5	<2	<2	0.7	<5	<5	2	<1	0.09	<0.4	<1
DETECTS		0	0	1	0	0	0	5	0	0	1	0	2	0	0
COUNT		6	6	7	3	3	3	7	3	3	4	3	5	11	3
%NONDETECT		100	100	85.71	100	100	100	28.6	100	100	75	100	60	100	100
AVE		#DIV/0!	#DIV/0!	0.40	#DIV/0!	#DIV/0!	#DIV/0!	3.26	#DIV/0!	#DIV/0!	2.00	#DIV/0!	0.10	#DIV/0!	#DIV/0!

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		89	90	91	92	93	94	95	96	97	98	99	100	101
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)Pyrene	Isophrone	Napthalene	Nitrobenzene	N-Nitrosodimethylamine	Ni-Nitrosodi-n-Propylamine	N-Nitrosodiphenylamine	Phenanthrene	Pyrene	1,2,4-Trichlorobenzene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999														
2/1/1999					<2							<0.1	<0.6	
3/1/1999														
4/1/1999														
5/1/1999														
6/1/1999														
7/1/1999														
8/1/1999					<2							<2	<2	
9/1/1999														
10/1/1999														
11/1/1999	EC													
12/1/1999														
1/1/2000														
2/1/2000	A				<10							<5	<5	
3/1/2000														
4/1/2000														
5/1/00	A													
6/1/00														
7/1/00														
8/1/00	A				<2							<2	<2	
9/1/00														
10/1/00														
11/1/00	A													
12/1/00														
1/30/01	EC													
5/2/01	EC													
7/31/01	C											0.06		
7/31/01	BC													
8/8/01	EC													
8/22/01	BC													
8/22/01	C													
9/4/01	BC													
9/4/01	C													
10/2/01	BC													
10/2/01	C													
11/2/01	BC													
11/2/01	C													
11/6/01	EC													
12/5/01	BC													
12/5/01	C													
1/9/02	C													
1/9/02	BC													
2/5/02	EC													
2/6/02	BC													
2/6/02	C													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		89	90	91	92	93	94	95	96	97	98	99	100	101
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)Pyrene	Isophrone	Napthalene	Nitrobenzene	N-Nitrosodimethylamine	Ni-Nitrosodi-n-Propylamine	N-Nitrosodiphenylamine	Phenanthrene	Pyrene	1,2,4-Trichlorobenzene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C													
3/6/02	BC													
4/16/02	C													
4/16/02	BC													
5/7/02	C													
5/7/02	BC													
6/6/02	C													
6/6/02	BC													
7/2/02	BC													
7/2/02	C													
8/6/02	EC													
8/7/02	BC													
8/7/02	C													
9/10/02	BC													
9/10/02	C													
10/8/02	BC													
10/8/02	C													
11/5/02	EC													
11/6/02	BC													
11/6/02	C													
12/3/02	BC													
12/3/02	C													
1/1/03														
2/1/03	A				<2							<2	<2	
3/1/03														
4/1/03														
5/1/03	A													
6/1/03														
7/1/03														
8/1/03	A				<2							<2	<2	
9/1/03														
10/1/03														
11/6/03	A													
11/6/03														
12/1/03														
1/1/04	A													
2/1/04	A				<2							<2	<2	
3/1/04	A													
4/1/04	A													
5/1/04	A													
5/4/04	EC													
6/1/04	A													
7/1/04	A													
8/1/04	A				<5							<5	<5	
9/1/04	A													

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		89	90	91	92	93	94	95	96	97	98	99	100	101
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)Pyrene	Isophrone	Napthalene	Nitrobenzene	N-Nitrosodimethylamine	Ni-Nitrosodi-n-Propylamine	N-Nitrosodiphenylamine	Phenanthrene	Pyrene	1,2,4-Trichlorobenzene
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A													
11/1/04	A													
12/1/04	A													
1/1/05														
2/1/05	A	<1	<1	<1	<5	<1	<0.5	<1	<5	<5	<1	<5	<5	<5
3/1/05														
4/1/05														
5/1/05	A						<0.5							
6/1/05														
7/1/05														
8/1/05	A	<1	<1	<1	<5	<1	<0.5	<1	<5	<5	<1	<5	<5	<5
9/1/05														
10/1/05														
11/1/05	A						<0.5							
12/1/05														
2/8/06		<1	<1	<1	<5	<1	<0.5	<1	<5	<5	<1	<5	<5	<5
5/2/06	eMR						<0.5							
MEC														
MAXIMUM		<1	<1	<1	<10	<1	<0.5	<1	<5	<5	<1	0.06	<5	<5
MINIMUM		<1	<1	<1	<2	<1	<0.5	<1	<5	<5	<1	0.06	<0.6	<5
DETECTS		0	0	0	0	0	0	0	0	0	0	1	0	0
COUNT		3	3	3	11	3	6	3	3	3	3	12	11	3
%NONDETECT		100	100	100	100	100	100	100	100	100	100	91.67	100	100
AVE		#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	0.06	#DIV/0!	#DIV/0!

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		102	103	104	105	106	107	108	109	110	111	112	113
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Aldrin	aplha-BHC	beta-BHC	Lindane (gamma-BHC)	delta-BHC	Chlordane	4,4-DDT	4,4-DDE	4,4-DDD	Dieldrin	alpha-endosulfan	beta-Endosulfan
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999													
2/1/1999		<0.005			0.021		<0.2				<0.005		
3/1/1999													
4/1/1999													
5/1/1999													
6/1/1999													
7/1/1999													
8/1/1999		<0.005			<0.005		<0.2				<0.005		
9/1/1999													
10/1/1999													
11/1/1999	EC												
12/1/1999													
1/1/2000													
2/1/2000	A	<0.02			<0.02		<0.2				<0.02		
3/1/2000													
4/1/2000													
5/1/00	A												
6/1/00													
7/1/00													
8/1/00	A	<0.005			<0.005		<0.2				<0.005		
9/1/00													
10/1/00													
11/1/00	A												
12/1/00													
1/30/01	EC												
5/2/01	EC												
7/31/01	C												
7/31/01	BC												
8/8/01	EC												
8/22/01	BC												
8/22/01	C												
9/4/01	BC												
9/4/01	C												
10/2/01	BC												
10/2/01	C												
11/2/01	BC												
11/2/01	C												
11/6/01	EC												
12/5/01	BC												
12/5/01	C												
1/9/02	C												
1/9/02	BC												
2/5/02	EC												
2/6/02	BC												
2/6/02	C												

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		102	103	104	105	106	107	108	109	110	111	112	113
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Aldrin	aplha-BHC	beta-BHC	Lindane (gamma-BHC)	delta-BHC	Chlordane	4,4-DDT	4,4-DDE	4,4-DDD	Dieldrin	alpha-endosulfan	beta-Endosulfan
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C												
3/6/02	BC												
4/16/02	C												
4/16/02	BC												
5/7/02	C												
5/7/02	BC												
6/6/02	C												
6/6/02	BC												
7/2/02	BC												
7/2/02	C												
8/6/02	EC												
8/7/02	BC												
8/7/02	C												
9/10/02	BC												
9/10/02	C												
10/8/02	BC												
10/8/02	C												
11/5/02	EC												
11/6/02	BC												
11/6/02	C												
12/3/02	BC												
12/3/02	C												
1/1/03													
2/1/03	A	<0.005			<0.005		<1				<0.005		
3/1/03													
4/1/03													
5/1/03	A												
6/1/03													
7/1/03													
8/1/03	A	<0.005			<0.005		<1				<0.005		
9/1/03													
10/1/03													
11/6/03	A												
11/6/03													
12/1/03													
1/1/04	A												
2/1/04	A	<0.005			<0.005		<1				<0.005		
3/1/04	A												
4/1/04	A												
5/1/04	A												
5/4/04	EC												
6/1/04	A												
7/1/04	A												
8/1/04	A	<0.005			<0.005		<1				<0.005		
9/1/04	A												

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		102	103	104	105	106	107	108	109	110	111	112	113
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Aldrin	aplha-BHC	beta-BHC	Lindane (gamma-BHC)	delta-BHC	Chlordane	4,4-DDT	4,4-DDE	4,4-DDD	Dieldrin	alpha-endosulfan	beta-Endosulfan
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A												
11/1/04	A												
12/1/04	A												
1/1/05													
2/1/05	A	<0.005	<0.005	<0.005	<0.005	<0.005	<1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
3/1/05													
4/1/05													
5/1/05	A												
6/1/05													
7/1/05													
8/1/05	A	<0.005	<0.005	<0.005	<0.005	<0.005	<0.5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
9/1/05													
10/1/05													
11/1/05	A												
12/1/05													
2/8/06		<0.005	<0.005	<0.005	<0.005	<0.005	<0.5	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
5/2/06	eMR												
MEC													
MAXIMUM		<0.02	<0.005	<0.005	0.021	<0.005	<1	<0.005	<0.005	<0.005	<0.02	<0.005	<0.005
MINIMUM		<0.005	<0.005	0	<0.005	<0.005	<0.2	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
DETECTS		0	0	0	1	0	0	0	0	0	0	0	0
COUNT		11	3	3	11	3	11	3	3	3	11	3	3
%NONDETECT		100	100	100	90.909	100	100	100	100	100	100	100	100
AVE		#DIV/0!	#DIV/0!	#DIV/0!	0.02	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		114	115	116	117	118	119	120	121	122	123	124	125
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Endosulfan Sulfate	Endrin	Endrin Aldehyde	Heptachlor	Heptachlor epoxide	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
1/1/1999													
2/1/1999			<0.005										
3/1/1999													
4/1/1999													
5/1/1999													
6/1/1999													
7/1/1999													
8/1/1999			<0.005										
9/1/1999													
10/1/1999													
11/1/1999	EC												
12/1/1999													
1/1/2000													
2/1/2000	A		<0.01										
3/1/2000													
4/1/2000													
5/1/00	A												
6/1/00													
7/1/00													
8/1/00	A		<0.005										
9/1/00													
10/1/00													
11/1/00	A												
12/1/00													
1/30/01	EC												
5/2/01	EC												
7/31/01	C												
7/31/01	BC												
8/8/01	EC												
8/22/01	BC												
8/22/01	C												
9/4/01	BC												
9/4/01	C												
10/2/01	BC												
10/2/01	C												
11/2/01	BC												
11/2/01	C												
11/6/01	EC												
12/5/01	BC												
12/5/01	C												
1/9/02	C												
1/9/02	BC												
2/5/02	EC												
2/6/02	BC												
2/6/02	C												

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		114	115	116	117	118	119	120	121	122	123	124	125
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Endosulfan Sulfate	Endrin	Endrin Aldehyde	Heptachlor	Heptachlor epoxide	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
3/6/02	C												
3/6/02	BC												
4/16/02	C												
4/16/02	BC												
5/7/02	C												
5/7/02	BC												
6/6/02	C												
6/6/02	BC												
7/2/02	BC												
7/2/02	C												
8/6/02	EC												
8/7/02	BC												
8/7/02	C												
9/10/02	BC												
9/10/02	C												
10/8/02	BC												
10/8/02	C												
11/5/02	EC												
11/6/02	BC												
11/6/02	C												
12/3/02	BC												
12/3/02	C												
1/1/03													
2/1/03	A		<0.005										
3/1/03													
4/1/03													
5/1/03	A												
6/1/03													
7/1/03													
8/1/03	A		<0.005										
9/1/03													
10/1/03													
11/6/03	A												
11/6/03													
12/1/03													
1/1/04	A												
2/1/04	A		<0.005										
3/1/04	A												
4/1/04	A												
5/1/04	A												
5/4/04	EC												
6/1/04	A												
7/1/04	A												
8/1/04	A		<0.005										
9/1/04	A												

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		114	115	116	117	118	119	120	121	122	123	124	125
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Endosulfan Sulfate	Endrin	Endrin Aldehyde	Heptachlor	Heptachlor epoxide	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
10/1/04	A												
11/1/04	A												
12/1/04	A												
1/1/05													
2/1/05	A	<0.005	<0.005	<0.005	<0.005	<0.005	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
3/1/05													
4/1/05													
5/1/05	A												
6/1/05													
7/1/05													
8/1/05	A	<0.005	<0.005	<0.005	<0.005	<0.005	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
9/1/05													
10/1/05													
11/1/05	A												
12/1/05													
2/8/06		<0.005	<0.005	<0.01	<0.005	<0.005	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
5/2/06	eMR												
MEC													
MAXIMUM		<0.005	<0.01	<0.01	<0.005	<0.005	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
MINIMUM		<0.005	<0.005	<0.005	<0.005	<0.005	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
DETECTS		0	0	0	0	0	0	0	0	0	0	0	0
COUNT		3	11	3	3	3	3	3	3	3	3	3	3
%NONDETECT		100	100	100	100	100	100	100	100	100	100	100	100
AVE		#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		126														
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Toxaphene	Acute Toxicity	Ammonia as N	Chloride	Chronic Toxicity	Dissolved Oxygen	pH	Hardness	Hardness capped	MBAS	MTBE	Nitrate N	Nitrite N	Oil and Grease	Phosphate, total
		µg/L	% Survival	mg/L		TUc			mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L
1/1/1999							10.4	8.1								
2/1/1999		<0.2	100	0.02	62	1	10.4	8.4	367	367	0.11	1.4	5.3	0.03	<1	0.14
3/1/1999							10	8.7								
4/1/1999							10.3	8.6								
5/1/1999			75	0.17	90	1	9.3	8.4	402	400	0.16	0.84	2.3	0.079	<1	0.4
6/1/1999							9.6	8.6								
7/1/1999							8.2	8.4								
8/1/1999			100	0.21	64	1	8.4	8.4	296	296	0.13	1.1	1.9	0.067	<1	0.8
9/1/1999							8.7	8.5								
10/1/1999							8.9	8.4								
11/1/1999	EC	<0.2	100	0.1	198	3.13	10	8.4	662	400	0.2	2.8	4.1	0.11	1.8	0.3
12/1/1999							10.5	8.2								
1/1/2000							10.3	8.3								
2/1/2000	A	<0.5	80	<5			11	8.5	226	226	0.3					
3/1/2000							10.5	8								
4/1/2000							9.6	78.3								
5/1/00	A		80	<1			9.4	8.4	395	395	0.2					
6/1/00							8.4	8.4								
7/1/00							8.7	8.3								
8/1/00	A		85	**0.8**			8.5	8.5	547	400	0.5					
9/1/00							8.4	8.3								
10/1/00							9.4	8.6								
11/1/00	A		100	**0.1**			12.2	8.8	316	316	0.2					
12/1/00							11.8	8.6								
1/30/01	EC															
5/2/01	EC															
7/31/01	C							8.1	411	400						
7/31/01	BC							8.1	411	400						
8/8/01	EC															
8/22/01	BC							8.4	333	333						
8/22/01	C							8.4	333	333						
9/4/01	BC							8.6	244	244						
9/4/01	C							8.6	244	244						
10/2/01	BC							8.8	312	312						
10/2/01	C															
11/2/01	BC							7.6	310	310						
11/2/01	C															
11/6/01	EC															
12/5/01	BC							8.6	355	355						
12/5/01	C															
1/9/02	C															
1/9/02	BC							7.67	316	316						
2/5/02	EC															
2/6/02	BC							7.37	369	369						
2/6/02	C															

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		126														
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Toxaphene	Acute Toxicity	Ammonia as N	Chloride	Chronic Toxicity	Dissolved Oxygen	pH	Hardness	Hardness capped	MBAS	MTBE	Nitrate N	Nitrite N	Oil and Grease	Phosphate, total
		µg/L	% Survival	mg/L		TUc			mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L
3/6/02	C															
3/6/02	BC							8.74	338	338						
4/16/02	C															
4/16/02	BC							8.88	316	316						
5/7/02	C															
5/7/02	BC							8.74	319	319						
6/6/02	C															
6/6/02	BC							8.93	358	358						
7/2/02	BC															
7/2/02	C							8.73	203	203						
8/6/02	EC															
8/7/02	BC							8.86	387	387						
8/7/02	C															
9/10/02	BC							9.02	316	316						
9/10/02	C															
10/8/02	BC							8.7	272	272						
10/8/02	C															
11/5/02	EC															
11/6/02	BC							9.16	306	306						
11/6/02	C															
12/3/02	BC							8.92	340	340						
12/3/02	C															
1/1/03							9.6	8.7								
2/1/03	A	<2	100	0.1	104		11.7	8.7	310	310	0.18	0.86	2.8	0.2	<5	0.53
3/1/03							10.1	9.4								
4/1/03							13.3	9.1								
5/1/03	A		85	<0.05	92		8.8	8.9	307	307	0.2	<0.5	3.7	<0.1	<5	0.4
6/1/03							10.6	8.8								
7/1/03							9	9.3								
8/1/03	A	<1	100	0.3	126		7.1	8.8	326	326	0.1	<0.5	0.8	<0.1	<5	0.4
9/1/03							9.8	9								
10/1/03							9.7	8.9	291	291						
11/6/03	A		100	0.1	87		9.8	9.3	246	246	0.2	<0.5	0.8	<0.1	<5	0.4
11/6/03																
12/1/03							9.9	8.7	295	295						
1/1/04	A						12.2	8.6	301	301						
2/1/04	A	<1	100	0.2	95.3	1	10.9	8.7	352	352	0.2	<0.5	2	<0.1	<5	0.3
3/1/04	A						10	8.5								
4/1/04	A						10.6	8.3								
5/1/04	A		100	0.4	207	1	9.3	8.3	301	301	0.2	<0.5	1.5	<0.1	<5	0.7
5/4/04	EC															
6/1/04	A						8.1	8.1								
7/1/04	A						10.5	8.6								
8/1/04	A	<1	100	0.2	138	1	8.6	8.6	321	321	0.2	<0.5	2	<0.1	<5	0.5
9/1/04	A						10.5	8.7								

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR		126														
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Toxaphene	Acute Toxicity	Ammonia as N	Chloride	Chronic Toxicity	Dissolved Oxygen	pH	Hardness	Hardness capped	MBAS	MTBE	Nitrate N	Nitrite N	Oil and Grease	Phosphate, total
		µg/L	% Survival	mg/L		TUc			mg/L	mg/L	mg/L		mg/L	mg/L	mg/L	mg/L
10/1/04	A						9.3	8.3								
11/1/04	A		100	0.2	169	1	10.9	8.9	358	358	0.2	<0.5	1.9	<0.1	<5	0.2
12/1/04	A						11.3	8.8								
1/1/05							9.3	7.8								
2/1/05	A	<2	100	0.1	62.8	1	10.8	8.4	177	177	<0.05	<0.5	2.2	<0.1		<0.1
3/1/05							8.6	8.3							<5	
4/1/05							8.8	8.6								
5/1/05	A		100	0.1	55.7	1	8.1	7.9	359	359	<0.05	<0.5	1.6	<0.1	<5	0.2
6/1/05				0.4			8.1	7.8					4.9	<0.1		0.4
7/1/05							8.8	8.2								
8/1/05	A	<2	100	0.6	96.6	1	8.9	8.5	297	297	0.1	<0.5	0.9	<0.1	<5	<0.1
9/1/05							8.5	8.4								
10/1/05							8.2	7.7								
11/1/05	A		95	0.4	75.3	1	9	7.9	305	305	0.2	<0.5	0.4	<0.1	<5	0.3
12/1/05							9.3	8.1								
2/8/06		<2														
5/2/06	eMR															
MEC																
MAXIMUM		<2	100	0.8	207	3.13	13.3	78.3	662	400	0.5	2.8	5.3	0.2	1.8	0.8
MINIMUM		<0.2	75	0.02	55.7	1	7.1	7.37	177	177	0.1	0.84	0.4	0.03	1.8	0.14
DETECTS		0	20	18	16	12	60	81	44	44	18	5	17	5	1	15
COUNT		10	20	21	16	12	60	81	44	44	20	16	17	17	16	17
%NONDETECT		100	0	14.29	0	0	0	0	0	0	10	68.8	0	70.59	93.8	11.8
AVE		#DIV/0!	95.00	0.25	107.67	1.18	9.68	9.37	330.68	320.84	0.20	1.40	2.30	0.10	1.80	0.40

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR												
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Residual chlorine	Sulfate	TDS	Temperature	Total Nitrogen	TKN	TSS	Turbidity	Conductivity (not Salinity in ppm)	flow	flow
			mg/L		F	mg/L		mg/L	NTU	(umho/cm)	MGD	cfs
1/1/1999		<0.1			51							
2/1/1999		<0.1	144	624	58		0.42		1.34	926		
3/1/1999		<0.1			60							
4/1/1999		<0.1			55							
5/1/1999		<0.1	169	628	60		1.6		2.14	993		
6/1/1999		<0.1			62							
7/1/1999		<0.1			65							
8/1/1999		<0.1	123	560	64		1.8		4.8	805		
9/1/1999		<0.1			67							
10/1/1999		<0.1			62							
11/1/1999	EC	<0.1	125	780	58		15		2.6	1242		
12/1/1999		<0.1			51							
1/1/2000					53						0.74	
2/1/2000	A		136	420	48		0.6		9.4	677	0.82	
3/1/2000					59						0.97	
4/1/2000					63						1.25	
5/1/00	A		179	892	61		2.5		3.2	1485	2.72	
6/1/00					62						0.85	
7/1/00					66						0.98	
8/1/00	A		142	746	68		<8		24	1214	1.41	
9/1/00					61						0.94	
10/1/00					59						0.96	
11/1/00	A		117	499	56		0.8		3	803	1.08	
12/1/00					52						0.56	
1/30/01	EC											
5/2/01	EC											
7/31/01	C							*7*		1234	1	
7/31/01	BC							*7*		1234	1	
8/8/01	EC											
8/22/01	BC							9		962	1.3	
8/22/01	C							9		962	1.3	
9/4/01	BC							41		657	4	
9/4/01	C							41		657	4	
10/2/01	BC							6		949	0.65	
10/2/01	C											
11/2/01	BC							43		1026	0.78	
11/2/01	C											
11/6/01	EC											
12/5/01	BC							3		929	0.44	
12/5/01	C											
1/9/02	C											
1/9/02	BC							5		1035	1	
2/5/02	EC											
2/6/02	BC							1.9		1492	6.5	
2/6/02	C											

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR												
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Residual chlorine	Sulfate	TDS	Temperature	Total Nitrogen	TKN	TSS	Turbidity	Conductivity (not Salinity in ppm)	flow	flow
			mg/L		F	mg/L		mg/L	NTU	(umho/cm)	MGD	cfs
3/6/02	C							4		873	6.7	
3/6/02	BC											
4/16/02	C											
4/16/02	BC							1		1027	2.6	
5/7/02	C											
5/7/02	BC									1087	1	
6/6/02	C											
6/6/02	BC							77		1119	0.58	
7/2/02	BC											
7/2/02	C							110		825	1	
8/6/02	EC											
8/7/02	BC							22		1075	1	
8/7/02	C											
9/10/02	BC							8		1167	1	
9/10/02	C											
10/8/02	BC							9		840	1.2	
10/8/02	C											
11/5/02	EC											
11/6/02	BC							20		870	0.97	
11/6/02	C											
12/3/02	BC							2		1029	0.81	
12/3/02	C											
1/1/03		<0.1			62						1.6	
2/1/03	A	0.2	128	606	56	4.3			1.86	883	0.8	
3/1/03		0.2			61						1	
4/1/03		<0.1			64						0.8	
5/1/03	A	0.2	134	724	69	5.1			2.2	1080	1	
6/1/03		0.2			67						1.3	
7/1/03		0.1			77						0.8	
8/1/03	A	0.1	115	1102	73	7.5			5	1512	0.7	
9/1/03		0.1			73						1.2	
10/1/03		0.1			69						0.9	
11/6/03	A	<0.1	98	594	62	2.2			1	653	1.1	
11/6/03												
12/1/03		<0.1			54						0.6	
1/1/04	A	<0.1			54						1.6	
2/1/04	A	<0.1	125	630	57	3.6			4	791	0.5	
3/1/04	A	<0.1			64						1.3	
4/1/04	A	<0.1			64						1	
5/1/04	A	<0.1	101	810	66	6.2			4	1157	1	
5/4/04	EC											
6/1/04	A	<0.1			68						1.4	
7/1/04	A	<0.1			74						1	
8/1/04	A	<0.1	168	718	71	3			12	1001	1.2	
9/1/04	A	<0.1			69						1.1	

Table D3

City of Burbank - Burbank WRP

Receiving Water Data
Station upstream of Discharge #002 - Burbank Western Channel
(CA0055531, CI-4424)

CTR												
	Data Source B=BC lab, C=Caltest lab, P=POTW, A = Annual Rept	Residual chlorine	Sulfate	TDS	Temperature	Total Nitrogen	TKN	TSS	Turbidity	Conductivity (not Salinity in ppm)	flow	flow
			mg/L		F	mg/L		mg/L	NTU	(umho/cm)	MGD	cfs
10/1/04	A	<0.1			66						1.1	
11/1/04	A	<0.1	184	792	59	4.1			2	1211	0.9	
12/1/04	A	<0.1			58						0.7	
1/1/05		<0.1			59						4.3	
2/1/05	A	<0.1	85.4	516	61	2.9			2.2		12.6	
3/1/05		0.1			65						9.7	
4/1/05		<0.1			65						3	
5/1/05	A	<0.1	94.2	516	67	3.4			7.7		1.9	
6/1/05		0.1			74	6.4					2.2	
7/1/05		<0.1			72						1	
8/1/05	A	<0.1	120	634	71	2.9			5.2		2.4	
9/1/05		<0.1			68						0.7	
10/1/05		<0.1			70				1.3		1.5	
11/1/05	A	<0.1	154	564	62	1.5			133		0.6	
12/1/05		<0.1			55				16.6		1.2	
2/8/06												
5/2/06	eMR											
MEC												
MAXIMUM		0.2	184	1102	77	7.5	15	110		1512	12.60	0.00
MINIMUM		0.1	85.4	420	48	1.5	0.42	1		653	0.44	0.00
DETECTS		10	20	20	60	13	7	20		37	69.00	0.00
COUNT		48	20	20	60	13	8	20		37	69.00	0.00
%NONDETECT		79.2	0	0	0	0	12.5	0		0	0.00	#DIV/0!
AVE		0.14	132.08	667.75	62.78	4.08	3.25	21.30		1013.03	1.71	#DIV/0!