



Los Angeles Regional Water Quality Control Board

Mr. Ron Cottriel
12651 Little Tujunga Canyon Road
Sylmar, CA 91342

VIA CERTIFIED MAIL
RETURN RECEIPT REQUESTED
No. 7012 3460 0001 6366 0526

WATER QUALITY CERTIFICATION FOR PROPOSED ANGELES SHOOTING RANGE PROJECT (Corps' Project No. 2009-00224), UNNAMED TRIBUTARY TO LITTLE TUJUNGA CREEK, CITY OF SYLMAR, LOS ANGELES COUNTY (File No. 09-189)

Dear Mr. Cottriel:

Board staff has reviewed your request for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on August 7, 2013.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo Zara, P.G., Lead, Section 401 Program, at (213) 576-6759.

Samuel Unger
Samuel Unger
Executive Officer

10-17-13
Date

## DISTRIBUTION LIST

Jennifer Swihart (via electronic copy)  
SECSC, Inc  
27290 Lakehurst Ave.  
Santa Clarita, CA 91351

Bill Orme (via electronic copy)  
State Water Resources Control Board  
Division of Water Quality  
P.O. Box 944213  
Sacramento, CA 94244-2130

Sarah Rains (via electronic copy)  
California Department of Fish and Game  
Streambed Alteration Team  
4949 View Ridge Avenue  
San Diego, CA 92123

Daniel Swenson (via electronic copy)  
U.S. Army Corps of Engineers  
Regulatory Branch, Los Angeles District  
P.O. Box 532711  
Los Angeles, CA 90053-2325

Paul Amato (via electronic copy)  
U.S. Environmental Protection Agency, Region 9  
75 Hawthorne Street  
San Francisco, CA 94105

Jim Bartel  
U.S. Fish and Wildlife Service  
6010 Hidden Valley Road  
Carlsbad, CA 92009

**ATTACHMENT A**

**Project Information  
File No. 09-189**

1. Applicant: Ron Cottriel  
12651 Little Tujunga Canyon Road  
Sylmar, CA 91342  
Phone: (818) 899-2255 ext. 22 Fax: (818) 834-2985
2. Applicant's Agent: Jennifer Swihart  
SECSC, Inc  
27290 Lakehurst Ave.  
Santa Clarita, CA 91351  
Phone: (661) 252-8188 Fax: (661) 250-1358
3. Project Name: Angeles Shooting Ranges
4. Project Location: Sylmar, Los Angeles County

<u>Latitude</u>	<u>Longitude</u>
34.3060	118.3672
34.3061	118.3650
34.3069	118.3672
34.3069	118.3683
34.3070	118.3650
34.3071	118.3605
34.3078	118.3683
34.3080	118.3605

5. Type of Project: Stream stabilization and facility drainage for a new shooting range
6. Project Purpose: The purpose of the proposed project is to expand the existing shooting range with an additional shooting area, additional parking and to facilitate drainage from the property and stabilization along an adjacent ephemeral stream.
7. Project Description: The proposed project is located within the Angeles Shooting Ranges, to the west of the main entrance and shooting complex.
- In order to expand the shooting range facility, a new shooting structure (open metal) will be developed within an empty lot, adjacent to an ephemeral stream. The metal structure will provide shade for people shooting within this range.

## ATTACHMENT A

### Project Information

File No. 09-189

Grading will be required for the structure in accordance with Los Angeles County requirements as well as for the adjacent ephemeral stream within Marek Canyon. The grading will involve the removal and re-compaction of artificial fill located beside the natural stream.

The fill will be sloped along the streambank at a 2:1 angle and will provide stabilization from erosion and scouring. Boulders and riprap will be installed at two locations where flows enter the stream. Upstream, a 3-foot wide by 9-inch deep terrace drain will be installed for a length of 210 feet, which will convey the water around the shooting berm. Additional riprap will be installed at the juncture. The riprap for the installation will cover an area of 448 square feet and will be composed of 24-inch rock, 28-feet in length, with a width of 9-feet at the upstream end and 23-feet wide at the downstream end. Water will continue to flow through the stream which will be lined with 13-inch boulders along the bottom 1-foot of the streambank.

The intent of the design of the streambank stabilization is to utilize minimal rock and allow for vegetation to establish within the creek in order to keep the stream natural, which still providing minimal stabilization. Earlier designs for this project would have installed concrete lining in order to channelize the stream, however, the more natural alternative was the preferred design.

Impacts to waters specifically will consist of the following:

Terrace and down-drain concrete: 200 linear feet (0.02 acres)

13-inch boulders (1-2 feet high) along streambank: 450 linear feet (0.08 acres)

Rock riprap: 62 linear feet (0.02 acres)

8. Federal Agency/Permit:

U.S. Army Corps of Engineers  
Permit No. 2009-00224

9. Other Required  
Regulatory Approvals:

California Department of Fish and Game  
Streambed Alteration Agreement  
No. 1600-2009-0284-R5

10. California  
Environmental Quality  
Act Compliance:

The proposed project is Categorical Exempt from CEQA pursuant to the CEQA Guidelines, Section 15301.

## ATTACHMENT A

### Project Information

File No. 09-189

11. Receiving Water: Unnamed tributaries within Marek Canyon, tributary to Little Tujunga Creek (Hydrologic Unit No. 405.23)
12. Designated Beneficial Uses: MUN\*, GWR, REC-1, REC-2, WARM, COLD, WILD, RARE  
\*Conditional beneficial use
13. Impacted Waters of the United States: Non-wetland waters (vegetated streambed): 0.12 permanent acres (712 linear feet)
14. Dredge Volume: None
15. Related Projects Implemented/to be Implemented by the Applicant: The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.
16. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
- Silt fences along the bank
  - Sand bags at the bottom silt fence
  - Fiber rolls at top and bottom silt fence
  - Stabilized construction entrance/exit
  - No construction activities will take place when the project area is wet.
17. Proposed Compensatory Mitigation: The Applicant has proposed to provide mitigation within the Angeles Range property at a ratio of 1:1 for any permanent impacts associated with the proposed project.
18. Required Compensatory Mitigation: The Regional Board will require the Applicant to provide compensatory mitigation at a ratio of 2:1 for project permanent impacts. This ratio was developed in conjunction with the re-designed project with a lower-impact natural stream stabilization and to provide restoration within the stream areas. See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

## ATTACHMENT B

### Conditions of Certification

File No. 09-189

#### STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

#### ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Wildlife's (CDFW) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this certification, the CDFW Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. Any visible litter (including clay disk pieces or ammunition shells) shall be removed from any ephemeral stream or tributary within the Angeles Shooting Range property and any downstream areas tributary to Little Tujunga Creek. Litter removal shall be ongoing.
5. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.

## ATTACHMENT B

### Conditions of Certification

File No. 09-189

6. The Applicant and all contractors employed by the Applicant shall have copies of this Certification and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.
7. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
8. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
9. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
10. All waste and/or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact the Land Disposal Unit, at (213) 620-6119 for further information.
11. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
12. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
13. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.

## ATTACHMENT B

### Conditions of Certification

File No. 09-189

14. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the target species and habitat. All pesticides directed toward aquatic species must be approved by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2011-0002-DWQ and 2004-0009-DWQ.
15. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
16. If rain is predicted after operations have begun, grading activities must cease immediately and the site must be stabilized to prevent impacts to water quality, and minimize erosion and runoff from the site.
17. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during all construction activities where clearing involves areas to be partially cleared (i.e. some vegetation is to remain in the same reach or in an adjacent reach). The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.
18. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste. Sufficient time should be allowed to obtain any such permits (generally 180 days). If groundwater is encountered without the benefit of appropriate permits, the Applicant shall cease all activities in the areas where groundwater is present, file a Report of Waste Discharge to this Regional Board, and obtain any necessary permits prior to discharging waste.
19. All project/construction activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
20. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may



## ATTACHMENT B

### Conditions of Certification File No. 09-189

result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:

- pH
- temperature
- dissolved oxygen
- turbidity
- total suspended solids (TSS)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

21. The Applicant shall restore **all areas** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years.
22. The Applicant shall provide COMPENSATORY MITIGATION to offset the proposed permanent impacts to **0.12 acres** of waters of the United States by creating or restoring riparian habitat at a minimum 2:1 area replacement ratio (**0.24 acres**). The Applicant shall submit a **Proposed Mitigation Report** which shall include:
  - (a) The boundary of the mitigation site shall be clearly identified on a map of suitable resolution and quality and shall also be defined by latitude and longitude.

## ATTACHMENT B

### Conditions of Certification

File No. 09-189

- (b) The type(s) of mitigation shall be described (e.g., removal of exotics and/or replanting with native species, etc.)
- (c) Success criteria shall be established.

**This information shall be submitted to this Regional Board for approval prior to any disturbance within waters of the United States** and shall include copies of all agreements made between the Applicant and a third party organization regarding compensatory mitigation efforts.

23. The Applicant shall submit to this Regional Board **Annual Mitigation Monitoring Reports** (Annual Reports) by **January 1<sup>st</sup>** of each year for a minimum period of **five (5) years** following this issuance of 401 Certification or until mitigation success has been achieved and documented. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. The Annual Reports shall describe the status of other agreements (e.g., mitigation banking) or any delays in the mitigation process. At a minimum the Annual Reports shall include the following documentation:
- (a) Color photo documentation of the pre- and post-project and mitigation site conditions;
  - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;
  - (c) The overall status of project including a detailed schedule of work;
  - (d) Copies of all permits revised as required in Additional Condition 1;
  - (e) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;
  - (f) A certified Statement of "no net loss" of wetlands associated with this project;
  - (g) Discussion of any monitoring activities and exotic plant control efforts; and
  - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
24. All applications, reports, or information submitted to the Regional Board shall be signed:
- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.

ATTACHMENT B

Conditions of Certification  
File No. 09-189

- (b) For a partnership, by a general partner.
- (c) For a sole proprietorship, by the proprietor.
- (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.

25. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

“I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the \_\_\_\_\_ day of \_\_\_\_\_ at \_\_\_\_\_.

\_\_\_\_\_  
\_\_\_\_\_  
(Signature)  
(Title)”

- 26. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **09-189**. Submittals shall be sent to the attention of the 401 Certification Unit.
- 27. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
- 28. The project shall comply with the local regulations associated with the Regional Board’s **Municipal Stormwater Permit** issued to Los Angeles County and co-permittees under NPDES No. CAS004001 and Waste Discharge Requirements Order No. R4-2012-0175. This includes the Standard Urban Storm Water Mitigation Plan (SUSMP) and all related implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 2009-009-DWQ All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.

## ATTACHMENT B

### Conditions of Certification

File No. 09-189

29. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
30. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
31. *Enforcement:*
  - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
  - (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
  - (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
32. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.