EXHIBIT N

ZALCO LABORATORIES, INC.
Analytical & Consulting Services

4309 Armour Avenue
Bakersfield, California 93308

(661) 395-0539
FAX (661) 395-3069

May 9, 2014

Greg Youngblood
E & B Natural Resources Corp.
34740 Merced Ave.
Bakersfield, CA 93308

TEL: (661) 619-7813
FAX: (661) 392-7579

Project ID:
RE: 1405063

Dear Greg Youngblood:

Zalco Laboratories, Inc. received 2 samples on 5/6/2014 for the analyses presented in the following report.

We appreciate your business and look forward to serving you in the future. Please feel free to call our office if you have any questions regarding these test results.

Sincerely,

Juan Magana
Project Manager
CC:Sam Ridgely, Teresa Alvarez, Shams Hasan

NSS: Non Sufficient Sample H: Exceeds Analysis Hold Time TTLC: Total Threshold Limit Concentration STLC: Soluble Threshold Limit Concentration TCLP: Toxicity Characteristic Leaching Procedure MCL: Maximum Contaminant Level *: See Case Narrative
The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Note: Samples analyzed for regulatory purposes should be put on ice immediately after sampling and received by the laboratory at temperatures between 0-6°C. Microbiological analysis requires samples to be at least 4-10°C when received at the laboratory. For additional information regarding the limitations of the method(s) referred to, please call us at 661-395-0539.

ZALCO LABORATORIES, INC.
4309 Armour Avenue, Bakersfield, CA 93308
(661) 395-0539 FAX (661) 395-3069 www.zalcolabs.com

E & B Natural Resources Corp.
34740 Merced Ave.
Bakersfield CA 93308

Laboratory No: 1405063-02
Date Received: 5/6/2014
Date Reported: 5/7/2014

Attention: Greg Youngblood

Sample Identification: Mc-Van Fresh Water Tnk
Sampled by: Date: 5/6/2014 Time: 15:30
Report Notes:

COMPLETE GEOCHEM ANALYSIS

pH	8.04	Specific Gravity @ 60 F	1.000
Electrical Conductivity (EC) *(millimhos/cm @ 25 C)*	0.29	Resistivity (ohm meters @ 25 C)	34.48

Constituents	mg/L	meq/L	Reacting %
Calcium, Ca	1.8	0.09	1.69
Magnesium, Mg	< 0.1	0	0
Sodium, Na	61	2.7	49.97
Potassium, K	< 0.5	0	0
Iron, Fe (total)	< 0.1	0	0
Alkalinity as:			
Hydroxide, OH	0	0	0
Carbonate, CO3	0	0	0
Bicarbonate, HCO3	91	1.49	28.07
Chloride, Cl	24	0.68	12.74
Sulfate, SO4	16	0.33	6.28
Sulfide, S	< 1.0		
Boron, B	< 0.1		
Barium, Ba	< 0.1		
Silica, SiO2	22		
Strontium, Sr	< 0.1		
Totals (Sum)	170	5.29	100

Total Dissolved Solids, (Gravimetric)	170		
Calculated Hardness, CaCO3	4.5		
Total Alkalinity, CaCO3	91		
Sodium Chloride, (total)	110		
		Primary Salinity	38.04
		Secondary Salinity	0
		Total Salinity	38.04
Cation/Anion Balance, %	7.0%		
Sodium, Na (Calculated), mg/L	56.95	Primary Alkalinity	61.9
Langelier Scale Index	-1	Secondary Alkalinity	3.38
Stiff/Davis Stability Index	-1.13	Total Alkalinity	65.28

Laboratory Authorization

ZALCO LABORATORIES, INC.
4309 Armour Avenue, Bakersfield, CA 93308 (661) 395-0539 FAX (661) 395-3069 www.zalcolabs.com

CHAIN OF CUSTODY, ID# 1405063

Page 1 of 1
Zalco Lab #
Client PO #
PROJECT ID:
QUOTE ID:

REPORT INFO	INVOICE INFO
Client: E&B Natural	Invoice To: Same as Client ☐
Address: 34740 Merced	Address:
City, State, Zip: Bakersfield CA.	City, State, Zip:
Attention: Greg Young Blood	Attention:
Phone: Results ☐	Phone:
Fax: Results ☑	Fax:
Email: Results ☑	Email:

SAMPLED BY: Salvador Medina **EMPLOYED BY:** E&B.

COMMENTS:
Turnaround Time:
Routine _____ working days ☐
Rush By 3 working days
Send Copy to State of CA? Yes ☐ No ☐
Attention To:
Send Copy to County? Yes ☐ No ☐
County

Sample No. *	Sample Description	Date	Sample Time	Type*	# OF CONTAINERS	Geo Chem								TEMPERATURE (C°)	
1	Mc-Van WD/TANK	5/6/14	3:30	AQ	1	X								3.7°C	per MS 3 Day
2	Mc Van Fresh Water Tnk	5/6/14	3:30	AQ	1	X									TAT ok - JB

RUSH!

RELINQUISHED By: Signature	PRINT	COMPANY	Date	Time	RECEIVED By: Signature	PRINT
Salvador Medina		E&B Natural Resource	5/6/14	3:30 PM.		
			5/6/14	1606	[signature]	J. Bogie

NOTE: Samples are discarded 30 days after results unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client's expense.

*Sample Type Key: AQ-Aqueous; BS-Biosolid; DW-Drinking Water; GW-Ground Water; G-Gas; LPG-Liquid Petroleum Gas; OL-Oil; O-Other; P-Petroleum; S-Soil/Solid; ST-Storm Water; WW-Wastewater
*Sample No.: FOR OFFICE USE ONLY

ZALCO LABORATORIES, INC.
Analytical & Consulting Services

4309 Armour Avenue
Bakersfield, California 93308

(661) 395-0539
FAX (661) 395-3069

April 22, 2015

Loren Harlow
E & B Natural Resources Corp.
1600 Norris Road
Bakersfield, CA 93308

TEL: (661) 679-1700
FAX: (661) 679-1797

Project ID:
RE: 1504147

Dear Loren Harlow:

Zalco Laboratories, Inc. received 1 samples on 4/14/2015 for the analyses presented in the following report.

We appreciate your business and look forward to serving you in the future. Please feel free to call our office if you have any questions regarding these test results.

Sincerely,

Juan Magana
Project Manager
CC:

NSS: Non Sufficient Sample H: Exceeds Analysis Hold Time TTLC: Total Threshold Limit Concentration STLC: Soluble Threshold Limit Concentration TCLP: Toxicity Characteristic Leaching Procedure MCL: Maximum Contaminant Level *: See Case Narrative
The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Note: Samples analyzed for regulatory purposes should be put on ice immediately after sampling and received by the laboratory at temperatures between 0-6°C. Microbiological analysis requires samples to be at least 4-10°C when received at the laboratory. For additional information regarding the limitations of the method(s) referred to, please call us at 661-395-0539.

ZALCO LABORATORIES, INC.
Analytical & Consulting Services

4309 Armour Avenue
Bakersfield, California 93308

(661) 395-0539
FAX (661) 395-3069

E & B Natural Resources Corp.	Project: Master-4Q2013	Work Order No.: **1504147**
1600 Norris Road	Project #:	Reported: 04/22/2015
Bakersfield, CA 93308	Attention: Loren Harlow	Received: 04/14/2015 13:00

Lab Sample ID: **1504147-01**	Collected By: Chris Martinez
Client Sample ID: Fresh Water Well	Date Collected: 4/14/2015 11:22:00AM

Analyte	Results	PQL		Units	Flag	Method	Date Prepared	Date Analyzed	Init.
Alkalinity									
Total Alkalinity	90	10		mg/L		SM 2320B	4/14/15	4/14/15	SAM
Bicarbonate (HCO3)	63	10		mg/L		SM 2320B	4/14/15	4/14/15	SAM
Carbonate (CO3)	26	10		mg/L		SM 2320B	4/14/15	4/14/15	SAM
Hydroxide (OH)	<10	10		mg/L		SM 2320B	4/14/15	4/14/15	SAM
CAM, Corrosivity			*22 CCR Limit*						
pH	9.420		*2 or less, 12.5 or greater*	pH Units	O-05	SW846 9040C	4/17/15	4/17/15	HG
General Chemistry			*MCL Limits*						
Hexavalent Chromium	<5.0	5.0		ug/L		E218.6	4/15/15	4/15/15	SAM
Nitrate as NO3	<2.00	2.00	*45*	mg/L		EPA 300.0	4/14/15	4/14/15	MSS
Electrical Conductivity	0.28	0.010		mmhos/cm		SM 2510B	4/14/15	4/14/15	SAM
Nitrate as N	<0.50	0.50		mg/L		EPA 300.0	4/14/15	4/14/15	MSS
Chloride	21	2.0		mg/L		EPA 300.0	4/14/15	4/14/15	MSS
Sulfate as SO4	12	0.50		mg/L		EPA 300.0	4/14/15	4/14/15	MSS
Total Dissolved Solids	190	10		mg/L		SM 2540C	4/17/15	4/17/15	SAM
Metals									
Boron	<0.10	0.10		mg/L		SW846 6010B	4/16/15	4/16/15	SS
Calcium	0.08	0.05		mg/L		SW846 6010B	4/16/15	4/16/15	SS
Lithium	<0.10	0.10		mg/L		EPA 200.7	4/16/15	4/21/15	SS
Magnesium	<0.05	0.05		mg/L		SW846 6010B	4/16/15	4/16/15	SS
Mercury	<0.0020	0.0020		mg/L		SW846 7470A	4/16/15	4/16/15	SS
Potassium	<0.50	0.50		mg/L		SW846 6010B	4/16/15	4/16/15	SS
Sodium	55	5.0		mg/L		SW846 6010B	4/16/15	4/16/15	SS
Strontium	<0.10	0.10		mg/L		EPA 200.7	4/16/15	4/21/15	SS
Oil & Grease Testing									
TRPH	<5.00	5.00		mg/L		EPA 1664	4/21/15	4/21/15	BIG
Semivolatile Organic Compounds									
Indeno(1,2,3-cd)pyrene	<10.0	10.0		ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Naphthalene	<10.0	10.0		ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Acenaphthylene	<10.0	10.0		ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Acenaphthene	<10.0	10.0		ug/L		SW846 8270C	4/17/15	4/20/15	JMM

NSS: Non Sufficient Sample H: Exceeds Analysis Hold Time TTLC: Total Threshold Limit Concentration STLC: Soluble Threshold Limit Concentration TCLP: Toxicity Characteristic Leaching Procedure MCL: Maximum Contaminant Level *: See Case Narrative
The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Note: Samples analyzed for regulatory purposes should be put on ice immediately after sampling and received by the laboratory at temperatures between 0-6°C. Microbiological analysis requires samples to be at least 4-10°C when received at the laboratory. For additional information regarding the limitations of the method(s) referred to, please call us at 661-395-0539.

ZALCO LABORATORIES, INC.
Analytical & Consulting Services

4309 Armour Avenue
Bakersfield, California 93308

(661) 395-0539
FAX (661) 395-3069

E & B Natural Resources Corp.	Project: Master-4Q2013	Work Order No.: **1504147**
1600 Norris Road	Project #:	Reported: 04/22/2015
Bakersfield, CA 93308	Attention: Loren Harlow	Received: 04/14/2015 13:00

Lab Sample ID: **1504147-01**	Collected By: Chris Martinez
Client Sample ID: Fresh Water Well	Date Collected: 4/14/2015 11:22:00AM

Analyte	Results	PQL	Units	Flag	Method	Date Prepared	Date Analyzed	Init.
Semivolatile Organic Compounds								
Fluorene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Phenanthrene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Anthracene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Fluoranthene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Pyrene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Benzo (a) anthracene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Chrysene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Benzo (b) fluoranthene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Benzo (k) fluoranthene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Benzo (a) pyrene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Dibenz (a,h) anthracene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM
Benzo (g,h,i) perylene	<10.0	10.0	ug/L		SW846 8270C	4/17/15	4/20/15	JMM

Surrogates	% Recovery	Recovery Limits	Flag	
Nitrobenzene-d5	46.6	0-95		4/20/15 14:56
2-Fluorobiphenyl	44.6	0-92		4/20/15 14:56
Terphenyl-d14	44.2	0-100		4/20/15 14:56

Analyte	Results	PQL	Units	Flag	Method	Date Prepared	Date Analyzed	Init.
Volatile Organic Compounds								
m,p-Xylene	<5.00	5.00	ug/L		SW846 8260B	4/15/15	4/15/15	HLP
Benzene	<5.00	5.00	ug/L		SW846 8260B	4/15/15	4/15/15	HLP
Xylenes, total	0.00		ug/L		SW846 8260B	4/15/15	4/15/15	HLP
Methyl tert-Butyl Ether	<5.00	5.00	ug/L		SW846 8260B	4/15/15	4/15/15	HLP
Ethylbenzene	<5.00	5.00	ug/L		SW846 8260B	4/15/15	4/15/15	HLP
Toluene	<5.00	5.00	ug/L		SW846 8260B	4/15/15	4/15/15	HLP
o-Xylene	<5.00	5.00	ug/L		SW846 8260B	4/15/15	4/15/15	HLP

Surrogates	% Recovery	Recovery Limits	Flag	
1,2-Dichloroethane-d4	102	89-165		4/15/15 14:22
Toluene-d8	117	65-124		4/15/15 14:22
4-Bromofluorobenzene	94.8	94-114		4/15/15 14:22

NSS: Non Sufficient Sample H: Exceeds Analysis Hold Time TTLC: Total Threshold Limit Concentration STLC: Soluble Threshold Limit Concentration TCLP: Toxicity Characteristic Leaching Procedure MCL: Maximum Contaminant Level *: See Case Narrative
The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Note: Samples analyzed for regulatory purposes should be put on ice immediately after sampling and received by the laboratory at temperatures between 0-6°C. Microbiological analysis requires samples to be at least 4-10°C when received at the laboratory. For additional information regarding the limitations of the method(s) referred to, please call us at 661-395-0539.

ZALCO LABORATORIES, INC.

4309 Armour Avenue, Bakersfield, CA 93308 (661) 395-0539 FAX (661) 395-3069
2186 Eastman Avenue, Suite 103, Ventura, CA 93003, (805) 477-0114, Fax (805) 477-0125
www.zalcolabs.com

CHAIN OF CUSTODY, ID#

Client PO:
Project ID:
Quote ID:

ANALYSIS REQUESTED 1504147

COMPANY: E&B Natural Resources
CONTACT: Jennifer Brady
PHONE: 661-428-6146 FAX: 661-616-6179
ADDRESS: 3000 James Road.
Bakerafield Ca, 93308
E-MAIL: jbrady@ebresources.com
SAMPLER (SIGNATURE):

LAB #	SAMPLE DESCRIPTION	DATE	TIME	TYPE *	# OF CONTAINERS		TEMPERATURE (C)
1	Fresh Water Well	4/14/2015	11:22	AQ	9	X See Attached	22°

COMMENTS

Turnaround Time:
Routine (# working days)
Rush By 5 Working Days
EDT
State Form
EMAIL

Notes

Please Email
Jennifer Brady with Results.
See Attached paperwork
for Analysis.

RUSH!

Due: 4/21/15

Relinquished By:	Company	Date	Time	Received By:	Company:
Chris Martinez	Zalco Laboratories Inc.	04/14/15	1300	Alice Johnson	Zalco

NOTE: Samples Discarded 30 days after results unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client's expense.

* Sample Type Key: Aq-Aqueous; BS-Biosolid; DW-Drinking Water; GW-Groundwater; G-Gas LPG-Liquid Petroleum Gas; OL-Oil; P-Petroleum, S-Solid/Soil; ST-Storm water WW-Wastewater

EXHIBIT O

MEMORANDUM

TO: Mr. Loren Harlow, Esq.

FROM: Burton R. Ellison, P.G.

DATE: April 24, 2015

SUBJECT: McVan Water Well Study

On Friday, April 24, 2015, I examined water well records at the Kern County Water Agency (KCWA) to determine how many wells were within a one-mile radius of the sumps on the Government Lease. Three wells were identified within one mile, and one well 2.6 miles from the Government Lease. The four water wells are shown on the attached map titled McVan Water Well Study. Also attached is a copy of the Water Well Drillers Report for E&B's water well located in section 14, T27S, R27E, and a scan of the water well information from the Phase I ESA. There were no records on file at KCWA for water well 2. Additional well information for water well 3 and water well 4 is listed below:

Water Well 3
Original owner: Trico Oil and Gas Current owner: Linn Energy
Located in sec 14, T27S, 27E (no other location information on file)
Well name: USL 10-1
Total Depth 1245'

Water Well 4
Original owner: E.A. Moyes
Location: 2618' S and 1017' E from NW corner section 27, T27S, 27E
Total Depth 483', completion interval 327'-477'

(Please note I used the same well labels as was used in the Phase I ESA dated July, 29, 2009)

Submitted by,

Burton R. Ellison

Burton R. Ellison, P.G.
Senior Geologist

E & B Natural Resources Management
HSE Department
3000 James Road, Bakersfield, CA 93308

E/D vat well

1 of 2

ORIGINAL
File with DWR

STATE OF CALIFORNIA
THE RESOURCES AGENCY
DEPARTMENT OF WATER RESOURCES
WATER WELL DRILLERS REPORT

Do not fill in
No. 097813
State Well No. 27/27-14
Other Well No.

Notice of Intent No.
Local Permit No. or Date

(1) OWNER: Name Elf Aquitaine Oil&Gas, Inc
Address
City Zip

(2) LOCATION OF WELL (See instructions):
County Kern Owner's Well Number 100 W
Well address if different from above 600'S & 100E fr NW Cor
Township 27S Range 27E Section 14
Distance from cities, roads, railroads, fences, etc.

(3) TYPE OF WORK:
New Well ☒ Deepening ☐
Reconstruction ☐
Reconditioning ☐
Horizontal Well ☐
Destruction ☐ (Describe destruction materials and procedures in Item 12)

(4) PROPOSED USE:
Domestic ☒
Irrigation ☐
Industrial ☐
Test Well ☐
Stock ☐
Municipal ☐
Other ☐

WELL LOCATION SKETCH

(5) EQUIPMENT:
Rotary ☐ Reverse ☒
Cable ☐ Air ☐
Other ☐ Bucket ☐

(6) GRAVEL PACK:
Yes ☒ No ☐ Size "E"
Diameter of bore 19½"
Packed from ft.

(7) CASING INSTALLED:
Steel ☒ Plastic ☐ Concrete ☐

(8) PERFORATIONS: sawed
Type of perforation or size of screen

From ft.	To ft.	Dia. in.	Gage or Wall	From ft.	To ft.	Slot size
0	574.6	10	3/4	574.6	976	1/18

(9) WELL SEAL:
Was surface sanitary seal provided? Yes ☒ No ☐ If yes, to depth 50 ft.
Were strata sealed against pollution? Yes ☐ No ☐ Interval ft.
Method of sealing

(10) WATER LEVELS:
Depth of first water, if known ft.
Standing level after well completion ft.

(11) WELL TESTS:
Was well test made? Yes ☐ No ☐ If yes, by whom?
Type of test Pump ☐ Bailer ☐ Air lift ☐
Depth to water at start of test ft. At end of test ft
Discharge gal/min after hours Water temperature
Chemical analysis made? Yes ☐ No ☐ If yes, by whom?
Was electric log made? Yes ☐ No ☐ If yes, attach copy to this report

(12) WELL LOG: Total depth 976 ft Depth of completed well 976 ft.

from ft.	to ft.	Formation (Describe by color, character, size or material)
0	-30	cond.
30	-34	clay
34	-40	sand,grvl
40	-60	clay
60	-67	sand
67	-78	clay
78	-84	sand,grvl
84	-137	claysand
137	-159	sand,grvl
159	-163	clay sand
163	-164	clay
164	-240	claysand
240	-260	sand,grvl
260	- 268,	clay,sand
268	-283	sand,grvl
283	-290	sand,clay
290	-300	sand,grvl
300	-390	blue clay
390	-397	sand
397	-402	blue caly
402	-430	sand,clay
430	-442	blue clay
442	-460	sand
460	-464	blue clay
464	-509	sand,clay
509	-513	sand
513	-550	blue clay
550	-553	sand
553	-589	blue clay
589	-610	sand,grvl
610	-624	blue caly
624	-644	sand clay
644	-656	
656	-669	clay,sand
669	-672	sand
672	-734	clay
734	-744	hard clay
744	-764	sand.clay

Work started 10/9 1979 Completed 10/16 1979

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
SIGNED M. C. [signature] (Well Driller)
NAME Wasco Drilling Co. (Person, firm, or corporation) (Typed or printed)
Address P.O.Box 181
City Wasco, Calif. Zip 93280
License No. 379247 Date of this report 9/16/79

CONFIDENTIAL
NOT FOR PUBLIC USE
WATER CODE SEC. 13752

OUTSIDE CORC. CLAY AREA

DWR 188 (REV. 7-76) IF ADDITIONAL SPACE IS NEEDED, USE NEXT CONSECUTIVELY NUMBERED FORM

27S/27E-14D1

***** General Site Data *****

Sampled 8-14-86 Sparks Site Ident No 353512119024001

...ality ...ode USGS

...n Name 1= 0275027E14D01M Lat-Long Accuracy 4=S

...ude 2=353512 Longitude 3=1190240 Land Net 8=SWNWNW S14T27SR27EM

...rict 5=06 State 6=06 County 7=029 Scale 10=24000

...tion Map 9= N.OF OILDALE Accuracy 13=10

...ation 11=805 Method Determined 12=M Drainage Basin Code 15=

...ologic Unit Code 14= Date Inventoried/Established 18=06/11/1986

...Setting 16=5 Agency Use 17=O Data Types 20=

...Type 19= 1234567890ABCDEFGHIJ 1234567890ABCDEFGHIJKLMNOPQRST

...ruments 21= 1234567890ABCDEFGHIJKLMNOPQRST QUAD 477d

...arks 22=

***** Surface-Water Site Data *****

Site Ident No

...ncy Code USGS

Base Discharge 24=

...ject Number 23= Contributing Drainage Area 26=

...inage Area 25= Crest-Stage Downstrm Elev 28=

...est-Stage Upstrm Elev 27= Daily Values Runoff Comp Codes 30=

...ge Height at Zero Flow 29=

***** Ground-Water Site Data *****

Site Ident No

...ency Code USGS

Data Reliability 32=C

...oject Number 31=470645674 Date of First Construction/Completion 34=10/5/1979

...te Type 33=W Secondary Site Use 36= Tertiary Site Use 37=

...se of Site 35=W Secondary Water Use 39=N Tertiary Use of Water 40=

...se of Water 38=H Primary Aquifer 42=

...quifer Type 41= Source of Depth Data 45=D

...ole Depth 43=976 Well Depth 44=976 Method of Measurement 48=

...ater Level 46= Date Measured 47= Source of Water Level Data 50=

...ite Status 49=P

1/2

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 **ENE** **1/4 - 1/2 Mile** **Lower**		**FED USGS**	**USGS3173832**

Agency cd:	USGS	Site no:	353512119024001
Site name:	027S027E14D001M		
Latitude:	353512		
Longitude:	1190240	Dec lat:	35.58662153
Dec lon:	-119.04537851	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	06
State:	06	County:	029
Country:	US	Land net:	SWNWNWS14 T27S R27EM
Location map:	NORTH OF OILDALE	Map scale:	24000
Altitude:	805		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	TulareBuena Vista Lakes. California. Area = 8510 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	19791016
Date inventoried:	19860611	Mean greenwich time offset:	PST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	976	Hole depth:	976
Source of depth data:	driller		
Project number:	470645674		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1986-08-14
Water quality data end date:	1986-08-14	Water quality data count:	1
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

---

2 **North** **1/2 - 1 Mile** **Higher**		**CA WELLS**	**CADW20000023564**

Longitude:	119.0531
Latitude:	35.5931
Stwellno:	27S27E10K001M
Districtco:	8
Welluseco:	Z
Countycode:	15
Gwcode:	502214
Site id:	CADW20000023564

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation	Database	EDR ID Number
3 **ESE** **1/2 - 1 Mile** **Higher**	**FED USGS**	**USGS3174000**

Agency cd:	USGS	Site no:	353437119022201
Site name:	027S027E14P001M		
Latitude:	353437		
Longitude:	1190222	Dec lat:	35.5768994
Dec lon:	-119.0403783	Coor meth:	M
Coor accr:	U	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	06
State:	06	County:	029
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	Not Reported		
Altitude method:	Not Reported		
Altitude accuracy:	10		
Altitude datum:	Not Reported		
Hydrologic:	TulareBuena Vista Lakes. California. Area = 8510 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	PST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	ALLUVIUM OF THE SIERRA NEVADA, YOUNGER (PLEISTOCENE-HOLOCENE)		
Well depth:	1245	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1957-05-23
Water quality data end date:	1957-05-23	Water quality data count:	1
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0



E & B NATURAL RESOURCES MANAGEMENT

McVan Water Well Study

Poso Creek Field Portion of Sec tions 10, 11, 14. 15, 22, 23, 26, 27, T 27E, R27S

Scale = 1:18000

0 1500 3000 4500 ft

B. Ellison April 24, 2015