

Mountain General Rd

Burnt Tree Rd

Coon Canyon Rd

Mountain General Rd

Coon Canyon Rd

Coon Canyon Rd

Thompson Rd

SEE NOTE 3

Approximate 50-µg/L outline of Cr(VI) or Cr(T)

MW-166S2 (ND/ND)
MW-166S1 (ND/ND)
MW-197S2 (ND/ND)
MW-197S1 1.7/1.8
MW-197S3 (ND/ND)

Northern Disputed Plume Area

07S2 5/3.7
07S1 4/6.7
MW-138S1 (4.8/5)
MW-138S2 (4.6/4.3)

MW-141S2 (3.9/4.5)
40S2
40S1 (2)
MW-141D (ND/ND)
MW-219S1 3.5/3.7
MW-219S2 (0.27/ND)

04S2 (2.7)
04S1 4/3.6
MW-104D ND/ND
MW-106D ND/ND
MW-106S 3.2/3.1


024S2 (2)
024D (1.2)
017S1 (3/1.9)
017S2 (2/1.3)
0127S2 2.3
0127S1 3.1
MW-206S 2.6/6.7
MW-84D 0.1/ND
MW-84S 1.6/1.7
MW-70D 1.1/1.5
G-2R (1.6/1.4)
MW-69S (0.94/ND)
MW-69D (1.6/2.3)
MW-55S

MW-105D ND/ND
MW-105S 2.9/3
MW-128S3 1.6/1.8
MW-128S2 3/3
MW-128S1 6.4/7.1
MW-84D 0.1/ND
MW-94S (6.3/6.7)
MW-94D (3.5/3.7)
G-1R (1.1/ND)
EX-35 (4.1/3.6)
MW-71D 0.35/ND
MW-71S 0.67/1.2
EX-31 5.6/6
MW-72S 5.3/6

MW-107D (ND/ND)
MW-107S (2.5/2.7)
MW-97S 5.7/6.5

MW-79S 6/6.3
MW-79D ND/ND
MW-80S 6.3/5.8

30E-01 1.7/1.6
BGS-48 0.35/ND



- LEGEND:**
- Monitoring Well
 - ⊕ Domestic Supply Well (active and inactive)
 - Other Supply Well
 - Groundwater Extraction Well
 - ⊕ Multi-use Test Well, or Inactive Extraction/Injection Well
 - ▲ IRZ_INJ
 - ◆ Freshwater Injection Well
 - PG&E-Owned Property
 - PG&E Compressor Station
 - County Parcel
 - - - Approximate Limit of Saturated Alluvium Upper Aquifer
 - Approximate Location of Lockhart Fault;
 - Fault Trace is Inferred, and There is No Surface Expression (Stamos et al. 2001)
 - Bedrock Exposed at Ground Surface

MW-177D Well ID
1.5/2 Cr(VI)/Cr(T) concentrations in µg/L; maximum of primary and duplicate samples during First Quarter 2018 sampling. Data in parentheses are from previous reporting period. See Table E-1 for sample dates.


Groundwater Cr(VI) Concentrations in Monitoring Wells:

- More than 1,000 µg/L
- 100 to 1,000 µg/L
- 50 to 100 µg/L
- 10 to 50 µg/L
- 3.1 to 10 µg/L
- Less than 3.1 µg/L or ND

ABBREVIATIONS:
 µg/L Micrograms per Liter
 Cr(VI) Hexavalent Chromium
 Cr(T) Total Dissolved Chromium
 J Estimated Result
 ND Not Detected
 NS Not Sampled

- NOTES:**
1. Chromium results are shown for Site-wide Groundwater Monitoring Program and domestic wells sampled in the reporting period, the most recent results are shown.
 2. The concentration contours are based on First Quarter 2018 chromium results for the groundwater monitoring Figures 5-1 and 5-2. Results for domestic wells (brown-colored labels) were not used for chromium plume control Board's Cleanup and Abatement Order dated November 4, 2015 (Water Board 2015).
 3. Pursuant to the Lahontan Regional Water Quality Control Board's Cleanup and Abatement Order dated November 4, 2015, monitoring wells sampled southwest of Lockhart Fault and on or east of Dixie Road. Monitoring wells sampled southwest of Lockhart Fault and on or east of Dixie Road. Monitoring wells sampled southwest of Lockhart Fault and on or east of Dixie Road.
 4. Chromium plume contours in the general area south of Highway 58, were developed using a larger set of monitoring wells from the Northwest Freshwater Injection Projects (Arcadis 2018). Select wells from that program are shown here.

WORK CITED:
 Arcadis. 2018. First Quarter 2018 Monitoring Report for the In Situ Reactive Zone and Northwest Freshwater Injection Project. Lahontan Regional Water Quality Control Board, Lahontan Region Order No. R6V-2008-0014 (Waste Discharge Order).
 Stamos, C.L., P. Martin, T. Nishikawa, and B.F. Cox. 2001. Simulation of Ground-Water Flow in the Mojave River Basin. Lahontan Regional Water Quality Control Board, Lahontan Region Order No. R6V-2008-0014 (Waste Discharge Order).
 Water Board. 2015. Cleanup and Abatement Order No. R6V-2015-0068 Requiring Pacific Gas and Electric Company to Implement Remedial Action for Chromium in Groundwater in the Mojave River Basin.



the First Quarter (January through March) 2018 monitoring period. For wells sampled multiple times during

ing and extraction wells that are completed in the shallow zone and deep zone of the Upper Aquifer as noted on

ember 4, 2015 (Water Board 2015), groundwater monitoring wells are not used for chromium contouring if they are located in the areas southwest

Monitoring data which is presented in the First Quarter 2018 Monitoring Report for the In Situ Reactive Zone

ection Projects, Pacific Gas and Electric Company, Hinkley Compressor Station, Hinkley, California,

er Basin, California. U.S. Geological Survey Water-Resources Investigations Report 01-4002, Version 3.

pany to Cleanup and Abate Waste Discharges of Total and Hexavalent Chromium to the Groundwaters of the Mojave Hydrologic Unit. November 4.




FIGURE 5-5
CHROMIUM RESULTS FOR FIRST QUARTER 2018
GROUNDWATER MONITORING AND DOMESTIC WELL
SAMPLING AND MAXIMUM COMPOSITE PLUME
OUTLINE IN UPPER AQUIFER

FIRST QUARTER 2018 GROUNDWATER MONITORING
 REPORT AND DOMESTIC WELL RESULTS
 SITE-WIDE GROUNDWATER MONITORING PROGRAM

PACIFIC GAS AND ELECTRIC COMPANY
 HINKLEY COMPRESSOR STATION
 HINKLEY, CALIFORNIA