

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
COLORADO RIVER BASIN REGION

ORDER NO. 80-94

RESCISSION OF WASTE DISCHARGE REQUIREMENTS

The California Regional Water Quality Control Board, Colorado River Basin Region finds that:

1. The below-listed Board Orders contain waste discharge requirements for waste discharge facilities that are no longer in use or were never constructed.
2. It is desirable to rescind said below-listed Board Orders.
3. The Board forwarded timely notices by mail to persons responsible for each of the below-listed Orders who submitted the original reports of waste discharge, explaining the Board's considerations of rescinding the particular Order, and requesting timely comments.
4. The Board at a public hearing heard and considered all comments pertaining to the proposed rescinding of the below-listed Orders.

IT IS HEREBY ORDERED, the following Orders containing waste discharge requirements are rescinded:

<u>Order</u>	<u>Name</u>	<u>Date Adopted</u>
72-18	Yucca Valley Mobile Home Estates	3/23/72
76-28	San Diego Gas and Electric Company, Geothermal Test Loop Facility Cooling Pond Blowdown	6/10/76

I, Arthur Swajian, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region, on November 12, 1980.

Arthur Swajian
Executive Officer

*Cancelled
1/17/90*