

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
COLORADO RIVER BASIN REGION

ORDER NO. 88-130

WASTE DISCHARGE REQUIREMENTS  
FOR  
LAKE CUYAMACA PUBLIC RECREATION AREA  
Southeast of Julian - San Diego County

The California Regional Water Quality Control Board, Colorado River Basin Region, finds that:

1. Lake Cuyamaca Recreation & Park District (hereinafter referred to as the discharger), 15027 Highway 79, Julian, California, 92036, verified via the park manager the below updated information on the discharge of wastes on July 20, 1988.
2. The discharger is currently discharging a total maximum average of 2300 gallons-per-day of septic tank effluent from the following two locations:
  - a. The South Shore facilities, which consists of a restaurant, two (2) campground restrooms, a recreational vehicle dump-station and a fish cleaning station; and
  - b. The North Shore facilities, which have two (2) campground restrooms and a fish cleaning station.

Septic tank effluent from holding tanks at both locations is regularly pumped into a tanker truck and hauled approximately 6 miles to a land disposal site where it is uniformly spread over a remote and relatively flat grass-covered area. This area is occasionally grazed by horses and beef cattle. The disposal site is located about 1/4 mile SW of the NW corner of Section 25, T13S, R4E, SBB&M. All solids in the septic tanks are removed periodically and hauled to El Cajon for discharge into the community sewage treatment plant.

3. This discharge has been subject to waste discharge requirements contained in Board Order No. 85-78. The requirements are updated periodically by the Regional Board in accordance with Section 13263(e) of the California Water Code.
4. The Water Quality Control Plan for the Colorado River Basin Region of California was adopted by the Regional Board on November 14, 1984.

*Superseded  
by Bd. Ord.  
No. 92-028 5/13/92*

5. The beneficial uses of ground water of the Anza-Borrego Hydrologic Unit are:
  - a. Municipal supply
  - b. Industrial supply
  - c. Agricultural supply
6. The Board has notified the discharger and interested agencies and persons of its intent to update waste discharge requirements for the discharge.
7. The Board in a public meeting heard and considered all comments pertaining to the existing discharge.
8. These waste discharge requirements govern existing facilities, which the discharger is currently operating, and therefore are exempt from the provisions of the California Environmental Quality Act in accordance with Section 15301 of Chapter 3, Title 14, of the California Code of Regulations.

IT IS HEREBY ORDERED, the discharger shall comply with the following:

A. Discharge Specifications

1. Neither the treatment nor the discharge of wastewater shall create pollution or nuisance as defined in Division 7 of the California Water Code.
2. No wastewater other than that specified in Finding No. 2 (above) shall be discharged at the designated land disposal site.
3. There shall be no discharge of sewage solids at the disposal site.
4. There shall be no ponding of discharged septic tank effluent or surface flow away from the disposal area.


B. Provisions

1. Prior to any modifications in this facility which would result in material change in the quality or quantity of wastewater discharged, or any material change in location of discharge, the discharger shall report in writing to the Regional Board.
2. The discharger shall comply with "Monitoring and Reporting Program No. 88-130", and future revisions thereto, as specified by the Executive Officer.

3. In the event of any change in operation, or in control or ownership of land or waste disposal facilities owned or controlled by the discharger, the discharger shall:
  - a. Notify this Board of such change; and
  - b. Transmit a copy of this Order to the succeeding owner or operator, and file a copy of the transmittal letter with this Board.

IT IS FURTHER ORDERED THAT: Board Order No. 85-78 be superseded by this Order.

I, Arthur Swajian, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of an Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region, on November 30, 1988.

  
Executive Officer

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
COLORADO RIVER BASIN REGION

MONITORING AND REPORTING PROGRAM NO. 88-130  
FOR  
LAKE CUYAMACA PUBLIC RECREATION AREA  
Southeast of Julian - San Diego County

Location of Discharge: 1/4 mile SW of the NW corner of Section 26, T13S, R4E, SBB&M

MONITORING

The discharger shall report to the Regional Board concerning the following:

1. Volume of waste discharged to the City of El Cajon during quarter. This information may be reported as the number of truck-loads of specific gallonage.


REPORTING

Quarterly monitoring reports shall be submitted to the Regional Board by January 15, April 15, July 15, and October 15 of each year.

Submit monitoring reports to:

California Regional Water Quality Control Board  
Colorado River Basin Region  
73-271 Highway 111, Suite 21  
Palm Desert, CA 92260


ORDERED BY:

  
Executive Officer

November 30, 1988

Date

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD - 7



SITE MAP

LAKE CUYAMACA PUBLIC RECREATION AREA  
 Southeast of Julian - San Diego County

Land Disposal Site: ¼ mile SW of the NW Corner of Section 26, T13S, R4E, SBB&M  
 USGS Santa Ysabel 15 min. Topographic Map

Order No. 88-130