

California Regional Water Quality Control Board
Santa Ana Region

Order No. R8-2011-0006


Rescission of Waste Discharge Requirements
for
Specific Dischargers

The California Regional Water Quality Control Board, Santa Ana Region (hereinafter Board), finds that:

1. The Orders listed in Attachment "A" were issued by the Board at various times to dischargers described therein. Attachment "A" is hereby made a part of this Order. Waste discharge requirements for the dischargers listed in Attachment "A" are no longer necessary because the discharge has ceased or the project has been completed.
2. This action is based on the fact that specific discharges have ceased or the project has been completed. As such, this action is exempt from the requirements of the California Environmental Quality Act in accordance with Section 15061(b)(3), Chapter 3, Title 14 of the California Code of Regulations.
3. The Board has notified the dischargers and interested agencies and persons of its intent to rescind the Orders for the facilities listed in Attachment "A" and has provided them with an opportunity to submit written comments and recommendations.
4. The Board, in a public meeting, heard and considered all comments pertaining to the rescission of waste discharge requirements.

IT IS HEREBY ORDERED that the Orders listed in Attachment "A" be rescinded.

I, Kurt V. Berchtold, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on March 4, 2011.



Kurt V. Berchtold
Executive Officer

ORDER NO. R8-2011-0006

Attachment "A"

<u>ORANGE COUNTY</u>			
	<u>Order No.</u>	<u>Discharger and Facility Location</u>	<u>Reason for Rescission</u>
1	R8-2005-0088	Entrepreneurial-Sheffield Partners, LLC, Tentative Tract 32646, Riverside	Project has been completed, WDR no longer required
2	R8-2004-0060	Hines Nurseries, LLC, 12621 Jeffrey Road, Irvine	Facility ceasing operations and relocating out of the region, WDR no longer required
3	R8-2005-0119	The Irvine Company, East Orange Planned Community, Irvine	Project has been completed, WDR no longer required
<u>SAN BERNARDINO COUNTY</u>			
4	98-070	Burrtec Waste Industries, Inc., 9890 Cherry Avenue, Fontana	Facility has been connected to the sanitary sewer, WDR no longer required
5	90-121	Leroy A. Eckert dba Truck Roost/A-One Truck Wash, 15252 Valley Blvd, Fontana	Facility has been connected to the sanitary sewer, WDR no longer required

California Regional Water Quality Control Board
Santa Ana Region

March 4, 2011

STAFF REPORT

ITEM: *6

SUBJECT: Rescission of Waste Discharge Requirements, Order No. R8-2011-0006

DISCUSSION:

Waste discharge requirements for the dischargers listed in Attachment "A" of Order No. R8-2011-0006 are no longer necessary because the discharge has either ceased or the project has been completed.

RECOMMENDATION:

Adopt Order No. R8-2011-0006, as presented.

In addition to the dischargers listed in Attachment "A", comments were solicited from the following agencies:

State Water Resources Control Board, Office of the Chief Counsel – David Rice
Orange County Water District – Nira Yamachika
Riverside County Department of Environmental Health Services – John Watkins
Riverside County Transportation/Flood Control Department – Jason Uhley
San Bernardino County Environmental Health Services – Terri Williams
San Bernardino County Department of Public Works, Flood Control – Naresh Varma