



# California Regional Water Quality Control Board San Diego Region



Gray Davis  
Governor

Internet Address: <http://www.swrcb.ca.gov/rwqcb9/>  
9174 Sky Park Court, Suite 100, San Diego, California 92123  
Phone (858) 467-2952 • FAX (858) 571-6972

Winston H. Hickox  
Secretary for  
Environmental  
Protection

June 18, 2003

**CERTIFIED – RETURN RECEIPT REQUESTED**  
**7002 2401 0000 4398 2282**

Mr. John Medrano  
ExxonMobil Oil Corporation  
3700 West 190<sup>th</sup> Street, TPT-2  
Torrance, California 90509-2929

In Reply Refer To:  
UST:50-4037:bsp

Dear Mr. Medrano:

**RE: ADDENDUM NO. 1 TO CLEANUP AND ABATEMENT ORDER NO. 2001-371**

Enclosed is a copy of Addendum No. 1 to Cleanup and Abatement Order (CAO) No. 2001-371 for the cleanup of an unauthorized release of petroleum hydrocarbons at Mobil Service Station 18-AOJ. The Addendum amends Directive 2 of Enclosure 1 of CAO No. 2001-371, the quarterly groundwater monitoring program, by reducing the number of groundwater well samples to be analyzed for polynuclear aromatic hydrocarbons.

You may contest the issuance of Addendum No. 1 by requesting a public hearing on the matter before the Regional Board. In order to schedule a hearing, this office must receive a written request no later than 5 PM on July 21, 2003. The next scheduled meeting of the Regional Board at which this item can be heard is August 13, 2003. Be aware that a request for a hearing does not stay any of the requirements in Addendum No. 1. If you have any questions regarding this letter or Addendum No. 1 to CAO No. 2001-371 please contact Mr. Barry Pulver of my staff at (858) 467-2733.

Respectfully,

John H. Robertus  
Executive Officer

cc: Ms. Lizanne Simmons, Kleinfelder, Inc., 43218 Business Park Drive, Suite 201, Temecula, California 92590

Mr. Hany S. Fangary, McDermott, Will & Emery, 2049 Century Park East, 34<sup>th</sup> Floor, Los Angeles, California 90667-3208

**California Environmental Protection Agency**

*The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.*

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
SAN DIEGO REGION

ADDENDUM NO. 1 TO CLEANUP AND ABATEMENT ORDER NO. 2001-371

MOBIL SERVICE STATION 18-AOJ  
29500 RANCHO CALIFORNIA ROAD  
TEMECULA, CALIFORNIA

The California Regional Water Quality Control Board, San Diego Region (hereinafter Regional Board) finds that:

5. After seven quarters of groundwater sampling, detectable concentrations of polynuclear aromatic hydrocarbons (PAH) have only been detected in groundwater samples collected from wells MW-4 and MW-18.
6. Analyses of groundwater samples for PAH in these two wells, and the adjacent two wells, MW-11 and MW-19, are adequate to characterize the extent of PAH contamination in groundwater at the site. Sampling results from wells MW-4 and MW-18 will provide data to establish if the PAH plume is increasing or decreasing in concentration. Sampling results from wells MW-11 and MW-19, which have not had detectable concentrations of PAH, will provide data to establish if the PAH plume is increasing or stable in size.

**IT IS HEREBY ORDERED**, pursuant to sections 13267 and 13304 of the California Water Code, that the ExxonMobil shall cleanup and abate the effects of the discharge described in the findings of Order No. 2001-371 as follows:

Directive 2 of Enclosure 1 (Quarterly Groundwater Monitoring Program) of Order No. 2001-371 is amended to include the following requirement.

“Analyses of groundwater samples for PAH are required only for wells MW-4, MW-11, MW-18, and MW-19.”



JOHN H. ROBERTUS  
Executive Officer

Date Signed: June 18, 2003