

EXECUTIVE OFFICER SUMMARY REPORT  
June 19, 2013

- ITEM: 6
- SUBJECT: Rescission of Waste Discharge Requirements:  
Order No. 94-07, *Hanson Aggregates Pacific Southwest Region, Otay Plant, San Diego County*; and  
Order No. 93-82, *Buena Sanitation District, Shadowridge Water Reclamation Plant, San Diego County*  
(Tentative Order No. R9-2013-0056 rescinding  
Orders Nos. 94-07 and 93-82) (*Tyler Kirkendall*)
- PURPOSE: To consider adopting tentative Order No. R9-2013-0056,  
rescinding Waste Discharge Requirements (WDRs) for  
Orders Nos. 94-07 and 93-82.
- RECOMMENDATION: Adoption of tentative Order No. R9-2013-0056.
- KEY ISSUES: Both facilities are no longer in operation.
- DISCUSSION: Tentative Order No. R9-2013-0056 (Supporting Document 1)  
will rescind the following Orders:
1. Order No. 94-07, *Waste Discharge Requirements for Hanson Aggregates Pacific Southwest Region, Otay Plant, San Diego County*.  
  
By e-mail dated August 13, 2012 (Supporting Document 2), Hanson Aggregates reported that sand and gravel processing and concrete batching operations had been terminated at its Otay Plant, and requested rescission of Order No. 94-07. At an inspection, conducted on November 15, 2012, staff verified that the sand and gravel processing and concrete batching operations at the Otay Plant had been terminated. The location of the Otay plant is shown on Supporting Document 3.
  2. Order No. 93-82, *Waste Discharge Requirements for Buena Sanitation District Shadowridge Water Reclamation Facility, San Diego County*.

By letter dated February 22, 2012 (Supporting Document 4), Ms. Robin Putnam of the Buena Sanitation District reported that the Shadowridge Water Reclamation Plant was no longer in operation and requested rescission of Order No. 93-82. During an inspection, conducted on March 2, 2006, PG Environmental LLC verified that the Shadowridge Water Reclamation Plant was no longer in operation. PG Environmental LLC is a U.S. EPA contractor. The location of the plant is shown on Supporting Document 5.

**LEGAL CONCERNS:**

None

**SUPPORTING DOCUMENTS:**

1. Tentative Order No. R9-2013-0056.
2. August 13, 2012 e-mail from Hanson Aggregates.
3. Map Showing Location of the Hanson Aggregates, Pacific Southwest Region, Otay Plant Site.
4. February 22, 2012 Letter from Buena Sanitation District.
5. Map Showing Location of the Shadowridge Water Reclamation Plant.
6. Hearing Notice

**SIGNIFICANT CHANGES:**

None

**COMPLIANCE RECORD:**

There are no outstanding compliance issues with the subject dischargers.

**PUBLIC NOTICE:**

Notification of this action (Supporting Document 6) was posted on the San Diego Water Board web page on March 28, 2013. This action satisfies the public notification requirements of California Water Code, Division 7 section 13167.5 for a 30 day notice.