

California Regional Water Quality Control Board

San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA



9174 Sky Park Court, Suite 100, San Diego, California 92123-4353 (858) 467-2952 • Fax (858) 571-6972 http:// www.waterboards.ca.gov/sandiego

August 13, 2007 In reply refer to:

LDU:06-139:ctamaki

To: Interested / Affected Parties

Dear Representatives:

RE: TENTATIVE ADDENDUM NO. 6 TO ORDER NO. 97-11: GENERAL WASTE DISCHARGE REQUIREMENTS FOR POST-CLOSURE MAINTENANCE OF INACTIVE LANDFILLS CONTAINING HAZARDOUS AND NONHAZARDOUS WASTES WITHIN THE SAN DIEGO REGION


Enclosed for your consideration is a copy of the Tentative Addendum No. 6 to Order No. 97-11. This tentative Addendum incorporates the errata sheet that was included in the August 8, 2007 agenda. If adopted, tentative Addendum No. 6 will enroll the former Alpine II burn dump, located in Alpine, CA under Order No. 97-11. You are being sent this notification regarding the status of tentative Addendum No. 6 to Order No. 97-11 because you are either identified as a discharger responsible for the facility, or the Regional Board has your name on an Interested Parties List for Order No. 97-11.

This tentative Addendum was scheduled for consideration by the San Diego Regional Water Quality Control Board on August 8, 2007. However, since there was not a quorum, the tentative Addendum will be considered on **September 12, 2007**. The September 12, 2007 Board meeting will commence at **9:00 a.m.** and is open to public participation. The meeting will be held at the **City of Mission Viejo Council Chambers, 200 Civic Center, Mission Viejo, CA**. Written comments on the tentative Addendum are due to the Regional Board on or before August 29, 2007.

The heading portion of this letter includes a Regional Board code number noted after "In Reply Refer to:" In order to assist us in the processing of your correspondence, please include this code number in the heading or subject line portion of all correspondence and reports to the Regional Board pertaining to this matter.

If you have any questions or comments regarding this tentative Addendum, please contact Ms. Carol Tamaki at (858) 467-2982, or via e-mail at ctamaki@waterboards.ca.gov.

California Environmental Protection Agency



Sincerely,

ROBERT W. MORRIS, Senior WRC Engineer Land Discharge Unit

Enclosure: Tentative Addendum No. 6 to Order 97-11

Draft Technical Report

cc: Interested Parties List