



- [SWRCB Home](#)
- [Board Business](#)
- [Laws/Regulations](#)
- [News/Media Info](#)
- [Regional Boards](#)
- [Water Education](#)
- [Water Quality](#)
- [Water Rights](#)

- Storm Water Links:
- [Storm Water Home](#)
 - [Caltrans](#)
 - [Construction](#)
 - [Contacts](#)
 - [Industrial](#)
 - [Municipal](#)
 - [Links](#)
 - [Training](#)



State Water Resources
Control Board
1001 I Street
Sacramento, CA 95814
P.O. Box 100
Sacramento, CA 95812
(916) 341-5250
fax (916) 341-5252
[Contact Us](#)

California Environmental Protection Agency
STATE WATER RESOURCES CONTROL BOARD
WATER QUALITY

1236 3134
* Tony Felix

- 467 2952

Storm Water Program


INDUSTRIAL NOI

City of Poway | manufacturing
4 page form -> "no exposure"

1. How do I know if I need this permit?
The federal storm water regulations require a broad range of industrial manufacturing facilities, mining operations, disposal sites, recycling y Attachment 1 of the Industrial Storm Water General Permit for a comp
2. Who must apply?
The facility operator must submit an NOI for each industrial facility tha Protection Agency (U.S.EPA) regulations to obtain a storm water perr listed in Attachment 1 of the General Permit and are also listed in 40 122.26(b)(14). The facility operator is typically the owner of the busine requiring a storm water permit occur. The facility operator is responsit facility. Where operations have discontinued and significant materials the landowner may be responsible for filing an NOI and complying wi file an NOI for a facility if the landowner, rather than the facility opera General Permit.
3. Are there other requirements when applying for this permit?
A "to scale" site map of the facility is required. The site map must ide areas, roads, names of adjacent streets, discharge locations, and inclu
4. What is the Permit fee?
The permit fee is \$700.00. Feedlots pay a one-time fee of \$2000 for th made payable to: SWRCB.
5. Where is the Primary Permit Location?
The completed NOI form, a site map, and appropriate permit fee must Control Board (SWRCB) at the following address:

State Water Resources Control Board
Division of Water Quality
P. O. Box 1977
Sacramento, CA 95812-1977
Attn: Storm Water Permitting Unit

6. What are the timelines for applications/renewals?
Facility operators of existing facilities must file an NOI in accordance 1992. Facility operators of new facilities (those beginning operations a accordance with these instructions at least 14 days prior to the begin site map, and appropriate permit fee have been submitted to the State and you will be issued a receipt letter with a Waste Discharge identific number when you contact either the State or Regional Water Quality C

- 
7. What is the annual compliance fee?
The annual fee is the same as the permit fee.
 8. How long is this permit in effect?
Your coverage under the general permit is ineffect until you submit a appropriate RWQCB. The RWQCB, however, may deny the NOT if the
 9. How can I avoid the most common mistakes made in applying for this
Make sure the NOI is signed, the correct permit fee is attached, and si
 10. What are the regulations that apply to this permit? Where can I get co
The permit is available from the SWRCB and the RWQCBs. The regul
 11. Questions? Call...
If you have any questions completing the NOI, please call the appropri
at (916) 341-5536 or by email at stormwater@dwq.swrcb.ca.gov.

[Back to Top of Page](#)

© 2000 State of California. Gray Davis, Governor. Conditions of Use Private ©

no exposure^{ci}



Terry Tamminen
Secretary for
Environmental



Arnold Schwarzenegger
Governor

NO EXPOSURE CERTIFICATION

FOR EXCLUSION FROM NPDES STORM WATER PERMITTING

Submission of this No Exposure Certification (NEC) constitutes notice that the entity identified in Section II does not require permit authorization for its storm water discharges associated with industrial activity due to the existence of a condition of no exposure.

A condition of no exposure exists at an industrial facility when all industrial materials and activities are protected by a storm resistant shelter to prevent exposure to rain, snow, snowmelt, and/or runoff. Industrial materials or activities include, but are not limited to, material handling equipment or activities, industrial machinery, raw materials, intermediate products, by-products, final products, or waste products. Material handling activities include the storage, loading and unloading, transportation, or conveyance of any raw material, intermediate products, final product or waste product. A storm resistant shelter is not required for the following industrial materials and activities:

- Drums, barrels, tanks, and similar containers that are tightly sealed, provided those containers are not deteriorated, do not contain residual industrial materials on the outside surfaces, and do not leak. "Sealed" means banded or otherwise secured and without operational taps or valves.
- Adequately maintained vehicles used in material handling,
- Final products meant to be used outdoors (e.g. automobiles), other than products that would be mobilized in storm water discharges (e.g. rock salt).

An NEC must be provided for each facility qualifying for the no exposure exclusion. In addition, the exclusion from NPDES permitting is available on a facility-wide basis only, not for individual drainage areas or discharge locations. If any industrial activities or materials are or will be exposed to storm water, the facility is not eligible for the no-exposure exclusion. Detailed instructions for completing this form and obtaining the no exposure exclusion are attached. All information shall be provided or the NEC may not be accepted.

SECTION I. FACILITY OPERATOR INFORMATION (See instructions)

Business Name: HEALTHY TIMES		Contact E-mail: h+b@b480(9)90.com
Mailing Address: 1132101 KILRIKHAM WAY #1104		Zip Code: 912101641
City: POWAY	State: CA	
Contact Person: RIONIDI PRISICITTI		Contact Phone: 81518--51131-115190

SECTION II. FACILITY INFORMATION

1. Facility Business Name: HEALTHY TIMES	2. Total size of facility site: _____ Acres
Facility Physical Street Address (no PO Boxes): 1132101 KILRIKHAM WAY #1104	Contact E-mail: h+b@b480(9)90.com
City: POWAY	State: CA Zip Code: 912101641
Contact Person: RIONIDI PRISICITTI	Contact Phone: _____-_____-_____

If facility does not have a valid physical street address, describe facility location or provide facility Latitude and Longitude

3. SIC OR NAICS CODE(S):	Industrial Activities (describe each SIC or NAICS code):
a. 28141	PIRIFUIMESI ICIOISIMETILICISI TIOILLETRES
b. 51141	WIHIDILFISALWEI IGRIACIEIRIFESI
c. _____	_____

4. If facility is currently covered under the Industrial Activities Storm Water General Permit (facility operator has previous filed a Notice of Intent), provide the Waste Discharger Identification (WDID) number: _____



California Regional Water Quality Control Board

San Diego Region



Alan C. Lloyd, Ph.D.
Agency Secretary

Internet Address: <http://www.swrcb.ca.gov/rwqcb9/>
9174 Sky Park Court, Suite 100, San Diego, California 92123-4340
Phone (858) 467-2952 • FAX (858) 571-6972

Arnold Schwarzenegger
Governor

August 5, 2005

Richard J Prescott
Healthy Times
13200 Kirkham Way Bldg 104
Poway, CA 92064

CERTIFIED MAIL - RETURN RECEIPT
7004 2890 0002 ~~6907~~ 5497

In reply to:
IC: 9 371017603: WGhoram

**SUBJECT: NOTICE OF VIOLATION: FAILURE TO SUBMIT ANNUAL REPORT
REQUIRED BY THE GENERAL INDUSTRIAL STORM WATER PERMIT ORDER
NO. 97-03-DWQ, NPDES PERMIT NO. CAS000001**

You are in violation of the statewide General Industrial Storm Water Permit, Order No. 97-03-DWQ (Order) for failure to submit your 2004-2005 Annual Report. The report was due at the California Regional Water Quality Control Board, San Diego Region (Regional Board) office by July 1, 2005 as required by *Section B.14* of the Order.

Pursuant to Sections 13399.33 and 13385 of the California Water Code (CWC), failure to submit the annual report subjects you to possible enforcement action by the Regional Board, including assessment of administrative civil liability. Civil liability could range from a minimum of \$1,000 and up to \$10,000 a day for each day of violation, if the liability is assessed administratively by this Regional Board, or up to \$25,000 a day, if the liability is assessed by a court; you may also be subject to criminal prosecution under Section 13387 of the CWC. The number of days of violation for failure to submit the 2004-2005 Annual Report would be counted from July 2, 2005, up to the date the 2004-2005 Annual Report is submitted.

Questions pertaining to the issuance of this Notice of Violation (NOV) should be directed to Ms. Whitney Ghoram by email at WGhoram@waterboards.ca.gov or by phone at (858) 467-2967 or Mr. Tony Felix by email at TFelix@waterboards.ca.gov or by phone at (858) 636-3134.

California Environmental Protection Agency

The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.

Recycled Paper

Richard J Prescott

2

August 5, 2005

If you feel you have received this NOV in error, please contact our office immediately. Written correspondence pertaining to this NOV should be directed to the following address:

Mr. John H. Robertus
Executive Officer
California Regional Water Quality Control Board
San Diego Region
9174 Sky Park Court, Suite 100
San Diego, CA 92123-4340
Attn: Industrial Compliance Unit (ICU)

Respectfully,




MICHAEL P. McCANN
Supervising Engineer

MPM: bk: np

File: 9 37I017603.02

California Environmental Protection Agency

The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.

Recycled Paper 

Subj: healthy times
Date: 8/8/2005 3:52:52 PM Pacific Standard Time
From: [HTBABY80](#)
To: WGhoram@waterboards.ca.gov

Dear Ms. Ghoram,

Please see the attached letter. We will also send it to Mr. Robertus. We are excluded from this program, as we were inspected quite a while ago and told that because there is no water leaving our building, we are excluded from this program. We were also told that we should not have had a permit in the first place. No report could be made, as no water leaves the building or is "run off." Rondi Prescott, Healthy Times

**HEALTHY TIMES
13200 KIRKHAM WAY #104
POWAY, CA. 92064
858-513-1550
FAX: 858-513-1533**

**TO: CALIFORNIA REGIONAL WATER QUALITY
CONTROL BOARD
FROM: RONDI PRESCOTT**

Dear Ms. Ghoram,

Healthy Times is exempt from this program. It was determined that no water leaves the building and is all inclusive. We were told by the inspector that we were exempt and have no report to fill out. He also said that we should not have had a permit in the first place, as no water leaves our building, so there is no chance of any runoff and no report could be made. We signed an exclusion document. I believe we have received this in error. Thank you.