



California Regional Water Quality Control Board San Diego Region



Linda S. Adams
Secretary for
Environmental
Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Arnold Schwarzenegger
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4340
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

August 21, 2007

In reply refer to:
WPS:18-1999133.02:meanc

Mr. Pedro Orso-Delgado
District Director
Caltrans District 11
4050 Taylor Street
San Diego, CA 92110

Mr. Greg Hulsizer
Chief Executive Officer
South Bay Expressway, L.P.
California Transportation Ventures, Inc.
880 Kuhn Drive
Chula Vista, CA 91914

Dear Mr. Orso-Delgado and Hulsizer:


RE: Request for Amendment to CWA Section 401 Water Quality Certification for State Route 125 South Toll Road (File No. 99C-133)

The Regional Board is amending Special Condition D.6 of the 401 Water Quality Certification for the State Route 125 South Toll Road (File No 99C-133). This decision is based on the review of your letter dated August 1, 2007. This amendment is needed to address scheduling changes involving the project's final landscaping that have occurred during the design/ build process for the project.

Changes/additions to **Special Condition D.6** of the 401 certification are shown in bold strikeout/underline below.

6. Caltrans and CTV shall ~~plant permanent landscape material and begin irrigation within one year of ground disturbances. The areas between future Olympic Parkway (Orange Ave.) and Route 54 shall be completely landscaped with appropriate irrigation by opening day of this section of the toll road. complete landscaping and irrigation activities associated with the project in accordance with the August 1, 2007 Connector and Toll Road Landscaping Schedule submitted to the Regional Board. Prior to opening of the Toll Road:~~
 - A. All permanent structural treatment BMPs (including vegetated detention basins and Bio-swales) will be fully implemented and functional.
 - B. In areas that have not been permanently landscaped prior to road opening, finished slopes and drainage inlets will continue to be

California Environmental Protection Agency



Mr. Pedro Orso-Delgado
Mr. Greg Hulsizer

August 16, 2007


- 2 -

**monitored, maintained and protected in accordance with approved
Water Pollution Control drawings for the project.**

The heading portion of this letter includes a Regional Board code number noted after "In reply refer to." In order to assist us in the processing of your correspondence please include this code number in the heading or subject line portion of all correspondence and reports to the Regional Board pertaining to this matter.

If you have any questions regarding this letter, please contact Christopher Means at 858-637-5581 or cmeans@waterboards.ca.gov.

Respectfully,



John H. Robertus
Executive Officer
San Diego Regional Water Quality Control Board

CC:

Mr. Bruce April
Caltrans District 11
4050 Taylor Street
San Diego, CA 92110

Ms. Jacqueline Dompe
EDAW
1420 Kettner Boulevard, Suite 500
San Diego, CA 92101

Mr. Robert Smith
U.S. Army Corps of Engineers
Regulatory Branch
16885 W. Bernardo Dr., Suite 300 A
San Diego, CA 92127

California Environmental Protection Agency

