



California Regional Water Quality Control Board

San Diego Region



Matthew Rodriguez
Secretary for Environmental
Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

Edmund G. Brown, Jr.
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353
(858) 467-2952 • Fax (858) 571-6972
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)

March 15, 2012

In reply refer to:
631375: CMEANS

Joseph McDivitt
South Coast Water District
P.O. Box 302
Laguna Niguel, California, 92607

Dear Mr. McDivitt

**SUBJECT: Notification of Category 1 Sanitary Sewer Overflow (SSO) Violations
South Coast Water District Collection System WDID 9SSO10703**

The California Regional Water Quality Board, San Diego Region (San Diego Water Board) has completed a review of Category 1 SSO events in the California Integrated Water Quality System (CIWQS) Online SSO Reporting Database to verify violations of Discharge Prohibitions contained in the State Water Resources Control Board Order No. 2006-0003-DWQ, Statewide Waste Discharge Requirements for Sanitary Sewer Systems. This review covered SSO events certified during the period from April to December 2011.

Order No. 2006-0003-DWQ prohibits the discharge of untreated or partially treated wastewater that creates a nuisance or results in a discharge to waters of the United States. Therefore, Category 1 SSO events generally violate the prohibitions. The San Diego Water Board has updated CIWQS records associated with the following certified Category 1 SSO events to show these as violations.

CIWQS EVENT ID	CIWQS VIOLATION ID	SSO LOCATION	SSO DATE
766627	899463	3 La Senda Dr.	05/12/2011
774357	914852	Toovet Trail	12/16/2011

CIWQS violation reports are publicly available at
http://www.waterboards.ca.gov/water_issues/programs/ciwqs/publicreports.shtml

Mr. Joseph McDivitt
Category 1 SSO Violations

March 15, 2012

- 2 -

Please continue to take steps necessary to ensure that violations of this type do not occur in the future. These violations are subject to possible further enforcement action by the San Diego Water Board, including administrative enforcement orders, administrative assessment of civil liability in amounts up to \$10,000 per day, referral to the State Attorney General for injunctive relief, and referral to the District Attorney for criminal prosecution.

For questions pertaining to the subject matter, please contact Christopher Means at (858) 637-5581 or by email at cmeans@waterboards.ca.gov.

PLEASE INCLUDE "631375: CMEANS" IN THE SUBJECT LINE OF FUTURE CORRESPONDENCE.

Respectfully,



Christopher Means
Environmental Scientist
Compliance and Assurance Unit

CJM:dj

cc via email:

James Fischer, State Water Board, Office of Enforcement, jfischer@waterboards.ca.gov

Russell Norman, State Water Board, SSO Program, rnorman@waterboards.ca.gov

CIWQS Place ID 631375
Reg. Measure No. 383440
Party ID 44231