

# **Appendix C**

## **Surface Water Body Beneficial Use Documentation Tables**

**This Page Left Intentionally Blank**

## TABLE OF CONTENTS

1. Marin Coastal Basin.....	1
2. San Mateo Coastal Basin .....	59
3. Central Basin.....	99
4. South Bay Basin.....	134
5. Santa Clara Basin.....	252
6. San Pablo Basin .....	352
7. Suisun Basin.....	469

Surface water bodies are presented in the same order as in Table 2-1 of the Basin Plan, which is geographically. Table 2-1 water bodies for which no additional beneficial uses are proposed are not included in this document. The water body type (e.g., slough, intermittent stream, perennial stream) and any general information provided about a water body are intended for general interest only.

# **MARIN COASTAL BASIN**

*Marin Coastal Basin*

Surface water body: Drakes Estero

County: Marin

Water body type: Coastal Lagoon

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Previously assigned
SHELL	E	Previously assigned
COLD		
EST		
MAR	E	Previously assigned
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM		
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

MIGR and RARE: East Schooner and Home Ranch Creeks are tributaries to Drakes Estero and have documented steelhead migration. Sources:

- Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.
- National Marine Fisheries Service steelhead distribution database. Available at [http://swr.nmfs.noaa.gov/cg/CCC\\_Steelhead\\_Distribution\\_06\\_2005.xls](http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls)

*Marin Coastal Basin*

Surface water body: East Schooner Creek

County: Marin

Water body type: Intermittent Stream, discharges to Drakes Estero

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Design- ation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL	E	Previously assigned
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Park Service written communication, April 18, 2003. Federal Register, Vol. 71, No. 71, April 13, 2006 National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

MIGR and RARE: Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006. Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Home Ranch Creek

County: Marin

Water body type: Intermittent Stream, discharges to Drakes Estero

<b>BU</b>	<b>Design- ation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	National Park Service written communication, April 18, 2003. Federal Register, Vol. 71, No. 71, April 13, 2006. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamsoufmarin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamsoufmarin.pdf</a>
SPWN	E	National Park Service written communication, April 18, 2003.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006. Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Limantour Estero

County: Marin

Water body type: Estuary, connected to Drake's Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Previously assigned
SHELL	E	Previously assigned
COLD		
EST		
MAR	E	Previously assigned
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM		
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

MIGR: Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

General information: Limantour Estero is located within Philip Burton Wilderness and is a proposed Marine Reserve under the Marine Life Protection Act – [36700(a) PRC] A "state marine reserve," is a non-terrestrial marine or estuarine area that is designated so the managing agency may achieve one or more of the following:

1. protect or restore rare, threatened or endangered native plants, animals or habitats in marine areas;
2. protect or restore outstanding, representative or imperiled marine species, communities, habitats and ecosystems;
3. protect or restore diverse marine gene pools; or
4. contribute to the understanding and management of marine resources and ecosystems by providing the opportunity for scientific research in outstanding, representative or imperiled marine habitats or ecosystems.

*Marin Coastal Basin*

Surface water body: Glenbrook Creek

County: Marin

Water body type: Intermittent Stream, discharges to Limantour Estero

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003.
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	Federal Register, Vol. 71, No. 71, April 13, 2006.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and MIGR: Memorandum from Mary Coopridner, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006. Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Muddy Hollow Creek

County: Marin

Water body type: Intermittent Stream, discharges to Limantour Estero

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Federal Register, Vol. 71, No. 71, April 13, 2006
SPWN	E	National Park Service written communication, April 18, 2003.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and MIGR: Memorandum from Mary Coopridier, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

RARE: Species include steelhead and California red-legged frog. Sources:

- National Marine Fisheries Service steelhead distribution database
- Muddy Hollow Creek is within Critical Habit Unit MRN-2 (Point Reyes Peninsula). This Unit consists of federal land west of Highway 1. Source: Federal Register, Vol. 71, No. 71, April 13, 2006. Page 19267.

*Marin Coastal Basin*

Surface water body: Santa Maria Creek (Marin County)

County: Marin

Water body type: Perennial Stream, discharges to Pacific Ocean

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003.
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	National Park Service written communication, April 18, 2003. Federal Register, Vol. 71, No. 71, April 13, 2006.
SPWN	E	National Park Service written communication, April 18, 2003.
WARM	E	National Park Service written communication, April 18, 2003. Also, Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE, SPWN and WARM: Memorandum from Mary Coopridner, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006. Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Coast Creek

County: Marin

Water body type: Perennial Stream, discharges to Pacific Ocean

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL	E	Previously assigned
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	National Park Service email communication, April 29, 2009.
RARE	E	National Park Service email communication, April 29, 2009. California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf</a>
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

MIGR and RARE: Email from Brannon Ketcham, Hydrologist, Point Reyes National Seashore, National Park Service, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board, RE: PRNS comments on Marin Coastal unit of Basin Plan. April 29, 2009.

*Marin Coastal Basin*

Surface water body: Alamere Creek

County: Marin

Water body type: Perennial Stream, discharges to Pacific Ocean

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

General information: A natural barrier to fish migration exists at beach interface. Source: Email from Brannon Ketcham, Hydrologist, Point Reyes National Seashore, National Park Service, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board, RE: PRNS comments on Marin Coastal unit of Basin Plan. April 29, 2009.

*Marin Coastal Basin*

Surface water body: Wildcat Lake

County: Marin

Water body type: Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General Information: Northernmost of five natural lakes located at the southern end of the Point Reyes Peninsula clustered around the Wildcat Beach area.

*Marin Coastal Basin*

Surface water body: Crystal Lake

County: Marin

Water body type: Lake

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
NAV		

General Information: One of five natural lakes located at the southern end of the Point Reyes Peninsula clustered around the Wildcat Beach area.

*Marin Coastal Basin*

Surface water body: Arroyo Hondo (Marin)

County: Marin

Water body type: Perennial Stream, discharges to Pacific Ocean

BU	Designation	Rationale and/or Source of Information
AGR		
MUN	E	Water supply for Bolinas Community PUD
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	National Park Service written communication, April 18, 2003. Also, Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: Sources:

- <http://www.sfgate.com/cgi-bin/article.cgi?f=/c/a/2009/02/04/MNV415MGLA.DTL>, “At this time of year, the town usually draws its water from the Arroyo Hondo Creek.”
- Email from Brannon Ketcham, Hydrologist, Point Reyes National Seashore, National Park Service, to Janet O’Hara, San Francisco Bay Regional Water Quality Control Board, RE: PRNS comments on Marin Coastal unit of Basin Plan. April 29, 2009.

COLD and WARM: Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

General information: Field surveys confirmed by NMFS determined presence of natural barrier 200 meters inland from beach. *O. mykiss* have been documented, but based on ESA designation, they are not considered steelhead. Also, Arroyo Hondo discharges to northern boundary of Duxburry Reef ASBS. Source: Email from Brannon Ketcham, Hydrologist, Point Reyes National Seashore, National Park Service, to Janet O’Hara, San Francisco Bay Regional Water Quality Control Board, RE: PRNS comments on Marin Coastal unit of Basin Plan. April 29, 2009.

*Marin Coastal Basin*

Surface water body: Bass Lake

County: Marin

Water body type: Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Used for recreational fishing
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: One of five natural lakes located at the southern end of the Point Reyes Peninsula clustered around the Wildcat Beach area. This lake is accessible only by hiking trail. Swimming and fishing are documented uses. For example, see <http://www.yelp.com/biz/bass-lake-bolinas>, accessed December 3, 2009.

*Marin Coastal Basin*

Surface water body: Pelican Lake

County: Marin

Water body type: Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information:

- Pelican Lake drains to Double Point ASBS. Source: Email from Brannon Ketcham, Hydrologist, Point Reyes National Seashore, National Park Service, to Janet O’Hara, San Francisco Bay Regional Water Quality Control Board, RE: PRNS comments on Marin Coastal unit of Basin Plan. April 29, 2009.
- Pelican Lake is a tiny body of water just barely separated from the ocean and located about halfway between Bolinas and Pt. eyes Station. It's hemmed in on all sides by surrounding hills, a good hundred feet above the level of the Pacific Ocean and surrounded by pine trees and heavy vegetation in a wilderness watershed area accessible only to hikers. Source: [http://www.allmarinhomes.com/content.fsp?name=marin\\_lakes](http://www.allmarinhomes.com/content.fsp?name=marin_lakes). Accessed December 2, 2009.

*Marin Coastal Basin*

Surface water body: Bolinas Lagoon

County: Marin

Water body type: Coastal Lagoon

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Previously assigned
SHELL	E	Previously assigned
COLD		
EST		
MAR	E	Previously assigned
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM		
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV	E	Significant commercial fish fleet traffic

General information: Bolinas Lagoon lies within the Gulf of the Farallones National Marine Sanctuary, 15 miles northwest of San Francisco. Recognized by the [Ramsar Convention](#) as a Wetland of International Importance, the lagoon is located along the Pacific Flyway, making it an ideal staging ground and stopover site for migratory birds.

This 1,100 acre tidal estuary provides critical habitat for shorebirds and waterfowl, marine mammals, fish and invertebrates. The Lagoon also offers fishing, boating, bird watching and other recreational opportunities for thousands of area residents and visitors. Source: [http://www.farallones.org/e\\_newsletter/2008-05/Bolinas.htm](http://www.farallones.org/e_newsletter/2008-05/Bolinas.htm). Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Pine Gulch Creek

County: Marin

Water body type: Perennial Stream, tributary to McKinnan Gulch Creek, Bolinas Bay watershed

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
REC-2	E	Previously assigned
NAV		

RARE: Species include Coho salmon and steelhead trout. Sources:

- Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf)

*Marin Coastal Basin*

Surface water body: Copper Mine Gulch Creek

County: Marin

Water body type: Intermittent Stream, tributary to Pine Gulch Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Ketcham B.J., and G.G. Brown
EST		
MAR		
MIGR	E	Ketcham B.J., and G.G. Brown
RARE	E	Ketcham B.J., and G.G. Brown
SPWN	E	Ketcham B.J., and G.G. Brown
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Ketcham B.J., and G.G. Brown. 2003. Coho Salmon (*Oncorhynchus kisutch*) in Pine Gulch Creek, Marin County, CA. 2002 Monitoring Report. Coho Salmon and Steelhead Trout Restoration Program. PORE-NR-WR-03/01. 18pp. plus appendices.

*Marin Coastal Basin*

Surface water body: Wilkins Gulch Creek

County: Marin

Water body type: Intermittent Stream, in Bolinas Lagoon watershed

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Marin Coastal Basin*

Surface water body: Pike County Gulch Creek

County: Marin

Water body type: Intermittent Stream, tributary to Bolinas Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Marin Coastal Basin*

Surface water body: Morses Gulch Creek

County: Marin

Water body type: Intermittent Stream, tributary to Bolinas Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	National Park Service written communication, April 18, 2003. Also, Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE, SPWN and WILD: Memorandum from Mary Coopridier, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

*Marin Coastal Basin*

Surface water body: McKinnan Gulch Creek

County: Marin

Water body type: Intermittent Stream, Bolinas Lagoon watershed

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	National Park Service written communication, April 18, 2003. Also, Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Memorandum from Mary Coopridier, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

*Marin Coastal Basin*

Surface water body: Stinson Gulch Creek

County: Marin

Water body type: Intermittent Stream, tributary to McKinnon Gulch Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Stinson Beach County Water District
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: The Stinson Beach water supply is provided by two types of sources; surface water and ground water. Surface water is supplied by the Fitzhenry, Black Rock, Stinson Gulch and Webb creeks.  
<http://stinson-beach-cwd.dst.ca.us/quality.html>. Accessed November 18, 2009.

COLD, MIGR, RARE and SPWN: Memorandum from Mary Coopridier, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

*Marin Coastal Basin*

Surface water body: Easkoot Creek

County: Marin

Water body type: Intermittent Stream, discharges to Bolinas Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Memorandum from Mary Coopridner, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

*Marin Coastal Basin*

Surface water body: Webb Creek

County: Marin

Water body type: Perennial Stream, tributary to McKinnon Gulch Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Stinson Beach County Water District
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE	E	California Department of Fish and Game
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: The Stinson Beach water supply is provided by two types of sources; surface water and ground water. Surface water is supplied by the Fitzhenry, Black Rock, Stinson Gulch and Webb creeks. Source: <http://stinson-beach-cwd.dst.ca.us/quality.html>. Accessed November 18, 2009.

RARE: Species include steelhead and possibly coho salmon. Source: Map by Bill Cox, California Department of Fish and Game and John O'Conner, SPAWN and Marin County Department of Public Works. Available at [http://gisprod1.co.marin.ca.us/CWPMaps/Natural%20Systems%20%20Maps/Map\\_2-04\\_Steelhead\\_Coho.pdf](http://gisprod1.co.marin.ca.us/CWPMaps/Natural%20Systems%20%20Maps/Map_2-04_Steelhead_Coho.pdf). Accessed August 5, 2009.

General information: Webb Creek originates in Tamalpais State Park.

*Marin Coastal Basin*

Surface water body: Lone Tree Creek

County: Marin

Water body type: Intermittent Stream, discharges to Ocean

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: Lone Tree Creek originates in Tamalpais State Park.

*Marin Coastal Basin*

Surface water body: Redwood Creek (Marin)

County: Marin

Water body type: Perennial Stream

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL	E	Previously assigned
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamsomarin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamsomarin.pdf</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Species include Coho salmon and steelhead trout. Sources:

- Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streamsomarin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamsomarin.pdf)

*Marin Coastal Basin*

Surface water body: Green Gulch Creek

County: Marin

Water body type: Intermittent Stream, tributary to Redwood Creek (Marin County)

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003.
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	National Park Service written communication, April 18, 2003.
SPWN	E	National Park Service written communication, April 18, 2003.
WARM	E	National Park Service written communication, April 18, 2003. Also, Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE, SPWN and WARM: Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

*Marin Coastal Basin*

Surface water body: Tennessee Valley Creek

County: Marin

Water body type: Intermittent Stream

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: Multiple surveys were conducted; no salmonids documented. See: Fong, D. 2005. California freshwater shrimp and fish surveys along Tennessee, Rodeo, and Gerbode Creeks, Marin Co. for the Marin Headlands-Fort Baker Transportation Plan. Unpublished report prepared for the Golden Gate National Recreation Area. 26 pp. Contact National Park Service for copy.

*Marin Coastal Basin*

Surface water body: Rodeo Lagoon  
 County: Marin  
 Water body type: Coastal Lagoon

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG: <a href="http://www.dfg.ca.gov/fishinginthecity/sf/north.html">http://www.dfg.ca.gov/fishinginthecity/sf/north.html</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR	E	Previously assigned to Rodeo Creek in error, and intended to be assigned to this marine water body. Also previous assigned in Basin Plan Table 2-4.
MIGR		
RARE	E	National Park Service written communication, April 18, 2003.
SPWN		
WARM		
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COMM: Trout fishing in Marin County is available primarily in reservoirs stocked by the Department with catchable trout, including **Upper Rodeo Lagoon**: 4 acres. This freshwater lagoon, located on the Fort Cronkite Military Reservation near Sausalito, is open to the public. **Lower Rodeo Lagoon**: This saltwater lagoon is also located on Fort Cronkite, across the road from the Upper Lagoon. Winter storms periodically break open the sand bar at the mouth and allow several species of ocean fish to enter. Species often found in this lagoon include striped bass, starry flounder, surf perch, and smelt. Source: <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 20, 2009.

RARE: Memorandum from Mary Coopriider, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

*Marin Coastal Basin*

Surface water body: Rodeo Creek

County: Marin

Water body type: Perennial Stream, discharges to Rodeo Lagoon

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR	<del>E</del>	Previously assigned. The assignment of MAR to Rodeo Creek, a freshwater creek, was an error. It is likely that MAR was meant to be assigned to Rodeo Lagoon, but assigned to Rodeo Creek by mistake.
MIGR		
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

*Marin Coastal Basin*

Surface water body: Tomales Bay

County: Marin

Water body type: Enclosed bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Previously assigned
SHELL	E	Previously assigned
COLD		
EST		
MAR	E	Previously assigned
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM		
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV	E	NOAA navigation chart 18643, Edition 17, April 1, 2003.

NAV: <http://www.charts.noaa.gov/OnLineViewer/18643.shtml>

*Marin Coastal Basin*

Surface water body: Millerton Gulch

County: Marin

Water body type: Perennial Stream, discharges to Tomales Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Marin Coastal Basin*

Surface water body: Grand Canyon Creek

County: Marin

Water body type: Intermittent Stream, discharges to Tomales Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Marin Coastal Basin*

Surface water body: Tomasini Creek

County: Marin

Water body type: Intermittent Stream, discharges to Tomales Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Giacomini Wetland Restoration Project EIS/EIR
EST		
MAR		
MIGR	E	Giacomini Wetland Restoration Project EIS/EIR
RARE	E	Giacomini Wetland Restoration Project EIS/EIR
SPWN	E	Giacomini Wetland Restoration Project EIS/EIR
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive
REC-1	E	Clean Water Act 101(a)(2) presumptive use. Flows through a National Park/Recreation Area, where access is not physically restricted.
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Special status species include Southwestern river otter, California red-legged frog, Northwestern pond turtle, Steelhead salmon, Coho salmon, Chinook salmon, Tidewater goby, California black rail, California brown pelican, California clapper rail, Green-backed heron, California black rail.

COLD, EST, MIGR, RARE, and SPWN: Point Reyes National Seashore. 2007. Final Giacomini Wetland Restoration Project EIS/EIR. Available at [http://www.nps.gov/pore/parkmgmt/upload/planning\\_giacomini\\_wrp\\_eiseir\\_draft\\_2006\\_ch3.pdf](http://www.nps.gov/pore/parkmgmt/upload/planning_giacomini_wrp_eiseir_draft_2006_ch3.pdf). Pg. 258.

Marin Coastal Basin

Surface water body: Walker Creek

County: Marin

Water body type: Perennial Stream, discharges to Tomales Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: Trout fishing in Marin County is available in ... **Walker Creek:** Both steelhead and salmon are found in this stream. There is public access along Highway One south of the town of Tomales. Source: <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 20, 2009.

RARE: Species include Coho salmon, steelhead, California freshwater shrimp, and California red-legged frog. Sources:

- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf)
- CA Freshwater Shrimp, USFWS, 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, US Fish and Wildlife Service, Region 1, Portland, Oregon. 1998.
- RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006. Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Chileno Creek

County: Marin

Water body type: Intermittent Stream, tributary to Walker Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Federal Register, Vol. 71, No. 71, April 13, 2006. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006.  
Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Laguna Lake

County: Marin / Sonoma border

Water body type: Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

REC-1: Note that public use may be limited. “Sonoma County: Boating permitted at Ralphine Lake, Lake Sonoma, Spring Lake. Public banned at Laguna Lake.” See <http://www.sfgate.com/cgi-bin/article.cgi?f=/c/a/2009/04/09/SP7F16UHLS.DTL&type=printable>. Accessed April 20, 2009.

General Information: Privately owned Laguna Lake, at the headwaters of Chileno Creek, is a large (about 200 acres) shallow water body. Source: Surface Water Ambient Monitoring Program (Swamp), Final Workplan 2001 –2002 San Francisco Bay Regional Water Quality Control Board, August 2001 (Revised August 2002). Available at [http://www.swrcb.ca.gov/rwqcb2/docs/swamp\\_wp\\_01-02.doc](http://www.swrcb.ca.gov/rwqcb2/docs/swamp_wp_01-02.doc).

*Marin Coastal Basin*

Surface water body: Frink Canyon Creek

County: Marin

Water body type: Intermittent Stream, tributary to Walker Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Federal Register, Vol. 71, No. 71, April 13, 2006. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006.  
Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Verde Canyon Creek

County: Marin

Water body type: Intermittent Stream, tributary to Walker Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Federal Register, Vol. 71, No. 71, April 13, 2006.. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006.  
Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Salmon Creek (Marin County)

County: Marin

Water body type: Perennial Stream, tributary to Walker Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf</a> Federal Register, Vol. 71, No. 71, April 13, 2006
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include steelhead trout and California red-legged frog. Sources:

- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf)
- Salmon Creek is within Critical Habit Unit MRN-1 (Salmon Creek) for California red-legged frog. This Unit is located in north-central Marin County, east of Highway 1 and north of Point Reyes Petaluma Road. Source: Federal Register, Vol. 71, No. 71, April 13, 2006. Page 19267.

*Marin Coastal Basin*

Surface water body: Soulejole Reservoir

County: Marin

Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Soulejole Reservoir is a Marin Municipal Water District reservoir.

<http://www.marinwater.org/controller?action=menuclick&id=223>. Accessed April 30, 2009.

COMM: <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 30, 2009.

REC-1: Public access is limited by the Marin Municipal Water District.

*Marin Coastal Basin*

Surface water body: Arroyo Sausal

County: Marin

Water body type: Intermittent Stream, tributary to Walker Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Soulejule Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE	E	Federal Register, Vol. 71, No. 71, April 13, 2006.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include red-legged frog. Source: Federal Register, Vol. 71, No. 71, April 13, 2006.

Supporting source: Map of California red-legged frog habitat in Marin County, California, available at <http://www.epa.gov/espp/litstatus/redleg-frog/marin-jj.pdf>. Accessed November 18, 2009.

*Marin Coastal Basin*

Surface water body: Lagunitas Creek

County: Marin

Water body type: Perennial Stream, discharges to Tomales Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Design- ation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH	E	Flows to freshwater reservoirs
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN, FRSH, & RARE: Lagunitas Creek begins on Mt. Tam, and the creek and its tributaries feed into MMWD's reservoirs. Downstream of the reservoirs, the creek is a spawning and rearing ground for coho salmon and steelhead trout. The creek is also habitat for endangered California freshwater shrimp. Lagunitas Creek supports one of the best populations of coho salmon, and probably the best population of freshwater shrimp, in the state. Source: <http://www.marinwater.org/controller?action=menuclick&id=442>. Accessed April 30, 2009.

RARE: Species include California Freshwater Shrimp. Source: USFWS, 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, US Fish and Wildlife Service, Region 1, Portland, Oregon. 1998.

*Marin Coastal Basin*

Surface water body: Haggerty Gulch Creek

County: Marin

Water body type: Perennial Stream, tributary to Lagunitas Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to freshwater reservoirs
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003.
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	National Park Service written communication, April 18, 2003. California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf</a>
SPWN	E	National Park Service written communication, April 18, 2003.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH & RARE: Lagunitas Creek ... and its tributaries feed into MMWD's reservoirs. Downstream of the reservoirs, the creek is a spawning and rearing ground for coho salmon and steelhead trout. The creek is also habitat for endangered California freshwater shrimp. Lagunitas Creek supports one of the best populations of coho salmon, and probably the best population of freshwater shrimp, in the state. Source: <http://www.marinwater.org/controller?action=menuclick&id=442>. Accessed April 30, 2009.

RARE: Species include steelhead trout. Sources:

- Memorandum from Mary Coopridier, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf).

*Marin Coastal Basin*

Surface water body: Bear Valley Creek

County: Marin

Water body type: Perennial Stream, tributary to Lagunitas Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to freshwater reservoirs
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Park Service written communication, April 18, 2003.
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	National Park Service written communication, April 18, 2003. California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamsofmarin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamsofmarin.pdf</a>
SPWN	E	National Park Service written communication, April 18, 2003.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH & RARE: Lagunitas Creek ... and its tributaries feed into MMWD's reservoirs. Downstream of the reservoirs, the creek is a spawning and rearing ground for coho salmon and steelhead trout. The creek is also habitat for endangered California freshwater shrimp. Lagunitas Creek supports one of the best populations of Coho salmon, and probably the best population of freshwater shrimp, in the state. Source: <http://www.marinwater.org/controller?action=menuclick&id=442>. Accessed April 30, 2009.

RARE: Species include steelhead trout. Sources:

- Memorandum from Mary Coopriker, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streamsofmarin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamsofmarin.pdf).

*Marin Coastal Basin*

Surface water body: Olema Creek

County: Marin

Water body type: Perennial Stream, tributary to Lagunitas Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to freshwater reservoirs
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	National Park Service written communication, April 18, 2003. California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf</a> US Fish & Wildlife Service, CA Freshwater Shrimp
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

FRSH, RARE & SPWN: Lagunitas Creek ... and its tributaries feed into MMWD's reservoirs. Downstream of the reservoirs, the creek is a spawning and rearing ground for coho salmon and steelhead trout. The creek is also habitat for endangered California freshwater shrimp. Lagunitas Creek supports one of the best populations of Coho salmon, and probably the best population of freshwater shrimp, in the state. Source: <http://www.marinwater.org/controller?action=menuclick&id=442>. Accessed April 30, 2009.

RARE: Species include coho salmon, steelhead trout, and California freshwater shrimp. Sources:

- Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf).
- CA Freshwater Shrimp, USFWS, 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, US Fish and Wildlife Service, Region 1, Portland, Oregon. 1998.

*Marin Coastal Basin*

Surface water body: Nicasio Reservoir

County: Marin

Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD	P	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Nicasio Reservoir is a Marin Municipal Water District reservoir. Source: <http://www.marinwater.org/controller?action=menuclick&id=223>. Accessed April 30, 2009.

COMM: Trout fishing in Marin County is available primarily in reservoirs stocked by the Department with catchable trout, including **Nicasio Lake**: 825 acres. Nicasio Lake is located about eleven miles west of Petaluma on the Petaluma-Pt. Reyes Road. There is easy access for shore anglers off both Petaluma-Pt. Reyes Road and Nicasio Road. The lake provides good fishing for crappie and some largemouth bass. No boats are permitted. <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. April 20, 2009.

REC-1: Public access is limited by the Marin Municipal Water District.

*Marin Coastal Basin*

Surface water body: Nicasio Creek

County: Marin

Water body type: Perennial Stream, flows to Nicasio Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE		
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN and FRSH: Nicasio Creek flows to Nicasio Reservoir. Source: Marin Municipal Water District <http://www.marinwater.org/controller?action=menuclick&id=223>. Accessed April 30, 2009.

*Marin Coastal Basin*

Surface water body: Halleck Creek

County: Marin

Water body type: Perennial Stream, flows to Nicasio Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to freshwater reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Marin Coastal Basin*

Surface water body: Devils Gulch Creek

County: Marin

Water body type: Perennial Stream, Lagunitas Creek watershed

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include Coho salmon and steelhead trout. Source: Cox, B. Major Streams in Marin County, May 6, 2003. Available at

[www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf).

*Marin Coastal Basin*

Surface water body: San Geronimo Creek

County: Marin

Water body type: Perennial Stream, tributary to Lagunitas Creek

<b>BU</b>	<b>Design- ation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> California Department of Fish & Game <a href="http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf">www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include coho salmon and steelhead trout. Source: Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf).

*Marin Coastal Basin*

Surface water body: Woodacre Creek

County: Marin

Water body type: Perennial Stream, tributary to San Geronimo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Salmon Protection and Watershed Network (SPAWN)
EST		
MAR		
MIGR	E	Salmon Protection and Watershed Network (SPAWN)
RARE	E	Salmon Protection and Watershed Network (SPAWN)
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Species may include coho salmon and steelhead trout. Source: Email from Chris Pincetich, Ph.D., Watershed Biologist, Salmon Protection and Watershed Network (SPAWN), to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board, RE: Additions to Table 2-1. June 1, 2009.

*Marin Coastal Basin*

Surface water body: Kent Lake

County: Marin

Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Kent Lake is a Marin Municipal Water District reservoir. Source: <http://www.marinwater.org/controller?action=menuclick&id=223>. Accessed April 30, 2009.

COMM: Trout fishing in Marin County is available primarily in reservoirs stocked by the Department with catchable trout, including **Kent Lake**: 460 acres. Kent Lake is located about two miles west of the town of Lagunitas along Sir Francis Drake highway. It is stocked with fingerling trout and provides fair-to-good fly fishing. No boats are permitted. Source: <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 20, 2009.

REC-1: Public access is limited by the Marin Municipal Water District.

*Marin Coastal Basin*

Surface water body: Big Carson Creek

County: Marin

Water body type: Perennial Stream, flows to Kent Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows into freshwater lake
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM		Cold water habitat only, likely no warm water assemblages, based on relationship to other water bodies in the watershed
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Marin Coastal Basin*

Surface water body: Alpine Lake

County: Marin

Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Alpine Lake is a Marin Municipal Water District reservoir. Source: <http://www.marinwater.org/controller?action=menuclick&id=223>. Accessed April 30, 2009.

COMM: Trout fishing in Marin County is available primarily in reservoirs/waterbodies stocked by the Department of Fish & Game with catchable trout, including **Alpine Lake**: 224 acres. This lake is located about five miles west of Fairfax off Bolinas Road. It is stocked with fingerling trout and provides fair-to-good fly fishing. No boats are permitted. <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 20, 2009.

REC-1: Public access is limited by the Marin Municipal Water District.

*Marin Coastal Basin*

Surface water body: Cataract Creek

County: Marin

Water body type: Perennial Stream, flows to Alpine Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to a freshwater lake
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM		Cold water habitat only, likely no warm water assemblages, based on relationship to other water bodies in the watershed
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Marin Coastal Basin*

Surface water body: Bon Tempe Lake

County: Marin

Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Bon Tempe Lake is a Marin Municipal Water District reservoir. Source: <http://www.marinwater.org/controller?action=menuclick&id=223>. Accessed April 30, 2009.

COMM: Trout fishing in Marin County is available primarily in reservoirs/waterbodies stocked by the Department of Fish & Game with catchable trout. **Bon Tempe Lake**: 140 acres. This lake is located about three miles west of Fairfax off Bolinas Road. It is stocked with catchable trout during the winter and spring. No boats are permitted. Source: <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 20, 2009.

REC-1: Public access is limited by the Marin Municipal Water District.

*Marin Coastal Basin*

Surface water body: Lake Lagunitas

County: Marin

Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Lake Lagunitas is a Marin Municipal Water District reservoir. Source: <http://www.marinwater.org/controller?action=menuclick&id=223>. Accessed April 30, 2009.

COMM: Trout fishing in Marin County is available primarily in reservoirs/waterbodies stocked by the Department of Fish & Game with catchable trout, including **Lagunitas Lake**: 22 acres. Located about 1/3 mile upstream from Bon Tempe Lake. The lake is stocked with catchable trout in fall, winter, and spring. It is managed as quality trout fishery with special regulations on bag and size limits. No boats are permitted. Source: <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 20, 2009.

REC-1: Public access is limited by the Marin Municipal Water District.

# **SAN MATEO COASTAL BASIN**

*San Mateo Coastal Basin*

Surface water body: Pacific Ocean  
 County: San Mateo and San Francisco  
 Water body type: Ocean

*Correcting beneficial use(s) of a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND	E	Previously assigned
PROC		
COMM	E	Previously assigned
SHELL	E	Previously assigned
COLD		
EST		
MAR	E	Previously assigned
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM		
WILD	E	Previously assigned
REC-1	E	Previously assigned. REC-1 applies to Pacific Ocean waters up to 30 feet deep and within 1000 feet of shore.
REC-2	E	Previously assigned
NAV	E	Previously assigned

*San Mateo Coastal Basin*

Surface water body: Lake Merced

County: San Francisco

Water body type: Lake

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	P	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

*San Mateo Coastal Basin*

Surface water body: Milagra Creek

County: San Mateo

Water body type: Perennial Stream, discharges to Pacific Ocean at Milagra Valley, north of Pacifica

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	National Park Service written communication, April 18, 2003.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MIGR and RARE: Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

*San Mateo Coastal Basin*

Surface water body: Calera Creek (San Mateo County)

County: San Mateo

Water body type: Intermittent Stream, discharges to Pacific Ocean in Pacifica

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	Water Board staff knowledge
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Water Board staff has knowledge of the presence of red-legged frog along Calera Creek.

Receives an NPDES-permitted discharge: NPDES Permit No. CA0038776– Pacifica Water Recycling Plant, discharges to Calera Creek approximately 0.5 miles upstream from its confluence with the Pacific Ocean, and through a restored wetland. At its lower reaches, Calera Creek is tidal influenced, and does not have the MUN beneficial use.

*San Mateo Coastal Basin*

Surface water body: San Pedro Creek

County: San Mateo

Water body type: Perennial Stream, discharges to Pacific Ocean at Pacifica State Beach

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Public access documented, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

REC-1: *Unified Stream Assessment in Six Watersheds in San Mateo County*, Prepared for the San Mateo Countywide Water Pollution Prevention Program by EOA, Inc., August 2007, pages 45-46.

General information: See Basin Plan Table 2-4 for information on wetland areas in/along lower San Pedro Creek.

*San Mateo Coastal Basin*

Surface water body: San Vicente Creek (previously spelled incorrectly, as Vincente)

County: San Mateo

Water body type: Perennial Stream, discharges to Pacific Ocean north of Half Moon Bay  
Airport

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use
NAV		

*San Mateo Coastal Basin*

Surface water body: Arroyo de en Medio

County: San Mateo

Water body type: Perennial Stream, discharges to Pacific Ocean at Half Moon Bay State Beach

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Mateo Coastal Basin*

Surface water body: Pilarcitos Creek

County: San Mateo

Water body type: Perennial Stream, discharges to Pacific Ocean at Half Moon Bay State Beach

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use for inland surface water body. Also, public access exists in Half Moon Bay and Francis Beach.
REC-2	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use for inland surface water body. Also, public access exists in Half Moon Bay and Francis Beach
NAV		

RARE: Species include steelhead and California red-legged frog. Pilarcitos Creek is within the Critical Habit Unit SNM-1A (Cahill Ridge) for California red-legged frog. Sources:

- Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA, pg. 16. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).
- Federal Register, Vol. 71, No. 71, April 23, 2006. Page 19268.

General information: Pilarcitos Creek consists of about 13 stream miles and drains a watershed of about 30 square miles. Stone Dam, constructed in the 1880s, is located at about stream mile 8.5, while the dam forming Pilarcitos Lake, constructed in 1861, is located approximately 11 miles from the creek mouth.

*San Mateo Coastal Basin*

Surface water body: Arroyo Leon Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pilarcitos Creek on the eastern side of the city of Half Moon Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold water habitat, based on information contained in Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 17
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Burleigh State Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Burleigh State Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Mills Creek (San Mateo County)

County: San Mateo

Water body type: Perennial Stream, tributary to Arroyo Leon in Higgins Canyon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold water habitat, based on information contained in Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 18
EST		
MAR		
MIGR		
RARE	E	Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 18
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Burleigh State Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Burleigh State Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Apanolio Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pilarcitos Creek near the entrance to Diggs Canyon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold water habitat, based on information contained in Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 18
EST		
MAR		
MIGR		
RARE	E	Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 18
SPWN	E	Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 18
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Corinda Los Trancos Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pilarcitos Creek at about stream mile 3

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold water habitat, based on information contained in Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 19.
EST		
MAR		
MIGR		
RARE	E	Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 19.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Burleigh State Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Burleigh State Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

Receives an NPDES-permitted discharge: NPDES No. CA0029947.

*San Mateo Coastal Basin*

Surface water body: Tunitas Creek

County: San Mateo

Water body type: Perennial Stream, discharges to Pacific Ocean at Tunitas Beach

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use. Also, public access exists at Tunitas Beach.
REC-2	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use. Also, public access exists at Tunitas Beach.
NAV		

RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA, pg. 16. Available at:

[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Clear Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to San Gregorio Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 24
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD but not RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: El Corte de Madera Creek

County: San Mateo

Water body type: Perennial Stream, tributary to San Gregorio Creek about 1.5 miles upstream from the Clear Creek confluence

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	P	Previously assigned
RARE	E	Previously assigned
SPWN	P	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use. Also, public access exists at Skeggs Point Wildland Preserve.
REC-2	E	Previously assigned
NAV		

RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA, pg. 24. Available at:

[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf)

*San Mateo Coastal Basin*

Surface water body: Bogess Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to San Gregorio Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 25
EST		
MAR		
MIGR	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 25
RARE	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 25
SPWN	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 25
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Russian Ridge Open Space Preserve, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Russian Ridge Open Space Preserve, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Harrington Creek

County: San Mateo

Water body type: Perennial Stream, discharges to San Gregorio Creek west of the town of Redwood Terrace

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 26
EST		
MAR		
MIGR	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 26
RARE	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 26
SPWN	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 26
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: La Honda Creek

County: San Mateo

Water body type: Perennial Stream, tributary to San Gregorio Creek at the town of La Honda

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 26
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 26
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 26
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008. <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 26
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Woodruff Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to La Honda Creek about 0.6 miles north of the Langley Creek confluence

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 27.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD but not RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Woodhams Creek

County: San Mateo

Water body type: Perennial Stream, tributary to La Honda Creek north of the town of La Honda

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, pg. 27
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD but not RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Mindego Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Alpine, then San Gregorio Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 28
EST		
MAR		
MIGR		
RARE	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 28
SPWN	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 28
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE, and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Alpine Creek

County: San Mateo

Water body type: Perennial Stream, tributary to San Gregorio Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Mateo Coastal Basin*

Surface water body: Pomponio Creek

County: San Mateo

Water body type: Perennial Stream, discharges to the Pacific Ocean at Pomponio State Beach

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

*San Mateo Coastal Basin*

Surface water body: Pomponio Reservoir

County: San Mateo

Water body type: Reservoir on Pomponio Creek

<b>BU</b>	<b>Exist?</b>	<b>Information Source</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHEL		
COLD	E	Cold freshwater habitat on Pomponio Creek
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
ASBS		
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: Pomponio Reservoir is on private property, per San Mateo County personnel.

Source: Email to Janet O'Hara, SFBRWQCB, from Jon Konnan, EOA, Inc. dated 12/14/09.

San Mateo Coastal Basin

Surface water body: Pescadero Marsh

County: San Mateo

Water body type: Coastal Lagoon

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR	E	Previously assigned (Basin Plan Table 2-4)
MIGR	E	Previously assigned (Basin Plan Table 2
RARE	E	Previously assigned (Basin Plan Table 2
SPWN	E	Previously assigned (Basin Plan Table 2-4)
WARM		
WILD	E	Previously assigned (Basin Plan Table 2
REC-1	E	Previously assigned (Basin Plan Table 2
REC-2	E	Previously assigned (Basin Plan Table 2
NAV		

MIGR and RARE: Rare species include coho salmon, steelhead, California red-legged frog, tidewater goby and San Francisco garter snake. Sources:

- U.S. Fish and Wildlife Service. 2005. Recovery Plan for the Tidewater Goby (*Eucyclogobius newberryi*). U.S. Fish and Wildlife Service, Portland, Oregon. vi + 199 pp. Available at <http://www.r1.fws.gov/ecoservices/endangered/recovery/plans.html> and <http://endangered.fws.gov/recovery/index.html>.
- San Francisco Regional Water Quality Control Board, Executive Officer's Report, Jan. 7, 2009, pp. 2-3. Available at: [http://www.waterboards.ca.gov/sanfranciscobay/board\\_info/agendas/2009/january/5\\_EO.pdf](http://www.waterboards.ca.gov/sanfranciscobay/board_info/agendas/2009/january/5_EO.pdf).

General information: Pescadero Marsh forms a seasonal lagoon that typically breaches after winter storms and includes Pescadero and Butano creeks, a large area of brackish marsh, constructed agricultural drainage, and remnants of previous restoration efforts by the state parks department.

Source: San Francisco Regional Water Quality Control Board, Executive Officer's Report, Jan. 7, 2009, pp. 2-3. Available at:

[http://www.waterboards.ca.gov/sanfranciscobay/board\\_info/agendas/2009/january/5\\_EO.pdf](http://www.waterboards.ca.gov/sanfranciscobay/board_info/agendas/2009/january/5_EO.pdf).

*San Mateo Coastal Basin*

Surface water body: Honsinger Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to Pescadero Creek east of the town of Pescadero

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 32
EST		
MAR		
MIGR		
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 32
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Pescadero Creek County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Pescadero Creek County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: McCormick Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to Pescadero Creek southeast of Mount Ellen

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 33
EST		
MAR		
MIGR	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 33
RARE	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 33
SPWN	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 33
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE, and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Hoffman Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to Pescadero Creek west of Oakland Camp

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 33
EST		
MAR		
MIGR		
RARE	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 33
SPWN		
WARM		Cold water habitat only. No warm water assemblages.
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Pescadero Creek County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Pescadero Creek County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Jones Gulch Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pescadero Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Pescadero Creek County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Pescadero Creek County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*San Mateo Coastal Basin*

Surface water body: Tarwater Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pescadero Creek approximately two miles downstream from the park headquarters

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Pescadero Creek County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Pescadero Creek County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Peters Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pescadero Creek at Park headquarters

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34.
EST		
MAR		
MIGR		
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34.
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Portola State Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Portola State Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE, and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Lambert Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Peters Creek approximately 1.7 miles upstream from the Bear Creek confluence

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34
EST		
MAR		
MIGR		
RARE	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34
SPWN	E	Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 34
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Skyline Ridge Open Space Preserve, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Skyline Ridge Open Space Preserve, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE, and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Fall Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to Pescadero Creek south of Park headquarters

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 35
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Pescadero County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Pescadero County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf). No documentation of rare species on or after November 28, 1975.

*San Mateo Coastal Basin*

Surface water body: Slate Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pescadero Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 35
EST		
MAR		
MIGR		
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 35
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 35
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Portola State Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Portola State Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Oil Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pescadero Creek approximately 1.1 miles upstream from the Slate Creek confluence

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 35
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 35
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 35
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 35
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE, and SPWN: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Little Boulder Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pescadero Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, pg. 36
EST		
MAR		
MIGR		
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Waterman Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Pescadero Creek approximately 0.7 miles upstream from the Little Boulder Creek confluence

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Mateo Coastal Basin*

Surface water body: Butano Creek

County: San Mateo

Water body type: Perennial Stream, discharges to Pacific Ocean at Pescadero State Beach

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 30
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Becker, G.S. and I.J. Reining. 2008, <a href="http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf">http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf</a> pg. 30
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. Available at:  
[http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

*San Mateo Coastal Basin*

Surface water body: Little Butano Creek

County: San Mateo

Water body type: Perennial Stream, tributary to Butano Creek at about stream mile 5.3

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Butano State Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Butano State Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

General information: A 2004 Pescadero Creek watershed assessment found the creek to have “optimal” aquatic habitat and placed priority on conserving and improving habitat in this tributary. Source: Becker, G.S. and I.J. Reining. 2008. Steelhead/rainbow trout (*Oncorhynchus mykiss*) resources south of the Golden Gate, California. Cartography by D.A. Asbury. Center for Ecosystem Management and Restoration. Oakland, CA. pg. 31. Available at: [http://www.cemar.org/SSRP/pdfs/SSRP\\_SanMateo.pdf](http://www.cemar.org/SSRP/pdfs/SSRP_SanMateo.pdf).

# **CENTRAL BASIN**

Central Basin

Surface water body: Golden Gate Channel

County: San Francisco

Water body type: Ocean

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commercial and/or recreational fishing uses exist. See also National Park Service written communication, April 18, 2003.
SHELL		
COLD		
EST		
MAR	E	Marine ecosystem
MIGR	E	Migratory route for steelhead and coho. See also National Park Service written communication, April 18, 2003.
RARE	E	Species include, but are not limited to, steelhead and coho. See also National Park Service written communication, April 18, 2003.
SPWN	E	National Park Service written communication, April 18, 2003.
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18650, 55 <sup>th</sup> Edition, Dec. 2007

COMM, MIGR, RARE, and SPWN: Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

NAV: <http://www.charts.noaa.gov/OnLineViewer/18650.shtml>

Central Basin

Surface water body: Crissy Field Lagoon

County: San Francisco

Water body type: Estuarine Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Central Basin*

Surface water body: Golden Gate Park Lakes

County: San Francisco

Water body type: Lakes

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

General information: A series of lakes, including man-made lakes, in Golden Gate Park include North, Middle, South, Spreckles, Mallard, Lloyd, Elk Glen, and Stow Lakes. Source:

[http://www.parks.sfgov.org/wcm\\_repark/GGP/GGPMMap.pdf](http://www.parks.sfgov.org/wcm_repark/GGP/GGPMMap.pdf). Accessed January 14, 2010.

Central Basin

Surface water body: Lobos Creek

County: San Francisco

Water body type: Perennial Stream, discharges to Ocean

BU	Designation	Rationale and/or Source of Information
AGR		
MUN	E	The Presidio Trust
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN	E	National Park Service written communication, April 18, 2003.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: Lobos Creek is the primary water supply for Presidio Park. Source: Presidio Water Recycling Project Environmental Assessment, Pg. 3.3-1 Available at [http://library.presidio.gov/archive/documents/water\\_recycling/3-3\\_WaterRes.pdf](http://library.presidio.gov/archive/documents/water_recycling/3-3_WaterRes.pdf).

Also, National Park Service, Presidio of San Francisco web site at <http://www.nps.gov/prsf/planyourvisit/lobos-creek-valley.htm>: “Containing the last free-flowing stream in San Francisco, Lobos Creek Valley provides important native plant and wildlife habitat in an otherwise urban area. The creek has long been a source of water for the Presidio, and a flume from the creek to San Francisco provided water to the town in its early days.”

SPWN: Memorandum from Mary Coopridier, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

Central Basin

Surface water body: Mountain Lake

County: San Francisco

Water body type: Lake

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information:

- The campsite of the Anza settlement party in 1776, Mountain Lake became a source of fresh water for San Francisco during the early years. Much of the lake's shoreline was buried in the 1930s to provide a freeway approach to the Golden Gate Bridge. Source: <http://www.nps.gov/prsf/planyourvisit/mountain-lake.htm>. Accessed December 7, 2009.
- Mountain Lake is 14.2 acres, of which 13.1 acres are within the Presidio National Park and administered by the Presidio Trust. Mountain Lake has become a living classroom for researchers at the California Academy of Sciences who are using it for students from middle school through college who serve as "science citizens." They are collecting data on habitat patterns among the birds, reptiles, amphibians and zoo-plankton that thrive in the lake. Source: <http://www.sfnpc.org/mountainlakeparkhistory>. Accessed December 7, 2009.

*Central Basin*

Surface water body: San Rafael Creek

County: Marin

Water body type: Perennial Stream, formed by the union of San Anselmo & Sleepy Hollow Creeks

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV	E	Previously assigned

General information: See Basin Plan Table 2-4 for information on wetland areas in/along lower San Rafael Creek.

Central Basin

Surface water body: Corte Madera Creek

County: Marin

Water body type: Perennial Stream, formed by the union of San Anselmo & Sleepy Hollow Creeks

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing confirmed by Friends of Corte Madera Creek
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Edited from Potential to Existing use because existence of spawning habitat is confirmed in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 165.
RARE	E	Previously assigned
SPWN	E	Edited from Potential to Existing use because existence of spawning habitat is confirmed by the National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV	E	NOAA navigation chart 18653, 10 <sup>th</sup> Edition, July 2005 <a href="http://www.charts.noaa.gov/OnLineViewer/18653.shtml">http://www.charts.noaa.gov/OnLineViewer/18653.shtml</a>

COMM: Recreational fishing for bass and other fish is common, particularly under Hwy 101. Confirmed by Friends of Corte Madera Creek. August 26, 2009 email and phone contacts with Water Board staff.

RARE and MIGR:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Rich, Alice D. Fishery Resources Conditions of the Corte Madera Creek Watershed. 2000. Prepared for: Friends of Corte Madera Creek Watershed, November 10, 2000.

## *Central Basin*

### RARE only:

- RMC, 2003. North Bay Watershed Stewardship Plan, October 2003, Appendix A.4. *Species in lower reaches include Salt marsh harvest mouse, California clapper rail, California black rail, Salt marsh yellowthroat, Western pond turtle, Chinook salmon, Steelhead, and Coho salmon.*
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf)

### General information:

- The channel is called Corte Madera Creek from the Ross Creek confluence to San Francisco Bay Estuary, and for a mile of its length it is encased by a concrete-lined channel. It drains into a tidal salt marsh at Kentfield, and then into San Francisco Bay near Corte Madera. Larkspur Creek and Tamalpais Creek are the only major tributaries to Corte Madera Creek that enter downstream from the concrete channel. Source: <http://www.friendsofcortemaderacreek.org/ws/watershed.html>. Accessed January 4, 2010.
- See Basin Plan Table 2-4 for information on wetland areas in/along lower Corte Madera Creek.

*Central Basin*

Surface water body: Richmond Inner Harbor

County: Contra Costa

Water body type: Embayment of San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing within San Francisco Estuary
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18653, 67 <sup>th</sup> Edition, Dec. 1, 2009

NAV: <http://www.charts.noaa.gov/OnLineViewer/18649.shtml>

Central Basin

Surface water body: Larkspur Creek

County: Marin

Water body type: Perennial Stream, tributary to Corte Madera Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 166.
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 166.
SPWN	E	Friends of Corte Madera Creek
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

SPWN: Native anadromous fish spawn in this creek. Source: Email and follow-up telephone call from Sandra Guldman, Friends of Corte Madera Creek, to Jan O'Hara, San Francisco Bay Regional Water Quality Control Board. August 26, 2009.

Central Basin

Surface water body: Tamalpais Creek

County: Marin

Water body type: Perennial Stream, tributary to Corte Madera Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 166
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

Central Basin

Surface water body: Ross Creek (Marin County)

County: Marin

Water body type: Intermittent Stream, tributary to Corte Madera Creek, formed by confluence of Phoenix and Bill Williams Creeks

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 167
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. California Department of Fish & Game's krisweb
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf)

*Central Basin*

Surface water body: Phoenix Lake

County: Marin

Water body type: Reservoir on Ross Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	Friends of Corte Madera Creek Report
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Phoenix Lake is a Marin Municipal Water District reservoir.

<http://www.marinwater.org/controller?action=menuclick&id=223>. Accessed April 30, 2009.

COMM: Trout fishing in Marin County is available primarily in reservoirs/waterbodies stocked by the Department of Fish & Game with catchable trout, including **Phoenix Lake**: 23 acres. Located in the town of Ross about one and one-half miles off Sir Francis Drake highway at the end of Lagunitas Drive. Phoenix Lake is stocked with catchable trout during the winter and spring. No boats are permitted.

<http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 30, 2009.

RARE: Northwestern pond turtles are found in Phoenix Lake. Source: Fish and Wildlife in the Corte Madera Creek Watershed, Prepared by Friends of Corte Madera Watershed, May 2004, pg. 4. Available at <http://www.friendsofcortemaderacreek.org/ws/FishWildlife.pdf>.

REC-1: Public access is limited by the Marin Municipal Water District.

Central Basin

Surface water body: Phoenix Creek

County: Marin

Water body type: Perennial Stream, tributary to Ross Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to freshwater reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

Central Basin

Surface water body: Bill Williams Creek

County: Marin

Water body type: Perennial Stream, tributary to Ross Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to freshwater reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN	E	Friends of Corte Madera Creek observations
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

SPWN: Native anadromous fish spawn in this creek. Source: Email from Sandra Guldman, Friends of Corte Madera Creek, to Jan O'Hara, San Francisco Bay Regional Water Quality Control Board. August 26, 2009.

Central Basin

Surface water body: Sleepy Hollow Creek

County: Marin

Water body type: Perennial Stream, joins with San Anselmo Creek to form Corte Madera Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 167-8.
EST		
MAR		
MIGR	E	Friends of Corte Madera Creek observations
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 167-8. California Department of Fish & Game Krisweb
SPWN	E	Friends of Corte Madera Creek
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf)

MIGR and SPWN: Native anadromous fish migrate through and spawn in this creek. Source: Email from Sandra Goldman, Friends of Corte Madera Creek, to Jan O'Hara, San Francisco Bay Regional Water Quality Control Board. August 26, 2009.

Central Basin

Surface water body: San Anselmo Creek

County: Marin

Water body type: Perennial Stream, joins Sleepy Hollow Creek to form Corte Madera Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 168.
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 168.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 168.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 168.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

Central Basin

Surface water body: Fairfax Creek

County: Marin

Water body type: Perennial Stream, tributary to San Anselmo Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg 168.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Friends of Corte Madera Creek observations
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD reference: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

SPWN: Native anadromous fish spawn in this creek. Source: Email from Sandra Guldman, Friends of Corte Madera Creek, to Jan O'Hara, San Francisco Bay Regional Water Quality Control Board. August 26, 2009.

Central Basin

Surface water body: Cascade Creek

County: Marin

Water body type: Perennial Stream, uppermost headwater tributary to San Anselmo Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg 163.
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. California Department of Fish & Game Krisweb
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
WARM		Cold water habitat only. No warm water assemblages.
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Cascade Canyon Open Space Preserve, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Cascade Canyon Open Space Preserve, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf)

COLD water habitat only (no warm water habitat). Source: Email from Sandra Guldman, Friends of Corte Madera Creek, to Jan O'Hara, San Francisco Bay Regional Water Quality Control Board. August 26, 2009.

Central Basin

Surface water body: Arroyo Corte Madera del Presidio

County: Marin

Water body type: Perennial Stream, drains east side of Mount Tamalpais, flows to Richardson Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL	E	Previously assigned
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg 161.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 161. California Department of Fish & Game Krisweb
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

MIGR and RARE:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streamssofarin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streamssofarin.pdf)
- Species include Chinook salmon, Steelhead, and Coho salmon. Source: RMC, 2003. North Bay Watershed Stewardship Plan, October 2003, Appendix A.4, pg. 1.

Central Basin

Surface water body: Warner Creek (Marin County, Mill Valley)

County: Marin

Water body type: Perennial Stream, tributary to Arroyo Corte Madera del Presidio

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg 162.
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

Central Basin

Surface water body: Old Mill Creek

County: Marin

Water body type: Perennial Stream, tributary to Arroyo Corte Madera del Presidio

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg 163.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. California Department of Fish & Game's krisweb
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

MIGR, RARE and SPWN:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Cox, B. Major Streams in Marin County, May 6, 2003. Available at [www.krisweb.com/biblio/marinsonoma\\_cdfg\\_cox\\_2000\\_streams\\_of\\_marin.pdf](http://www.krisweb.com/biblio/marinsonoma_cdfg_cox_2000_streams_of_marin.pdf)

Central Basin

Surface water body: Willow Reed Creek (also called Widow Creek and Reed Creek)

County: Marin

Water body type: Perennial Stream, tributary to Arroyo Corte Madera del Presidio

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg 162.
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 162.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 162.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Central Basin*

Surface water body: Coyote Creek (Marin County)

County: Marin

Water body type: Intermittent Stream, discharges to Richardson Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Public access in Mill Valley, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

Central Basin

Surface water body: Nyhan Creek

County: Marin

Water body type: Intermittent Stream, tributary to Coyote Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Central Basin*

Surface water body: Lake Temescal

County: Alameda

Water body type: Reservoir on Temescal Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

General information: Lake Temescal was built as a water supply reservoir for Oakland in the 1860s, but was not used for long. It is now one of Oakland's favorite swimming areas. Source: Attributed to East Bay Municipal Utility District, found on <http://www.firehydrant.org/info/ebchina.html>. Accessed December 7, 2009.

Central Basin

Surface water body: Temescal Creek

County: Alameda

Water body type: Intermittent Stream, discharges to San Francisco Estuary at Emeryville

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg 46.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Lake Temescal Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Lake Temescal Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Central Basin*

Surface water body: Claremont Creek

County: Alameda

Water body type: Intermittent Stream

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Claremont Canyon Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Claremont Canyon Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*Central Basin*

Surface water body: Strawberry Creek

County: Alameda

Water body type: Intermittent Stream, discharges to the San Francisco Estuary near the Berkeley Marina

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at UC Campus and public parks, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at UC Campus and public parks, also Clean Water Act 101(a)(2) presumptive use
NAV		

For general information, see <http://strawberrycreek.berkeley.edu/naturalhistory/biology.html> and University of California, Berkeley, Strawberry Creek, Biological Resources, Flora & Fauna, Status Report. 2008. Available at <http://strawberrycreek.berkeley.edu/creekmgmt/documents/SCMP2008BiologicalResourcesStatus.pdf>

Central Basin

Surface water body: Codornices Creek

County: Alameda

Water body type: Intermittent Stream, discharges to the San Francisco Estuary at the border of Albany and Berkeley

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg 45
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA. “Although many [*Oncorhynchus mykiss*] are resident, anecdotal accounts suggest small numbers of anadromous spawners may sporadically enter the stream.” Pg. 45.

Further information on the restoration project on Codornices Creek or its watershed stewardship group, Friends of Five Creeks, see <http://www.fivecreeks.org/restoration.html> or [http://www.urban creeks.org/Current\\_Protects.html#CCWRAP](http://www.urban creeks.org/Current_Protects.html#CCWRAP).

*Central Basin*

Surface water body: Village Creek

County: Contra Costa

Water body type: Intermittent Stream, tributary to Codornices Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Central Basin*

Surface water body: Capistrano Creek

County: Contra Costa

Water body type: Intermittent Stream

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Central Basin*

Surface water body: Cerrito Creek

County: Contra Costa

Water body type: Intermittent Stream, discharges to the San Francisco Estuary at the north side of Albany Hill

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

Further information on the restoration project on Cerrito Creek or its watershed stewardship group, Friends of Five Creeks, see <http://www.fivecreeks.org/restoration.html>.

Central Basin

Surface water body: Baxter Creek

County: Contra Costa

Water body type: Intermittent Stream, discharges to the San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

For information on Baxter Creek restoration projects and its watershed stewardship group, see <http://www.creativedifferences.com/baxtercreek/index.html>

# **SOUTH BAY BASIN**

*South Bay Basin*

Surface water body: Mission Creek (San Francisco)

County: San Francisco

Water body type: Tidal Slough on San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commercial and recreational fishing in San Francisco Estuary and connected sloughs and embayments
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18650, 55 <sup>th</sup> Edition, Dec. 2007

NAV: <http://www.charts.noaa.gov/OnLineViewer/18650.shtml>

*South Bay Basin*

Surface water body: Central Basin (San Francisco County)

County: San Francisco

Water body type: Estuary on San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commercial and recreational fishing in San Francisco Estuary and connected sloughs and embayments
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18650, 55 <sup>th</sup> Edition, Dec. 2007

NAV: <http://www.charts.noaa.gov/OnLineViewer/18650.shtml>

*South Bay Basin*

Surface water body: Islais Creek, tidal

County: San Francisco

Water body type: Tidal Slough on San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commercial and recreational fishing in San Francisco Estuary and connected sloughs and embayments
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18650, 55 <sup>th</sup> Edition, Dec. 2007

NAV: <http://www.charts.noaa.gov/OnLineViewer/18650.shtml>

*South Bay Basin*

Surface water body: Islais Creek, nontidal

County: San Francisco

Water body type: Intermittent Stream

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commercial and recreational fishing in San Francisco Estuary and connected sloughs and embayments
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland water bodies
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: India Basin

County: San Francisco

Water body type: Tidal Slough, south of Islais Creek on San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commercial and recreational fishing in San Francisco Estuary and connected sloughs and embayments
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18650, 55 <sup>th</sup> Edition, Dec. 2007

NAV: <http://www.charts.noaa.gov/OnLineViewer/18650.shtml>

*South Bay Basin*

Surface water body: South Basin (San Francisco County)

County: San Francisco

Water body type: Estuary, south of India Basin on San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commercial and recreational fishing in San Francisco Estuary and connected sloughs and embayments
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18650, 55 <sup>th</sup> Edition, Dec. 2007

NAV: <http://www.charts.noaa.gov/OnLineViewer/18650.shtml>

*South Bay Basin*

Surface water body: Yosemite Creek

County: San Francisco

Water body type: Tidal Slough, discharges to South Basin on San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commercial and recreational fishing in San Francisco Estuary and connected sloughs and embayments
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Brisbane Lagoon

County: San Mateo

Water body type: Estuarine Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Guadalupe Canyon Creek

County: San Mateo

Water body type: Intermittent Stream, drains San Bruno Mountains

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at San Bruno Mountain State & County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at San Bruno Mountain State & County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Colma Creek

County: San Mateo

Water body type: Perennial Stream, drains to San Francisco Estuary at San Bruno Canal in South San Francisco

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: San Bruno Creek

County: San Mateo

Water body type: Intermittent Stream, drains urban area north of San Andreas Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Mills Creek (San Mateo County)

County: San Mateo

Water body type: Intermittent Stream, drains to San Francisco Estuary at Burlingame Shorebird Sanctuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Easton Creek

County: San Mateo

Water body type: Intermittent Stream, drains developed areas north of Hillsborough and west of Burlingame, drains to San Francisco Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: Enters a below-grade culvert in vicinity of El Camino Real.

*South Bay Basin*

Surface water body: Burlingame Lagoons

County: San Mateo

Water body type: Estuarine Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Anza Lagoon

County: San Mateo

Water body type: Estuarine Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Sanchez Creek

County: San Mateo

Water body type: Intermittent Stream, drains to San Francisco Estuary west of Coyote Point  
County Park

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Cherry Canyon Creek

County: San Mateo

Water body type: Intermittent Stream in Hillsborough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: San Mateo Creek

County: San Mateo

Water body type: Perennial Stream, drains to San Francisco Estuary near Seal Point Shoreline Park

*Adding beneficial uses to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Edited from Potential to Existing use because evidence of cold freshwater habitat is indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 148.
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 148.
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use. Also, public access exists at Gateway Park & Arroyo Park.
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use. Also, public access exists at Gateway Park & Arroyo Park.
NAV		

FRSH: Upper and Lower Crystal Springs Reservoirs are located on San Mateo Creek.

COLD and MIGR: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

RARE: Species include San Francisco garter snake, California red-legged frog, and western pond turtle in the upper reaches. Source: San Francisco Bay Regional Water Quality Control Board, 2002. Source: Surface Water Ambient Monitoring Program (SWAMP) Final Workplan 2002-2003, June 2002. Available at [http://www.swrcb.ca.gov/rwqcb2/docs/swamp\\_wp\\_02-03.pdf](http://www.swrcb.ca.gov/rwqcb2/docs/swamp_wp_02-03.pdf).

South Bay Basin

Surface water body: Polhemus Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to San Mateo Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 149.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*South Bay Basin*

Surface water body: Lower Crystal Springs Reservoir

County: San Mateo

Water body type: Reservoir on San Mateo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

REC-1: Public access to Lower Crystal Springs Reservoir is limited by the San Francisco Public Utilities Commission.

*South Bay Basin*

Surface water body: Upper Crystal Springs Reservoir

County: San Mateo

Water body type: Reservoir on San Mateo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

REC-1: Public access to Lower Crystal Springs Reservoir is limited by the San Francisco Public Utilities Commission.

*South Bay Basin*

Surface water body: San Andreas Creek

County: San Mateo

Water body type: Intermittent Stream, tributary to San Mateo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to San Andreas Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Marina Lagoon

County: San Mateo

Water body type: Estuarine Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: Seal Slough

County: San Mateo

Water body type: Estuarine Lagoon

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	T.E. Harvey, et al.
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California clapper rail. Source: T.E. Harvey, H.S. Shellhammer, C.M.Hogan, K.Wilson, G.W.Ball, V. Pfeifle et al., *Section 7 endangered species biological assessment for the proposed East Third Avenue widening project, city of San Mateo, San Mateo County*, prepared by Earth Metrics Inc. for [Caltrans](http://www.caltrans.ca.gov/) and the city of San Mateo, California (1980). See also, Wetland Tracker at <http://www.wetlandtracker.org/tracker/>.

General information: Seal Slough is a narrow winding tidal channel through a tidal marsh in San Mateo and Foster City. This slough has been the object of a wetland restoration project to enhance habitat value. Dredging has been carried out in Seal Slough since at least 1954. When the original wastewater treatment plant for the city of San Mateo was constructed in 1935, its discharge was directed to Seal Slough. The marshy area through which Seal Slough meanders is a productive brackish wetland whose dominant flora is cordgrass. There are a number of significant wildlife features associated with Seal Slough, including use by the endangered California Clapper Rail. A tide gate near the mouth of Seal Slough regulates tidal influx from San Francisco Bay to the Marina Lagoon. Source: [http://en.wikipedia.org/wiki/Seal\\_Slough](http://en.wikipedia.org/wiki/Seal_Slough). Accessed April 20, 2009.

*South Bay Basin*

Surface water body: Leslie Creek

County: San Mateo

Water body type: Intermittent Stream, discharges to Seal Slough in Foster City

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Borel Creek (also called the 19<sup>th</sup> Avenue Channel)

County: San Mateo

Water body type: Intermittent Stream, discharges to Seal Slough in Foster City

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: O'Neill Slough

County: San Mateo

Water body type: Estuarine Lagoon in Foster City

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Foster City Lagoon (also called Central Lake)

County: San Mateo

Water body type: Estuarine Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Belmont Slough (also called Belmont Channel)

County: San Mateo

Water body type: Tidal Slough between Foster City and Redwood City

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Previously assigned (Basin Plan Table 2-4)
MAR		
MIGR		
RARE	E	Previously assigned (Basin Plan Table 2-4)
SPWN	E	Previously assigned (Basin Plan Table 2-4)
WARM		
WILD	E	Previously assigned (Basin Plan Table 2-4)
REC-1	E	Previously assigned (Basin Plan Table 2-4)
REC-2	E	Previously assigned (Basin Plan Table 2-4)
NAV		

General information: To the southeast of Foster City is the mostly-natural Belmont Slough, which empties into the Bay. The Bay tides dramatically affect the level and appearance of the slough. ... The outer edges of the city along Belmont Slough and San Francisco Bay are protected undeveloped marshland with public access. This is where the Bay Trail runs. Source:

<http://baytrail.abag.ca.gov/vtour/map2/access/BTFoster/BTFoster.htm>. Accessed April 20, 2009.

*South Bay Basin*

Surface water body: Belmont Creek

County: San Mateo

Water body type: Perennial Stream, discharges to Belmont Slough near Foster City

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Twin Pines Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Twin Pines Park , also Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Laurel Creek (San Mateo County)

County: San Mateo

Water body type: Intermittent Stream, discharges to Belmont Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Laurel Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Laurel Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Bay Slough (San Mateo County)

County: San Mateo

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

*South Bay Basin*

Surface water body: Steinberger Slough

County: San Mateo

Water body type: Tidal Slough in Redwood City

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

South Bay Basin

Surface water body: Bair Island Wetlands

County: San Mateo

Water body type: Salt Marsh Wetlands

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Previously assigned (Basin Plan Table 2-4)
MAR		
MIGR		
RARE	E	Previously assigned (Basin Plan Table 2-4)
SPWN		
WARM		
WILD	E	Previously assigned (Basin Plan Table 2-4)
REC-1	E	Previously assigned (Basin Plan Table 2-4)
REC-2	E	Previously assigned (Basin Plan Table 2-4)
NAV		

RARE: Bair Island is located within the Don Edwards San Francisco Bay National Wildlife Refuge; species in this Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include:

<http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>,

<http://www.fws.gov/DESFBAY/>. Accessed December 16, 2009.

General information:

- Bair Island actually consists of three islands (Inner, Middle, and Outer Bair) of unique wetland habitat that is home to many species of nesting birds, including American avocets and black-necked stilts, marine organisms like the native oyster, and marine mammals such as harbor seals. Source: <http://www.estuaries.org/?id=137>. Accessed September 17, 2009.
- The outer island is separated from the middle island by meandering Corkscrew Slough. Whereas dikes and siphons keep the two inner islands high and dry, parts of the outer island flood with the tides while others stay dry, providing varied habitats for harbor seals, herons, egrets, hawks and the bay's clapper rail. Source: <http://www.metroactive.com/papers/metro/10.17.96/cover/bair-island-9642.html>. Accessed September 17, 2009.

*South Bay Basin*

Surface water body: Corkscrew Slough

County: San Mateo

Water body type: Tidal Slough in Bair Island Wetlands

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

*South Bay Basin*

Surface water body: Smith Slough (San Mateo County)

County: San Mateo

Water body type: Tidal Slough in Bair Island Wetlands

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

*South Bay Basin*

Surface water body: Pulgas Creek

County: San Mateo

Water body type: Intermittent Stream, drains into Smith Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Cordilleras Creek

County: San Mateo

Water body type: Intermittent Stream, drains to Smith Slough at San Carlos Airport

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Redwood Slough (San Mateo County)

County: San Mateo

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18650, 55 <sup>th</sup> Edition, Dec. 2007

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

NAV: <http://www.charts.noaa.gov/OnLineViewer/18650.shtml>

*South Bay Basin*

Surface water body: Redwood Creek – nontidal (San Mateo County)

County: San Mateo

Water body type: Perennial Stream, drains to Redwood Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Arroyo Ojo de Agua (also called Arroyo Ojo)

County: San Mateo

Water body type: Intermittent Stream, tributary of Redwood Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Stuhlsaft Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Stuhlsaft Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Westpoint Slough

County: San Mateo

Water body type: Tidal Slough in Redwood City

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

*South Bay Basin*

Surface water body: Atherton Creek

County: San Mateo

Water body type: Intermittent Stream

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Ravenswood Slough

County: San Mateo

Water body type: Tidal Slough at foot of Dumbarton Bridge in Menlo Park

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFBAY/>. Accessed December 16, 2009.

*South Bay Basin*

Surface water body: Oakland Inner Harbor

County: Alameda

Water body type: Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18650, 55 <sup>th</sup> Edition, Dec. 2007

NAV: <http://www.charts.noaa.gov/OnLineViewer/18650.shtml>

*South Bay Basin*

Surface water body: Merritt Channel

County: Alameda

Water body type: Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Has supported recreational fishing on/after November 28, 1975
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Lake Merritt

County: Alameda

Water body type: Lake

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Has supported recreational fishing on/after November 28, 1975
SHELL	E	Previously assigned
COLD		
EST	E	Previously assigned
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: Lake Merritt is a unique fresh and salt-water lake, the largest such lake in the U.S. located within an urban area. With a circumference of 3.4 miles and covering 155 acres of land, Lake Merritt is home to wildlife, formal gardens, and a children's amusement park, all of which draw scores of walkers, joggers, bikers, rowers, sailors, and windsurfers. An important habitat for migratory birds, Lake Merritt was declared a National Wildlife Refuge in 1869, making it the first such refuge in North America. Source: <http://www.discoveramerica.com/ca/california/lake-merritt-lakeside-park.html>. Accessed April 20, 2009.

*South Bay Basin*

Surface water body: Glen Echo Creek

County: Alameda

Water body type: Intermittent Stream, headwaters are upstream of Blair Park in Oakland hills, drains to Lake Merritt

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Oak Glen Park and Glen Echo Creek Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Oak Glen Park and Glen Echo Creek Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: Sausal Creek (Alameda County)

County: Alameda

Water body type: Perennial Stream, drains to Oakland Inner Harbor near the Fruitvale Avenue Bridge

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 47. Friends of Sausal Creek
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 47.
SPWN	E	Friends of Sausal Creek
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Dimond Park & Joaquin Miller Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Dimond Park & Joaquin Miller Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

COLD and SPWN: Letter from Kimra D. McAfee, Executive Director, Friends of Sausal Creek, to Jan O'Hara, San Francisco Bay Regional Water Quality Control Board, Re: Addition of Unnamed Water Body and Beneficial Uses to Table 2-1. April 29, 2009. Email from Kimra McAfee to Janet O'Hara dated 4/20/09 confirmed that resident rainbow trout spawn in Sausal Creek.

*South Bay Basin*

Surface water body: Peralta Creek

County: Alameda

Water body type: Intermittent Stream, drains to Oakland Inner Harbor

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Courtland Creek Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Courtland Creek Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: Lion Creek

County: Alameda

Water body type: Intermittent Stream, discharges to Oakland Inner Harbor

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 49.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Leona Heights Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Leona Heights Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*South Bay Basin*

Surface water body: Rifle Range Creek

County: Alameda

Water body type: Perennial Stream, tributary to Arroyo Viejo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: Arroyo Viejo

County: Alameda

Water body type: Perennial Stream, drains to Oakland Inner Harbor near San Leandro Bay

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 50.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Knowland Park & Leona Canyon Preserve, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Knowland Park & Leona Canyon Preserve, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*South Bay Basin*

Surface water body: San Leandro Bay

County: Alameda

Water body type: Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Has supported recreational fishing on/after November 28, 1975
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Hydrologic connection to Estuary
RARE	E	Hydrologic connection to Estuary
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	Water Board staff knowledge

COMM: Recreational fishing occurs in San Leandro Bay at Martin Luther King Jr. Regional Shoreline Park and Garretson Point. Source: <http://www.ebparks.org/parks/mlk>. Accessed December 14, 2009.

MIGR and RARE: Species include least tern, clapper rail and salt marsh harvest mouse. Sources include [http://museumca.org/global/education/explorations2003/arrowhead\\_marsh.html](http://museumca.org/global/education/explorations2003/arrowhead_marsh.html) and [http://www.portoakland.com/communit/public\\_40.asp](http://www.portoakland.com/communit/public_40.asp). Accessed December 14, 2009.

NAV: Commercial shipping uses exist in San Leandro Bay.

South Bay Basin

Surface water body: San Leandro Creek

County: Alameda

Water body type: Perennial Stream, drains to southern end of Oakland Inner Harbor

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Previously assigned. Upper reaches feed Lake Chabot
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Edited from Potential to Existing use based on evidence in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 50-53.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 50-53.
SPWN	E	Edited from Potential to Existing use based on evidence in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 50-53.
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) presumptive use
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use. Multiple public access points.
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use. Multiple public access points.
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

South Bay Basin

Surface water body: Grass Valley Creek

County: Alameda

Water body type: Intermittent Stream, tributary to San Leandro Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Drains to Lake Chabot
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 53.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Chabot Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Chabot Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*South Bay Basin*

Surface water body: Lake Chabot (Alameda County)

County: Alameda

Water body type: Reservoir on San Leandro Creek and Grass Valley Creek

*Adding one beneficial use to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

South Bay Basin

Surface water body: Upper San Leandro Reservoir  
 County: Alameda  
 Water body type: Reservoir on San Leandro Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	East Bay Municipal Utility District
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned as "L"
REC-2	P	Previously assigned.
NAV		

RARE: "EBMUD's Upper San Leandro Reservoir contains a unique population of rainbow steelhead trout, *Oncorhynchus mykiss irideus*. The original species description for rainbow trout was based on a specimen captured in Redwood Creek. The construction of Chabot Dam in 1875 and subsequent construction of Upper San Leandro (USL) Dam in 1926 effectively created a landlocked population of steelhead trout. As a result of the exclusion of any hatchery stocking programs, the USL steelhead trout population has maintained its genetic integrity and is genetically similar to the native coastal California steelhead. Strict watershed access requirements under EBMUD management have helped preserve the uniqueness of the trout population in the reservoir." Source: [http://www.ebmud.com/water\\_&\\_environment/environmental\\_protection/east\\_bay/fisheries/native\\_rainbow\\_trout/](http://www.ebmud.com/water_&_environment/environmental_protection/east_bay/fisheries/native_rainbow_trout/). Accessed July 29, 2009.

REC-1: EBMUD restricts access to this watershed.

South Bay Basin

Surface water body: Kaiser Creek

County: Alameda

Water body type: Intermittent Stream, tributary to San Leandro Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Drains to Upper San Leandro Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 53-54.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 53-54.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

South Bay Basin

Surface water body: Buckhorn Creek

County: Alameda

Water body type: Intermittent Stream, tributary to San Leandro Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Drains to Upper San Leandro Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 54.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. pg. 54.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

South Bay Basin

Surface water body: Redwood Creek (Alameda County)

County: Alameda

Water body type: Perennial Stream, tributary to San Leandro Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Drains to Upper San Leandro Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 55-58.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 55-58.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Redwood Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Redwood Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

South Bay Basin

Surface water body: Moraga Creek

County: Alameda and Contra Costa Counties

Water body type: Perennial Stream, tributary to San Leandro Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Drains to Upper San Leandro Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 58-59.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 58-59.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*South Bay Basin*

Surface water body: Estudillo Canal (also called Zone 2 Line A)

County: Alameda

Water body type: Intermittent Stream, engineered Flood Control Channel along much of its length, discharges south of San Leandro Marina

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use; applicable to headwaters
REC-2	E	Clean Water Act 101(a)(2) presumptive use; applicable to headwaters
NAV		

General information: The headwaters, in the vicinity of Mt. Calvary Cemetery, is still a natural stream. In flood control channel reaches, recreational uses are limited. Source: Oakland Museum map for Hayward and San Leandro, available at <http://www.museumca.org/creeks/MapHay.html>.

South Bay Basin

Surface water body: Hayward Shoreline Marsh

County: Alameda

Water body type: Salt Water Marsh at Hayward Shoreline Regional Park

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Has supported recreational fishing on/after November 28, 1975
SHELL		
COLD		
EST	E	Previously assigned (Basin Plan Table 2-4)
MAR		
MIGR		
RARE	E	U.S. EPA fact sheet
SPWN	E	Previously assigned (Basin Plan Table 2-4)
WARM		
WILD	E	Previously assigned (Basin Plan Table 2-4)
REC-1		
REC-2	E	Previously assigned (Basin Plan Table 2-4)
NAV		

COMM: Activities at the shoreline include hiking, bicycling, jogging, birdwatching, picnicking and fishing. Fishing is allowed from the levees, except in the marsh areas. Source: <http://www.ebparks.org/parks/hayward>. Accessed December 14, 2009.

RARE: Species include salt marsh harvest mouse, Least tern, and western snowy plover. Sources:

- USEPA, 1993. Wetlands from Wastewater. The Hayward Marsh Expansion Project. EPA832-R-93-005h, Sept. 1993. Available at <http://www.epa.gov/owow/wetlands/pdf/HaywardMarsh.pdf> (Fact Sheet) or <http://yosemite.epa.gov/water/owrcatalog.nsf/065ca07e299b464685256ce50075c11a/158c680b7949db8f85256d83004fd80e!OpenDocument> (entire document).
- California Regional Water Quality Control Board, San Francisco Bay Region, Order No. 00-024, NPDES PERMIT NO. CA0038636. Reissuing Waste Discharge Requirements for: East Bay Regional Park District, East Bay Dischargers Authority, and Union Sanitary District. Hayward Shoreline Marsh, Hayward, Alameda County. May 25, 1999. Available at [http://www.waterboards.ca.gov/sanfranciscobay/board\\_decisions/adopted\\_orders/1999/R2-1999-024.pdf](http://www.waterboards.ca.gov/sanfranciscobay/board_decisions/adopted_orders/1999/R2-1999-024.pdf).

General information: The Hayward Shoreline Marsh was created in the 1980s by breaching a dike that had been constructed in the late 19<sup>th</sup> century for salt production. The objectives of the “Hayward Shoreline Expansion Project” were to (1) create a diversified marsh system using secondary effluent; (2) maximize public benefit including wildlife habitat, preservation of open space, and creation of educational, research, and aesthetic opportunities; and (3) meet NPDES requirements. The marsh system includes three freshwater marsh basins (85 acres) and two brackish waster basins (60 acres) at Hayward

*South Bay Basin*

Shoreline Regional Park, adjacent to Lower San Francisco Bay. Source: USEPA, 1993. Wetlands from Wastewater. The Hayward Marsh Expansion Project. EPA832-R-93-005h, Sept. 1993. Available at <http://yosemite.epa.gov/water/owrccatalog.nsf/065ca07e299b464685256ce50075c11a/158c680b7949db8f85256d83004fd80e!OpenDocument>.

Receives discharge from an NPDES Permittee: Union Sanitary District

*South Bay Basin*

Surface water body: Don Castro Reservoir (also called San Lorenzo Creek Reservoir)

County: Alameda

Water body type: Reservoir on San Lorenzo Creek, immediately downstream of the Palomares Creek confluence

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

General information: Don Castro Dam was built in the early 1960s. This reservoir is maintained by Alameda County Public Works for flood control and is closed to boating and swimming. Fishing is available year round and hikers along the shore will discover a surprising wilderness in miniature, where turtles and frogs splash in the water, ducks rest in the reeds and raccoons and deer come down to drink at sunset. The adjacent lagoon is supplied with water from EBMUD, and a large shallow area is roped off for children. Sources: [http://www.ebparks.org/parks/don\\_castro](http://www.ebparks.org/parks/don_castro) and <http://www.acgov.org/pwa/ACFCD%20Website%20Upgrade%20Feb2008/acfcd/zone2.html>. Accessed September 8, 2009.

South Bay Basin

Surface water body: Castro Valley Creek

County: Alameda

Water body type: Intermittent Stream, tributary to San Lorenzo Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 62, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	East Bay Regional Park District
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

RARE: Castro Creek supports California red-legged frog populations in Sobrante Ridge Regional Preserve. Source: Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA. Available at [http://www.ebparks.com/files/stew\\_Amphibian\\_Final\\_Report\\_2007.pdf](http://www.ebparks.com/files/stew_Amphibian_Final_Report_2007.pdf).

*South Bay Basin*

Surface water body: Crow Creek

County: Alameda

Water body type: Perennial Stream, tributary to San Lorenzo Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 62-63. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

South Bay Basin

Surface water body: Cull Creek

County: Alameda

Water body type: Perennial Stream, tributary to Crow Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 63. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*South Bay Basin*

Surface water body: Cull Canyon Reservoir

County: Alameda

Water body type: Reservoir on Cull Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	East Bay Regional Park District
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COMM: The reservoir itself contains bass, catfish, and sunfish. The 360-acre park is a fine place to cool off on a hot summer day, fish, or just relax in the outdoors any time of year. Source: [http://www.ebparks.org/parks/cull\\_canyon](http://www.ebparks.org/parks/cull_canyon). Accessed December 14, 2009.

South Bay Basin

Surface water body: Bolinas Creek

County: Alameda

Water body type: Perennial Stream, tributary to Crow Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Norris Creek

County: Alameda

Water body type: Perennial Stream, tributary to Crow Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: Eden Canyon Creek (also called Eden Creek)

County: Alameda

Water body type: Perennial Stream, tributary to Palomares Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 64.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*South Bay Basin*

Surface water body: Hollis Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Eden Canyon Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	Friends of San Lorenzo Creek
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include red-legged frog and possibly Alameda whipsnake. Source [http://friendsofsanlorenzocreek.org/slz\\_cks.htm](http://friendsofsanlorenzocreek.org/slz_cks.htm). Accessed on July 29, 2009.

*South Bay Basin*

Surface water body: Sulphur Creek (west Alameda County)

County: Alameda

Water body type: Intermittent Stream, discharges to San Francisco Estuary in Hayward

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information:

- Sulphur Creek originates near Lone Tree Cemetery as natural stream, flows via pipe to San Lorenzo Creek, then at lower elevation Sulphur Creek flows in its own channel again before discharging to SF Estuary.
- A different Sulphur Creek, near Mt. Hamilton, is tributary to Smith Creek/Arroyo Hondo/Alameda Creek

*South Bay Basin*

Surface water body: Mount Eden Creek

County: Alameda

Water body type: Tidal Slough south of the San Mateo Bridge

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Old Alameda Creek

County: Alameda

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Ward Creek

County: Alameda

Water body type: Intermittent Stream, drains to Old Alameda Creek in Hayward

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Wally Wickander Trail, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Wally Wickander Trail, also Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Zeile Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Ward Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Garin Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Garin Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Coyote Hills Slough

County: Alameda

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Previously assigned (Basin Plan Table 2-4)
MAR		
MIGR	E	Migration to/from San Francisco Estuary and Alameda Creek
RARE	E	Previously assigned (Basin Plan Table 2-4)
SPWN	E	Previously assigned (Basin Plan Table 2-4)
WARM		
WILD	E	Previously assigned (Basin Plan Table 2-4)
REC-1	E	Previously assigned (Basin Plan Table 2-4)
REC-2	E	Previously assigned (Basin Plan Table 2-4)
NAV		

*South Bay Basin*

Surface water body: Alameda Creek Quarry Ponds

County: Alameda

Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM	E	East Bay Regional Park District
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Previously assigned
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COMM: Recreational fishing is aided by a barrier-free fishing pier constructed by East Bay Regional Park District at Quarry Lakes Regional Recreation Area. Source:

<http://www.ebparks.org/news/archive/2006QuarryLakes>. Accessed on July 29, 2009.

General information: The Alameda County Water District diverts water impounded behind three rubber dams in the Alameda Creek flood control channel to groundwater recharge ponds in the Quarry Lakes Regional Recreation Area in Fremont. This water percolates into aquifers and supplies up to 50% of the water used in Fremont, Newark, and Union City.

South Bay Basin

Surface water body: Alameda Creek

County: Alameda

Water body type: Perennial Stream

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR	E	Previously assigned
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 65-69. Federal Register, Vol. 70, No. 162. August 23, 2005. East Bay Regional Park District
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

**RARE:**

- East Bay Regional Park District sampling found *O. mykiss* with steelhead characteristics in 1995. Adult steelhead have been reported in lower Alameda Creek since 1997. Steelhead are found in flood control channel section of Alameda Creek. Source: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Alameda Creek is within Critical Habitat Unit 3 (Alameda Creek Unit) for California tiger salamander. Unit 3 generally is located north of Calaveras Reservoir, east of Sugar Butte, west of Fremont, and south of Livermore. Source: Federal Register, Vol. 70, No. 162. August 23, 2005. Page 49,400.
- Alameda Creek supports breeding red-legged frog populations in the Sunol Regional Wilderness. Source: Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA.

Receives discharges from NPDES Permittees: Kobe Precision, Bottling Group, Morton Salt and NPDES General Permittees for Groundwater Dewatering Discharges: WDID #'s 2019157001, 2019157007, 2019157008.

*South Bay Basin*

Surface water body: Crandall Creek (also called Zone 5 Line K)

County: Alameda

Water body type: Intermittent Stream, tributary to Alameda Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: Dry Creek (Alameda County)

County: Alameda

Water body type: Intermittent Stream, tributary to Alameda Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	East Bay Regional Park District
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Garin Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Garin Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Dry Creek supports California red-legged frog populations in Dry Creek and Garin Regional Parks. Source: Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA. Available at [http://www.ebparks.com/files/stew\\_Amphibian\\_Final\\_Report\\_2007.pdf](http://www.ebparks.com/files/stew_Amphibian_Final_Report_2007.pdf).

South Bay Basin

Surface water body: Stonybrook Canyon Creek (also called Stonybrook Creek)

County: Alameda

Water body type: Intermittent Stream, tributary to Alameda Creek at Niles Canyon

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 69.
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

South Bay Basin

Surface water body: Sinbad Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Alameda Creek in Sunol

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 70. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> East Bay Regional Park District
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive
REC-1	E	Public access at Pleasanton Ridge Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Pleasanton Ridge Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

RARE: Species include steelhead and California red-legged frog. Sources:

- National Marine Fisheries Service steelhead distribution database
- Sinbad Creek supports California red-legged frog in Pleasanton Ridge Regional Park. Source: Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA. Available at [http://www.ebparks.com/files/stew\\_Amphibian\\_Final\\_Report\\_2007.pdf](http://www.ebparks.com/files/stew_Amphibian_Final_Report_2007.pdf).

South Bay Basin

Surface water body: San Antonio Creek (Alameda County)

County: Alameda

Water body type: Intermittent Stream, tributary to Alameda Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to San Antonio Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 74, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	San Francisco Public Utilities Commission
RARE	E	San Francisco Public Utilities Commission Federal Register, Vol. 71, No. 71, April 13, 2006.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> San Francisco Public Utilities Commission
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MIGR and SPWN: Migration is a beneficial use on the lower reaches of San Antonio Creek only. Spawn is an existing use. Source: Email from Carla Schultheis, Watershed and Environmental Improvement Program Coordinator, Natural Resources and Lands Management Division, Water Enterprise, San Francisco Public Utilities Commission (SFPUC) to Janet O'Hara, Water Resources Control Engineer, San Francisco Regional Water Quality Control Board. August 11, 2009.

RARE: Species include California red-legged frog. Sources:

- Email from Carla Schultheis, Watershed and Environmental Improvement Program Coordinator, Natural Resources and Lands Management Division, Water Enterprise, San Francisco Public Utilities Commission to Janet O'Hara, Water Resources Control Engineer, San Francisco Regional Water Quality Control Board. August 11, 2009.
- Federal Register, Vol. 71, No. 71, April 13, 2006.

Receives discharge from an NPDES Permittee: EBMUD Wet Weather Facility

REC-1: Public access to the entire San Antonio Creek watershed is limited by the San Francisco Public Utilities Commission.

*South Bay Basin*

Surface water body: San Antonio Reservoir

County: Alameda

Water body type: Reservoir on San Antonio Creek upstream of its confluence with Alameda Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned. Operated by San Francisco Public Utilities Commission
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	San Francisco Planning Department
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned as "L"
REC-2	E	Previously assigned
NAV		

RARE: Species include Alameda whipsnake, the California tiger salamander, and the California red-legged frog. Source: San Francisco Planning Department, Notice of Preparation of an Environmental Impact Report and Notice of Public Scoping Meeting. Sunol Valley Water Treatment Plant Improvement Project. August 3, 2007, pg. 10. Available at <http://www.ci.sf.ca.us/site/uploadedfiles/planning/SVWTP%20NOP%20Website%20Version.pdf>.

REC-1: San Francisco Public Utilities Commission limits public access to this reservoir.

South Bay Basin

Surface water body: Indian Creek (Alameda County)

County: Alameda

Water body type: Intermittent Stream, flows to San Antonio Reservoir

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to San Antonio Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 74, and San Francisco Public Utilities Commission
EST		
MAR		
MIGR		
RARE	E	San Francisco Public Utilities Commission East Bay Regional Park District
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

COLD and RARE: Species include California red-legged frog. Sources:

- Email from Carla Schultheis, Watershed and Environmental Improvement Program Coordinator, Natural Resources and Lands Management Division, Water Enterprise, San Francisco Public Utilities Commission to Janet O’Hara, Water Resources Control Engineer, San Francisco Regional Water Quality Control Board. August 11, 2009.
- Indian Creek supports California red-legged frog in Ohlone Regional Wilderness. Source: Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA.

REC-1: San Francisco Public Utilities Commission limits public access to the entire Indian Creek watershed.

South Bay Basin

Surface water body: La Costa Creek

County: Alameda

Water body type: Perennial Stream, flows to San Antonio Reservoir

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Drains to San Antonio Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 75, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 75.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Ohlone Regional Wilderness, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Ohlone Regional Wilderness, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Species are apparently resident trout, because construction of San Antonio Reservoir in the mid-1960s isolated *O. mykiss* in this system from anadromous steelhead. Source: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*South Bay Basin*

Surface water body: Arroyo de la Laguna

County: Alameda

Water body type: Perennial Stream, drains to Alameda Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	E	Edited from Potential to Existing use based on evidence of cold freshwater habitat, as indicated in the National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Previously assigned
RARE		
SPWN	E	Previously assigned
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COLD may not be suitable for Arroyo de la Laguna in areas above Castlewood. Source: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

*South Bay Basin*

Surface water body: Vallecitos Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Arroyo de la Laguna

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Sycamore Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Arroyo de la Laguna

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Happy Valley Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Arroyo de la Laguna

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: Arroyo del Valle (also called Arroyo Valle)

County: Alameda

Water body type: Perennial Stream, tributary to Arroyo de la Laguna

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN	E	Previously assigned
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	P	Previously assigned
RARE	E	City of Pleasanton Public Works Department Alameda County Flood Control & Water Conservation District, Zone 7 East Bay Regional Park District
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use. Also, public access exists at Del Valle Regional Park
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use. Also, public access exists at Del Valle Regional Park
NAV		

RARE: Species include California red-legged frog. Sources supporting assignment of RARE include:

- City of Pleasanton Public Works Department City Council Staff Report, May 18, 2004. Available at <http://www.ci.pleasanton.ca.us/pdf/sr04115.pdf>. Accessed September 8, 2009.
- Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.
- Arroyo del Valle supports breeding California red-legged frog populations in Del Valle Regional Park. Source: Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA.

## *South Bay Basin*

### General information:

- MUN applies above Del Valle dam.
- Below the dam Arroyo del Valle is used for groundwater recharge using in-stream flows and imported (via South Bay Aquaduct) water.
- The middle reach of Arroyo del Valle between Del Valle Dam and Arroyo de la Laguna is comprised of very large ponds left over from gravel mining.

Source: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

*South Bay Basin*

Surface water body: Shadow Cliffs Reservoir

County: Alameda

Water body type: Reservoir near Arroyo del Valle, but off-line

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Alameda County Flood Control & Water Conservation District, Zone 7
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

GWR: Shadow Cliffs Reservoir provides storage of imported South Bay Aqueduct water and is used by Zone 7 for groundwater recharge. Source: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

General information: Shadow Cliffs Reservoir is located within Shadow Cliffs Regional Recreation Area, which is managed by East Bay Regional Parks.

*South Bay Basin*

Surface water body: Dry Creek (Alameda County, high in watershed)

County: Alameda

Water body type: Intermittent stream, tributary to Arroyo del Valle

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: There are two Dry Creeks in Alameda County. The other Dry Creek is a direct tributary to Alameda Creek, low in the Alameda Creek watershed.

*South Bay Basin*

Surface water body: Del Valle Reservoir (also called Lake del Valle)

County: Alameda

Water body type: Reservoir on Arroyo del Valle

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

General information: The Del Valle Reservoir is owned and operated by the Department of Water Resources for water storage and flood protection. Approximately half of the water in the reservoir is imported from the South Bay Aqueduct. Source: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

South Bay Basin

Surface water body: Arroyo Mocho

County: Alameda

Water body type: Perennial Stream, tributary to Arroyo de la Laguna

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	E	Edited from Potential to Existing use based on evidence of cold freshwater habitat in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 72.
EST		
MAR		
MIGR	E	Previously assigned
RARE		
SPWN	E	Previously assigned
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

General information: Arroyo Mocho receives South Bay Aqueduct water and is an important source of groundwater recharge, particularly between Robertson Park and the Chain of Lakes area. Source: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

South Bay Basin

Surface water body: Tassajara Creek

County: Alameda

Water body type: Perennial Stream, tributary to Arroyo Mocho

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	P	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Alameda County Flood Control & Water Conservation District, Zone 7 East Bay Regional Park District
SPWN	E	Previously assigned
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

GWR: North of I-580, Tassajara Creek is a losing stream and infiltrates the surrounding groundwater basin. Source: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

RARE: Species include California red-legged frog. Sources:

- Assignment of RARE beneficial use supported by: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.
- Tassajara Creek supports California red-legged frog populations in Tassajara Creek Regional Park. Source: Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA.

*South Bay Basin*

Surface water body: Arroyo de las Positas (also called Arroyo las Positas)

County: Alameda

Water body type: Perennial Stream, tributary to Arroyo Mocho

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	E	Edited from Potential to Existing use based on evidence of cold freshwater habitat in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 73.
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Alameda County Flood Control & Water Conservation District, Zone 7
SPWN	E	Previously assigned
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

RARE: Assignment of RARE supported by Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

*South Bay Basin*

Surface water body: Cottonwood Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Arroyo de las Positas

<b>BU</b>	<b>Design- ation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	Alameda County Flood Control & Water Conservation District, Zone 7
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Assignment of RARE beneficial use supported by: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

South Bay Basin

Surface water body: Collier Canyon Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Arroyo de las Positas

BU	Design- ation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	Alameda County Flood Control & Water Conservation District, Zone 7 Federal Register, Vol. 71, No. 71, April 13, 2006
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California red-legged frog. Sources:

- Assignment of RARE beneficial use supported by the letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.
- Collier Canyon Creek is within Critical Habit Unit ALA-1B (San Antonio Creek) for California red-legged frog. This Unit is located in north-central Alameda County, along Collier Canyon. Source: Federal Register, Vol. 71, No. 71, April 13, 2006. Page 19268.

*South Bay Basin*

Surface water body: Cayetano Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Arroyo de las Positas

<b>BU</b>	<b>Design- ation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	Alameda County Flood Control & Water Conservation District, Zone 7
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Assignment of RARE beneficial use is supported by: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

*South Bay Basin*

Surface water body: Arroyo Seco (Alameda County)

County: Alameda

Water body type: Intermittent Stream, headwater tributary to Arroyo de las Positas

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Design- ation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Alameda County Flood Control & Water Conservation District, Zone 7
SPWN	E	Previously assigned
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Assignment of the RARE beneficial use is supported by: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

South Bay Basin

Surface water body: Altamont Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Arroyo de las Positas

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR	E	Oakland Museum of California Alameda County Flood Control & Water Conservation District, Zone 7
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat; tributary to Arroyo de las Positas, which has cold freshwater habitat
EST		
MAR		
MIGR		
RARE	E	Friends of Springtown Preserve Alameda County Flood Control & Water Conservation District, Zone 7 East Bay Regional Park District
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

GWR:

- Upper reach of Altamont Creek drains into ground. Source: J. Sowers, C. Richard, *Creek & Watershed Map of the Pleasanton & Dublin Area*, Oakland Museum of California, 2003.
- Used by Zone 7 for groundwater recharge, or to improve quality of the water that is recharging along Arroyo Las Positas. Source: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

RARE: Altamont Creek flows through the unique Springtown Alkali Sink Ecosystem, which contains California red-legged frog, California tiger salamander, burrowing owl, and Palmate bracted bird's-beak (*Cordylanthus palmatus*). Sources supporting assignment of RARE:

- *Springtown Alkali Sink Ecology, Botany, and Wildlife Notes*, Friends of Springtown Preserve, Livermore, CA. Undated. Available at [http://www.springtownpreserve.org/Reference\\_Materials/FSP-Springtown\\_Ecology\\_primer.pdf](http://www.springtownpreserve.org/Reference_Materials/FSP-Springtown_Ecology_primer.pdf). Accessed September 14, 2009.
- Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

## *South Bay Basin*

- Altamont Creek supports breeding California red-legged frog populations in the Brushy Peak Regional Preserve. Source: Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA.

General information: Used periodically by Zone 7 to convey water from South Bay Aqueduct for irrigation purposes (i.e., Springtown Golf Course); otherwise, Altamont Creek would be dry in most months. Source: Letter from G.F. Duerig, General Manager, Alameda County Flood Control & Water Conservation District, Zone 7, to N. Feger, Senior Environmental Scientist, San Francisco Bay Regional Water Quality Control Board, *Re: Basin Plan Triennial Review*, May 7, 2009.

*South Bay Basin*

Surface water body: Alamo Creek

County: Alameda

Water body type: Intermittent Stream, Alamo Creek becomes Alamo Canal in the vicinity of Dublin Boulevard

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	P	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Wildlife Heritage Foundation
SPWN	E	Previously assigned
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Species include California red-legged frog. Source: Wildlife Heritage Foundation, [http://www.wildlifeheritage.org/open\\_space\\_land/contra\\_costa\\_county.jsp#ac](http://www.wildlifeheritage.org/open_space_land/contra_costa_county.jsp#ac). Accessed September 8, 2009.

*South Bay Basin*

Surface water body: Dublin Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Alamo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Martin Canyon Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Alamo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*South Bay Basin*

Surface water body: Alamo Canal

County: Alameda

Water body type: Intermittent Stream and flood control channel, tributary to Arroyo de la Laguna

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	P	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE		
SPWN	E	Previously assigned
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

General information: Alamo Canal is a flood control channel which originates north of I-580 as Alamo Creek, which drains Dougherty Valley. Water drains to the canal from creeks to the west, including Dublin Creek, and from South San Ramon Creek to the north. Arroyo del Valle and Arroyo Mocho converge on the floor of the Livermore-Amador Valley and drain into Arroyo de la Laguna at its confluence with Alamo Canal. Source: Zone 7 Water District.

*South Bay Basin*

Surface water body: South San Ramon Creek

County: Alameda

Water body type: Intermittent Stream, tributary to Alamo Canal

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

South Bay Basin

Surface water body: Calaveras Creek

County: Alameda and Santa Clara

Water body type: Intermittent Stream, tributary to Alameda Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Calaveras Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 75-76.
EST		
MAR		
MIGR		
RARE	E	San Francisco Public Utilities Commission
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

RARE: Red-legged frog have been observed downstream of Calaveras Dam. Source: Email from Carla Schultheis, Watershed and Environmental Improvement Program Coordinator, Natural Resources and Lands Management Division, Water Enterprise, San Francisco Public Utilities Commission to Janet O'Hara, Water Resources Control Engineer, San Francisco Regional Water Quality Control Board. August 11, 2009.

*South Bay Basin*

Surface water body: Calaveras Reservoir  
 County: Santa Clara and Alameda  
 Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned. Operated by the San Francisco Public Utilities Commission
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	San Jose’s Riparian Corridor Policy San Francisco Public Utilities Commission
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Calaveras Reservoir is part of the San Francisco Public Utility District (SFPUC) drinking water system.

RARE: Species include California red-legged frog, California tiger salamander, and the Alameda whipsnake. Sources:

- San Jose’s Riparian Corridor Policy. 1999. Appendix A. Available at <http://www.calsj.org/>. Accessed September 1, 2009.
- San Francisco Public Utilities Commission, Notice of Preparation of Environmental Impact Report, SFPUC Calaveras Dam Replacement Project, Case No. 2005.0161E. October 24, 2005. Available at [http://www.sfgov.org/site/uploadedfiles/planning/projects\\_reports/Notice%20of%20Preparation%20FINAL%2010-24-05.pdf](http://www.sfgov.org/site/uploadedfiles/planning/projects_reports/Notice%20of%20Preparation%20FINAL%2010-24-05.pdf). Accessed September 16, 2009.

REC-1: San Francisco Public Utilities Commission limits public access to this reservoir.

*South Bay Basin*

Surface water body: Arroyo Hondo

County: Santa Clara

Water body type: Intermittent Stream, flows to Calaveras Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	San Francisco Public Utilities Commission
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Email from Carla Schultheis, Watershed and Environmental Improvement Program Coordinator, Natural Resources and Lands Management Division, Water Enterprise, San Francisco Public Utilities Commission to Janet O’Hara, Water Resources Control Engineer, San Francisco Regional Water Quality Control Board. August 11, 2009. Species may include California red-legged frog.

South Bay Basin

Surface water body: Colorado Creek

County: Alameda

Water body type: Perennial Stream, headwater tributary to Arroyo del Valle

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to Arroyo del Valle upstream of Lake del Valle
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 72.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

# **SANTA CLARA BASIN**

*Santa Clara Basin*

Surface water body: Newark Slough

County: Alameda

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

General information: Newark Slough is a wide tidal waterway that starts in San Francisco Bay south of the Dumbarton Bridge, runs through the Don Edwards San Francisco Bay National Wildlife Refuge around its salt ponds, and up to Thornton Avenue in Fremont.

*Santa Clara Basin*

Surface water body: Plummer Creek (also called Zone 5 Line F-1)

County: Alameda

Water body type: Tidal Slough, tidally influenced creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

Receives NPDES-permitted discharges: General Permit for Groundwater Dewatering Discharges, WDID #'s 2019157002, 2019157006, 2019157014.

*Santa Clara Basin*

Surface water body: Mowry Slough

County: Alameda

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

*Santa Clara Basin*

Surface water body: Coyote Slough

County: Approximately on border of Alameda and Santa Clara Counties

Water body type: Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

*Santa Clara Basin*

Surface water body: Mud Slough

County: Alameda and Santa Clara

Water body type: Tidal Slough connected to Coyote Creek - tidal

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

Receives an NPDES-permitted discharge: [San Jose/Santa Clara Water Pollution Control Plant](#).

*Santa Clara Basin*

Surface water body: Laguna Creek (also called Arroyo la Laguna & Zone 6 Line E)

County: Alameda

Water body type: Perennial Stream, discharges to Don Edwards National Wildlife Refuge

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: Laguna Creek is presently maintained as flood control channels.

*Santa Clara Basin*

Surface water body: Mission Creek (also called Zone 6 Line L)

County: Alameda

Water body type: Perennial Stream, tributary to Laguna Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Lake Elizabeth

County: Alameda

Water body type: Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

REC-1 and General information: Lake Elizabeth, developed in the 1960s, is an 83-acre lake within Central Park in the Fremont. Small boats are allowed. Swimming and splashing are not prohibited by the City of Fremont. Source: <http://www.fremont.gov/index.aspx?NID=318>. Accessed January 14, 2010.

*Santa Clara Basin*

Surface water body: Sabrecat Creek (also called Zone 6 Line K)

County: Alameda

Water body type: Perennial Stream, tributary to (Arroyo la) Laguna Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access in Mission San Jose neighborhood, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access in Mission San Jose neighborhood, also Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Canada del Aliso Creek (also called Zone 6 Line J)

County: Alameda

Water body type: Perennial Stream, tributary to Laguna Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Agua Caliente Creek (Alameda County, also called Zone 6 Line F)

County: Alameda

Water body type: Perennial Stream, tributary to Laguna Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Mission Peak Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Mission Peak Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Agua Fria Creek (also called Zone 6 Line D)

County: Alameda

Water body type: Perennial Stream, tributary to Laguna Creek in Fremont

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Mission Peak Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Mission Peak Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

Receives NPDES-permitted discharges: General Permit for Groundwater Dewatering Discharges, WDID #'s 2019157004, 2019157013

*Santa Clara Basin*

Surface water body: Stivers Lagoon (also called Fremont Lagoon)

County: Alameda

Water body type: Fresh water marsh on Mission Creek (Line L)

<b>BU</b>	<b>Exist?</b>	<b>Information Source</b>
AGR		
MUN		
FRSH	E	Fresh water marsh
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
REC-1	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
REC-2	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
NAV		

*Santa Clara Basin*

Surface water body: Mallard Slough

County: Santa Clara

Water body type: Tidal Slough, connected to Coyote Slough and Coyote Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration to/from Coyote Creek
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

Receives an NPDES-permitted discharge: [San Jose/Santa Clara Water Pollution Control Plant](#).

*Santa Clara Basin*

Surface water body: Scott Creek (also called Zone 6 Line A)

County: Forms border between Alameda and Santa Clara Counties

Water body type: Perennial Stream, discharges to San Francisco Estuary in Fremont

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Ed Levin County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Ed Levin County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Toroges Creek (also called Zone 6 Line C)

County: Alameda

Water body type: Perennial Stream

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	East Bay Regional Park District
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Mission Peak Regional Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Mission Peak Regional Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California tiger salamander (*Ambystoma californiense*) and California red-legged frog (*Rana draytonii*). Source: Bobzien, S. and J.E. DiDonato. 2007. *The Status of the California Tiger Salamander (ambystoma californiense), California Red-legged Frog (rana draytonii), Foothill Yellow-legged Frog (rana boylei), and Other Aquatic Herpetofauna in the East Bay Regional Park District, California*. East Bay Regional Park District. Available at [http://www.ebparks.com/files/stew\\_Amphibian\\_Final\\_Report\\_2007.pdf](http://www.ebparks.com/files/stew_Amphibian_Final_Report_2007.pdf).

General information: Toroges Creek originates on the west slope of [Monument Peak](#) and flows westward, then flows underground in the storm sewers of the [Warm Springs](#) neighborhood of Fremont. Toroges Creek originally flowed into [Coyote Creek](#).

*Santa Clara Basin*

Surface water body: San Francisquito Creek

County: San Mateo & Santa Clara Counties

Water body type: Perennial Stream, begins at outlet of Searsville Dam, discharges to the San Francisco Estuary

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 141. WMI Watershed Characteristics Report, 2001, pg.7-100. Mountain View General Plan Update Draft Current Conditions Report
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include steelhead, California red-legged frog, western pond turtle, and western snowy plover. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA
- Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.
- City of Mountain View General Plan Update Draft Current Conditions Report, April 2009. Chapter 12, pp. 344-346. Available at <http://www.mountainview2030.com/docs.php?ogid=1000000134>.

*Santa Clara Basin*

Surface water body: Lake Lagunita

County: Santa Clara County

Water body type: Reservoir along San Francisquito Creek, on the Stanford campus

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE	E	California Dept. of Fish & Game Natural Diversity Database
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California tiger salamander. Sources:

- California Dept. of Fish & Game Natural Diversity Database (CNDDDB). Available at [http://imaps.dfg.ca.gov/viewers/cnddb\\_quickviewer/app.asp](http://imaps.dfg.ca.gov/viewers/cnddb_quickviewer/app.asp). Accessed August 27, 2009.
- The lake dries up during the summer but in the winter is the breeding ground for a population of California tiger salamanders. Source: Wikipedia, with reference to S.J. Barry and H.B. Shaffer. "The Status of the California Tiger Salamander (*Ambystoma californiense*) at Lagunita: A 50-Year Update". *Journal of Herpetology* 28, No. 2 (June 1994), 159-164. [http://en.wikipedia.org/wiki/Lake\\_Lagunita](http://en.wikipedia.org/wiki/Lake_Lagunita). Accessed August 27, 2009.

General information: Channel-fed Lake Lagunita is seasonal, drying up in summer when the inflow from San Francisquito Creek is blocked. It is the former irrigation reservoir of the original Stanford stock farm. Source: [http://www.stanford.edu/group/stanfordbirds/pix/maps/map\\_Lake.html](http://www.stanford.edu/group/stanfordbirds/pix/maps/map_Lake.html). Accessed August 31, 2009.

*Santa Clara Basin*

Surface water body: Los Trancos Creek

County: Santa Clara County

Water body type: Perennial Stream, tributary to San Francisquito Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 142, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 142. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 142. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Felt Lake

County: Santa Clara County

Water body type: Reservoir formed by a diversion from Los Trancos Creek, on Stanford campus

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

*Santa Clara Basin*

Surface water body: Bear Creek (San Mateo County)

County: San Mateo County

Water body type: Perennial Stream, formed by Bear Gulch Creek and West Union Creek, tributary to San Francisquito Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 143, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 143. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 143. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 143. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Bear Gulch Creek (San Mateo County)

County: San Mateo County

Water body type: Perennial Stream, tributary to Bear Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Town of Woodside
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 143.
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 143.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 143.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 143.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: “Water diverted from Bear Gulch is stored in a reservoir and provides as much as 50% of Woodside’s drinking water in the winter months.” Source: [http://www.woodsidetown.org/PDF/Woodside\\_creeks\\_flyer.pdf](http://www.woodsidetown.org/PDF/Woodside_creeks_flyer.pdf). Accessed August 31, 2009.

COLD, MIGR, RARE, and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: West Union Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Bear Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 144, and National Park Service written communication, April 18, 2003, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Park Service written communication, April 18, 2003. Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 144. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Park Service written communication, April 18, 2003. Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 144. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE, and SPWN: Rare species include steelhead trout. Sources:

- Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.
- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- National Marine Fisheries Service steelhead distribution database

*Santa Clara Basin*

Surface water body: Corte Madera Creek (San Mateo County)

County: San Mateo County

Water body type: Perennial Stream, tributary to San Francisquito Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 145-146.
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 145-146.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 145-146.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE, and SPWN: “Corte Madera Creek below Searsville Dam currently supports an anadromous *O. mykiss* population, and observations of juvenile *O. mykiss* have been made as recently as September 2003.” Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Alambique Creek

County: San Mateo & Santa Clara Counties

Water body type: Intermittent Stream, tributary to Searsville Lake, located within Wunderlich Park

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 146.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA

*Santa Clara Basin*

Surface water body: Sausal Creek (San Mateo County)

County: San Mateo County

Water body type: Perennial Stream, tributary to Searsville Lake

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Palo Alto Harbor and Baylands

County: Santa Clara

Water body type: Tidal Marsh at mouth of San Francisquito Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration to/from San Francisco Estuary & San Francisquito Creek
RARE	E	City of Palo Alto
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California clapper rail and steelhead. Source: City of Palo Alto’s “Nature Notes” information sheet on the Palo Alto Baylands. Available at <http://www.cityofpaloalto.org/civica/filebank/blobdload.asp?BlobID=6126>. Accessed December 16, 2009.

General information: Palo Alto Harbor, at the mouth of San Francisquito Creek, was dredged and opened in 1928. During the 1930s, more dredging to create a channel out to deep water resulted in over 100 acres of marsh being filled in. In 1957, San Francisquito Creek’s discharge channel and mouth were re-routed to the north of the harbor. Dredging and installing dikes continued into the 1960s. In 1978, Palo Alto City Council adopted the Baylands Master Plan to balance ecological preservation with continued commercial and recreational use of this area. The Master Plan included the provision to eventually remove the harbor and return the area to marsh. In 1986, Council closed the harbor and, in 1987, Council approved changes to the Master Plan that required the 11.2 acre harbor be returned to marsh. Subsequently, in 1992, the City began to restore the marsh. The marsh restoration was completed in 1997. At present, the Palo Alto Baylands complex consists of the former Yacht Harbor area, the Palo Alto Airport, the Municipal Golf Course, the Duck Pond and public picnic area, the Baylands Athletic Center, the Sailing Station, the Lucy Evans Baylands Nature Interpretive Center, the Harriet Mundy Marsh and tidal basin. Sources, all accessed December 16, 2009:

- “Excerpts from History of the Palo Alto Yacht Harbor.” Available at [http://www.fohg.org/pdf/temp/History\\_of\\_PaloAltoYachtHarbor.pdf](http://www.fohg.org/pdf/temp/History_of_PaloAltoYachtHarbor.pdf). Accessed December 16, 2009.
- Report from the Manager of the City of Palo Alto to the City Council, dated May 18, 2009. Available at <http://www.cityofpaloalto.org/civica/filebank/blobdload.asp?BlobID=15863>.
- <http://www.cityofpaloalto.org/depts/csd/news/details.asp?NewsID=466&TargetID=36>

*Santa Clara Basin*

Surface water body: Mayfield Slough

County: Santa Clara

Water body type: Tidal Slough at mouth of Matadero Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration to/from San Francisco Estuary & Matadero Creek
RARE	E	Rare species include steelhead
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Matadero Creek

County: Santa Clara

Water body type: Perennial Stream, discharges to the Palo Alto Flood Basin

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 124. WMI Watershed Characteristics Report, 2001, pg. 7-102.
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Species include steelhead and California red-legged frog. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001. Red-legged frogs are present in the headwaters.

*Santa Clara Basin*

Surface water body: Deer Creek (Santa Clara County)

County: Santa Clara

Water body type: Perennial Stream, tributary to Matadero Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE	E	WMI Watershed Characteristics Report, 2001, pg. 7-102.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: California red-legged frogs are present in the headwaters of Matadero Creek. Source: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

*Santa Clara Basin*

Surface water body: Arastradero Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Matadero Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE	E	WMI Watershed Characteristics Report, 2001, pg. 7-102.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Charleston Slough

County: Santa Clara

Water body type: Tidal Slough at mouth of Adobe and Barron Creeks

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Hydrologic connection to estuary
RARE	E	City of Mountain View
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California brown pelican, California black rail, California clapper rail, and California least tern. Source: City of Mountain View General Plan Update Draft Current Conditions Report, April 2009. Chapter 12, pp. 351-352. Available at <http://www.mountainview2030.com/docs.php?ogid=1000000134>.

*Santa Clara Basin*

Surface water body: Barron Creek

County: Santa Clara

Water body type: Intermittent Stream, discharges to the Palo Alto Flood Basin

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Adobe Creek (Santa Clara County)

County: Santa Clara

Water body type: Perennial Stream, especially in upper reaches, discharges to the Palo Alto Flood Basin

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

Receives an NPDES-permitted discharge: General Permit for Groundwater Dewatering WDID # 2438647001

*Santa Clara Basin*

Surface water body: Mountain View Slough

County: Santa Clara

Water body type: Tidal Slough at mouth of Permanente Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	City of Mountain View General Plan
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California clapper rail. Source: City of Mountain View General Plan Update Draft Current Conditions Report, April 2009. Chapter 12, pg. 345. Available at <http://www.mountainview2030.com/docs.php?ogid=1000000134>.

*Santa Clara Basin*

Surface water body: Permanente Creek

County: Santa Clara

Water body type: Perennial Stream, especially in upper reaches, discharges to San Francisco Estuary via Mountain View Slough

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Santa Clara Valley Water District
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	Santa Clara Valley Water District Depart. of Fish & Game's California Natural Diversity Database City of Mountain View General Plan
SPWN	E	Previously designated
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

GWR: Santa Clara Valley Water District Board Agenda Memo, *Chief Executive Officer Interpretation of Board Ends Policy E-1 Regarding Visioning Statements From Stewardship Plan for Lower Peninsula Watershed Area*, November 14, 2006. Page 2 of Attachment 1. Available at [http://www.scvwd.dst.ca.us/About\\_Us/Board\\_of\\_directors/Board\\_meetings/2006\\_Published\\_Meetings/MG27125/AS27137/AI27174/DO27252/DO\\_27252.pdf](http://www.scvwd.dst.ca.us/About_Us/Board_of_directors/Board_meetings/2006_Published_Meetings/MG27125/AS27137/AI27174/DO27252/DO_27252.pdf). Accessed August 31, 2009.

RARE: Species include California red-legged frog in upper reaches. Sources:

- Santa Clara Valley Water District Board Agenda Memo, Chief Executive Officer Interpretation of Board Ends Policy E-1 Regarding Visioning Statements From Stewardship Plan for Lower Peninsula Watershed Area, November 14, 2006. Page 2 of Attachment 1. Available at [http://www.scvwd.dst.ca.us/About\\_Us/Board\\_of\\_directors/Board\\_meetings/2006\\_Published\\_Meetings/MG27125/AS27137/AI27174/DO27252/DO\\_27252.pdf](http://www.scvwd.dst.ca.us/About_Us/Board_of_directors/Board_meetings/2006_Published_Meetings/MG27125/AS27137/AI27174/DO27252/DO_27252.pdf). Accessed August 31, 2009.
- California Department of Fish and Game's California Natural Diversity Database. Available at [http://imaps.dfg.ca.gov/viewers/cnddb\\_quickviewer/app.asp](http://imaps.dfg.ca.gov/viewers/cnddb_quickviewer/app.asp). Accessed August 31, 2009.
- City of Mountain View General Plan Update Draft Current Conditions Report, April 2009. Chapter 12. Available at <http://www.mountainview2030.com/docs.php?ogid=1000000134>.

*Santa Clara Basin*

Surface water body: Hale Creek

County: Santa Clara

Water body type: Perennial Stream with typically low summer flows, tributary to Permanente Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Stevens Creek

County: Santa Clara

Water body type: Perennial Stream, discharges to the San Francisco Estuary north of Moffett Field Naval Air Station

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Previously assigned
GWR	E	WMI Watershed Characteristics Report, 2001, pg. 7-110 and 8-6.
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	WMI Watershed Characteristics Report, 2001, pg. 7-110. Mountain View General Plan Update Draft Current Conditions Report
SPWN	E	Edited from Potential to Existing use based on information in WMI Watershed Characteristics Report, 2001, pg. 7-110.
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE and SPWN: Species include steelhead trout throughout; Salt marsh harvest mouse and California clapper rail in brackish reaches. Sources:

- Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001. pg. 7-74 and 7-110.
- City of Mountain View General Plan Update Draft Current Conditions Report, April 2009. Chapter 12. Available at <http://www.mountainview2030.com/docs.php?ogid=1000000134>.

*Santa Clara Basin*

Surface water body: Stevens Creek Reservoir

County: Santa Clara

Water body type: Reservoir on Stevens Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

REC-1: Swimming in Stevens Creek Reservoir is not allowed daily, but is allowed on occasion, such as the Catfish Crawl Open Water Swim on Sunday, July 26, 2009. See: <http://www.active.com/swim-meet/cupertino-ca/catfish-crawl-open-water-swim-south-bay-2009>. Accessed December 17, 2009.

*Santa Clara Basin*

Surface water body: Swiss Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Stevens Creek via Stevens Creek Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Stevens Creek Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Guadalupe Slough

County: Santa Clara

Water body type: Tidal Slough at the mouths of Calabazas and San Tomas Aquino Creeks

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include Salt marsh harvest mouse, California black rail, California clapper rail, Western snowy plover. Source: California Department of Fish and Game's California Natural Diversity Database. Available at [http://imaps.dfg.ca.gov/viewers/cnddb\\_quickviewer/app.asp](http://imaps.dfg.ca.gov/viewers/cnddb_quickviewer/app.asp). Accessed September 1, 2009.

Receives NPDES-permitted wastewater discharge: Sunnyvale Water Pollution Control Plant, NPDES Permit No. CA0037621

*Santa Clara Basin*

Surface water body: Moffett Channel

County: Santa Clara

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

Receives NPDES-permitted wastewater discharge: Sunnyvale Water Pollution Control Plant, NPDES Permit No. CA0037621

*Santa Clara Basin*

Surface water body: San Tomas Aquino Creek

County: Santa Clara

Water body type: Perennial Stream, discharges to Guadalupe Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 117.
EST		
MAR		
MIGR		
RARE	E	San Jose's Riparian Corridor Policy
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

RARE: Species include California red-legged frog. Source: San Jose's Riparian Corridor Policy. 1999. Appendix A, pg. 2. Available at <http://www.calsj.org/>. Accessed September 1, 2009.

*Santa Clara Basin*

Surface water body: Bonjetti Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Saratoga Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 118-119.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: McElroy Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Bonjetti Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 119.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Alviso Slough

County: Santa Clara

Water body type: Tidal Slough at mouth of Guadalupe River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration to/from Guadalupe River
RARE	E	Located within Don Edwards San Francisco Bay National Wildlife Refuge
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Don Edwards San Francisco Bay National Wildlife Refuge include California brown pelican, California clapper rail, California least tern, peregrine falcon, and salt marsh harvest mouse. Sources include: <http://www.abag.org/bayarea/baytrail/vtour/map4/access/Sfbnwr/SFBNWR.htm>, <http://www.fws.gov/DESFEBAY/>. Accessed December 16, 2009.

*Santa Clara Basin*

Surface water body: Guadalupe River

County: Santa Clara

Water body type: Perennial Stream, formed by confluence of Alamitos Creek and Guadalupe Creek, discharges to the San Francisco Estuary north of Sunnyvale

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	WMI Watershed Characteristics Report, 2001, pg. 7-128 and 8-6.
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously designated as “potential.” WMI Watershed Characteristics Report, 2001, pg. 7-131. Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 111. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	WMI Watershed Characteristics Report, 2001, pg. 7-131 & 7-74. Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 111. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Mountain View General Plan Update Draft Current Conditions Report San Jose’s Riparian Corridor Policy
SPWN	E	Previously designated as “potential.” WMI Watershed Characteristics Report, 2001, pg. 7-131. Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 111. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously designated as “potential.” WMI Watershed Characteristics Report, 2001, pg. 7-182. Also, Clean Water Act 101(a)(2) presumptive use for inland surface water body
REC-2	E	Previously assigned
NAV		

RARE: Species include steelhead, Western pond turtle, California clapper rail, burrowing owl (downstream of Blossom Hill Road), and salt marsh harvest mouse (at the mouth). Sources:

## *Santa Clara Basin*

- Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.
- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- National Marine Fisheries Service steelhead distribution database
- City of Mountain View General Plan Update Draft Current Conditions Report, April 2009. Chapter 12, pg. 344. Available at <http://www.mountainview2030.com/docs.php?ogid=1000000134>.
- San Jose's Riparian Corridor Policy. 1999. Appendix A, pp. 2-5. Available at <http://www.calsj.org/>. Accessed September 1, 2009.

Receives an NPDES-permitted discharge: General Permit for Groundwater Dewatering Discharge, WDID # 2438558005.

*Santa Clara Basin*

Surface water body: Los Gatos Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Guadalupe River

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned (Vasona & Lexington Reservoirs are water supply reservoirs)
FRSH	E	Previously assigned
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	P	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 113. San Jose’s Riparian Corridor Policy Santa Clara County Public Parks National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	P	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Public access at Los Gatos Creek County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously designated as “potential.” Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include steelhead, Chinook salmon, California red-legged frog, and western pond turtle. Sources, accessed September 1, 2009:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- San Jose’s Riparian Corridor Policy. 1999. Appendix A, pg. 2. Available at <http://www.calsj.org/>.
- Santa Clara County Public Parks website, Natural Diversity of Vasona and Los Gatos Creek page, <http://www.sccgov.org/portal/site/parks/parksarticle?path=%252Fv7%252FParks%2520and%2520Rec%2520Department%2520of%2520%2528DEP%2529&contentId=b3e18a77d9784010VgnVCM230004adc4a92> .
- National Marine Fisheries Service steelhead distribution database

Receives an NPDES-permitted discharge: General Permit for Groundwater Dewatering Discharges, WDID # 2438558006.

*Santa Clara Basin*

Surface water body: Campbell Percolation Pond

County: Santa Clara

Water body type: Reservoir, on Los Gatos Creek, at Los Gatos Creek Park

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

*Santa Clara Basin*

Surface water body: Vasona Reservoir  
 County: Santa Clara  
 Water body type: Reservoir on Los Gatos Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Water supply reservoir
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

MUN: Vasona Reservoir is a water supply reservoir operated by the Santa Clara Valley Water District.  
 Source: [http://www.valleywater.org/water/Where\\_Your\\_Water\\_Comes\\_From/Local\\_Water/Reservoirs/index.shtml](http://www.valleywater.org/water/Where_Your_Water_Comes_From/Local_Water/Reservoirs/index.shtml). Accessed September 3, 2009.

COMM: Vasona Reservoir, located within Vasona County Park, is stocked for recreational fishing.  
 Source: <http://www.dfg.ca.gov/fishinginthecity/sb/stock.html>. Accessed September 3, 2009.

*Santa Clara Basin*

Surface water body: Lexington Reservoir

County: Santa Clara

Water body type: Reservoir on Los Gatos Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR	E	Santa Clara Valley Water District
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

GWR: Lexington Reservoir is the primary source of water for the recharge ponds along San Tomas Expressway, Budd Avenue, Highway 17 and McGlincey Lane. Source: Santa Clara Valley Water District's Lexington Reservoir and Lenihan Dam Fact Sheet. Available at <http://www.valleywater.org/lenihan/pages/pdf/Lenihan%20factsheet.pdf>. Accessed September 1, 2009.

*Santa Clara Basin*

Surface water body: Soda Springs Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Lexington Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Lexington Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

Note that similarly named Soda Springs Canyon Creek is a tributary to Coyote Reservoir, in the Coyote Creek watershed.

*Santa Clara Basin*

Surface water body: Lake Elzman

County: Santa Clara

Water body type: Reservoir on Los Gatos Creek, upstream of Lexington Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: Operated by San Jose Water Company

REC-1: San Jose Water Company restricts public access to this reservoir and the surrounding property.

*“Basically we learned this - you can't get to Lake Elzman. The whole thing is on San Jose Water Company land and the only entrance is gated.”* Sources include:

<http://lostpoodlesanjose.blogspot.com/2009/11/lake-elsman.html>. Accessed January 14, 2010.

*Santa Clara Basin*

Surface water body: Austrian Gulch Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Los Gatos Creek via Lake Elsman

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Lake Elsman
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 113.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 113.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

SPWN: Reproduction of *O. mykiss* in Austrian Gulch Creek is confirmed.

*Santa Clara Basin*

Surface water body: Ross Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Guadalupe River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Ross Creek Neighbors
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, confirmed by Ross Creek Neighbors
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Ross Creek Neighbors. Also, Clean Water Act 101(a)(2) presumptive use
REC-2	E	Ross Creek Neighbors. Also, Clean Water Act 101(a)(2) presumptive use
NAV		

GWR, COLD, REC-1, and REC-2: D. Crites, Ross Creek Neighbors, letter to N. Feger, California Regional Water Quality Control Board-San Francisco Region. January 22, 2008.

*Santa Clara Basin*

Surface water body: Canoas Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Guadalupe River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, confirmed by GCRCDC letter, 5/7/2007
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Guadalupe-Coyote Resource Conservation District letter to Ms. Shin-Roei Lee, San Francisco Bay Regional Water Quality Control Board. Subject: RWQCB San Francisco Bay Region Basin Plan. May 7, 2007.

*Santa Clara Basin*

Surface water body: Guadalupe Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Alamos Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Guadalupe Reservoir and Lake Almaden, WMI Watershed Characteristics Report, 2001, pg. 8-6.
GWR	E	WMI Watershed Characteristics Report, 2001, pg. 8-9.
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 114-115, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 114-115. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 114-115. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> WMI Watershed Characteristics Report, 2001, pg. 7-182. San Jose's Riparian Corridor Policy
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 114. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH & GWR: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

RARE: Species include steelhead, southwestern pond turtle, California tiger salamander and California red-legged frog. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

- Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.
- San Jose's Riparian Corridor Policy. 1999. Appendix A. Available at <http://www.calsj.org/>. Accessed September 1, 2009.

*Santa Clara Basin*

Surface water body: Los Capitancillos Percolation Ponds

County: Santa Clara

Water body type: Reservoir on Guadalupe Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	WMI Watershed Characteristics Report, 2001, pg. 8-9.
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

GWR: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

*Santa Clara Basin*

Surface water body: Guadalupe Percolation Ponds

County: Santa Clara

Water body type: Reservoir on Guadalupe Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	WMI Watershed Characteristics Report, 2001, pg. 8-9.
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

GWR: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

*Santa Clara Basin*

Surface water body: Pheasant Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Guadalupe Creek downstream from the Guadalupe Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Lake Almaden, WMI Watershed Characteristics Report, 2001, pg. 8-6.
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 114-115.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 114-115.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

SPWN: Pheasant Creek supports a reproducing resident *O. mykiss* population.

*Santa Clara Basin*

Surface water body: Los Capitancillos Creek

County: Santa Clara

Water body type: Intermittent Stream, headwater tributary to Guadalupe Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Guadalupe Reservoir, WMI Watershed Characteristics Report, 2001, pg. 8-6.
GWR	E	Flows to Los Capitancillos, a groundwater recharge facility, WMI Watershed Characteristics Report, 2001, pg. 8-9.
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH & GWR: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

*Santa Clara Basin*

Surface water body: Rincon Creek

County: Santa Clara

Water body type: Perennial Stream, headwater tributary to Guadalupe Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Guadalupe Reservoir, WMI Watershed Characteristics Report, 2001, pg. 8-6.
GWR	E	Flows to Los Capitancillos, a groundwater recharge facility, WMI Watershed Characteristics Report, 2001, pg. 8-9.
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 115, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 115. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 115. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH & GWR: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

COLD, MIGR, RARE, and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Alamitos Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Guadalupe River

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to Almaden Reservoir, WMI Watershed Characteristics Report, 2001, pg. 8-6.
GWR	E	Flows to Alamitos Percolation Pond, WMI Watershed Characteristics Report, 2001, pg. 8-9.
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 117, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 117. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> WMI Watershed Characteristics Report, 2001, pg. 7-182.
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH & GWR: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

RARE: Species include steelhead, California red-legged frog, and Western pond turtle. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- National Marine Fisheries Service steelhead distribution database
- Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

*Santa Clara Basin*

Surface water body: Arroyo Calero (also called Calero Creek)

County: Santa Clara

Water body type: Perennial Stream, tributary to Alamitos Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Calero reservoir, water supply reservoir, WMI Watershed Characteristics Report, 2001, pg. 8-6.
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 116, and Guadalupe-Coyote Resource Conservation District, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Guadalupe-Coyote Resource Conservation District Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 116. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> WMI Watershed Characteristics Report, 2001, pg. 7-182.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 116. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

RARE: Species include steelhead, California red-legged frog, and southwestern pond turtle. Sources:

- Guadalupe-Coyote Resource Conservation District letter to Ms. Shin-Roei Lee, San Francisco Bay Regional Water Quality Control Board. Subject: RWQCB San Francisco Bay Region Basin Plan. May 7, 2007.

*Santa Clara Basin*

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- National Marine Fisheries Service steelhead distribution database
- Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

*Santa Clara Basin*

Surface water body: Almaden Reservoir (also called Lake Almaden)

County: Santa Clara

Water body type: Reservoir at mouth of Alamos Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	NOP Environmental Impact Report for the Almaden Dam Program
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Species include California red-legged frog and western pond turtle. Source: Notice of Preparation, Environmental Impact Report for the Almaden Dam Program, Santa Clara County, California, undated, pg. 5. Available at [http://www.scvwd.org/media/pdf/Almaden\\_Dam\\_NOP.pdf](http://www.scvwd.org/media/pdf/Almaden_Dam_NOP.pdf). Accessed September 2, 2009.

General information: Formerly an in-stream quarry. Now operated by the Santa Clara Valley Water District.

Note: A separate Almaden Lake, within the City of San Jose’s Almaden Lake Park, is located at Almaden Expressway & Coleman Avenue in south San Jose. See <http://www.sjparks.org/Parks/RegionalParks/alp/index.asp>.

*Santa Clara Basin*

Surface water body: Herbert Creek

County: Santa Clara

Water body type: Perennial Stream, headwater tributary to Alamos Creek, drains to Almaden Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Almaden Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

*Santa Clara Basin*

Surface water body: Barrett Canyon Creek (also called Barret Creek)

County: Santa Clara

Water body type: Perennial Stream, headwater tributary to Alamos Creek, drains to Almaden Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Almaden Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001, pg. 8-6.

*Santa Clara Basin*

Surface water body: Coyote Creek (nontidal)

County: Santa Clara

Water body type: Perennial Stream, drains to the San Francisco Estuary

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use. Also, public access exists in City & County parks along the creek.
REC-2	E	Previously assigned
NAV		

RARE: Species include steelhead, California tiger salamander, southwestern pond turtle, California clapper rail and salt marsh harvest mouse (tidal reaches only). Sources:

- Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001. pg. 7-74.
- San Jose’s Riparian Corridor Policy. 1999. Appendix A. Available at <http://www.calsj.org/>. Accessed September 1, 2009.

*Santa Clara Basin*

Surface water body: Upper Penitencia Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Coyote Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Upper Penitencia Creek flows to Cherry Flat Reservoir
GWR	E	WMI Watershed Characteristics Report, 2001, pg. 8-6.
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 102, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 102. US Department of Transportation National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> San Jose's Riparian Corridor Policy
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 102. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

GWR: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001.

RARE: Species include Steelhead, Chinook and California red-legged frog. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Goforth, K.M., US Environmental Protection Agency, letter to Eidlin, E., US Department of Transportation. Subject: Draft Environmental Impact Statement for the Silicon Valley Rapid Transit Corridor, Alameda and Santa Clara Counties, California (CEQ #20090064). April 27, 2009.
- San Jose's Riparian Corridor Policy. 1999. Appendix A. Available at <http://www.calsj.org/>. Accessed September 1, 2009.

*Santa Clara Basin*

Surface water body: Arroyo Aguague Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Upper Penitencia Creek, flows through Alum Rock Park

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 104, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 104. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 104. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Alum Rock Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Alum Rock Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE, and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Halls Valley Lake (also called Grant Lake)

County: Santa Clara

Water body type: Reservoir

*Providing information about a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Santa Clara County Parks Department
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

General information for Halls Valley/Grant Lake:

- Santa Clara County Parks and Recreation Department personnel confirmed that Halls Valley and Grant Lakes are one and the same. Source: email from Ms. Julie Mark, Deputy Director of the Parks & Recreation Department, to Jan O’Hara, SFB Regional Water Quality Control Board, dated January 5, 2010.
- Halls Valley Lake is on Lick Observatory USGS quad topo map. Latitude: 37.34333, Longitude: -121.7167
- Halls Valley Lake is the result of Grant Company 2 Dam on the Arroyo Aguague River in Santa Clara County, California and is used for irrigation purposes. Construction was completed in 1927. It has a normal surface area of 38 acres. It is owned by County Of Santa Clara. Source: [http://findlakes.com/central\\_california\\_lakes\\_n37w119.htm](http://findlakes.com/central_california_lakes_n37w119.htm). Accessed December 21, 2009.
- Grant Lake is located within Joseph D. Grant County Park, located at 18405 Mt. Hamilton Rd., San Jose. The Halls Valley is a major feature of the Park. See the Park map at: [http://www.sccgov.org/SCC/docs%2FParks%20and%20Recreation%2C%20Department%20of%20%28DEP%29%2Fattachments%2FGRANT\\_PARK\\_MAP.pdf](http://www.sccgov.org/SCC/docs%2FParks%20and%20Recreation%2C%20Department%20of%20%28DEP%29%2Fattachments%2FGRANT_PARK_MAP.pdf). Accessed December 21, 2009.

*Santa Clara Basin*

Surface water body: Lower Silver Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Coyote Creek, near the Bayshore Freeway

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

Receives an NPDES-permitted discharge: General Permit for Groundwater Dewatering Discharges, WDID # 2438558007

*Santa Clara Basin*

Surface water body: Babb Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Lower Silver Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: South Babb Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Lower Silver Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Flint Creek

County: Santa Clara

Water body type: Intermittent Stream, Thompson Creek watershed

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Thompson Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Lower Silver Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Quimby Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Thompson Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Yerba Buena Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Thompson Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: **Upper** Silver Creek (formerly referred to in the Basin Plan as Silver Creek)

County: Santa Clara

Water body type: Perennial Stream, tributary to Coyote Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	Stream Flow Augmentation Project, Upper Silver Creek and Coyote Creek
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California red-legged frog and western pond turtle. Source: Stream Flow Augmentation Project, Upper Silver Creek and Coyote Creek, Initial Study / Mitigated Negative Declaration. Prepared for Santa Clara Valley Water District. Prepared by Thomas Reid Associates. June 2006. Available at

<http://www.scvwd.dst.ca.us/media/pdf/Streamflow%20AugmentationDraft%20IS%20MND.pdf>.

General Information: Historically, Upper Silver Creek drained to a large freshwater marsh in the Evergreen area of Santa Clara. It was connected to Coyote Creek in the 1970s.

*Santa Clara Basin*

Surface water body: Cottonwood Lake

County: Santa Clara

Water body type: Reservoir on Coyote Creek, in Hellyer County Park

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

General information: Cottonwood Lake is located in Hellyer County Park. Fishing is permitted year round at Cottonwood Lake and during fishing season in the Coyote Creek. Cottonwood Lake is stocked with Rainbow Trout from November through late April. Source:

[http://firemarshal.sccgov.org/portal/site/parks?path=%2Fv7%2FSCC%20Public%20Portal&contentId=2f915e7505e21110VgnVCM10000048dc4a92\\_\\_\\_&cpsexcurrchannel=1](http://firemarshal.sccgov.org/portal/site/parks?path=%2Fv7%2FSCC%20Public%20Portal&contentId=2f915e7505e21110VgnVCM10000048dc4a92___&cpsexcurrchannel=1). Accessed January 6, 2010.

*Santa Clara Basin*

Surface water body: Fisher Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Coyote Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Anderson Reservoir (also called Anderson Lake)

County: Santa Clara

Water body type: Reservoir on Spring Creek, Coyote Creek watershed

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR	E	Previously assigned
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a> . Listed as Anderson Lake.
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned as “L”
REC-2	E	Previously assigned
NAV		

General information: Anderson Reservoir is located within Anderson Lake County Park. The Reservoir is operated by the Santa Clara Valley Water District.

*Santa Clara Basin*

Surface water body: San Felipe Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Coyote Creek, via Anderson Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Anderson Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Edited from Potential to Existing use, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 107.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Edited from Potential to Existing use based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 107.
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001, pg. 8-6.

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Las Animas Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to San Felipe Creek, upstream of Anderson Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Anderson Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001, pg. 8-6.

*Santa Clara Basin*

Surface water body: Packwood Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Anderson Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Anderson Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 108.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 108.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001, pg. 8-6.

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Hoover Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Packwood Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Anderson Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 108.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 108.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001, pg. 8-6.

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Otis Canyon Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Coyote Creek upstream of Coyote Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Coyote Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001, pg. 8-6.

*Santa Clara Basin*

Surface water body: Coyote Reservoir (also called Coyote Lake)

County: Santa Clara

Water body type: Reservoir on upper Coyote Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a> . Listed as Coyote Lake.
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

*Santa Clara Basin*

Surface water body: Canada de Los Osos Creek

County: Santa Clara

Water body type: Perennial Stream, especially in upper reaches, headwater tributary of Coyote Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Coyote Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 108.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access in Henry Coe State Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access in Henry Coe State Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

FRSH: Watershed Management Plan, Vol. 1, Watershed Characteristics Report. Prepared by the Santa Clara Basin Watershed Management Initiative, Feb. 2001, pg. 8-6.

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Santa Clara Basin*

Surface water body: Soda Springs Canyon Creek

County: Santa Clara

Water body type: Perennial Stream, headwater tributary of Coyote Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Lower Penitencia Creek

County: Santa Clara

Water body type: Perennial Stream, drains to Coyote Creek near the intersection of I-880 and Dixon Landing Road

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Berryessa Creek

County: Santa Clara

Water body type: Intermittent Stream, tributary to Lower Penitencia Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Calera Creek (Santa Clara County)

County: Santa Clara

Water body type: Perennial Stream, tributary to Berryessa Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Ed Levin County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Ed Levin County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Tularcitos Creek

County: Santa Clara

Water body type: Perennial Stream, tributary to Berryessa Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Ed Levin County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Ed Levin County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

*Santa Clara Basin*

Surface water body: Arroyo de los Coches

County: Santa Clara

Water body type: Perennial Stream, tributary to Berryessa Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	Water Board staff knowledge
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Ed Levin County Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Ed Levin County Park, also Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Water Board staff has knowledge of red-legged frogs existing along Arroyo de los Coches.

*Santa Clara Basin*

Surface water body: Sandy Wool Lake

County: Santa Clara

Water body type: Reservoir in Ed Levin County Park

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

REC-1: The Santa Clara County Department of Parks and Recreation prohibits swimming in Sandy Wool Lake. Source:

[http://www.sccgov.org/SCC/docs%2FParks%20and%20Recreation,%20Department%20of%20\(DEP\)%20Attachments%2F644507Levin%20Brochure.pdf](http://www.sccgov.org/SCC/docs%2FParks%20and%20Recreation,%20Department%20of%20(DEP)%20Attachments%2F644507Levin%20Brochure.pdf). Accessed December 21, 2009.

General information: Sandy Wool Lake is located in Santa Clara County's Ed R. Levin Park.

# **SAN PABLO BASIN**

*San Pablo Basin*

Surface water body: Mare Island Strait

County: Solano

Water body type: Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use is well-established
SHELL		
COLD		
EST	E	Previously assigned (Basin Plan Table 2-4)
MAR		
MIGR	E	Steelhead migration to/from the Napa River
RARE	E	California Department of Fish & Game
SPWN		
WARM		
WILD	E	Previously assigned (Basin Plan Table 2-4)
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned (Basin Plan Table 2-4)
NAV	E	NOAA navigation chart 18655, 59 <sup>th</sup> Edition, Oct. 2006

COMM: A public fishing pier is located on the east side of the Strait, one mile north of Vallejo. Source: [http://www.tyc.org/Cruise/chartlets/excerpt\\_coast\\_pilot\\_napa.dock](http://www.tyc.org/Cruise/chartlets/excerpt_coast_pilot_napa.dock). Accessed December 23, 2009.

RARE: Species include California red-legged frog, California black rail, California clapper rail, Delta smelt, salt-marsh harvest mouse. Source: California Dept. of Fish & Game Natural Diversity Database (CNDDDB). Available at [http://imaps.dfg.ca.gov/viewers/cnddb\\_quickviewer/app.asp](http://imaps.dfg.ca.gov/viewers/cnddb_quickviewer/app.asp). Accessed August 10, 2009.

NAV: <http://www.charts.noaa.gov/OnLineViewer/18655.shtml>

*San Pablo Basin*

Surface water body: Napa-Sonoma Marsh

County: Napa, mostly

Water body type: Tidal marsh wetland, between San Pablo Bay and lower Napa River, on north end of Mare Island

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration to/from the Napa River
RARE	E	Napa Sonoma Restoration Project
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: Fishing is available in Napa Sonoma Marshes Wildlife Area. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Rare species include CA clapper rail, black rail, salt marsh harvest mouse, Delta smelt, Sacramento splittail, steelhead trout, and Chinook salmon. Source: Napa Sonoma Restoration Project website <http://www.napa-sonoma-marsh.org/overview.html>. Accessed August 10, 2009.

General information: The U.S. Army Corps of Engineers, the California Coastal Conservancy, and the California Department of Fish and Game are undertaking the restoration of 10,000 acres of wetlands and associated habitats within the former Cargill salt pond complex in the North Bay. Source: <http://www.napa-sonoma-marsh.org/overview.html>.

*San Pablo Basin*

Surface water body: White Slough

County: Solano

Water body type: Tidal Slough along the Napa River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Previously assigned (Basin Plan Table 2-4)
MAR		
MIGR	E	Previously assigned (Basin Plan Table 2-4)
RARE	E	Previously assigned (Basin Plan Table 2-4)
SPWN	E	Previously assigned (Basin Plan Table 2-4)
WARM		
WILD	E	Previously assigned (Basin Plan Table 2-4)
REC-1	E	Previously assigned (Basin Plan Table 2-4)
REC-2	E	Previously assigned (Basin Plan Table 2-4)
NAV		

COMM: Fishing is available in White Slough Wildlife Area. Source:  
<http://www.dfg.ca.gov/lands/wa/region3/whiteslough.html>. Accessed December 23, 2009.

RARE: White Slough is located within the White Slough Wildlife Area. Species in this Wildlife Area include foothill yellow-legged frog, red-legged frog, and clapper rail. Source:  
<http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: South Slough

County: Solano

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration to/from the Napa River
RARE	E	Located within the Napa Sonoma Marshes Wildlife Area
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: Fishing is available in Napa Sonoma Marshes Wildlife Area. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: Dutchman Slough (Note new spelling – not Dutchmen)

County: Solano

Water body type: Tidal Slough, north of Mare Island

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration to/from the Napa River
RARE	E	Located within the Napa Sonoma Marshes Wildlife Area
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: Fishing is available in Napa Sonoma Marshes Wildlife Area. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: Rindler Creek

County: Solano

Water body type: Intermittent Stream, discharges to Lake Chabot in Vallejo

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Lake Chabot
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Blue Rock Springs Creek

County: Solano

Water body type: Intermittent Stream, discharges into (South) Rindler Creek in Vallejo

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Lake Dalwigk

County: Solano

Water body type: Lake near Hwys 80 & 780, south of Blue Rock Springs Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Rodeo Creek (Contra Costa County)

County: Contra Costa

Water body type: Intermittent Stream, discharges to San Pablo Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated by information in the National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

*San Pablo Basin*

Surface water body: Refugio Creek

County: Contra Costa

Water body type: Intermittent Stream, discharges to San Pablo Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Pinole Creek

County: Contra Costa

Water body type: Perennial Stream, discharges to San Pablo Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Garrity Creek

County: Contra Costa

Water body type: Intermittent Stream, discharges to San Pablo Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Rheem Creek

County: Contra Costa

Water body type: Intermittent Stream in San Pablo & Richmond, discharges to San Pablo Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: San Pablo Creek

County: Contra Costa

Water body type: Intermittent and Perennial Stream

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows through San Pablo Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

General information: See Basin Plan Table 2-4 for information on wetland areas in/along lower San Pablo Creek.

*San Pablo Basin*

Surface water body: San Pablo Reservoir

County: Contra Costa

Water body type: Reservoir on San Pablo Creek

*Adding beneficial use(s) to a water body already listed in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COMM: [http://imaps.dfg.ca.gov/viewers/fishing\\_guide/app.asp](http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp)

*San Pablo Basin*

Surface water body: Lauterwasser Creek

County: Contra Costa

Water body type: Intermittent Stream, tributary to San Pablo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to San Pablo Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Briones Reservoir

County: Contra Costa

Water body type: Reservoir on San Pablo Creek

*Adding beneficial use(s) to a water body already listed in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned as “L”
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: Operated by East Bay Municipal Utility District (EBMUD)

REC-1: EBMUD restricts public access to this reservoir.

*San Pablo Basin*

Surface water body: Bear Creek (Contra Costa)

County: Contra Costa

Water body type: Intermittent Stream, tributary to San Pablo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Briones and San Pablo Reservoirs
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	Federal Register, Vol. 71, No. 71, April 23, 2006, pg. 19268.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Bear Creek is within Critical Habit Unit CCS-1A (Berkeley Hills) for California red-legged frog. This Unit is located in western Contra Costa County, south of Alhambra Valley Road and north of Bear Creek Road. Source: Federal Register, Vol. 71, No. 71, April 23, 2006.

*San Pablo Basin*

Surface water body: Wildcat Creek

County: Contra Costa

Water body type: Intermittent Stream, discharges to San Pablo Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Dams at Jewel Lake and Lake Anza
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 30, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 30. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

General information: See Basin Plan Table 2-4 for information on wetland areas in/along lower Wildcat Creek.

*San Pablo Basin*

Surface water body: Lake Anza

County: Contra Costa

Water body type: Reservoir on Wildcat Creek in Tilden Park, Berkeley

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Used for surface water quantity
GWR		
IND		
PROC		
COMM	E	East Bay Regional Park District, <a href="http://www.ebparks.org/activities/fishing">http://www.ebparks.org/activities/fishing</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COMM: “In addition to planting rainbow trout and channel catfish, the District promotes the reproduction and growth of other gamefish species in all of its lakes. These gamefish include largemouth, and smallmouth bass, bluegill, sunfish and crappie. District lakes that do not require a fishing access permit include [Lake Anza](#).” Source: <http://www.ebparks.org/activities/fishing>. Accessed April 20, 2009.

*San Pablo Basin*

Surface water body: Black John Slough

County: Marin

Water body type: Tidal Slough on Petaluma River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration to/from Petaluma River
RARE	E	Goals Project
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include salt marsh harvest mouse, California clapper rail, and California black rail. Goals Project. 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife. Prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. P.R. Olofson, editor. San Francisco Bay Regional Water Quality Control Board, Oakland, Calif. Pages 224, 334 and 342.

*San Pablo Basin*

Surface water body: Rush Creek

County: Marin

Water body type: Tidal Slough, discharges to Black John Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Connected to, and same species as, Black John Slough
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include salt marsh harvest mouse, California clapper rail, and California black rail. Goals Project. 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish and wildlife. Prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. P.R. Olofson, editor. San Francisco Bay Regional Water Quality Control Board, Oakland, Calif. Pages 224, 334 and 342.

*San Pablo Basin*

Surface water body: Bahia Lagoon

County: Marin

Water body type: Estuarine Lagoon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Marin Audubon
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California Clapper Rail. Source of information: Marin Audubon website at <http://www.marinaudubon.org/bahia.htm>. Accessed August 10, 2009.

San Pablo Basin

Surface water body: Novato Creek

County: Marin

Water body type: Perennial Stream, drains into Bel Marin Keys lagoon, then SF Estuary

Adding beneficial uses to a water body already on Table 2-1.

BU	Designation	Rationale and/or Source of Information
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Edited from Potential to Existing use based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 171-172, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Edited from Potential to Existing use based on information in National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Previously assigned
SPWN	E	Edited from Potential to Existing use based on information in National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Edited from Potential to Existing use because WARM is a Clean Water Act 101(a)(2) for inland surface water body
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2)
REC-2	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2)
NAV		

RARE: Species include steelhead. In lower reaches, species include Salt marsh harvest mouse, California clapper rail, California black rail, Salt marsh yellowthroat, and Western pond turtle; Chinook salmon and Steelhead are also documented. Sources:

- RMC, 2003. North Bay Watershed Stewardship Plan, October 2003, Appendix A.4.
- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

General information: See Basin Plan Table 2-4 for information on wetland areas in/along lower Novato Creek.

*San Pablo Basin*

Surface water body: Stafford Lake

County: Marin

Water body type: Reservoir on Novato Creek, in Stafford Lake Park

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	<a href="http://www.dfg.ca.gov/fishinginthecity/sf/north.html">http://www.dfg.ca.gov/fishinginthecity/sf/north.html</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COMM: Trout fishing in Marin County is available primarily in reservoirs stocked by the Department with catchable trout, including **Stafford Lake**: 245 acres. Stafford Lake is located about four miles west of Novato off Novato Boulevard at Stafford Lake County Park. The lake provides fair fishing for largemouth bass. No boats are permitted. Source: <http://www.dfg.ca.gov/fishinginthecity/sf/north.html>. Accessed April 20, 2009.

San Pablo Basin

Surface water body: Bowman Canyon Creek

County: Marin

Water body type: Intermittent Stream, tributary to Novato Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Warner Creek (Novato, Marin County)

County: Marin

Water body type: Intermittent Stream, tributary to Novato Creek, formed by confluence of Vineyard Creek and Wilson Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172.
EST		
MAR		
MIGR	E	Both Novato and Vineyard Creeks have documented steelhead. Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172.
RARE	E	Both Novato and Vineyard Creeks have documented steelhead. Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Arroyo Avichi

County: Marin

Water body type: Intermittent Stream, tributary to Novato Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172.
EST		
MAR		
MIGR		
RARE	E	Tributary to Novato Creek, where steelhead are present. Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 172.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Pacheco Pond

County: Marin

Water body type: Pond, discharges to Novato Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Previously assigned
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	P	Previously assigned
RARE	E	Krisweb
SPWN	P	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2)
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2)
NAV		

COLD and RARE: Species include steelhead trout. Source:

[http://krisweb.com/kris\\_ems/krisdb/webbuilder/nm\\_p6.htm](http://krisweb.com/kris_ems/krisdb/webbuilder/nm_p6.htm). Accessed December 28, 2009.

General information: Pacheco Pond is a flood control reservoir that receives flow from Pacheco Creek and San Jose Creek.

San Pablo Basin

Surface water body: Arroyo San Jose

County: Marin

Water body type: Intermittent Stream, discharges to Bel Marin Keys lagoon

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 171.
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 171.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Bel Marin Keys Lagoon

County: Marin

Water body type: Estuarine Lagoon, connected to San Pablo Bay by Novato Creek channel and a series of canals within Hamilton Air Force Base

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Jones and Stokes
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species could include California clapper rail, salt marsh harvest mouse, winter-run chinook salmon, Central California coast steelhead, and delta smelt. Source: Jones and Stokes, Bel Marin Keys Unit V, Conceptual Wetland Restoration Process. Issue audit memorandum. September 28, 2001. Pg. 4. Available at <http://www.coastalconservancy.ca.gov/belmarin/downloads/issues.pdf>. Accessed August 10, 2009.

General information: In early 2001, the California Coastal Conservancy purchased the nearly 1,600-acre Bel Marin Keys Unit V property, located in southeast Marin County, with the intent of restoring the site as a wetland. Since the Hamilton Army Airfield wetland restoration project is in final design, the Conservancy is seeking to integrate the two projects into one large wetland restoration project. Source: <http://www.coastalconservancy.ca.gov/belmarin/downloads/issues.pdf>. Accessed August 10, 2009.

*San Pablo Basin*

Surface water body: Gallinas Creek

County: Marin

Water body type: Intermittent Stream, discharges to San Pablo Bay north of San Rafael Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE	E	Previously assigned
SPWN		
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

General information: See Basin Plan Table 2-4 for information on wetland areas in/along lower Gallinas Creek.

*San Pablo Basin*

Surface water body: Petaluma River - tidal

County: Sonoma

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Numerous access locations for recreational fishing
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead trout and Coho salmon migration
RARE	E	North Bay Watershed Stewardship Plan
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18654, 44 <sup>th</sup> Edition, Jan. 2008

RARE: Species include Salt marsh harvest mouse, California clapper rail, California black rail, Salt marsh yellowthroat, Northern harrier, Short-eared owl, Western pond turtle, Chinook salmon, Steelhead, Coho salmon, and Delta smelt. Source: RMC, 2003. North Bay Watershed Stewardship Plan, October 2003, Appendix A.4, pg. 1.

NAV: <http://www.charts.noaa.gov/OnLineViewer/18654.shtml>

*San Pablo Basin*

Surface water body: San Antonio Creek (Sonoma County)

County: Border between Sonoma and Marin Counties

Water body type: Intermittent Stream, tributary to Petaluma River

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	P	Previously assigned
RARE		
SPWN	P	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2)
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2)
NAV		

San Pablo Basin

Surface water body: Adobe Creek (Sonoma County)

County: Sonoma

Water body type: Intermittent Stream, tributary to Petaluma River

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 184, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 184. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Lynch Creek

County: Sonoma

Water body type: Intermittent Stream, tributary to Petaluma River

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 184, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 184. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Willow Creek (also called Willow Creek)

County: Sonoma

Water body type: Intermittent Stream, tributary to Petaluma River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in the National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Lichau Creek

County: Sonoma

Water body type: Intermittent Stream, tributary to Petaluma River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE		
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Tolay Creek - tidal

County: Sonoma

Water body type: Tidal Slough, located within San Pablo Bay National Wildlife Refuge

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Fish and Wildlife Service
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Fish and Wildlife Service
RARE	E	Fish and Wildlife Service
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: Boat access to the open water and navigable sloughs of San Pablo Bay provides opportunities for fishing on the refuge. Fishing by boat is allowed in the open bay and navigable sloughs of the refuge. Source: <http://www.fws.gov/SFBAYREFUGES/San%20Pablo/recreation.htm>. Accessed December 28, 2009.

RARE: The San Pablo Bay National Wildlife Refuge provides critical migratory and wintering habitat for shorebirds and waterfowl, particularly diving ducks, and provides year-round habitat for endangered, threatened, and sensitive species like the California clapper rail, salt marsh harvest mouse, California black rail, San Pablo song sparrow, and Suisun shrew. Numerous other threatened, endangered, and sensitive species require tidal marsh habitat for their survival, including 11 fish species that swim through San Pablo Bay to reach their fresh water spawning grounds. Source: <http://www.fws.gov/SFBAYREFUGES/San%20Pablo/index.htm>. Accessed December 28, 2009.

San Pablo Basin

Surface water body: Tolay Creek – nontidal

County: Sonoma

Water body type: Intermittent Stream, tributary to Sonoma Creek near Sears Point Road

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	U. S. Geological Survey
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species in lower reaches or mouth of Tolay Creek include California clapper rail (*Rallus longirostris obsoletus*), California black rail (*Laterallus jamaicensis coturniculus*), San Pablo song sparrow (*Melospiza melodia samuelis*), common yellowthroat (*Geothlypis trichas sinuosa*), and salt marsh harvest mouse (*Reithrodontomys raviventris halicoetes*). Source: Takekawa, J. Y., M. A. Bias, I. Woo, S. A. Demers, and G. T. Downard. 2002. Restoration Research and Monitoring in Bayland Wetlands of the San Francisco Bay Estuary: The Tolay Creek Project. U. S. Geological Survey, Unpubl. Prog. Rep. Vallejo, CA. pg. iv. Available at <http://www.werc.usgs.gov/sfbe/pdfs/TCannualfinal2002.pdf>.

General information: The Tolay Creek Restoration Project, managed by San Pablo Bay National Wildlife Refuge and California Department of Fish and Game, was initiated in 1997 to increase tidal flow to 176 hectares of the channelized lower creek and improve habitats for endemic tidal marsh species. Source: <http://www.werc.usgs.gov/sfbe/pdfs/TCannualfinal2002.pdf>.

*San Pablo Basin*

Surface water body: Sonoma Creek - tidal

County: Sonoma

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to San Pablo Bay
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead trout and Chinook salmon migration
RARE	E	North Bay Watershed Stewardship Plan US Fish and Wildlife Service
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include Salt marsh harvest mouse, Chinook salmon, Steelhead, and Delta Smelt. Source: RMC, 2003. North Bay Watershed Stewardship Plan, October 2003, Appendix A.4.

San Pablo Basin

Surface water body: Second Napa Slough

County: Sonoma

Water body type: Tidal Slough

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to San Pablo Bay
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Hydrologic connection to San Pablo Bay and Napa River allows steelhead migration
RARE	E	Species could include those present in the San Pablo Bay National Wildlife Refuge and the Napa Sonoma Marshes Wildlife Area, based on hydrologic connections
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: The San Pablo Bay National Wildlife Refuge provides critical migratory and wintering habitat for shorebirds and waterfowl, particularly diving ducks, and provides year-round habitat for endangered, threatened, and sensitive species like the California clapper rail, salt marsh harvest mouse, California black rail, San Pablo song sparrow, and Suisun shrew. Numerous other threatened, endangered, and sensitive species require tidal marsh habitat for their survival, including 11 fish species that swim through San Pablo Bay to reach their fresh water spawning grounds. Source:

<http://www.fws.gov/SFBAYREFUGES/San%20Pablo/index.htm>. Accessed December 28, 2009.

Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source:

<http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: Third Napa Slough

County: Sonoma

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Napa Sonoma Marshes Wildlife Area
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Species could include those present in the Napa Sonoma Marshes Wildlife Area, based on hydrologic connections
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: Steamboat Slough

County: Sonoma

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Napa Sonoma Marshes Wildlife Area
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Species could include those present in the Napa Sonoma Marshes Wildlife Area, based on hydrologic connections
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: Hudeman Slough

County: Sonoma

Water body type: Tidal Slough, located in part in the Napa – Sonoma Marshes Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration
RARE	E	Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: The Napa Sonoma Marshes Wildlife Area is regularly used by hunters and fisherman. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: Rainbow Slough

County: Sonoma

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Napa Sonoma Marshes Wildlife Area
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Species could include those present in the Napa Sonoma Marshes Wildlife Area, based on hydrologic connections
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: The Napa Sonoma Marshes Wildlife Area is regularly used by hunters and fisherman. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: Sonoma Creek

County: Sonoma

Water body type: Perennial Stream, upstream of Sonoma Creek – tidal

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Sonoma Ecology Center written comments, April 29, 2009
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COMM: Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O’Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

RARE: Species include California freshwater shrimp. Source: U.S. Fish & Wildlife Service. 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, U.S. Fish & Wildlife Service, Portland, Oregon. 94 pp.

San Pablo Basin

Surface water body: Fowler Creek

County: Sonoma

Water body type: Intermittent Stream, formed by joining of Carriger and Felder Creeks, tributary to Sonoma Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 188, and Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 188-190. Steelhead in Carriger Creek Sonoma Ecology Center written comments, April 29, 2009
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 188. Sonoma Ecology Center written comments, April 29, 2009
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Species include steelhead trout. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Felder Creek

County: Sonoma

Water body type: Intermittent Stream, tributary to Fowler Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 189
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Carriger Creek

County: Sonoma

Water body type: Perennial Stream, tributary to, or upstream portion of, Fowler Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 190, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 190. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 190. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 190. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead trout. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- National Marine Fisheries Service steelhead distribution database [http://swr.nmfs.noaa.gov/cg/CCC\\_Steelhead\\_Distribution\\_06\\_2005.xls](http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls)
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Rogers Creek

County: Sonoma

Water body type: Intermittent Stream, tributary to Fowler Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 189, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 189. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 189. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Schell Creek (previously misspelled as *Schnell*)

County: Sonoma

Water body type: Intermittent Stream, 3.4-mile channel fed by Arroyo Seco & Nathanson Creek watersheds, discharges to tidally influenced Schell & Steamboat Sloughs

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 200, and Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 200. Sonoma Ecology Center written comments, April 29, 2009
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 200-201. Sonoma Ecology Center written comments, April 29, 2009
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access available at Hwy 121, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, and RARE: Species include steelhead trout. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Arroyo Seco Creek (Sonoma County)

County: Sonoma

Water body type: Intermittent Stream, tributary to Schell Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 200, and Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 200.
RARE	E	Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 200. Sonoma Ecology Center written comments, April 29, 2009
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Nathanson Creek

County: Sonoma

Water body type: Intermittent Stream, upper Schell Creek (upstream of City of Sonoma)

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 201, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 201. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 201. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 201. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Nathanson Park & E. Napa Street, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Nathanson Park & E. Napa Street, also Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Agua Caliente Creek (Sonoma County)

County: Sonoma

Water body type: Perennial Stream, tributary to Sonoma Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 191-192, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 191-192. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access available at Verano bridge, Sam Keen, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O’Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Hooker Creek

County: Sonoma

Water body type: Intermittent Stream, tributary to Sonoma Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 192, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 192. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Mill Creek (Sonoma County)

County: Sonoma

Water body type: Perennial Stream, tributary to Sonoma Creek, in vicinity of Sonoma State Hospital

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 192, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 192. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Calabazas Creek (Sonoma County)

County: Sonoma

Water body type: Perennial Stream, tributary to Sonoma Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 193, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 193. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 193. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 193. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Stuart Creek

County: Sonoma

Water body type: Intermittent Stream, tributary to Calabazas Creek (Sonoma Creek watershed)

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 194-195, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 194-195. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 194-195. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 194-195. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Graham Creek

County: Sonoma

Water body type: Intermittent Stream, tributary to Sonoma Creek near intersection of Warm Springs Road & Sonoma Mountain Road

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 196, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 196. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 196. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 196. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

San Pablo Basin

Surface water body: Yulupa Creek

County: Sonoma

Water body type: Intermittent Stream, tributary to Sonoma Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 197, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 197. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 197. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009 CA Freshwater Shrimp, USFWS, 1998.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 197. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Public access at Annadel State Park, also Clean Water Act 101(a)(2) presumptive use
REC-2	E	Public access at Annadel State Park, Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead and California freshwater shrimp. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

- National Marine Fisheries Service steelhead distribution database
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.
- CA Freshwater Shrimp, USFWS, 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, US Fish and Wildlife Service, Region 1, Portland, Oregon. 1998.

San Pablo Basin

Surface water body: Bear Creek (Sonoma County)

County: Sonoma

Water body type: Intermittent Stream, tributary to Sonoma Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 198-199, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 198-199. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 198-199. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 198-199. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> Sonoma Ecology Center written comments, April 29, 2009
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead. Sources include:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Email from Caitlin Cornwall, Sonoma Ecology Center, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board. April 29, 2009.

*San Pablo Basin*

Surface water body: Napa Slough

County: Napa / Sonoma border

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration
RARE	E	Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: The Napa Sonoma Marshes Wildlife Area is regularly used by hunters and fisherman. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: China Slough

County: Napa

Water body type: Tidal Slough, tributary to Napa Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration
RARE	E	Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: The Napa Sonoma Marshes Wildlife Area is regularly used by hunters and fisherman. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

San Pablo Basin

Surface water body: Napa River - tidal

County: Napa

Water body type: Estuary

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Numerous access points for recreational fishing, including points within the Napa – Sonoma Marshes Wildlife Area
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration
RARE	E	US Fish and Wildlife Service California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18654, 44 <sup>th</sup> Edition, Jan. 2008

COMM: The Napa Sonoma Marshes Wildlife Area is regularly used by hunters and fisherman. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE:

- Species include California freshwater shrimp. Source: CA Freshwater Shrimp, USFWS, 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, US Fish and Wildlife Service, Region 1, Portland, Oregon. 1998.
- Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

NAV: <http://www.charts.noaa.gov/OnLineViewer/18654.shtml>

General information: Lower Napa River is tidally influenced and does not support the MUN beneficial use.

*San Pablo Basin*

Surface water body: Napa Plant sites

County: Napa

Water body type: Tidal marsh wetland, one mile northwest of American Canyon

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Chinook salmon migration
RARE	E	South Bay Salt Pond Restoration Project, also hydrologic connection to Estuary
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

Rare: Species may include salt marsh harvest mouse, the California clapper rail, and Chinook salmon.

Source: <http://www.southbayrestoration.org/Napa%20Plant.html>. Accessed August 11, 2009.

General information: The Napa Plant Site Restoration Project is 1,460 acres of former salt ponds roughly 1 mile northwest of American Canyon in Napa County. In 2003, the State of California purchased this land as part of the Cargill Salt Ponds acquisition, which included 15,100 acres of ponds in South San Francisco Bay. Due to the geographic distance and unique characteristics of the Napa Plant Site, the California Department of Fish and Game manages this restoration project separately from the South Bay ponds. The goal of the Napa Plant Site Restoration Project is the restoration and enhancement of wetlands and transitional habitats on the Napa River while providing wildlife-oriented public access. Source: <http://www.southbayrestoration.org/Napa%20Plant.html>. Accessed August 11, 2009.

*San Pablo Basin*

Surface water body: American Canyon Creek

County: Napa

Water body type: Intermittent Stream, discharges to Napa River tidal slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*San Pablo Basin*

Surface water body: Mud Slough (Napa County)

County: Napa

Water body type: Tidal Slough, located within Napa – Sonoma Marshes Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration
RARE	E	Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: The Napa Sonoma Marshes Wildlife Area is regularly used by hunters and fisherman. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

*San Pablo Basin*

Surface water body: Devils Slough

County: Napa

Water body type: Tidal Slough, discharges to Napa Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead migration
RARE	E	Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: The Napa Sonoma Marshes Wildlife Area is regularly used by hunters and fisherman. Source: <http://www.dfg.ca.gov/lands/wa/region3/nsmwa/index.html>. Accessed December 23, 2009.

RARE: Species within the Napa Sonoma Marshes Wildlife Area include longfin smelt, Sacramento splittail, steelhead, California black rail, California clapper rail, and least tern. Source: <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 23, 2009.

San Pablo Basin

Surface water body: Huichica Creek

County: Napa

Water body type: Intermittent Stream, discharges to Napa Slough

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 213, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 213. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 213. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> CA Freshwater Shrimp, USFWS, 1998
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 213.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead and California freshwater shrimp. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- National Marine Fisheries Service steelhead distribution database
- U.S. Fish & Wildlife Service. 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, U.S. Fish & Wildlife Service, Portland, Oregon. 94 pp.

San Pablo Basin

Surface water body: Carneros Creek

County: Napa

Water body type: Intermittent Stream, discharges to tidal Napa River at Cutting's Wharf, south of Napa

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 216, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 216. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 216. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Fagan Creek

County: Napa

Water body type: Intermittent Stream, discharges to Napa River tidal

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

San Pablo Basin

Surface water body: Suscol Creek

County: Napa

Water body type: Intermittent Stream, discharges to tidal Napa River about 5 miles south of Napa

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 216, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 216. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 216. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Bedford Slough

County: Napa

Water body type: Tidal Slough on Napa River near City of Napa

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE		
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

Receives an NPDES-permitted discharge: Napa Development Partners NPDES General Permit for Groundwater Discharge: R2-2007-0033-19

San Pablo Basin

Surface water body: Tulucay Creek

County: Napa

Water body type: Intermittent Stream, discharges to tidal Napa River about 1.5 south of Imola Avenue

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 217, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 217. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Spencer Creek

County: Napa

Water body type: Perennial Stream, tributary to Tulucay Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 218.
EST		
MAR		
MIGR	E	Water Board staff knowledge of waterbody
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 217.
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE:Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Murphy Creek

County: Napa

Water body type: Perennial Stream, joins Spencer Creek to form Tulucay Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 217.
EST		
MAR		
MIGR	E	Water Board staff knowledge of waterbody
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 217.
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Napa River, non-tidal

County: Napa

Water body type: Perennial Stream, discharges to Napa River tidal slough

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH		
GWR	E	Groundwater recharge area, per Napa Resource Conservation District
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV	E	Previously assigned

COLD, MIGR, RARE and SPWN: Species include steelhead and California freshwater shrimp. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- National Marine Fisheries Service steelhead distribution database
- U.S. Fish & Wildlife Service. 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, U.S. Fish & Wildlife Service, Portland, Oregon. 94 pp.

*San Pablo Basin*

Surface water body: Napa Creek

County: Napa

Water body type: Perennial Stream, formed by the confluence of Browns Valley Creek and Redwood Creek and contained almost wholly within the city of Napa, flows to tidal Napa Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 218, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 218. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Browns Valley Creek

County: Napa

Water body type: Intermittent Stream, tributary to Napa Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 218, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 218. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Redwood Creek (Napa County)

County: Napa

Water body type: Perennial Stream, tributary to Napa Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 219-220, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 219-220. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 219-220. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Pickle Canyon Creek

County: Napa

Water body type: Intermittent Stream, tributary to Redwood Creek/Napa Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 220, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 220. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Water Board staff knowledge of waterbody (M.Napolitano)
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Milliken Creek

County: Napa

Water body type: Perennial Stream, tributary to Napa River

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to Milliken Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 221, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 222. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 221. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Milliken Reservoir (also called Lake Milliken)

County: Napa

Water body type: Reservoir on Milliken Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned as “L”
REC-2	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
NAV		

General information: Milliken Reservoir is operated by the City of Napa.

San Pablo Basin

Surface water body: Sarco Creek

County: Napa

Water body type: Intermittent Stream, tributary to Milliken Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 222, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 222. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Salvador Creek

County: Napa

Water body type: Intermittent Stream, discharges to Napa River north of Trancas Avenue

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 222, and Napa Resource Conservation District
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 222. Napa Resource Conservation District
SPWN	E	Napa Resource Conservation District
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Species include steelhead trout and Chinook salmon. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Emails from Jonathan Koehler, Senior Biologist, Napa Resource Conservation District, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board, RE: RWQCB water body review. April-June 2009.

San Pablo Basin

Surface water body: Soda Creek

County: Napa

Water body type: Intermittent Stream, tributary to Napa River

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 223, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 223. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Dry Creek

County: Sonoma

Water body type: Perennial stream, headwaters near Bald Mtn, discharges to Napa River north of City of Napa

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 224. Water Board staff knowledge of waterbody
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Segassia Canyon Creek

County: Napa

Water body type: Intermittent Stream, drains the eastern slopes of Mt. Veeder, tributary to Dry Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 225.
EST		
MAR		
MIGR	E	Water Board staff knowledge of waterbody
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 225.
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Montgomery Creek

County: Napa

Water body type: Intermittent Stream, tributary to Dry Creek at the junction of Dry Creek and Mt. Veeder roads

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 226.
EST		
MAR		
MIGR	E	Water Board staff knowledge of waterbody
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 226.
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Hopper Creek

County: Napa

Water body type: Intermittent Stream, tributary to Dry Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 224.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Conn Creek

County: Napa

Water body type: Perennial Stream, tributary to Napa River

*Adding beneficial uses(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Species include steelhead trout below Lake Hennessey.

San Pablo Basin

Surface water body: Rector Creek

County: Napa

Water body type: Intermittent Stream, tributary to Conn Creek, downstream of Hennessey Reservoir

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to Rector Reservoir
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 227, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 227.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Lake Hennessey (also called Conn Valley Reservoir)

County: Napa

Water body type: Reservoir on Conn Creek, fed by Moore & Chiles Creeks

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

*San Pablo Basin*

Surface water body: Chiles Creek

County: Napa

Water body type: Perennial Stream, headwater tributary to Conn Creek, via Lake Hennessey

*Adding beneficial uses(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2)
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2)
NAV		

San Pablo Basin

Surface water body: Moore Creek

County: Napa

Water body type: Perennial Stream, tributary to Chiles Creek, upstream of Lake Hennessey

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH	E	Flows to Lake Hennessey
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 228.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Sage Creek

County: Napa

Water body type: Perennial Stream, tributary to Conn Creek, via Lake Hennessey

*Adding beneficial uses(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2)
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2)
NAV		

*San Pablo Basin*

Surface water body: Angwin Lakes

County: Napa

Water body type: Reservoir at headwaters of Conn Creek, northwest of town of Angwin

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Water supply for residents of Angwin, per Water Board staff knowledge of waterbody
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

San Pablo Basin

Surface water body: Bale Slough

County: Napa

Water body type: Intermittent Stream, tributary to Napa River near Rutherford

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 229.
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 229.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 229.
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Bear Canyon Creek

County: Napa

Water body type: Perennial Stream, tributary to Bale Slough

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 229, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 229. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Sulphur Creek (Napa County)

County: Napa

Water body type: Perennial Stream, especially in upper reaches, tributary to Napa River east of St. Helena

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 230, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 230. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 230. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 230. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Heath Canyon Creek

County: Napa

Water body type: Perennial Stream, tributary to Sulphur Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 231, and
EST		
MAR		
MIGR	E	Water Board staff knowledge of waterbody
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 231.
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Iron Mine Creek

County: Napa

Water body type: Perennial Stream, tributary to Sulphur Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 231.
EST		
MAR		
MIGR	E	Water Board staff knowledge of waterbody
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 231.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 231.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: York Creek

County: Napa

Water body type: Perennial Stream, tributary to Napa River near St. Helena

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 231. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2)
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2)
NAV		

RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Bell Canyon Creek

County: Napa

Water body type: Perennial Stream, tributary to Napa River about 2.5 miles north of St. Helena

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 232.
EST		
MAR		
MIGR	E	Water Board staff knowledge of waterbody
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 232.
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 232.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Bell Canyon Reservoir

County: Napa

Water body type: Reservoir on Bell Canyon Creek, tributary to Napa River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	City of St. Helena
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: Drinking Water Consumer Confidence Report, City of St. Helena, undated brochure, circa 2007. Available at <http://ci.st-helena.ca.us/images/city/Water%20Related%20Info/2006%20Water%20Report.pdf>. Accessed August 11, 2009.

*San Pablo Basin*

Surface water body: Mill Creek (Napa County)

County: Napa

Water body type: Intermittent Stream, tributary to Napa River

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in the National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

San Pablo Basin

Surface water body: Ritchey Creek

County: Napa

Water body type: Perennial Stream, tributary of Napa River approximately 3 miles south of Calistoga

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 234, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 234. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 234. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 234. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Selby Creek

County: Napa

Water body type: Intermittent Stream, formed by junction of Dutch Henry and Biter Creeks, tributary to Napa River midway between Calistoga and St. Helena

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Napa Resource Conservation District
EST		
MAR		
MIGR	E	Napa Resource Conservation District
RARE	E	Napa Resource Conservation District
SPWN	E	Napa Resource Conservation District
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE, and SPWN: Emails from Jonathan Koehler, Senior Biologist, Napa Resource Conservation District, to Janet O’Hara, San Francisco Bay Regional Water Quality Control Board, RE: RWQCB water body review. April-June 2009.

San Pablo Basin

Surface water body: Dutch Henry Creek

County: Napa

Water body type: Intermittent Stream, joins with Biter Creek to become Selby Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 235, and the Napa Resource Conservation District
EST		
MAR		
MIGR	E	Napa Resource Conservation District
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 235. Napa Resource Conservation District
SPWN	E	Napa Resource Conservation District
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Species include steelhead trout. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Emails from Jonathan Koehler, Senior Biologist, Napa Resource Conservation District, to Janet O'Hara, San Francisco Bay Regional Water Quality Control Board, RE: RWQCB water body review. April-June 2009.

San Pablo Basin

Surface water body: Diamond Mountain Creek

County: Napa

Water body type: Intermittent Stream, tributary to Napa River

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 236.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 236.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Cyrus Creek

County: Napa

Water body type: Intermittent Stream, tributary to Napa River approximately 1 mile west of Calistoga

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 236, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 236. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

San Pablo Basin

Surface water body: Garnett Creek

County: Napa

Water body type: Intermittent Stream, tributary to Napa River north of Calistoga

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 237, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 237. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 237. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> CA Freshwater Shrimp, USFWS, 1998
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Species include steelhead and California freshwater shrimp. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- National Marine Fisheries Service steelhead distribution database.
- CA Freshwater Shrimp, USFWS, 1998. California Freshwater Shrimp (*Syncaris pacifica* Holmes 1895) Recovery Plan, US Fish and Wildlife Service, Region 1, Portland, Oregon. 1998.

San Pablo Basin

Surface water body: Jericho Canyon Creek

County: Napa

Water body type: Intermittent Stream, tributary to Garnett Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 237, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 237. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Water Board staff knowledge of waterbody
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*San Pablo Basin*

Surface water body: Kimball Canyon Creek

County: Napa

Water body type: Perennial Stream, headwaters of Napa River above St. Helena Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Flows through St. Helena Reservoir, St. Helena Water District
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 238.
EST		
MAR		
MIGR		
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 238.
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: Kimball Creek feeds the St. Helena Reservoir, which is located about four miles upstream of the mouth. Thus MUN applies in the upper reaches of Kimball Creek.

COLD and RARE: Species include steelhead trout below the St. Helena Reservoir. Source: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

# **SUISUN BASIN**

*Suisun Basin*

Surface water body: Grizzly Bay

County: Solano

Water body type: Estuary, located within Suisun Bay and adjacent to Grizzly Island Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use is well-established
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead and Chinook salmon migration through the Delta
RARE	E	G.A. Aasen
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include Delta Smelt. Source: Aasen, G.A., 1999. Juvenile Delta Smelt Use of Shallow Water and Channel Habitats in California's Sacramento-San Joaquin Estuary, California Department of Fish and Game, 85(4):161-169. Other species present in Suisun Bay include steelhead trout, Chinook salmon, Delta smelt, longfin smelt, and Sacramento splittail.

*Suisun Basin*

Surface water body: Honker Bay

County: Solano

Water body type: Estuary, located within Suisun Bay

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use is well-established
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead and Chinook salmon migration through the Delta
RARE	E	G.A. Aasen
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include Delta Smelt. Source: Aasen, G.A., 1999. Juvenile Delta Smelt Use of Shallow Water and Channel Habitats in California's Sacramento-San Joaquin Estuary, California Department of Fish and Game, 85(4):161-169. Other species present in Suisun Bay include steelhead trout, Chinook salmon, Delta smelt, longfin smelt, and Sacramento splittail.

*Suisun Basin*

Surface water body: Sulphur Springs Creek

County: Solano

Water body type: Perennial Stream in Benicia

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Lake Herman
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Suisun Basin*

Surface water body: Goodyear Slough

County: Solano

Water body type: Tidal Slough, located within the Goodyear Slough Unit of the Grizzly Island Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	CA Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Steelhead and Chinook salmon migration
RARE	E	CA Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: At various times of the year several species of game fish may be caught at Grizzly Island Wildlife Area. They include striped bass, brown bullhead, white catfish, white sturgeon, black crappie and the occasional largemouth bass, Chinook salmon and steelhead. Source: <http://www.dfg.ca.gov/lands/wa/region3/grizzlyisland/fishing.html>. Accessed December 29, 2009.

RARE: Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, Salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

General information: With 84,000 acres of land, bays and sloughs, the Suisun Marsh is the largest contiguous estuarine marsh in the entire United States. The Grizzly Island Complex occupies about 15,300 acres of this prime wildlife habitat. The complex is a patchwork of 10 distinct land parcels, many of which are not connected and are surrounded by private land. They offer a variety of recreation opportunities and act as a vital buffer against further marsh development. Source: <http://www.dfg.ca.gov/lands/wa/region3/grizzlyisland/generalinfo.html>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Cordelia Slough

County: Solano

Water body type: Tidal Slough, located within Suisun marshlands, and adjacent to the Grizzly Island Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Suisun Bay
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Suisun Basin*

Surface water body: Green Valley Creek

County: Solano

Water body type: Intermittent to Perennial Stream, discharges with Suisun Creek to Cordelia Slough

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 257. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

COLD and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Dan Wilson Creek

County: Solano

Water body type: Intermittent Stream, tributary to Green Valley Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Suisun Basin*

Surface water body: Wild Horse Creek (also called Wild Horse Valley Creek)

County: Solano

Water body type: Intermittent Stream, tributary to Green Valley Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Flows to Lake Frey and Lake Madigan
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 258.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Lake Frey

County: Solano

Water body type: Reservoir on Wild Horse Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

MUN: Vallejo water sources include Lakes Frey and Madigan. Source:

<http://www.ci.vallejo.ca.us/GovSite/default.asp?serviceID1=205>. Accessed December 30, 2009.

REC-1: The city of Vallejo owns both Lake Frey and the surrounding land, and restricts any activity that would result in contamination. Source: <http://www.ci.vallejo.ca.us/GovSite/default.asp?serviceID1=205>. Accessed December 30, 2009.

*Suisun Basin*

Surface water body: Lake Madigan

County: Solano

Water body type: Reservoir on Wild Horse Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Previously assigned
NAV		

MUN: Vallejo water sources include Lakes Frey and Madigan. Source:

<http://www.ci.vallejo.ca.us/GovSite/default.asp?serviceID1=205>. Accessed December 30, 2009.

REC-1: The city of Vallejo owns both Lake Madigan and the surrounding land, and restricts any activity that would result in contamination. Source:

<http://www.ci.vallejo.ca.us/GovSite/default.asp?serviceID1=205>. Accessed December 30, 2009.

*Suisun Basin*

Surface water body: Suisun Slough

County: Solano

Water body type: Estuary, partially located within Grizzly Island Wildlife Area

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD		
EST	E	Previously assigned (Basin Plan Table 2-4)
MAR		
MIGR	E	Previously assigned (Basin Plan Table 2)
RARE	E	Previously assigned (Basin Plan Table 2)
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV	E	Previously assigned

COMM: At various times of the year several species of game fish may be caught at Grizzly Island Wildlife Area. They include striped bass, brown bullhead, white catfish, white sturgeon, black crappie and the occasional largemouth bass, Chinook salmon and steelhead. Source: <http://www.dfg.ca.gov/lands/wa/region3/grizzlyisland/fishing.html>. Accessed December 29, 2009.

MIGR: Suisun Slough is listed as an area of critical salmon habitat and migration. Source: Spring Run Chinook Salmon Intake Gate Restrictions for Spring of 2009, taken from the Army Corps of Engineers Regional General Permit File: 24215N for the Suisun Resource Conservation District, Page 5, Conditions #12 and #14. Dated February 4, 2009. Available at <http://www.suisunrcd.org/pdocs/Spring%20Run%20Chinook%20Salmon%20Intake%20Gate%20Restrictions.doc>. Accessed December 30, 2009.

RARE: Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, Salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Suisun Creek

County: Solano

Water body type: Perennial Stream, discharges to Cordelia Slough, Grizzly Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Previously assigned
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 259. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2)
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2)
NAV		

RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Suisun Reservoir

County: Solano

Water body type: Reservoir on Suisun Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH	E	Used for surface water quantity
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

General information: Susan reservoir is a small, dammed lake on a minor tributary to Suisun Creek.  
 Source: SFBRWQCB, Surface Water Ambient Monitoring Program (Swamp), Final Workplan 2001 – 2002. Available at [http://www.swrcb.ca.gov/rwqcb2/docs/swamp\\_wp\\_01-02.doc](http://www.swrcb.ca.gov/rwqcb2/docs/swamp_wp_01-02.doc).

*Suisun Basin*

Surface water body: Wooden Valley Creek

County: Solano

Water body type: Perennial Stream, tributary to Suisun Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on information in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 260
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 260
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 260
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 260
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Sheldrake Slough

County: Solano

Water body type: Tidal Slough, flows to Suisun Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Suisun Slough and Suisun Bay
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species in Sheldrake Slough could include those species supported by Suisun Slough, which is located within the Grizzly Island Wildlife Area. Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, Salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Boynton Slough

County: Solano

Water body type: Tidal Slough, flows to Suisun Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Suisun Slough and Suisun Bay
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species in Sheldrake Slough could include those species supported by Suisun Slough, which is located within the Grizzly Island Wildlife Area. Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, Salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Peytonia Slough

County: Solano

Water body type: Tidal Slough, flows to Suisun Slough, located within Peytonia Slough Ecological Reserve (a Unit of the Grizzly Island Wildlife Area)

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	
RARE	E	California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: At various times of the year several species of game fish may be caught at Grizzly Island Wildlife Area. They include striped bass, brown bullhead, white catfish, white sturgeon, black crappie and the occasional largemouth bass, Chinook salmon and steelhead. Source: <http://www.dfg.ca.gov/lands/wa/region3/grizzlyisland/fishing.html>. Accessed December 29, 2009.

RARE: Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Gordon Valley Creek

County: Solano

Water body type: Intermittent Stream, tributary to Ledgewood Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Suisun Basin*

Surface water body: Hill Slough

County: Solano

Water body type: Tidal Slough, flows to Suisun Slough, located within Hill Slough Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: Recreational angling is the number one use at Hill Slough. Source: <http://www.dfg.ca.gov/lands/articles/docs/hillslough01.pdf>. Accessed December 30, 2009.

RARE: Species within the Hill Slough Wildlife Area include salt marsh harvest mouse. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 30, 2009.

General information: Hill Slough Wildlife Area consists of 1,723 acres of salt tidal marsh, managed marshes, sloughs and upland grassland. Source: <http://www.dfg.ca.gov/lands/wa/region3/hillslough.html>. Accessed December 30, 2009.

*Suisun Basin*

Surface water body: Cutoff Slough

County: Solano

Water body type: Tidal Slough, located within the Grizzly Island Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Suisun Resource Conservation District
RARE	E	California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: At various times of the year several species of game fish may be caught at Grizzly Island Wildlife Area. They include striped bass, brown bullhead, white catfish, white sturgeon, black crappie and the occasional largemouth bass, Chinook salmon and steelhead. Source: <http://www.dfg.ca.gov/lands/wa/region3/grizzlyisland/fishing.html>. Accessed December 29, 2009.

MIGR: Cutoff Slough is listed as an area of critical salmon habitat and migration. Source: Spring Run Chinook Salmon Intake Gate Restrictions for Spring of 2009, taken from the Army Corps of Engineers Regional General Permit File: 24215N for the Suisun Resource Conservation District, Page 5, Conditions #12 and #14. Dated February 4, 2009. Available at <http://www.suisunrcd.org/pdocs/Spring%20Run%20Chinook%20Salmon%20Intake%20Gate%20Restrictions.doc>. Accessed December 30, 2009.

RARE: Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Spring Branch

County: Solano

Water body type: Intermittent Stream

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Suisun Basin*

Surface water body: Volanti Slough

County: Solano

Water body type: Tidal Slough, flows to Suisun Slough and located within the Grizzly Island Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Chinook migration
RARE	E	California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: At various times of the year several species of game fish may be caught at Grizzly Island Wildlife Area. They include striped bass, brown bullhead, white catfish, white sturgeon, black crappie and the occasional largemouth bass, Chinook salmon and steelhead. Source: <http://www.dfg.ca.gov/lands/wa/region3/grizzlyisland/fishing.html>. Accessed December 29, 2009.

RARE: Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Montezuma Slough

County: Solano

Water body type: Estuary, located along the Grizzly Island Wildlife Area

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	California Department of Fish and Game
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Previously assigned
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV	E	Previously assigned

COMM: At various times of the year several species of game fish may be caught at Grizzly Island Wildlife Area. They include striped bass, brown bullhead, white catfish, white sturgeon, black crappie and the occasional largemouth bass, Chinook salmon and steelhead. Source: <http://www.dfg.ca.gov/lands/wa/region3/grizzlyisland/fishing.html>. Accessed December 29, 2009.

MIGR: Montezuma Slough is listed as an area of critical salmon habitat and migration. Source: Spring Run Chinook Salmon Intake Gate Restrictions for Spring of 2009, taken from the Army Corps of Engineers Regional General Permit File: 24215N for the Suisun Resource Conservatino District, Page 5, Conditions #12 and #14. Dated February 4, 2009. Available at <http://www.suisunrcd.org/pdocs/Spring%20Run%20Chinook%20Salmon%20Intake%20Gate%20Restrictions.doc>. Accessed December 30, 2009.

RARE: Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Nurse Slough

County: Solano

Water body type: Tidal Slough, flows to Montezuma Slough, which is located along the Grizzly Island Wildlife Area

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Montezuma Slough and Grizzly Bay
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Suisun Resource Conservation District
RARE	E	Based on proximity to Grizzly Island Wildlife Area, see California Department of Fish and Game reference below
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: At various times of the year several species of game fish may be caught at Grizzly Island Wildlife Area. They include striped bass, brown bullhead, white catfish, white sturgeon, black crappie and the occasional largemouth bass, Chinook salmon and steelhead. Source: <http://www.dfg.ca.gov/lands/wa/region3/grizzlyisland/fishing.html>. Accessed December 29, 2009.

MIGR: Lower Nurse Slough is listed as an area of critical salmon habitat and migration. Source: Spring Run Chinook Salmon Intake Gate Restrictions for Spring of 2009, taken from the Army Corps of Engineers Regional General Permit File: 24215N for the Suisun Resource Conservation District, Page 5, Conditions #12 and #14. Dated February 4, 2009. Available at <http://www.suisunrcd.org/pdocs/Spring%20Run%20Chinook%20Salmon%20Intake%20Gate%20Restrictions.doc>. Accessed December 30, 2009.

RARE: Species within the Grizzly Island Wildlife Area include Chinook salmon, Delta smelt, longfin smelt, Sacramento splittail, salt marsh harvest mouse, California clapper rail and California black rail. Source: California Department of Fish and Games' Biologic Resource Inventory, available at <http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed December 29, 2009.

*Suisun Basin*

Surface water body: Denverton Slough

County: Solano

Water body type: Tidal Slough, discharges to Nurse Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Grizzly Island Wildlife Area
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Suisun Resource Conservation District
RARE	E	Suisun Resource Conservation District
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MIGR and RARE: Denverton Slough is listed as an area of critical salmon habitat and migration. Source: Spring Run Chinook Salmon Intake Gate Restrictions for Spring of 2009, taken from the Army Corps of Engineers Regional General Permit File: 24215N for the Suisun Resource Conservation District, Page 5, Conditions #12 and #14. Dated February 4, 2009. Available at <http://www.suisunrcd.org/pdocs/Spring%20Run%20Chinook%20Salmon%20Intake%20Gate%20Restrictions.doc>. Accessed December 30, 2009.

*Suisun Basin*

Surface water body: Denverton Creek

County: Solano

Water body type: Intermittent Stream, originates south of Travis AFB, flows to Denverton Slough, Nurse Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	Matern, S.A., P.B. Moyle, and L.C. Pierce
SPWN	E	Matern, S.A., P.B. Moyle, and L.C. Pierce
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE and SPWN: Species include Chinook salmon. Source: Matern, S.A., P.B. Moyle, and L.C. Pierce, Native and Alien Fishes in a California Estuarine Marsh: Twenty-One Years of Changing Assemblages. Transactions of the American Fisheries Society 131:797–816, 2002. Available at: <http://wfc.ucdavis.edu/www/faculty/Peter/petermoyle/publications/maternal2002.pdf>.

*Suisun Basin*

Surface water body: Alhambra Creek

County: Contra Costa

Water body type: Perennial Stream, discharges to Carquinez Strait

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 24, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 24. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 24. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR and RARE: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

Information on Alhambra Creek restoration projects can be found in the Contra Costa County Watershed Atlas, 2003. Prepared by the Contra Costa County Community Development Department in cooperation with the Contra Costa County Public Works Department. November 2003. Alhambra Creek Watershed Plan and information about creek cleanups are available at <http://www.ccrd.org/>.

*Suisun Basin*

Surface water body: Franklin Creek

County: Contra Costa

Water body type: Perennial Stream, headwater tributary to Alhambra Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in National Park Service written communication, April 18, 2003.
EST		
MAR		
MIGR	E	National Park Service written communication, April 18, 2003.
RARE	E	National Park Service written communication, April 18, 2003.
SPWN	E	National Park Service written communication, April 18, 2003.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, MIGR, RARE and SPWN: Memorandum from Mary Coopridger, Water Quality Specialist, San Francisco Bay Area Network, National Park Service, to Steve Moore, Section Leader, Policy and Planning Section, San Francisco Bay Regional Water Quality Control Board, RE: Update of Waterbodies and Beneficial Uses in the San Francisco Bay Water Quality Control Plan (Basin Plan). April 18, 2003.

*Suisun Basin*

Surface water body: Arroyo del Hambre

County: Contra Costa

Water body type: Perennial Stream, headwater tributary to Alhambra Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 24.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Peyton Slough

County: Contra Costa

Water body type: Tidal Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND	E	Industrial water supply uses have existed on/after November 28, 1975
PROC		
COMM	E	Access for recreational fishing exists
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	URS report
RARE	E	URS report
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MIGR and RARE: Species may include Delta smelt, steelhead trout, Chinook salmon, Sacramento splittail, and salt marsh harvest mouse. Source: URS, Preliminary Draft Biological Assessment, Chapter 3. Available at

[http://www.waterboards.ca.gov/sanfranciscobay/water\\_issues/programs/peytonslough/peyton%20slough%20ba\\_final%20report.pdf](http://www.waterboards.ca.gov/sanfranciscobay/water_issues/programs/peytonslough/peyton%20slough%20ba_final%20report.pdf).

Receives an NPDES Permitted Discharge: Rhodia Inc. Martinez Plant, Order No. R2-2008-0075.

*Suisun Basin*

Surface water body: Pacheco Creek (Contra Costa County)

County: Contra Costa

Water body type: Perennial Stream, discharges to Carquinez Strait

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Suisun Basin*

Surface water body: Walnut Creek

County: Contra Costa

Water body type: Perennial Stream, discharges to Suisun Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 16. Contra Costa County Watershed Atlas
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
REC-2	E	Edited from Potential to Existing use because REC-2 is a Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include steelhead and Chinook, now found mostly in lower reaches. Sources:

- *Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (Oncorhynchus mykiss) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.*
- *Contra Costa County Watershed Atlas, 2003. Prepared by the Contra Costa County Community Development Department in cooperation with the Contra Costa County Public Works Department. November 2003.*

Receives an NPDES-permitted discharge: General Permit for Groundwater Dewatering Discharges, WDID # 2071252001.

*Suisun Basin*

Surface water body: Grayson Creek

County: Contra Costa

Water body type: Intermittent Stream, tributary to Walnut Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 16, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 16. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and MIGR: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Pine Creek

County: Contra Costa

Water body type: Perennial Stream, tributary to Walnut Creek

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 18.
RARE	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 18. East Bay Regional Park District
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

MIGR: Note that below Pine Creek Flood Control Dam, Pine Creek provides access to Little Pine Creek and Arroyo Cerro. Source: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

RARE: Species include steelhead, California tiger salamander, and California red-legged frog. Sources:

- Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.
- Brochure for Diablo Foothills Regional Park Castle Rock Regional Recreation Area. East Bay Regional Park District. Available at [http://www.ebparks.org/files/Diablo\\_Foothills\\_Castle\\_Rock\\_text.pdf](http://www.ebparks.org/files/Diablo_Foothills_Castle_Rock_text.pdf) . Accessed on August 24, 2009.
- Bobzien, S. and J.DiDonato, 2007. The Status of the California Tiger Salamander (*Ambystoma californiense*), California Red-Legged Frog (*Rana draytonii*), Foothill Yellow-Legged Frog (*Rana boylei*) and other Aquatic Herpetofauna in the East Bay Regional Park District, California. East Bay Regional Park District, Oakland, CA.

Information on restoration projects on Pine Creek is available in the Contra Costa County Watershed Atlas, 2003. Prepared by the Contra Costa County Community Development Department in cooperation with the Contra Costa County Public Works Department. November 2003.

*Suisun Basin*

Surface water body: Galindo Creek

County: Contra Costa

Water body type: Intermittent Stream, tributary to Pine Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold fresh water habitat, based on relationship to other water bodies in the watershed
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Suisun Basin*

Surface water body: San Ramon Creek

County: Contra Costa

Water body type: Perennial Stream, discharges to Walnut Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

*Suisun Basin*

Surface water body: Bollinger Canyon Creek (also called Bollinger Creek)

County: Contra Costa

Water body type: Intermittent Stream, headwater tributary to San Ramon Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 23, and National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 23. National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD, RARE and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Las Trampas Creek

County: Contra Costa

Water body type: Perennial Stream, tributary to San Ramon Creek

BU	Designation	Rationale and/or Source of Information
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 20.
EST		
MAR		
MIGR		
RARE	E	California Natural Diversity Database
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

RARE: Species include Alameda whipsnake and California red-legged frog. Source: California Department of Fish and Game's California Natural Diversity Database. Available at [http://imaps.dfg.ca.gov/viewers/cnddb\\_quickviewer/app.asp](http://imaps.dfg.ca.gov/viewers/cnddb_quickviewer/app.asp). Accessed August 26, 2009.

*Suisun Basin*

Surface water body: Tice Creek

County: Contra Costa

Water body type: Intermittent Stream, tributary to Las Trampas Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	California Natural Diversity Database
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include Alameda whipsnake and California red-legged frog. Source: California Department of Fish and Game's California Natural Diversity Database. Available at [http://imaps.dfg.ca.gov/viewers/cnddb\\_quickviewer/app.asp](http://imaps.dfg.ca.gov/viewers/cnddb_quickviewer/app.asp). Accessed August 26, 2009.

*Suisun Basin*

Surface water body: Lafayette Creek

County: Contra Costa

Water body type: Intermittent Stream, tributary to Las Trampas Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 21.
EST		
MAR		
MIGR		
RARE		
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Lafayette Reservoir

County: Contra Costa

Water body type: Reservoir

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN	E	Previously assigned
FRSH		
GWR		
IND		
PROC		
COMM	E	CDFG fishing location: <a href="http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp">http://imaps.dfg.ca.gov/viewers/fishing_guide/app.asp</a>
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

*Suisun Basin*

Surface water body: Hastings Slough

County: Contra Costa

Water body type: Tidal Slough at west end of US Naval Station Port Chicago

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	California Department of Fish and Game
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species could include those present in the adjoining Point Edith Wildlife Area, including salt marsh harvest mouse and California black rail. Source:

<http://www.dfg.ca.gov/lands/SpeciesList/Default.aspx>. Accessed January 4, 2010.

*Suisun Basin*

Surface water body: Mt. Diablo Creek

County: Contra Costa

Water body type: Intermittent Stream, discharges to Suisun Bay

*Adding beneficial use(s) to a water body already named in the Basin Plan.*

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Previously assigned
EST		
MAR		
MIGR	E	Previously assigned
RARE	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a> SWAMP Workplan
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E	Previously assigned
REC-2	E	Previously assigned
NAV		

RARE: Species include steelhead, California tiger salamander, California red-legged frog, and San Joaquin pocket mouse. Sources:

- National Marine Fisheries Service steelhead distribution database
- San Francisco Bay Regional Water Quality Control Board, 2002. Surface Water Ambient Monitoring Program (SWAMP) Final Workplan 2002-2003, June 2002.

*Suisun Basin*

Surface water body: Mitchell Creek

County: Contra Costa

Water body type: Perennial Stream, tributary to Mt. Diablo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in the National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
EST		
MAR		
MIGR	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
RARE	E	Bay Area Integrated Regional Water Management Plan
SPWN	E	National Marine Fisheries Service steelhead distribution database <a href="http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls">http://swr.nmfs.noaa.gov/cg/CCC_Steelhead_Distribution_06_2005.xls</a>
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include Alameda whipsnake and California red-legged. Source: Bay Area Integrated Regional Water Management Plan, project description, Mitchell Creek Riparian Restoration. Available at <http://bairwmp.org/projects/mount-diablo-state-park-mitchell-creek-riparian>. Accessed August 26, 2009.

*Suisun Basin*

Surface water body: Donner Creek

County: Contra Costa

Water body type: Intermittent Stream, tributary to Mt. Diablo Creek

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD	E	Cold freshwater habitat, as indicated in Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 15.
EST		
MAR		
MIGR		
RARE		
SPWN	E	Leidy, R.A., G.S. Becker, B.N. Harvey. 2005, pg. 15.
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COLD and SPWN: Leidy, R.A., G.S. Becker, B.N. Harvey. 2005. Historical distribution and current status of steelhead/rainbow trout (*Oncorhynchus mykiss*) in streams of the San Francisco Estuary, CA. Center for Ecosystem Management & Restoration, Oakland, CA.

*Suisun Basin*

Surface water body: Mallard Reservoir

County: Contra Costa

Water body type: Reservoir

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR	E	Previously assigned
MUN	E	Previously assigned
FRSH		
GWR		
IND	E	Previously assigned
PROC	E	Previously assigned
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE		
SPWN	E	Previously assigned
WARM	E	Previously assigned
WILD	E	Previously assigned
REC-1	E*	Previously assigned as "L"
REC-2	E	Edited from Potential to Existing use because REC-1 is a Clean Water Act 101(a)(2) presumptive use
NAV		

MUN: Mallard Reservoir is operated by Contra Costa Water District.

REC-1: Contra Costa Water District limits public access to Mallard Reservoir.

*Suisun Basin*

Surface water body: McAvoy Boat Harbor

County: Contra Costa

Water body type: Tidal Slough, east of Mallard Slough

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commonly used for recreational fishing
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Mallard Slough Intake Project Report
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

COMM: For example, see [http://www.fishdelta.com/news/news\\_originalsturgeonderby21\\_011205.html](http://www.fishdelta.com/news/news_originalsturgeonderby21_011205.html), regarding a fishing derby. Accessed January 4, 2010.

*Suisun Basin*

Surface water body: Mallard Slough

County: Contra Costa

Water body type: Tidal Slough in east Contra Costa County

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Recreational fishing use exists, based on relationship to Suisun Bay
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Mallard Slough Intake Project Report
RARE	E	Mallard Slough Intake Project Report
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

MIGR and RARE: Species include Sacramento splittail and winter-run Chinook salmon. Source: Mallard Slough Intake Relocation and Habitat Restoration Project. Undated. Available at <http://nrm.dfg.ca.gov/FileHandler.ashx?DocumentVersionID=12747>. Accessed January 4, 2010.

*Suisun Basin*

Surface water body: Dow Wetlands Preserve

County: Contra Costa

Water body type: Tidal wetland in the Kirker Creek watershed

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR		
RARE	E	Bay Area IRWMP Project Information Sheet
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include salt marsh harvest mouse, black-shouldered kite and northern harrier. Source: Bay Area IRWMP Project Information Sheet. Available at [http://bairwmp.watershedportal.net/doc\\_import/WM-HPR/1\\_High%20Priority/Beaver\\_Pond\\_Habitat\\_Enhancement.doc](http://bairwmp.watershedportal.net/doc_import/WM-HPR/1_High%20Priority/Beaver_Pond_Habitat_Enhancement.doc). Accessed January 4, 2010.

General information: The approximately 470-acre wetlands located south of Dow's manufacturing site was purchased by Dow in 1989 and, with an all-volunteer team of employees, retirees and community members, cleaned, restored and improved the habitat to create an award-winning living laboratory for students of all ages. In addition to its educational value, the Dow Wetlands is also home to more than 130 species of birds, serves as an important resting spot on the migratory route and is home to an increasing number of river otters, beavers, and even the endangered salt marsh harvest mouse. It is a major stopping point along the Pacific Flyway, a migratory route that originates in the Arctic. Source: <http://yosemite.epa.gov/opa/admpress.nsf/b1ab9f485b098972852562e7004dc686/b2a85104c678d0b6852570d8005e14e7!OpenDocument>

*Suisun Basin*

Surface water body: Kirker Creek

County: Contra Costa

Water body type: Intermittent Stream

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM		
SHELL		
COLD		
EST		
MAR		
MIGR		
RARE	E	SWAMP Workplan
SPWN		
WARM	E	Clean Water Act 101(a)(2) presumptive use for inland surface water body
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV		

RARE: Species include California tiger salamander, California red-legged frog, and San Joaquin pocket mouse. Source: San Francisco Bay Regional Water Quality Control Board, 2002. Surface Water Ambient Monitoring Program (SWAMP) Final Workplan 2002-2003, June 2002.

*Suisun Basin*

Surface water body: New York Slough

County: Contra Costa

Water body type: Estuary

<b>BU</b>	<b>Designation</b>	<b>Rationale and/or Source of Information</b>
AGR		
MUN		
FRSH		
GWR		
IND		
PROC		
COMM	E	Commonly used for recreational fishing
SHELL		
COLD		
EST	E	Estuarine habitat
MAR		
MIGR	E	Migration to/from Sacramento River and Pacific Ocean
RARE	E	Species include migratory steelhead trout and Chinook salmon
SPWN		
WARM		
WILD	E	Clean Water Act 101(a)(2) presumptive use
REC-1	E	Clean Water Act 101(a)(2) presumptive use
REC-2	E	Clean Water Act 101(a)(2) presumptive use
NAV	E	NOAA navigation chart 18656, 55 <sup>th</sup> Edition, Sept. 1, 2006

COMM: For example, see [http://www.fishdelta.com/resources/dans\\_fishing\\_tips\\_stripers.html](http://www.fishdelta.com/resources/dans_fishing_tips_stripers.html). Accessed January 4, 2010.

NAV: <http://www.charts.noaa.gov/OnLineViewer/18656.shtml>