

| Critical and Dry Water Year Type | | | |
|----------------------------------|----------------------------|----------------------------------|----------------------------|
| Month | Existing Flow Requirement* | Cannabis Policy Flow Requirement | Effective Flow Requirement |
| November | 180 cfs | 1041 cfs | 1041 cfs |
| December | 180 cfs | 1094 cfs | 1094 cfs |
| January | 180 cfs | 1123 cfs | 1123 cfs |
| February | 225 cfs | 1399 cfs | 1399 cfs |
| March | 300 cfs | 1833 cfs | 1833 cfs |

| Normal Water Year Type | | | |
|------------------------|----------------------------|----------------------------------|----------------------------|
| Month | Existing Flow Requirement* | Cannabis Policy Flow Requirement | Effective Flow Requirement |
| November | 275 cfs | 1041 cfs | 1041 cfs |
| December | 300 cfs | 1094 cfs | 1094 cfs |
| January | 300 cfs | 1123 cfs | 1123 cfs |
| February | 325 cfs | 1399 cfs | 1399 cfs |
| March | 350 cfs | 1833 cfs | 1833 cfs |

| Wet Water Year Type | | | |
|---------------------|----------------------------|----------------------------------|----------------------------|
| Month | Existing Flow Requirement* | Cannabis Policy Flow Requirement | Effective Flow Requirement |
| November | 275 cfs | 1041 cfs | 1041 cfs |
| December | 300 cfs | 1094 cfs | 1094 cfs |
| January | 325 cfs | 1123 cfs | 1123 cfs |
| February | 350 cfs | 1399 cfs | 1399 cfs |
| March | 350 cfs | 1833 cfs | 1833 cfs |

*Federal Energy Regulatory Commission has issued a new license to the Pacific Gas and Electric Company for the Poe Hydroelectric Project, which asserts minimum instream flow requirement at USGS gage 11404400 as summarized in the above table.

Web Link to FERC License:

[FERC License #P-2107 Poe Hydroelectric Project](#)