

---

State Water Resources Control Board

**STAKEHOLDER MEETING – PERFORMANCE MEASURES**

DEVELOPMENT OF PERFORMANCE MEASURES RELATED TO THE  
IMPLEMENTATION OF THE GENERAL WASTE DISCHARGE REQUIREMENTS FOR  
COMPOSTING OPERATIONS (ORDER WQ 2015-0121-DWQ)

**AGENDA**

---

**June 23, 2016**

1:00 p.m. – 3:30 p.m.

California Tower Building, Highgrove Room  
3737 Main Street, Suite 500  
Riverside, CA 92501-3348

---

<b>1:00 p.m. – 1:15 p.m.</b>	Introduction and Opening Remarks
<b>1:15 p.m. – 3:30 p.m.</b>	Performance Measures Discussion

---

Resolution No. 2015-0054 directs State Water Board staff to work with representatives of the Regional Water Boards, CalRecycle, the Air Resources Board, the California Department of Food and Agriculture, the compost industry, and other interested stakeholders to develop performance measures related to the implementation of the General Waste Discharge Requirements For Composting Operations, including both environmental outcomes and process-related measures. The discussion will focus on obtaining stakeholder input on performance measures.

**IMPORTANT INFORMATION**

The meeting begins at 1:00 p.m. but the discussion may end earlier than the scheduled end time.

**For a Copy of Resolution No. 2015-0054, Agendas and Other Related Documents:**

See the webpage [http://www.waterboards.ca.gov/water\\_issues/programs/compost/](http://www.waterboards.ca.gov/water_issues/programs/compost/).

**Meeting Location and Parking:**

For a map to the Santa Ana Regional Water Quality Control Board meeting location, visit: [http://www.waterboards.ca.gov/santaana/about\\_us/office\\_location\\_map.shtml](http://www.waterboards.ca.gov/santaana/about_us/office_location_map.shtml). For security purposes, all visitors are required to sign in and receive a badge prior to entering the building. Valid picture identification may be required due to the security level so please allow up to 15 minutes for this process. Individuals who require special accommodations are requested to contact the main office number at (951) 782-4130.

Parking is available in several parking structures, lots and metered street parking in Downtown Riverside. We recommend Garage 3 (directly behind California Tower Building). Please read parking restriction signs carefully. Individuals who require special accommodations at this stakeholder meeting, including real-time translation services, should contact Ms. Ember Christensen at (916) 341-5489 by June 16, 2016.

**Call-in Number Information:**

There will be no call-in number for this stakeholder meeting and it will not be broadcast. We highly recommend that you personally attend the meeting.