	Central Valley Regional Board, Redding Office (Region 5-Redding)										
					thorized and/or completed since January						
Discharger/Facility	Enforcement Order Number	Type	Catagory	Amount	Project Description	Effective Date	Status	Link to Final Report or audit (if available)			
Discharger/Facility	Order Number	Туре	Category	Amount	Project Description	Effective Date	Status	available)			
City of Portola, Wastewater					Pilot study to evaluate solutions to the pH		Historic:				
Treatment Plant	R5-2009-0504	СР	Assessment	\$66,000	problem.	12/9/2009	7/3/2012				
Grizzly Lake Resort Imp Dist,				, ,		, , , , , ,	, -, -				
Delleker Wastewater Treatment			Pollution		Rebuild and improve effluent pumping control		Historic:				
Plant	R5-2010-0543	СР	Reduction	\$30,000	and monitoring systems.	3/18/2011	11/26/2012				
City of Redding, Clear Creek and				. ,	Private sewer lateral replacement project to						
Stillwater Wastewater			Pollution		reduce inflow and infiltration in the sewer		Historic:				
Treatment Plants	R5-2012-0112	SEP	Reduction	\$1,225,000	collection system.	12/6/2012	10/23/2017				
casinene i ianta	2012 0112	JEI	TICAGCTION	71,223,000	onestion system	12,0,2012	_0, _0, _01				
					Disinfection Improvement Project: redirect						
City of Dunsmuir, Dunsmuir			Pollution		effluent to ponds instead of river when residual		Historic:				
·	DE 2012 OFFE	CD		¢26.000	·	E/0/2012					
Wastewater Treatment Plant	R5-2012-0555	СР	Reduction	000,000	chlorine is detected.	5/8/2012	5/21/2012				
City of Portola, Wastewater			Pollution		Expand land application area to reduce the		Historic:				
Treatment Plant	R5-2013-0578	СР	Reduction	\$12,000	volume of effluent discharged to surface water.	10/1/2013	10/4/2013				
City of Dunsmuir, Dunsmuir	K3-2013-0376	CF	Pollution	\$12,000	volume of emident discharged to surface water.	10/1/2013	Historic:				
Wastewater Treatment Plant	R5-2013-0584	СР	Reduction	\$30,000	Major upgrades of wastewater treatment plant	7/12/2017	7/12/2017				
	N3-2013-0384	Cr	Reduction	\$39,000	wastewater treatment plant	7/12/2017	//12/201/				
Rio Alto Water District, Lake			D. II. 11.		Harris de la		111.1.2.				
California Wastewater			Pollution	4	Upgrade plant to stop surface water discharge		Historic:				
Treatment Plant	R5-2013-0593	СР	Reduction	\$3,000	and instead discharge to constructed wetlands	12/10/2013	12/10/2013				
City of Charter Labor Mantenantan			Dalletian				I linka ni n				
City of Shasta Lake, Wastewater	25 224 4 2522		Pollution	45.000		2 /22 /224 4	Historic:				
Treatment Facility	R5-2014-0508	СР	Reduction	\$6,000	Chlorine analyzer and sulfonator project	2/28/2014	12/5/2013				
City of Mt. Shasta, Wastewater			Pollution				Historic:				
	DE 2014 0E00	СР		¢10.000	Chloring/sulfur digyida analyzar impressareanta	2 /E /2014					
Treatment Plant	R5-2014-0509	CP	Reduction	\$18,000	Chlorine/sulfur dioxide analyzer improvements	3/5/2014	3/14/2014				
City of Mt. Shasta, Wastewater			Pollution				Historic:				
Treatment Plant	R5-2014-0510	CP	Reduction	\$3,000	Reduce/eliminate the copper violations	2/28/2014	11/22/2013				
City of Red Bluff, Wastwater			Pollution		Buy an instrument to sample the collection		Historic:				
Reclamation Plant	R5-2014-0539	СР	Reduction	\$3,000	system to look for copper discharges	7/10/2014	3/27/2014				
nedamation rant	2014 0333		Reduction	75,000	5,5tem to look for copper discharges	7,10,2014	3,2,72014				
					SCADA and chemical pumping upgrades,						
Quincy Community Serv Dist,			Pollution		generator replacement, emergency repairs to		Historic:				
Wastewater Treatment Plant	R5-2014-0540	СР	Reduction	\$54,000	effluent pond	7/10/2014	12/12/2012				
				,			•				
City of Binne Mantaurate			Dalletia		Comment for an experience when disable and the least		l linka ni r				
City of Biggs, Wastewater	DE 0044 0545		Pollution	4460	Convert from surface water discharge to land	0/4/204	Historic:				
Treatment Plant	R5-2014-0546	CP	Reduction	\$462,000	discharge	8/4/2014	6/16/2014				

Updated: 11/3/2021 Page 1 of 8

	I							1
Modoc Joint Unified School District, Althuras HS Geothermal	R5-2014-0575	SEP	Pollution Reduction	\$18,000	Expand the geothermal heating at the high school, and begin geothermal heating at the middle school and swimming pool. Construct a reinjection well to dispose of effluent and eliminate surface water discharge.	3/30/2015	Historic: 4/13/2016	
Shasta CSA #17, Cottonwood			Pollution		Replace sand filter and install an anoxic biological		Historic:	https://ciwqs.waterboards.ca.gov/ciwqs/readOnly/PublicReportPenaltyProjectServlet?inCommand=attachments&rmIdPop
Wastewater Treatment Plant	R5-2014-0580	СР	Reduction	\$81,000	selector.	3/5/2015	2/10/2017	up=395417
City of Portola, Wastewater			Pollution				Historic:	
Treatment Plant	R5-2015-0523	СР	Reduction	\$13,322	Install an ultrasonic algae control system.	5/7/2015	6/11/2015	
City of Shasta Lake, Wastewater	25 2245 2522		Pollution	45.000	Design and construct plant upgrades including nitrification and denitrification processes, and a	5/40/2045	Historic:	
Treatment Facility	R5-2016-0502	СР	Reduction	\$6,000	lime-based alkalinity addition process. Design and construct plant upgrades to recycle	5/18/2016	5/18/2016	
Paradise Irrigation District, Paradise Water Treatment Plant	R5-2016-0503	СР	Pollution Reduction	\$30,000	filter backwash water and eliminate the discharge to surface water.	5/31/2016	Historic: 5/31/2016	
Quincy Community Serv Dist,			Pollution Reduction,		(1) Modify and calibrate the chlorine analyzer, (2) perform a wastewater treatment and effluent		Historic:	
Wastewater Treatment Plant	R5-2016-0504	СР	Assessment	\$24,000	disposal study	5/18/2016	5/18/2016	
City of Corning, Wastewater Treatment Plant	R5-2017-0500	СР	Assessment	\$3,000	Technical memo requesting a compliance schedule for dibromochloromethane	7/12/2017	Historic: 7/12/2017	
City of Willows, Wastewater Treatment Plant	R5-2014-0534	СР	Pollution Reduction	\$3,000	Chlorine analyzer replacement project: to allow operators to respond quickly to overdoses of chlorine.	5/30/2014	Historic: 5/30/2014	
					The Discharger submitted accounting records demonstrating that they had spent \$29,998.20 on engineering consulting fees and monitoring equipment to determine options to eliminate surface water discharge from the Facility and bring the discharge into compliance. The \$29,998.20 is in excess of the mandatory			
Alturas City	R5-2019-0501	СР		15000	minimum penalty required by water code sections 13385(h) and (i), was spent prior to receiving the approved planning.	43578	Historical	

Updated: 11/3/2021 Page 2 of 8

				the Discharger submitted accounting records			
				demonstrating that they had spent \$804,094.77 on engineering consulting fees to complete the			
				final design for the Project, which includes			
				installing new filtration processes to reduce			
				settleable solids in the effluent. The \$804,094.77			
				is in excess of the mandatory minimum penalty			
Mt Shasta City	R5-2019-0503	СР	6000	required by water code sections 13385(h) and (i).	4/23/2019	Historical	
international only	1.0 2023 0000	<u> </u>		required by mater code sessions accepting and (i).	., _0, _0_0		
				On 27 March 2018, as required by TSO R5-2010-			
				0058-02, the Discharger submitted a mixing zone			
				and dilution credit evaluation, which included a			
				mixing zone modeling analysis, proposed			
				confirmation sampling, and an evaluation of			
				receiving water sampling locations. The purpose			
				of this evaluation was to investigate if the			
				dynamics of the discharge and receiving water			
				would be suitable to allow for consideration of			
				dilution credits for dichlorobromomethane and			
				aluminum, thereby offering a pathway for the			
				Discharger to be in compliance with future			
				effluent limits for these constituents. the			
				Discharger submitted accounting records			
				demonstrating that they had spent \$18,749.52			
				on engineering consulting fees for the mixing			
				zone and dilution credit evaluation described in			
				Finding 12. The \$18,749.52 is in excess of the			
				mandatory minimum penalty required by water			
Paradise ID	R5-2017-0560	CP	18000	code sections 13385(h) and (i).	4/23/2019	Historical	

Updated: 11/3/2021 Page 3 of 8

				the Discharger submitted information about the			
				following compliance projects: a chlorine room			
				redesign evaluation and ultraviolet disinfection			
				study; installation of a sodium hypochlorite			
				dosing station, coliform sampling station, and a			
				free chlorine analyzer; implementation of a FOG			
				ordinance, and setting up a CCTV system to			
				investigate the potential connection of an area			
				storm drain to the collection system and source			
				of inflow and infiltration. Two of the projects, the			
				chlorine room redesign/UV study and the FOG			
				ordinance, have already been completed. The			
				free chlorine analyzer is in the process of being			
				ordered, due to a long lead time, and the other			
				projects will be completed within 18 months of			
				the issuance of this Order. Additional			
				information and requirements for the			
				compliance project is contained in Attachment B			
Dunsmuir City	R5-2020-0502	СР	30000	of this Order.	1/15/2020	Active	
				the Discharger submitted a Compliance Project			
				proposal to reduce the inflow and infiltration to			
				the sewer system by injecting foam and epoxy			
				into cracks and leaking manholes throughout the			
				City of Portola. The Compliance Project will be			
				completed during wet weather when inflow and			
				infiltration are visible at the manholes.			
				Additional information and requirements			
				regarding the Compliance Project are contained			
				in Attachment B of this Order, hereby			
Portola City	R5-2020-0503	СР	9000	incorporated by reference.	2/5/2020	Active	
				the Discharger submitted accounting records			
				demonstrating that they had spent \$22,175.25			
				on engineering consulting fees for planning of an			
				updated treatment processes. These processes			
				include the addition aeration basins, digesters,			
				and secondary clarifiers. These upgrades will			
				improve both copper and ammonia removal			
				from the discharge. The \$22,175.25 is in excess			
Quincy Community Services							
District	R5-2017-0556	СР	18000	water code sections 13385(h) and (i).	4/7/2020	Historical	
•	R5-2017-0556	СР	18000	of the mandatory minimum penalty required by	4/7/2020	Historical	

Updated: 11/3/2021 Page 4 of 8

				the Discharger submitted a proposed compliance			
				project to address inflow and infiltration			
				problems in the collection system that may be			
				affecting the Facility's performance and assess			
				different options to eliminate surface water			
				discharge from the Facility. The Discharger			
				applied for grant funding to aid in the planning			
				process in the Fall of 2016 and received the			
				approved planning grant for \$500,000 on 6			
				December 2017. Also, the Discharger submitted			
				accounting records demonstrating that they had			
				spent \$29,998.20 on engineering consulting fees			
				and monitoring equipment to determine options			
				to eliminate surface water discharge from the			
				Facility and bring the discharge into compliance.			
				The \$29,998.20 is in excess of the mandatory			
				minimum penalty required by water code			
				sections 13385(h) and (i), was spent prior to			
				receiving the approved planning grant on 6			
				December 2017, and was not reimbursed from			
Alturas City	R5-2020-0512	CP	12000	the grant.	43941	Historical	

Updated: 11/3/2021 Page 5 of 8

1			1	.? : 			
				Project			
				ECA: The City has owned and operated its sewer			
				collection system since 1912. Portions of the			
				original collection system are still in service			
				today. The City is located in an area that			
				experiences intense periods of precipitation in a			
				harsh winter environment that can result in			
				inflow & infiltration (I&I) into the collection			
				system, affecting the capacity and structural			
				integrity of portions of the collection system. The			
				City has noted sanitary sewer overflows (SSOs)			
				within its sewer system. The manhole at the			
				intersection of N. Mt. Shasta Boulevard and Alma			
				Street has experienced four SSOs since 2014. The			
				sewer main along McCloud Avenue has			
				experienced eleven SSOs since 2010. The City			
				created a Sanitary Sewer Management Plan			
				(SSMP) in 2010, including a hydraulic evaluation			
				of the main trunk sewers serving the City. In			
				= -			
				-			
				· ·			
				_ ·			
				· ·			
				·			
Mt Shasta Citv	R5-2020-0543	ECA/CP	1166209		44111	Active	
,		,-		, admer 22 22p.,			
				The Order required the Discharger to complete			
				·			
				· ·			
	R5-2020-0544	СР	162000	Project 2 on 4 May 2021.	44131	Historical	l I
Mt Shasta City		ECA/CP		addition, portions of the collection system were videoed to evaluate their condition and prioritize repairs. CP: The City of Mt. Shasta WWTP (Facility) was constructed in 1976. The original Facility consisted of a headworks, ponds, and interim sand filters. Effluent was disposed of at the leach field or the Sacramento River discharge point. Over the years, several upgrades have been constructed at the Facility to comply with increasingly stringent The Order required the Discharger to complete two separate Compliance Projects including: 1) modify storage and operational procedures at the Facility to more effectively treat and monitor for total coliform, and 2) add permanent staff to allowcurrent staff adequate time to complete monitoring and reporting requirements. The Discharger submitted documentation of expenditures and a certification of completion for Compliance Project 1 on 28 October 2020. The Discharger submitted documentation of expenditures and a certification of completion for Compliance		Active	

Updated: 11/3/2021 Page 6 of 8

Project.	
ECA: Replacement of an existing 12-inch	
deficient wastewater collection pipeline, as well	
as raising up two manholes that	
frequently backup and nearly overflow has an	
estimated construction cost of at	
least \$65,000 based upon similar prevailing wage	
rate public works projects	
recently constructed in the north state	
incremented by the Engineering News	
Record Construction Cost Index, which stands at	
11,418 for May 2020. This cost	
does not include environmental, design, or	
construction management fees nor	
staff costs associated with engineering design	
support and project management.	
Hence the cost will far exceed the \$60,000 in	
suspended liabilities.	
Compliance Project: : Rehabilitation of the	
existing traveling	
bridge sand filter at the Cottonwood Wastewater	
Treatment Plant (WWTP) has a	
construction cost of \$572,853 per the lowest	
bidder in the public bid opening on	
August 15, 2019. This cost does not include	
design or construction management	
fees nor staff costs associated with engineering	
design support and project	
management. Hence the cost will far exceed the	
Shasta CSA #17 R5-2020-0553 ECA/CP 342000 \$282,000 in Mandatory 44148 Active	
the Discharger has identified a Compliance	
Project to avoid future effluent limitation	
violations for pH and eliminate the risk of future	
noncompliance. The goal of the Compliance	
Project is to provide a more reliable water supply	
to the storage reservoir so the Discharger can	
operate the Facility to eliminate any discharge	
from the storage reservoir to the unnamed	
tributary to New York Flat Creek. By completing	
this goal, the Discharger will demonstrate they	
no longer require an NPDES permit for the	
Facility and will effectively correct any further	
North Yuba Water District R5-2020-0552 CP 3000 violations. 44148 Active	

Updated: 11/3/2021 Page 7 of 8

		1					
				The Goal of the project is to convert the existing			
				facility from surface water discharge to land			
				disposal because the Discharger has not been			
				able to consistently meet effluent limits and			
				permit requirements for surface water discharge.			
				The project is divided into two phases; both			
				phases are required components of the			
				Compliance Project as discussed in this			
				Stipulated Order. Phase 1 includes: influent			
				pump station improvements, new mechanical			
				intake screen, improvements to the existing			
				chlorine delivery system and improvements to			
				the electrical power and controls for the			
				treatment plant. Phase 2 includes: installation of			
				monitoring wells, new effluent pump station at			
				the treatment plant, new chlorine delivery			
				system, new wastewater pond recycling pumps,			
				new effluent storage basin, land application area,			
				irrigation distribution pump station, irrigation			
				piping, a tailwater pump station, and SCADA			
				integration. Additionally, Phase 2 includes the			
				dismantling and demolition of the existing			
Biggs City	R5-2020-0556	СР	153000	surface water discharge facility.	44232	Active	

Updated: 11/3/2021 Page 8 of 8