2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT Approved by USEPA:

July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	С	Abalone Cove Beach	40511000					
				Beach Closures		High	1.1 Miles	2002
					Nonpoint Source			
				DDT (sediment)		Low	1.1 Miles	
					Nonpoint Source			
				PCBs		Low	1.1 Miles	
				Fish Consumption Advisory for	r PCBs. Nonpoint Source			
	_				Nonpoint Source			
4	R	Aliso Canyon Wash	40521000	Edonium		High	10 Miles	2002
				Selenium	N	High	10 Miles	2003
					Nonpoint Source			
4	С	Amarillo Beach	40431000	DDT		r	0.64 11	
				DDT Fish Consumption Advisory for	<i>יר</i> ח <i>ח</i>	Low	0.64 Miles	
				Tish Consumption Advisory jo	Nonpoint Source			
				PCBs	F	Low	0.64 Miles	
				Fish Consumption Advisory for	r PCBs.			
					Nonpoint Source			
4	R	Arroyo Seco Reach 1 (LA River to West Holly Ave.)	40515010					
				Algae		High	5.2 Miles	2002
					Nonpoint Source			
				High Coliform Count		High	5.2 Miles	2002
					Nonpoint Source	_		
				Trash		Low	5.2 Miles	
					Nonpoint Source			
4	R	Arroyo Seco Reach 2 (Figueroa St. to Riverside Dr.)	40515010					
				Algae		High	4.4 Miles	2002
					Nonpoint Source			
				High Coliform Count		High	4.4 Miles	2002
					Nonpoint Source	_		
				Trash		Low	4.4 Miles	
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	Ashland Avenue Drain	40513000					
				High Coliform Count		High	2.3 Miles	2002
					Nonpoint Source			
				Organic Enrichment/Low Diss	olved Oxygen	Low	2.3 Miles	
					Nonpoint Source	×		
				Toxicity		Low	2.3 Miles	
					Nonpoint Source			
4	С	Avalon Beach	40511000			T	0 (7 M ¹)	
				Bacteria Indicators	nd BB restaurant (2/3), between I	Low Diar and BR restau	0.67 Miles rant $(1/3)$ between stor	m drain and Pior
				(1/3). and between BB restaura		ier una DD resiau	(uni (1/5), between stor	n arain ana 1 ier
					Nonpoint/Point Source			
4	R	Ballona Creek	40513000					
				Cadmium (sediment)		High	6.5 Miles	2004
					Nonpoint/Point Source			
				ChemA (tissue)		High	6.5 Miles	2004
					Source Unknown			
				Chlordane (tissue)		High	6.5 Miles	2004
				Copper, Dissolved	Nonpoint/Point Source	High	6.5 Miles	2004
				Copper, Dissolved	N	High	0.5 Miles	2004
				DDT (tissue)	Nonpoint Source	High	6.5 Miles	2004
				DD1 (dissue)	Nonpoint/Point Source	Ingn	0.0 Miles	2004
				Dieldrin (tissue)	Nonpoint/1 onit Source	High	6.5 Miles	2004
					Nonpoint/Point Source	C		
				Enteric Viruses	I I	High	6.5 Miles	2003
					Nonpoint/Point Source			
				High Coliform Count		High	6.5 Miles	2003
					Nonpoint/Point Source			
				Lead, Dissolved		High	6.5 Miles	2004
					Nonpoint Source			
				PCBs (tissue)		High	6.5 Miles	2004
				-11	Nonpoint/Point Source	T	(* 141)	
				рН		Low	6.5 Miles	
					Urban Runoff/Storm Sewers			
					Nonpoint Source			

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT 4

REGION TY	/PE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Sediment Toxicity		High	6.5 Miles	2004
					Nonpoint/Point Source			
				Selenium, Total		Low	6.5 Miles	
					Urban Runoff/Storm Sewers			
				Silver (sediment)	Nonpoint Source	Low	6.5 Miles	
				Silver (seument)	Nonpoint Source	10.0	0.5 Wiles	
				Toxicity	Tonpoint Source	High	6.5 Miles	2004
					Nonpoint/Point Source			
				Zinc, Dissolved		Low	6.5 Miles	
					Urban Runoff/Storm Sewers			
					Nonpoint Source			
4 R	Ballona	a Creek Estuary	40513000			XX: 1		2004
				Chlordane (tissue & sediment)	N	High	2.3 Miles	2004
				DDT (sediment)	Nonpoint/Point Source	High	2.3 Miles	2004
					Nonpoint/Point Source	mgn	2.0 111103	2001
				High Coliform Count	Tonpoint, Point Source	High	2.3 Miles	2003
					Nonpoint/Point Source			
				Lead (sediment)		High	2.3 Miles	2004
					Nonpoint/Point Source			
				PAHs (sediment)		Low	2.3 Miles	
				PCBs (tissue & sediment)	Nonpoint/Point Source	High	2.3 Miles	2004
				r CDs (tissue & seument)	Nonpoint/Point Source	Ingn	2.5 Willes	2004
				Sediment Toxicity	Nonpoint/1 oint Source	High	2.3 Miles	2004
				·	Nonpoint/Point Source	Ū		
				Shellfish Harvesting Advisory		High	2.3 Miles	2003
					Nonpoint/Point Source			
				Zinc (sediment)		High	2.3 Miles	2003
					Nonpoint/Point Source			
4 T	Ballona	a Creek Wetlands	40517000			_		
				Exotic Vegetation		Low	289 Acres	
				Habitat alterations	Nonpoint Source	Low	289 Acres	
				mantat anerations	Nonnoint Source	LOW	209 Acres	
					Nonpoint Source			

Approved by USEPA: July 2003

LOS ANGELES REGIONAL WATER QUALITY CONTROL BOARD

REGION	TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Hydromodification		Low	289 Acres	
				Reduced Tidal Flushing	Nonpoint Source	Low	289 Acres	
				Trash	Nonpoint Source	Low	289 Acres	
					Nonpoint Source			
4	R	Bell Creek	40521000	High Coliform Count		High	8.9 Miles	2002
					Nonpoint/Point Source			
4	С	Big Rock Beach	40431000	Beach Closures		High	0.74 Miles	2002
				DDT	Nonpoint Source	Low	0.74 Miles	
				Fish consumption advisory for High Coliform Count	· DDT. Nonpoint Source	11: _L	0.74 Miles	2002
				rigi Comorii Count	Nonpoint Source	High	0.74 Willes	2002
				PCBs		Low	0.74 Miles	
				Fish Consumption Advisory fo	<i>r PCBs.</i> Nonpoint Source			
4	С	Bluff Cove Beach	40511000	Beach Closures		High	0.55 Miles	2002
					Nonpoint Source	-		
				DDT Fish Consumption Advisory fo		Low	0.55 Miles	
				PCBs Fish Consumption Advisory fo		Low	0.55 Miles	
					Nonpoint Source			
4	R	Brown Barranca/Long Canyon	40321000	Nitrate and Nitrite		High	2.6 Miles	2003
					Nonpoint Source			
4	R	Burbank Western Channel	40521000	Algae	Nonpoint/Point Source	High	13 Miles	2002

Nonpoint/Point Source

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Ammonia		High	13 Miles	2002
				Cadmium	Nonpoint/Point Source	Low	13 Miles	
				Odors	Nonpoint/Point Source	High	13 Miles	2002
				Scum/Foam-unnatural	Nonpoint/Point Source	High	13 Miles	2002
				Trash	Nonpoint/Point Source	Low	13 Miles	
					Nonpoint/Point Source			
4	С	Cabrillo Beach (Inner) LA Harbor Area	40512000	Beach Closures (Coliform)		High	0.56 Miles	2004
				DDT Fish consumption advisory for L	Nonpoint Source	Medium	0.56 Miles	
				PCBs	Nonpoint Source	Medium	0.56 Miles	
				Fish consumption advisory for F	CBs. Nonpoint Source			
4	С	Cabrillo Beach (Outer)	40512000		Tompoint Source			
	e	Cubrino Deach (Outer)	10312000	Beach Closures		High	0.58 Miles	2002
				DDT	Nonpoint Source	Low	0.58 Miles	
				Fish consumption advisory for L	Nonpoint Source			
				High Coliform Count	-	High	0.58 Miles	2002
				PCBs Fish consumption advisory for F	Nonpoint Source	Low	0.58 Miles	
				rish consumption auvisory for r	Nonpoint Source			
4	Е	Calleguas Creek Reach 1 (was Mugu Lagoon on 1998 303(d) list)	40311000					
				Chlordane (tissue)		Medium	344 Acres	
				Copper	Nonpoint Source	Medium	344 Acres	
					Nonpoint/Point Source			

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
			DDT (tissue & sediment)		Medium	344 Acres	
			Endosulfan (tissue)	Nonpoint Source	Medium	344 Acres	
			Mercury	Nonpoint Source	Medium	344 Acres	
			Nickel	Nonpoint/Point Source	Medium	344 Acres	
			Nitrogen	Nonpoint/Point Source	High	344 Acres	2002
			PCBs (tissue)	Nonpoint/Point Source	Medium	344 Acres	
			Sediment Toxicity	Nonpoint/Point Source	Medium	344 Acres	
			Sedimentation/Siltation	Nonpoint/Point Source	Medium	344 Acres	
			Zinc	Agriculture Natural Sources	Medium	344 Acres	
	Calleguas Creek Reach 2 (estuary to Potrero Rd- was Calleguas Creek Reaches 1 and 2 on 1998 303d list)	40312000		Nonpoint/Point Source			
			Ammonia		High	4.3 Miles	2002
			ChemA (tissue) Historical use of pesticides and		Medium	4.3 Miles	
			Chlordane (tissue)	Nonpoint Source	Medium	4.3 Miles	
			Copper, Dissolved	Nonpoint Source	Low	4.3 Miles	
			DDT	Nonpoint Source	Low	4.3 Miles	
			DDT (tissue & sediment)	Nonpoint Source	Medium	4.3 Miles	
			Endosulfan (tissue)	Nonpoint Source	Medium	4.3 Miles	
				Nonpoint Source			

Approved by USEPA: July 2003

	TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Fecal Coliform		Low	4.3 Miles	
				Area affected is at the mouth of t				
					Nonpoint/Point Source			
				Nitrogen		High	4.3 Miles	2002
					Nonpoint/Point Source			
				PCBs (tissue)		Medium	4.3 Miles	
					Nonpoint/Point Source			
				Sediment Toxicity		Medium	4.3 Miles	
					Nonpoint/Point Source			
				Sedimentation/Siltation		Low	4.3 Miles	
					Agriculture Natural Sources			
				Toxaphene (tissue & sediment)		Low	4.3 Miles	
					Nonpoint Source			
4		Calleguas Creek Reach 3 (Potrero Road upstream to confluence with Conejo Creek on 1998 303d list)	40312000					
				Chloride		Medium	3.5 Miles	
					Nonpoint/Point Source			
				Nitrate and Nitrite	1	High	3.5 Miles	2002
					Nonpoint/Point Source			
				Sedimentation/Siltation		Low	3.5 Miles	
					Agriculture			
					Natural Sources			
				Total Dissolved Solids		High	3.5 Miles	2003
					Nonpoint/Point Source			
4		Calleguas Creek Reach 4 (was Revolon Slough Main Branch: Mugu Lagoon to Central Avenue on 1998 303d list)	40311000					
		Central Avenue on 1770 5050 listj		Algae		High	7.2 Miles	2002
					Nonpoint Source		// 2 1/1103	2002
				Boron	ronpoint source	Medium	7.2 Miles	
				This listing was made by USEPA				
					Nonpoint Source			
				ChemA (tissue)		Medium	7.2 Miles	
				Historical use of pesticides and l				
					Nonpoint Source			

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
			Chlordane (tissue & sediment)		Medium	7.2 Miles	
				Nonpoint Source			
			Chlorpyrifos (tissue)		Medium	7.2 Miles	
			DDT (tissue & sediment)	Nonpoint Source	Medium	7.2 Miles	
				Nonpoint Source			
			Dieldrin (tissue)	Ĩ	Medium	7.2 Miles	
				Nonpoint Source			
			Endosulfan (tissue & sediment)		Medium	7.2 Miles	
			Fecal Coliform	Nonpoint Source	Low	7.2 Miles	
				Nonpoint/Point Source	2011		
			Nitrate as Nitrate (NO3)	Ĩ	Low	7.2 Miles	
				Nonpoint/Point Source			
			Nitrogen		High	7.2 Miles	2002
			PCBs (tissue)	Nonpoint Source	Medium	7.2 Miles	
				Nonpoint Source			
			Sedimentation/Siltation	-	Low	7.2 Miles	
				Agriculture			
			Selenium	Natural Sources	Medium	7.2 Miles	
			Seren and S	Nonpoint Source			
			Sulfates	-	Medium	7.2 Miles	
			This listing was made by USEP				
			Total Dissolved Solids	Nonpoint Source	Medium	7.2 Miles	
			This listing was made by USEP.				
			T	Nonpoint Source	Madian	7.2 Miles	
			Toxaphene (tissue & sediment)	Nonpoint Source	Medium	7.2 Miles	
			Toxicity	Tompoint Source	High	7.2 Miles	2004
				Nonpoint Source	-		
			Trash		Low	7.2 Miles	
				Nonpoint Source			

Approved by USEPA: July 2003

REGION	TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDI COMPLETION
4	R	Calleguas Creek Reach 5 (was Beardsley Channel on 1998 303d list)	40311000					
				Algae		High	4.3 Miles	2002
					Nonpoint Source			
				ChemA (tissue)		Medium	4.3 Miles	
				Chlordane (tissue & sediment)	Nonpoint Source	Medium	4.3 Miles	
				embruare (ussue a scamene)	Nonpoint Source		no mines	
				Chlorpyrifos (tissue)	····· F ····· ··· ··	High	4.3 Miles	2003
					Nonpoint Source			
				Dacthal (sediment)		Medium	4.3 Miles	
				DDT (tissue & sediment)	Nonpoint Source	Medium	4.3 Miles	
				DDT (ussue & seument)	Nonpoint Source	Wieurum	4.5 Willes	
				Dieldrin (tissue)	Tomponie Source	Medium	4.3 Miles	
					Nonpoint Source			
				Endosulfan (tissue & sediment)		Medium	4.3 Miles	
				N1*4	Nonpoint Source	11 1		2002
				Nitrogen	Nonnaint Course	High	4.3 Miles	2002
				PCBs (tissue)	Nonpoint Source	Medium	4.3 Miles	
					Nonpoint Source			
				Sedimentation/Siltation	-	Low	4.3 Miles	
					Agriculture			
				Toxaphene (tissue & sediment)	Natural Sources	Medium	4.3 Miles	
				i oxaphene (ussue & seumene)	Nonpoint Source	Wiedrum	4.5 Miles	
				Toxicity		High	4.3 Miles	2004
					Nonpoint Source			
				Trash		Low	4.3 Miles	
					Nonpoint Source			
4	R	Calleguas Creek Reach 6 (was Arroyo Las Posas Reaches 1 and 2 on 1998 303d list)	40362000					
		rosus reaches r and 2 on 1990 5050 listy		Ammonia		High	15 Miles	2002
					Nonpoint/Point Source			
				Chloride		Medium	15 Miles	
					Nonpoint/Point Source			

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				DDT (sediment)		Medium	15 Miles	
				Fecal Coliform	Nonpoint Source	Low	15 Miles	
				Nitrate and Nitrite	Nonpoint/Point Source	High	15 Miles	2002
				Nitrate as Nitrate (NO3)	Nonpoint/Point Source	High	15 Miles	2002
				Sedimentation/Siltation	Nonpoint/Point Source	Low	15 Miles	
				Sulfates	Agriculture Natural Sources	High	15 Miles	2003
				Total Dissolved Solids	Nonpoint/Point Source	High	15 Miles	2003
					Nonpoint/Point Source	0		
4		Calleguas Creek Reach 7 (was Arroyo Simi Reaches 1 and 2 on 1998 303d list)	40367000					
				Ammonia		High	14 Miles	2002
				Boron	Nonpoint/Point Source	High	14 Miles	2003
				Chloride	Nonpoint Source	Medium	14 Miles	
				Fecal Coliform	Nonpoint Source	Low	14 Miles	
				Organophosphorus Pesticides	Nonpoint Source	Low	14 Miles	
				Sedimentation/Siltation	Municipal Point Sources Agriculture	Low	14 Miles	
					Agriculture Natural Sources			
				Sulfates		High	14 Miles	2003
				Total Dissolved Solids	Nonpoint Source	High	14 Miles	2003
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	Calleguas Creek Reach 8 (was Tapo Canyon Reach 1)	40366000					
		- /		Boron		High	7.2 Miles	2003
					Nonpoint/Point Source			
				Chloride	N	High	7.2 Miles	2002
				Sedimentation/Siltation	Nonpoint/Point Source	Low	7.2 Miles	
					Nonpoint Source			
				Sulfates		High	7.2 Miles	2003
				Total Dissolved Solids	Nonpoint/Point Source	High	7.2 Miles	2003
				Total Dissolved Solids	Nonpoint/Point Source	nıgıi	7.2 Willes	2005
4	R	Calleguas Creek Reach 9A (was lower part	40312000		1 tonpoint i one source			
•		of Conejo Creek Reach 1 on 1998 303d list)	10012000					
				Algae	N	High	1.7 Miles	2002
				ChemA (tissue)	Nonpoint/Point Source	Low	1.7 Miles	
				(),	Nonpoint Source			
				Chlordane (tissue)		Low	1.7 Miles	
				Historical use of pesticides and la	<i>ibricants.</i> Nonpoint Source			
				DDT (tissue)		Low	1.7 Miles	
					Nonpoint Source			
				Dieldrin (tissue) <i>Historical use of pesticides and la</i>	ubricants	Low	1.7 Miles	
				Thistorical use of pesticiaes and h	Nonpoint Source			
				Endosulfan (tissue)		Low	1.7 Miles	
				Fecal Coliform	Nonpoint Source	Low	1.7 Miles	
				recai Comorni	Nonpoint/Point Source	LOW	1.7 Whies	
				Hexachlorocyclohexane/HCH (ti	-	Low	1.7 Miles	
				Historical use of pesticides and la				
				Nitrate as Nitrate (NO3)	Nonpoint Source	Low	1.7 Miles	
				× ,	Nonpoint/Point Source			
				Nitrate as Nitrogen		Low	1.7 Miles	
					Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Nitrite as Nitrogen		Low	1.7 Miles	
				PCBs (tissue)	Nonpoint/Point Source	Low	1.7 Miles	
				Historical use of pesticides and i	<i>lubricants.</i> Nonpoint Source			
				Sulfates		High	1.7 Miles	2003
				Total Dissolved Solids	Nonpoint/Point Source	High	1.7 Miles	2003
				Toxaphene (tissue & sediment)	Nonpoint/Point Source	Medium	1.7 Miles	
					Nonpoint Source			
4		Calleguas Creek Reach 9B (was part of Conejo Creek Reaches 1 and 2 on 1998 303d list)	40363000					
				Algae		High	6.2 Miles	2002
				Ammonia	Nonpoint/Point Source	High	6.2 Miles	2002
				ChemA (tissue)	Nonpoint/Point Source	Low	6.2 Miles	
				Chloride	Nonpoint Source	Medium	6.2 Miles	
				DDT (tissue)	Nonpoint/Point Source	Low	6.2 Miles	
				Endosulfan (tissue)	Nonpoint Source	Low	6.2 Miles	
				Fecal Coliform	Nonpoint Source	Low	6.2 Miles	
				Sulfates	Nonpoint/Point Source	High	6.2 Miles	2003
				Total Dissolved Solids	Nonpoint/Point Source	High	6.2 Miles	2003
				Toxaphene (tissue & sediment)	Nonpoint/Point Source	Medium	6.2 Miles	
				Toxicity	Nonpoint Source	High	6.2 Miles	2004
					Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	Calleguas Creek Reach 10 (Conejo Creek (Hill Canyon)-was part of Conejo Crk Reaches 2 & 3, and lower Conejo Crk/Arroyo Conejo N Fk on 1998 303d list)	40364000					
				Algae		High	3 Miles	2002
				Ammonia	Nonpoint/Point Source	High	3 Miles	2002
				ChemA (tissue)	Nonpoint/Point Source	Medium	3 Miles	
				Chloride	Nonpoint Source	Medium	3 Miles	
				DDT (tissue)	Nonpoint/Point Source	Medium	3 Miles	
				Endosulfan (tissue)	Nonpoint Source	Medium	3 Miles	
				Fecal Coliform	Nonpoint Source	Low	3 Miles	
				Nitrite as Nitrogen	Nonpoint Source	Low	3 Miles	
				Sulfates	Nonpoint/Point Source	High	3 Miles	2003
				Total Dissolved Solids	Nonpoint Source	High	3 Miles	2003
				Toxaphene (tissue & sediment)	Nonpoint/Point Source	Medium	3 Miles	
				Toxicity	Nonpoint Source	High	3 Miles	2004
					Nonpoint/Point Source			
4	R	Calleguas Creek Reach 11 (Arroyo Santa Rosa, was part of Conejo Creek Reach 3 on 1998 303d list)	40365000					
		1770 JUJU IISI)		Algae		High	8.7 Miles	2002
				Ammonia	Nonpoint/Point Source	High	8.7 Miles	2002
				ChemA (tissue)	Nonpoint/Point Source	Medium	8.7 Miles	
					Nonpoint Source			

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
		WATERSHED		SURCES			COMPLETION
			DDT (tissue)	Nonnoint Source	Medium	8.7 Miles	
			Endosulfan (tissue)	Nonpoint Source	Medium	8.7 Miles	
			. /	Nonpoint Source			
			Fecal Coliform		Low	8.7 Miles	
			a	Nonpoint/Point Source	Ţ	0	
			Sedimentation/Siltation		Low	8.7 Miles	
				Agriculture Natural Sources			
			Sulfates		High	8.7 Miles	2003
				Nonpoint/Point Source			
			Total Dissolved Solids		High	8.7 Miles	2003
			T	Nonpoint/Point Source	Madian	97 M.1	
			Toxaphene (tissue & sediment)	Nonnoint/Doint Source	Medium	8.7 Miles	
			Toxicity	Nonpoint/Point Source	High	8.7 Miles	2004
			·	Nonpoint/Point Source	0		
4 R	Calleguas Creek Reach 12 (was Conejo Creek/Arroyo Conejo North Fork on 1998 303d list)	40364000					
			Ammonia		High	5.5 Miles	2002
			Chlordane (tissue)	Nonpoint/Point Source	Medium	5.5 Miles	
				Nonpoint Source			
			DDT (tissue)	N	Medium	5.5 Miles	
			Sulfates	Nonpoint Source	High	5.5 Miles	2003
				Nonpoint/Point Source	8		
			Total Dissolved Solids	-	High	5.5 Miles	2003
				Nonpoint/Point Source			
4 R	Calleguas Creek Reach 13 (Conejo Creek South Fork, was Conejo Cr Reach 4 and part of Reach 3 on 1998 303d list)	40368000					
			Algae		High	17 Miles	2002
				Nonpoint/Point Source			
			Ammonia	N	High	17 Miles	2002
				Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION TYP	E NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
			ChemA (tissue)		Medium	17 Miles	
			Chloride	Nonpoint Source	Medium	17 Miles	
			DDT (tissue)	Nonpoint/Point Source	Medium	17 Miles	
			Endosulfan (tissue)	Nonpoint Source	Medium	17 Miles	
			Sulfates	Nonpoint Source	High	17 Miles	2003
			Total Dissolved Solids	Nonpoint/Point Source	High	17 Miles	2003
			Toxaphene (tissue & sediment)	Nonpoint/Point Source	Medium	17 Miles	
			Toxicity	Nonpoint Source	High	17 Miles	2004
				Nonpoint/Point Source			
4 R	Canada Larga (Ventura River Watershed)	40210010	Fecal Coliform Horse stables, land use, cattle, a	nd wildlife may be sources	Low	8 Miles	
			Low Dissolved Oxygen	Nonpoint Source	Low	8 Miles	
				Nonpoint Source			
4 C	Carbon Beach	40416000	Beach Closures		High	1.5 Miles	2002
			DDT	Nonpoint Source	Low	1.5 Miles	
			Fish consumption advisory for L PCBs	DDT. Nonpoint Source	Low	1.5 Miles	
			Fish consumption advisory for F	PCBs. Nonpoint Source	LUW	1.5 101105	
4 C	Castlerock Beach	40513000	Bacteria Indicators	-	Low	0.21 Miles	
			Beach Closures	Nonpoint/Point Source	High	0.21 Miles	2002
				Nonpoint Source	g		_~~~

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				DDT		Low	0.21 Miles	
				Fish Consumption Advisory for				
				PCBs	Nonpoint Source	Low	0.21 Miles	
				Fish Consumption Advisory for				
					Nonpoint Source			
4	В	Channel Islands Harbor	40311000	Lead (sediment)		Medium	209 Acres	
				Leau (scument)	Nonpoint Source	Wiedium	209 11(10)	
				Zinc (sediment)	•	Medium	209 Acres	
					Nonpoint Source			
4	С	Channel Islands Harbor Beach	40311000	Destaria Indiana		T	0.00 M2	
				Bacteria Indicators	Nonpoint/Point Source	Low	0.08 Miles	
4	Т	Colorado Lagoon	40512000		Nonpoint/1 oint Source			
•		Colorado Lagoon	40312000	Chlordane (tissue & sediment)		Medium	13 Acres	
					Nonpoint Source			
				DDT (tissue)	N	Medium	13 Acres	
				Dieldrin (tissue)	Nonpoint Source	Medium	13 Acres	
					Nonpoint Source			
				Lead (sediment)		Medium	13 Acres	
				PAHs (sediment)	Nonpoint Source	Medium	13 Acres	
				r Aris (seument)	Nonpoint Source	Wiedium	15 Acres	
				PCBs (tissue)	r	Medium	13 Acres	
					Nonpoint Source			
				Sediment Toxicity	N	Medium	13 Acres	
				Zinc (sediment)	Nonpoint Source	Medium	13 Acres	
				· /	Nonpoint Source			
4	R	Compton Creek	40515010					
				Copper		High	8.5 Miles	2003
				High Coliform Count	Nonpoint/Point Source	High	8.5 Miles	2002
				ingn Comorini Count	Nonpoint/Point Source	mgu	0.5 willes	2002
				Page 16 of 53				

Approved by USEPA: July 2003

REGION	TYPE	2 NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Lead		High	8.5 Miles	2003
					Nonpoint/Point Source			
				рН		High	8.5 Miles	2002
					Nonpoint/Point Source			
4	R	Coyote Creek	40515010	Abnormal Fish Histology		Medium	13 Miles	
				Abnoi mai Fish Histology	Nonpoint/Point Source	Wiedium	15 Willes	
				Algae	i tomponite i onite Source	High	13 Miles	2003
					Nonpoint/Point Source			
				Copper, Dissolved		Low	13 Miles	
				High Coliform Count	Nonpoint Source	High	13 Miles	2003
				ingi comorin count	Nonpoint/Point Source	Ingu	15 Willes	2003
				Lead, Dissolved		Low	13 Miles	
					Nonpoint Source			
				Selenium, Total		Low	13 Miles	
				Toxicity	Nonpoint Source	Medium	13 Miles	
				This listing was made by USEP	РА.	Wiedrum	15 Willes	
					Point Source			
				Zinc, Dissolved	N	Low	13 Miles	
					Nonpoint Source			
4	L	Crystal Lake	40543000	Organic Enrichment/Low Diss	alved Avvgen	Medium	3.7 Acres	
				organic Entremient/Eot/ Diss	Nonpoint Source			
4	С	Dan Blocker Memorial (Coral) Beach	40431000		L			
				High Coliform Count		High	2.1 Miles	2002
					Nonpoint Source			
4	С	Dockweiler Beach	40512000					
				Beach Closures		High	4.6 Miles	2002
				High Coliform Count	Nonpoint Source	High	4.6 Miles	2002
				ingn comorin count	Nonpoint Source	mgu	7.0 111103	2002
					1 onpoint source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	Dominguez Channel (above Vermont)	40512000	Aldrin (tissue)		Medium	6.7 Miles	
				Ammonia	Nonpoint/Point Source	Medium	6.7 Miles	
					Nonpoint/Point Source	Wiedium	0.7 1011103	
				ChemA (tissue)	Nonpoint/Point Source	Medium	6.7 Miles	
				Chlordane (tissue)	-	Medium	6.7 Miles	
				Chromium (sediment)	Nonpoint/Point Source	Medium	6.7 Miles	
				Copper	Nonpoint/Point Source	Medium	6.7 Miles	
				Copper	Nonpoint/Point Source	Medium	0.7 Willes	
				DDT (tissue & sediment)	Nonpoint/Point Source	Medium	6.7 Miles	
				Dieldrin (tissue)	-	Medium	6.7 Miles	
				High Coliform Count	Nonpoint/Point Source	High	6.7 Miles	2003
				Lead (tissue)	Nonpoint/Point Source	Medium	6.7 Miles	
					Nonpoint/Point Source			
				PAHs (sediment)	Nonpoint/Point Source	Medium	6.7 Miles	
				PCBs (tissue)	N	Medium	6.7 Miles	
				Zinc (sediment)	Nonpoint/Point Source	Low	6.7 Miles	
4	R	Dominguez Channel (Estuary to Vermont)	40512000		Nonpoint/Point Source			
4	к	Dominguez Channel (Estuary to vermont)	40312000	Aldrin (tissue)		Medium	8.3 Miles	
				Ammonia	Nonpoint/Point Source	Medium	8.3 Miles	
				Benthic Community Effects	Nonpoint/Point Source	Medium	8.3 Miles	
					Nonpoint/Point Source			
				ChemA (tissue)	Nonpoint/Point Source	Medium	8.3 Miles	
					Tompoint i onit bour ce			

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
			Chlordane (tissue)		Medium	8.3 Miles	
			Chromium (sediment)	Nonpoint/Point Source	Medium	8.3 Miles	
			DDT (tissue & sediment)	Nonpoint/Point Source	Medium	8.3 Miles	
			Dieldrin (tissue)	Nonpoint/Point Source	Medium	8.3 Miles	
			High Coliform Count	Nonpoint/Point Source	High	8.3 Miles	2003
			Lead (tissue)	Nonpoint/Point Source	Medium	8.3 Miles	
			PAHs (sediment)	Nonpoint/Point Source	Medium	8.3 Miles	
			Zinc (sediment)	Nonpoint/Point Source Nonpoint/Point Source	Medium	8.3 Miles	
4 R Dry C	'anyon Creek	40521000		Nonpoint/roint Source			
4 K Diye	anyon Creek	40521000	Fecal Coliform		Low	3.9 Miles	
			Selenium, Total	Urban Runoff/Storm Sewers Natural Sources Nonpoint Source	Low	3.9 Miles	
4 R Duck	Pond Agricultural Drains/Mugu	40311000		Nonpoint Source			
	/Oxnard Drain No 2		ChemA (tissue)		Medium	12 Miles	
			Chlordane (tissue)	Nonpoint Source	Medium	12 Miles	
			DDT (tissue & sediment)	Nonpoint Source	Medium	12 Miles	
			Nitrogen	Nonpoint Source Nonpoint Source	High	12 Miles	2002
			Sediment Toxicity	monpoint source	Medium	12 Miles	
			2	Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Toxicity		High	12 Miles	2004
					Nonpoint Source			
4	L	Echo Park Lake	40515010					
				Algae	N	Low	13 Acres	
				Ammonia	Nonpoint Source	Low	13 Acres	
					Nonpoint Source			
				Copper		Low	13 Acres	
				Fatura bia	Nonpoint Source	I	12 4	
				Eutrophic	Nonpoint Source	Low	13 Acres	
				Lead	Tonpoint Source	Low	13 Acres	
					Nonpoint Source			
				Odors		Low	13 Acres	
				PCBs (tissue)	Nonpoint Source	Low	13 Acres	
					Nonpoint Source			
				рН		Low	13 Acres	
					Nonpoint Source			
4	L	El Dorado Lakes	40515010			Medium	35 Acres	
				Algae	Nonpoint Source	Medium	55 Acres	
				Ammonia	Tonpoint Source	Medium	35 Acres	
					Nonpoint Source			
				Copper		Medium	35 Acres	
				Eutrophic	Nonpoint Source	Medium	35 Acres	
					Nonpoint Source			
				Lead		Medium	35 Acres	
					Nonpoint Source	N	25 .	
				Mercury (tissue)	Nonpoint Source	Medium	35 Acres	
				рН	Nonpoint Source	Medium	35 Acres	
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	L	Elizabeth Lake	40351000					
				Eutrophic		Medium	123 Acres	
					Nonpoint Source			
				Organic Enrichment/Low Diss	olved Oxygen	Medium	123 Acres	
				ч	Nonpoint Source	N 1.	122 4	
				рН	N C	Medium	123 Acres	
				Trash	Nonpoint Source	Medium	123 Acres	
					Nonpoint Source	1. Tealum	120 110103	
4	C	Escondido Beach	40434000		Tonpoint Source			
4	С	Esconuluo Beach	40434000	Beach Closures		High	1.2 Miles	2002
					Nonpoint Source	8		
				DDT		Low	1.2 Miles	
				Fish consumption advisory for	DDT.			
					Nonpoint Source	_		
				PCBs	DCD	Low	1.2 Miles	
				Fish consumption advisory for	Nonpoint Source			
4	С	Flat Rock Point Beach Area	40511000					
•	e		10011000	Beach Closures		High	0.11 Miles	2002
					Nonpoint Source	-		
				DDT	•	Low	0.11 Miles	
				Fish Consumption Advisory for				
				PCBs	Nonpoint Source	T	0.11 M2	
				Fish Consumption Advisory for	r PCBs	Low	0.11 Miles	
				Tish Consumption nuvisory jor	Nonpoint Source			
4	R	Fox Barranca (tributary to Calleguas Creek Reach 6)	40362000					
				Boron		High	6.7 Miles	2003
					Nonpoint Source	-		
				Nitrate and Nitrite	-	High	6.7 Miles	2002
					Nonpoint Source			
				Sulfates		High	6.7 Miles	2003
					Nonpoint Source			
				Total Dissolved Solids		High	6.7 Miles	2003
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	С	Hermosa Beach	40512000					
				Beach Closures	N • 4 G	High	2 Miles	2002
	G		40211000		Nonpoint Source			
4	С	Hobie Beach (Channel Islands Harbor)	40311000	Bacteria Indicators		Low	0.06 Miles	
					Nonpoint/Point Source			
4	R	Hopper Creek	40341000					
				Sulfates		Low	13 Miles	
				Total Dissolved Solids	Nonpoint/Point Source	Low	13 Miles	
				Total Dissolved Solids	Nonpoint/Point Source	Low	15 Miles	
4	С	Inspiration Point Beach	40511000		r a contra			
				Beach Closures		High	0.14 Miles	2002
					Nonpoint Source	Ţ		
				DDT Fish Consumption Advisory for 1	DDT.	Low	0.14 Miles	
					Nonpoint Source			
				PCBs Fish Consumption Advisroy for	PCBs	Low	0.14 Miles	
				Fish Consumption Advisroy for	Nonpoint Source			
4	С	La Costa Beach	40416000					
				Beach Closures		High	0.74 Miles	2002
				DDT	Nonpoint Source	Low	0.74 Miles	
				Fish Consumption Advisory for A	DDT.	Low	0.74 Willes	
				D.C.D.	Nonpoint Source	Ţ		
				PCBs Fish Consumption Advisory for .	PCBs.	Low	0.74 Miles	
					Nonpoint Source			
4	L	Lake Calabasas	40521000					
				Ammonia	N	Low	18 Acres	
				DDT (tissue)	Nonpoint Source	Low	18 Acres	
				(· · · · /	Nonpoint Source			
				Eutrophic	-	Low	18 Acres	
					Nonpoint Source			

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
			Odors		Low	18 Acres	
			Organic Enrichment/Low Dise	Nonpoint Source solved Oxygen	Low	18 Acres	
			-11	Nonpoint Source	Low	18 Acres	
			рН	Nonpoint Source	Low	10 Acres	
4 L	Lake Hughes	40351000					
			Algae	N	Medium	21 Acres	
			Eutrophic	Nonpoint Source	Medium	21 Acres	
				Nonpoint Source			
			Fish Kills	Nonpoint Source	Medium	21 Acres	
			Odors		Medium	21 Acres	
			Trash	Nonpoint Source	Medium	21 Acres	
			11454	Nonpoint Source			
4 L	Lake Lindero	40423000					
			Algae	Nonpoint Source	High	15 Acres	2002
			Chloride	Nonpoint Source	Low	15 Acres	
			Frature Lie	Nonpoint Source	11:_L	15 . 4	2002
			Eutrophic	Nonpoint Source	High	15 Acres	2002
			Odors		High	15 Acres	2002
			Specific conductivity	Nonpoint Source	Low	15 Acres	
				Nonpoint Source			
			Trash	Nonnoint Source	Medium	15 Acres	
4 L	Lake Sherwood	40426000		Nonpoint Source			
			Algae		High	135 Acres	2003
			Ammonia	Nonpoint Source	High	135 Acres	2002
				Nonpoint Source	8		

Approved by USEPA: July 2003

REGION TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
			Eutrophic		High	135 Acres	2002
			Mercury (tissue)	Nonpoint Source	High	135 Acres	2004
			Organic Enrichment/Low Dis	Nonpoint Source solved Oxygen	High	135 Acres	2002
			0	Nonpoint Source	0		
4 C	Las Flores Beach	40415000					
			DDT Fish Consumption Advisory fo	r D D T	Low	1.1 Miles	
			Tish Consumption Auvisory jo	Nonpoint Source			
			High Coliform Count		High	1.1 Miles	2002
			PCBs	Nonpoint Source	I	1.1 Miles	
			Fish Consumption Advisory fo	or PCBs.	Low	1.1 Milles	
			1 55	Nonpoint Source			
4 C	Las Tunas Beach	40412000					
			Beach Closures	N	High	1.2 Miles	2002
			DDT	Nonpoint Source	Low	1.2 Miles	
			Fish Consumption Advisory fo	r DDT.			
			PCBs	Nonpoint Source	Low	1.2 Miles	
			Fish Consumption Advisory fo	or PCBs.	Low	1.2 Wines	
				Nonpoint Source			
4 R	Las Virgenes Creek	40422010	Web Collforn Count		11:-h	10 Mil	2002
			High Coliform Count	Nonpoint Source	High	12 Miles	2003
			Nutrients (Algae)	Tonpoint Source	High	12 Miles	2003
				Nonpoint Source			
			Organic Enrichment/Low Dis		High	12 Miles	2002
			Scum/Foam-unnatural	Nonpoint Source	High	12 Miles	2002
				Nonpoint Source	8		
			Sedimentation/Siltation		Low	12 Miles	
			Solonium	Source Unknown	Uiah	12 Miles	2004
			Selenium	Nonpoint Source	High	12 Milles	2004
			Page 24 of 52	1 sonpoint source			

Approved by USEPA: July 2003

LOS ANGELES REGIONAL WATER QUALITY CONTROL BOARD

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Trash		Medium	12 Miles	
					Nonpoint Source			
4	L	Legg Lake	40531000					
				Ammonia		Medium	25 Acres	
					Nonpoint Source			
				Copper		Medium	25 Acres	
				Lead	Nonpoint Source	Medium	25 Acres	
				Liuu	Nonpoint Source		20 110105	
				Odors	1	Medium	25 Acres	
					Nonpoint Source			
				рН		Medium	25 Acres	
				Trash	Nonpoint Source	Low	25 Acres	
				11 4311	Nonpoint Source	Low	25 AUG	
4	С	Leo Carillo Beach (South of County Line)	40444000		F			
				Beach Closures		High	1.8 Miles	2002
					Nonpoint Source			
				High Coliform Count		High	1.8 Miles	2002
					Nonpoint Source			
4	L	Lincoln Park Lake	40515010	Ammonia		Low	3.8 Acres	
				Ammonia	Nonpoint Source	Low	J.o Alts	
				Eutrophic	Nonpoint Source	Low	3.8 Acres	
					Nonpoint Source			
				Lead		Low	3.8 Acres	
				Odawa	Nonpoint Source	Low	29 A	
				Odors	Nonpoint Source	Low	3.8 Acres	
				Organic Enrichment/Low Disso	-	Low	3.8 Acres	
					Nonpoint Source			
4	R	Lindero Creek Reach 1	40423000					
				Algae		High	3 Miles	2003
					Nonpoint Source			

Nonpoint Source

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT Approved by USEPA:

July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				High Coliform Count		High	3 Miles	2003
					Nonpoint Source			
				Scum/Foam-unnatural		High	3 Miles	2002
				Selenium	Nonpoint Source	High	3 Miles	2004
				Scientian	Nonpoint Source	ing.	5 141103	2004
				Trash	I I	Medium	3 Miles	
					Nonpoint Source			
4	R	Lindero Creek Reach 2 (Above Lake)	40425000					
				Algae	Nonpoint Source	High	4.5 Miles	2003
				High Coliform Count	Nonpoint Source	High	4.5 Miles	2003
					Nonpoint Source			
				Scum/Foam-unnatural		High	4.5 Miles	2002
				Selenium	Nonpoint Source	High	4.5 Miles	2004
					Nonpoint Source	8		
				Trash	-	Medium	4.5 Miles	
					Nonpoint Source			
4	В	Long Beach Harbor Main Channel, SE, W Basin, Pier J, Breakwater	40518000					
				Benthic Community Effects		Medium	1076 Acres	
				DDT (tissue)	Nonpoint Source	Medium	1076 Acres	
				Fish Consumption Advisory.	Nonpoint Source			
				PAHs (sediment)	···· F ·····	Medium	1076 Acres	
					Nonpoint Source			
				PCBs (tissue)		Medium	1076 Acres	
				Fish Consumption Advisory.	Nonpoint Source			
					-	Medium	1076 Acres	
				Fish Consumption Advisory.	Nonpoint Source Nonpoint Source	Medium	1076 Acres	
4	С	Long Point Beach	40511000	Fish Consumption Advisory.	-			
4	С	Long Point Beach	40511000	Fish Consumption Advisory.	Nonpoint Source	Medium Low	1076 Acres 0.7 Miles	

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				High Coliform Count		High	0.7 Miles	2002
					Nonpoint Source			
				PCBs	D CD	Low	0.7 Miles	
				Fish Consumption Advisory for A	PCBs. Nonpoint Source			
_	D		40510000		Nonpoint Source			
4	В	Los Angeles Fish Harbor	40518000	DDT		Medium	34 Acres	
					Nonpoint Source		UT Heres	
				PAHs	Tompoint Source	Medium	34 Acres	
					Nonpoint Source			
				PCBs		Medium	34 Acres	
					Nonpoint Source			
4	В	Los Angeles Harbor Consolidated Slip	40512000					
				Benthic Community Effects		Medium	36 Acres	
					Nonpoint Source			
				Cadmium (sediment)		Low	36 Acres	
				Historical use of pesticides and		aerial deposition, and	d historical discharges	for metals.
				Chlordane (tissue & sediment)	Nonpoint Source	Medium	36 Acres	
				Chloruane (tissue & seument)	Nonpoint Source	Wiedrum	50 Acres	
				Chromium (sediment)	Nonpoint Source	Medium	36 Acres	
					Nonpoint Source			
				Copper (sediment)	i componite source	Low	36 Acres	
					Nonpoint Source			
				DDT (tissue & sediment)	-	Medium	36 Acres	
				Fish Consumption Advisory for A				
					Nonpoint Source	Ŧ	26	
				Dieldrin (tissue) Historical use of pesticides and t	ubricants stormwater runoff	Low	36 Acres	for metals
				monitur use of pesitences and	Nonpoint Source	uci ai acposition, and	a misionicai aisenarges.	joi metuis.
				Lead (sediment)		Medium	36 Acres	
					Nonpoint Source			
				Mercury (sediment)		Low	36 Acres	
				Historical use of pesticides and i	ubricants, stormwater runoff, Nonpoint Source	aerial deposition, and	d historical discharges	for metals.
				Nickel (sediment)		Low	36 Acres	
					Nonpoint Source			
				Daga 27 of 53				

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				PAHs (sediment)		Medium	36 Acres	
					Nonpoint Source			
				PCBs (tissue & sediment)		Medium	36 Acres	
				Fish Consumption Advisory for				
				Sediment Toxicity	Nonpoint Source	Medium	36 Acres	
				Sediment Toxicity	N	Wieulum	50 Acres	
				Toxaphene (tissue)	Nonpoint Source	Low	36 Acres	
				i oxapitene (ussue)	Nonpoint Source	Low	50 Acres	
				Zinc (sediment)	Nonpoint Source	Low	36 Acres	
				Historical use of pesticides and	lubricants, stormwater runoff,			for metals.
				0 1	Nonpoint Source	1		
4	В	Los Angeles Harbor Inner Breakwater	40512000					
		8		DDT		Medium	74 Acres	
					Nonpoint Source			
				PAHs	-	Medium	74 Acres	
					Nonpoint Source			
				PCBs		Medium	74 Acres	
					Nonpoint Source			
4	В	Los Angeles Harbor Main Channel	40518000					
				Beach Closures		High	279 Acres	2004
					Nonpoint/Point Source			
				Copper (tissue & sediment)		Medium	279 Acres	
					Nonpoint/Point Source			
				DDT (tissue & sediment)		Medium	279 Acres	
				Fish Consumption Advisory for				
				PAHs (tissue & sediment)	Nonpoint/Point Source	Medium	279 Acres	
				I AIIs (ussue & scument)	N	Wieulum	219 Acres	
				PCBs (tissue & sediment)	Nonpoint/Point Source	Medium	279 Acres	
				Fish Consumption Advisory for	PCBs.		217 AUG	
					Nonpoint/Point Source			
				Sediment Toxicity		Medium	279 Acres	
					Nonpoint/Point Source			
				Zinc (tissue & sediment)		Medium	279 Acres	
					Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	В	Los Angeles Harbor Southwest Slip	40512000					
				DDT		Medium	63 Acres	
				Fish Consumption Advisory for I				
				PCBs	Nonpoint Source	Medium	63 Acres	
				Fish Consumption Advisory for 1	PCBs	Wiedrum	05 Acres	
				Tish Consumption Havisory for I	Nonpoint Source			
				Sediment Toxicity	•	Medium	63 Acres	
					Nonpoint Source			
4	Е	Los Angeles River Estuary (Queensway Bay)	40512000					
				Chlordane (sediment)		Low	261 Acres	
				Historical use of pesticides and l	ubricants.			
					Nonpoint Source			
				DDT (sediment)		Low	261 Acres	
				Historical use of pesticides and l				
				Lead (sediment)	Nonpoint Source	Low	261 Acres	
				Historical use of pesticides and l	ubricants.	Low	201 //////	
					Nonpoint Source			
				PCBs (sediment)	•	Low	261 Acres	
				Historical use of pesticides and l	ubricants.			
					Nonpoint Source	_		
				Zinc (sediment)		Low	261 Acres	
				Historical use of pesticides and l	<i>ubricants.</i> Nonpoint Source			
4	R	Los Angeles River Reach 1 (Estuary to	40512000		Nonpoint Source			
		Carson Street)		Aluminum, Total		Low	3.4 Miles	
					Nonpoint/Point Source			
				Ammonia		High	3.4 Miles	2003
					Nonpoint/Point Source			
				Cadmium, Dissolved	•	Low	3.4 Miles	
					Nonpoint/Point Source			
				Connon Dissolved		High	3.4 Miles	2002
				Copper, Dissolved		ingn	J.4 IVIIIes	2003
				Copper, Dissolved	Nonpoint/Point Source	Ingn	5.4 Milles	2003
				High Coliform Count	Nonpoint/Point Source	High	3.4 Miles	2003

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Lead		High	3.4 Miles	2003
				Nutrients (Algae)	Nonpoint/Point Source	High	3.4 Miles	2003
				рН	Nonpoint/Point Source	High	3.4 Miles	2003
				Scum/Foam-unnatural	Nonpoint/Point Source	High	3.4 Miles	2003
				Zinc, Dissolved	Nonpoint/Point Source Nonpoint/Point Source	High	3.4 Miles	2003
4	R	Los Angeles River Reach 2 (Carson to	40515010		Nonpoint/Foint Source			
		Figueroa Street)		Ammonia		High	19 Miles	2003
				High Coliform Count	Nonpoint/Point Source	High	19 Miles	2003
				Lead	Nonpoint/Point Source	High	19 Miles	2003
				Nutrients (Algae)	Nonpoint/Point Source Nonpoint/Point Source	High	19 Miles	2003
				Odors	Nonpoint/Foint Source	High	19 Miles	2003
				Oil	Nonpoint/Point Source	Low	19 Miles	
				Scum/Foam-unnatural	Nonpoint/Point Source Nonpoint/Point Source	High	19 Miles	2002
4	R	Los Angeles River Reach 3 (Figueroa St. to	40521000		Nonpoint/Point Source			
		Riverside Dr.)		Ammonia		High	7.9 Miles	2003
				Nutrients (Algae)	Nonpoint/Point Source	High	7.9 Miles	2003
				Odors	Nonpoint/Point Source	High	7.9 Miles	2003
				Scum/Foam-unnatural	Nonpoint/Point Source	High	7.9 Miles	2003
					Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	Los Angeles River Reach 4 (Sepulveda Dr. to Sepulveda Dam)	40521000					
				Ammonia		High	11 Miles	2003
				High Coliform Count	Nonpoint/Point Source	High	11 Miles	2003
				Lead	Nonpoint/Point Source	High	11 Miles	2003
				Ltau	Nonpoint/Point Source		11 Miles	2005
				Nutrients (Algae)	Nonpoint/Point Source	High	11 Miles	2003
				Odors		High	11 Miles	2003
				Scum/Foam-unnatural	Nonpoint/Point Source	High	11 Miles	2003
					Nonpoint/Point Source			
4	R	Los Angeles River Reach 5 (within Sepulveda Basin)	40521000					
				Ammonia	Nonpoint/Point Source	High	5.4 Miles	2003
				Nutrients (Algae)		High	5.4 Miles	2003
				Odors	Nonpoint/Point Source	High	5.4 Miles	2003
				Oil	Nonpoint/Point Source	Low	5.4 Miles	
					Nonpoint/Point Source			
				Scum/Foam-unnatural	Nonpoint/Point Source	High	5.4 Miles	2003
4	R	Los Angeles River Reach 6 (Above	40521000					
		Sepulveda Flood Control Basin)		Dichloroethylene/1,1-DCE		Low	7 Miles	
				High Coliform Count	Nonpoint Source	High	7 Miles	2003
				-	Nonpoint Source	-		
				Tetrachloroethylene/PCE	Nonpoint Source	Low	7 Miles	
				Trichloroethylene/TCE		Low	7 Miles	
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	Т	Los Cerritos Channel	40515010					
				Ammonia		Medium	31 Acres	
				Chlordane (sediment)	Nonpoint Source	Low	31 Acres	
				Cinordane (seument)	Source Unknown	LOW	51 Acres	
				Copper	Source Childown	Medium	31 Acres	
					Nonpoint Source			
				High Coliform Count		Medium	31 Acres	
				Lead	Nonpoint Source	Medium	31 Acres	
				Leau	Nonpoint Source	Medium	JI Alles	
				Zinc		Medium	31 Acres	
					Nonpoint Source			
4	С	Lunada Bay Beach	40511000					
				Beach Closures		Low	0.63 Miles	
					Nonpoint Source			
4	L	Machado Lake (Harbor Park Lake)	40512000	Algae		Low	45 Acres	
				. iigut	Nonpoint Source	1011	10 110105	
				Ammonia	F	Low	45 Acres	
					Nonpoint Source			
				ChemA (tissue) Historical use of pesticides and h	huisanta	Medium	45 Acres	
				mstoricat use of pesticiaes and it	Nonpoint Source			
				Chlordane (tissue)	-	Low	45 Acres	
				Fish Consumption Advisory.	Nonpoint Source			
				DDT (tissue)	Nonpoint Source	Low	45 Acres	
				Fish Consumption Advisory.				
				Dieldrin (tissue)	Nonpoint Source	Low	45 Acres	
					Nonpoint Source	LUW	45 Acres	
				Eutrophic	pome source	Low	45 Acres	
					Nonpoint Source			
				Odors		Low	45 Acres	
					Nonpoint Source			

Approved by USEPA: July 2003

REGION 1	ГҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				PCBs (tissue)		Low	45 Acres	
					Nonpoint Source			
				Trash		Medium	45 Acres	
					Nonpoint Source			
4	С	Malaga Cove Beach	40511000	Beach Closures		High	0.39 Miles	2002
				Beach Closures	Nonpoint Source	Ingu	0.59 Willes	2002
				DDT	Tomponit Source	Low	0.39 Miles	
				Fish Consumption Advisory for				
				PCBs	Nonpoint Source	Low	0.39 Miles	
				Fish Consumption Advisory for	r PCBs.	Low	0.59 Willes	
				1 70	Nonpoint Source			
4	L	Malibou Lake	40424000					
				Algae		High	40 Acres	2002
					Nonpoint Source	11 . 1	40	2002
				Eutrophic	Nonpoint Source	High	40 Acres	2002
				Organic Enrichment/Low Diss	-	High	40 Acres	2002
				5	Nonpoint Source	0		
4	С	Malibu Beach	40421000					
				Beach Closures		High	0.77 Miles	2002
					Nonpoint Source	_		
				DDT Fish Consumption Advisory for	* DDT	Low	0.77 Miles	
				Tish Consumption Advisory jon	Nonpoint Source			
4	R	Malibu Creek	40421000					
				Fish barriers		Low	11 Miles	
					Dam Construction			
				High Coliform Count		High	11 Miles	2003
				Nutrients (Algae)	Nonpoint/Point Source	High	11 Miles	2003
				i van ients (i ii Gae)	Nonpoint/Point Source	mgn	11 Miles	2005
				Scum/Foam-unnatural	- onpoint a sint source	High	11 Miles	2003
					Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Sedimentation/Siltation		Low	11 Miles	
				Trash	Source Unknown	Medium	11 Miles	
					Nonpoint Source			
4	Е	Malibu Lagoon	40421000					
				Benthic Community Effects		Low	15 Acres	
				Enteric Viruses	Nonpoint/Point Source	High	15 Acres	2002
					Nonpoint/Point Source	g.	10 110105	
				Eutrophic	•	High	15 Acres	2002
					Nonpoint/Point Source			
				High Coliform Count	N	High	15 Acres	2003
				рН	Nonpoint/Point Source	Low	15 Acres	
				Possible sources might be septic	systems, storm drains, and birds. Source Unknown			
				Shellfish Harvesting Advisory		High	15 Acres	2002
				Swimming Restrictions	Nonpoint/Point Source	High	15 Acres	2002
					Nonpoint/Point Source			
4	С	Malibu Lagoon Beach (Surfrider)	40421000					
				Beach Closures		High	1 Miles	2002
				DDT	Nonpoint Source	Low	1 Miles	
				Fish Consumption Advisory for L	DDT.			
					Nonpoint Source	TT T		2002
				High Coliform Count	Nonnoint Cour-	High	1 Miles	2002
				PCBs	Nonpoint Source	Low	1 Miles	
				Fish Consumption Advisory for H				
					Nonpoint Source			
4	С	Manhattan Beach	40512000	Beach Closures		High	2 Miles	2002
				Deach Clusures		mgn	2 ivilles	2002

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	В	Marina del Rey Harbor - Back Basins	40517000					
				Chlordane (tissue & sediment)		Medium	391 Acres	
				~	Nonpoint Source			
				Copper (sediment)		Low	391 Acres	
				DDT (tissue)	Nonpoint Source	Medium	391 Acres	
				DDT (ussue)	Nonpoint Source	Wieurum	571 Acres	
				Dieldrin (tissue)	Nonpoint Source	Medium	391 Acres	
					Nonpoint Source			
				Fish Consumption Advisory	I	Medium	391 Acres	
					Nonpoint Source			
				High Coliform Count		High	391 Acres	2003
					Nonpoint Source			
				Lead (sediment)		Medium	391 Acres	
				DCD (finne & rediment)	Nonpoint Source	Medium	391 Acres	
				PCBs (tissue & sediment) Historical use of pesticides, sto	rm water runoff/aerial deposit			wisory for PCBs
				in tissue.	in water rangj, aeriai aeposii	ion from a oun a cas.	Shenjish hui vesting u	visory joi 1 CDS
					Nonpoint Source			
				Sediment Toxicity		Medium	391 Acres	
				Zinc (sediment)	Nonpoint Source	Medium	391 Acres	
				Zinc (sediment)	Nonnoint Course	Mealum	391 Acres	
	~				Nonpoint Source			
4	С	Marina del Rey Harbor Beach	40517000	Beach Closures		High	0.29 Miles	2003
				beach Closures	Nonpoint Source	Ingu	0.29 Willes	2005
				High Coliform Count	Nonpoint Source	High	0.29 Miles	2003
				0	Nonpoint Source	0		
4	R	Matilija Creek Reach 1 (Jct. With N. Fork	40220012		•			
т		to Reservoir)	10220012					
				Fish barriers		Low	0.63 Miles	
					Dam Construction			
4	R	Matilija Creek Reach 2 (Above Reservoir)	40220010					
				Fish barriers		Low	15 Miles	
					Dam Construction			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	L	Matilija Reservoir	40220012					
				Fish barriers		Low	121 Acres	
					Dam Construction			
4	R	McCoy Canyon Creek	40521000					
				Fecal Coliform		Low	4 Miles	
					Nonpoint Source			
				Nitrate		Low	4 Miles	
				NT*/ / NT*/	Nonpoint Source	Ţ		
				Nitrate as Nitrogen		Low	4 Miles	
					Urban Runoff/Storm Sewers Natural Sources			
				Selenium, Total	Natural Sources	Low	4 Miles	
				Scientuni, Fotur	Urban Runoff/Storm Sewers	Low	1 111105	
					Natural Sources			
4	С	McGrath Beach	40311000					
				High Coliform Count		High	1.5 Miles	2003
					Nonpoint Source			
4	L	McGrath Lake	40311000					
				Chlordane (sediment)		Medium	20 Acres	
					Nonpoint Source			
				DDT (sediment)		Medium	20 Acres	
					Nonpoint Source			
				Dieldrin (sediment)		Low	20 Acres	
				Historical use of pesticides and	lubricants, storm water runoff/aeri	al deposition from	m agricultural fields.	
				Fecal Coliform	Nonpoint Source	Low	20 Acres	
				- comorni	Agriculture	2011	20 11115	
					Landfills			
					Natural Sources			
				PCBs (sediment)		Low	20 Acres	
				Historical use of pesticides and	lubricants, storm water runoff/aeri Nonpoint Source	al deposition from	m agricultural fields.	
				Sediment Toxicity	-	Medium	20 Acres	
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	Medea Creek Reach 1 (Lake to Confl. with Lindero)	40424000					
				Algae		High	2.6 Miles	2003
					Nonpoint Source			2002
				High Coliform Count	Nonpoint Source	High	2.6 Miles	2003
				Sedimentation/Siltation	Nonpoint Source	Low	2.6 Miles	
					Source Unknown			
				Selenium	Nonpoint Source	High	2.6 Miles	2004
				Trash	Nonpoint Source	Medium	2.6 Miles	
					Nonpoint Source			
4	R	Medea Creek Reach 2 (Abv Confl. with Lindero)	40423000					
				Algae		High	5.4 Miles	2003
				High Coliform Count	Nonpoint Source	Iliah	5.4 Miles	2003
				rigi Comorii Count	Nonpoint Source	High	5.4 Miles	2005
				Sedimentation/Siltation		Low	5.4 Miles	
					Source Unknown			2004
				Selenium	Nonpoint Source	High	5.4 Miles	2004
				Trash	Nonpoint Source	Medium	5.4 Miles	
					Nonpoint Source			
4	R	Mint Canyon Creek Reach 1 (Confl to Rowler Cyn)	40351000					
		Kowiel Cyll)		Nitrate and Nitrite		High	8.1 Miles	2003
					Nonpoint Source			
4	R	Monrovia Canyon Creek	40531000					
				Lead	N	High	3.4 Miles	2003
4	L	Munz Lake	40351000		Nonpoint Source			
4	L	wiunz Lake	40551000	Eutrophic		Medium	6.6 Acres	
					Nonpoint Source			
				Trash	N	Medium	6.6 Acres	
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMD COMPLETION
4	С	Nicholas Canyon Beach	40444000					
				Beach Closures		High	1.7 Miles	2002
					Nonpoint Source			
				DDT	D.D.W.	Low	1.7 Miles	
				Fish Consumption Advisory for	<i>DDT</i> . Nonpoint Source			
				PCBs	Nonpoint Source	Low	1.7 Miles	
				Fish Consumption Advisory for	r PCBs.			
					Nonpoint Source			
4	С	Ormond Beach	40311000					
				Bacteria Indicators		Low	1.6 Miles	_
				The areas affected are: a 50 ye	ard area north of Oxnard Indu. Nonpoint/Point Source	strial Drain and a 50 y	vard area south of J Stre	eet drain.
4	R	Palo Comado Creek	40423000					
				High Coliform Count		High	6.8 Miles	2003
					Nonpoint Source			
4	С	Palo Verde Shoreline Park Beach	40511000					
				Pathogens		High	0.24 Miles	2002
				D (11)	Source Unknown	Ŧ	0.24	
				Pesticides	C III	Low	0.24 Miles	
	~				Source Unknown			
4	С	Paradise Cove Beach	40435000	Beach Closures		High	1.7 Miles	2002
				Beach Closures	Nonpoint Source	Ingu	1.7 wines	2002
				DDT	Tompoint Source	Low	1.7 Miles	
				Fish consumption advisory for	DDT.			
					Nonpoint Source			
				High Coliform Count		High	1.7 Miles	2002
				D C D	Nonpoint Source	÷		
				PCBs Fish consumption advisory for	PCBs	Low	1.7 Miles	
				Tish consumption advisory for	Nonpoint Source			
4	L	Peck Road Park Lake	40531000		. <u>.</u>			
	-	- con roug I and Lare		Chlordane (tissue)		Low	103 Acres	
					Nonpoint Source			
				DDT (tissue)	•	Low	103 Acres	

Approved by USEPA: July 2003

REGION	TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Lead		Low	103 Acres	
				Odors	Nonpoint Source	Low	103 Acres	
				Organic Enrichment/Low Disso	Nonpoint Source Ived Oxygen Nonpoint Source	Low	103 Acres	
4	С	Peninsula Beach	40311000	Bacteria Indicators Area affected is beach area nort		Low	0.2 Miles	
4	R	Pico Kenter Drain	40513000		Tonpoint/Toint Source			
-	ĸ	The Kenter Dram	40515000	Ammonia		Low	8 Miles	
				Copper	Nonpoint Source	Medium	8 Miles	
				Enteric Viruses	Nonpoint Source	High	8 Miles	2002
				High Coliform Count	Nonpoint Source	High	8 Miles	2002
				Lead	Nonpoint Source	Medium	8 Miles	
				PAHs	Nonpoint Source	Low	8 Miles	
				Toxicity	Nonpoint Source	Medium	8 Miles	
				Trash	Nonpoint Source	Low	8 Miles	
4	D	Piru Creek (tributary to Santa River Reach	40342000		Nonpoint Source			
4	R	4)	40342000	рН		Low	63 Miles	
					Nonpoint Source Conservation Dishcarge Release	s		
4	С	Point Dume Beach	40435000	Beach Closures		High	2.5 Miles	2002
					Nonpoint Source			

Approved by USEPA: July 2003

LOS ANGELES REGIONAL WATER QUALITY CONTROL BOARD

REGION	ТҮРЕ	2 NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				DDT		Low	2.5 Miles	
				Fish consumption advisory for				
				DCD	Nonpoint Source	x	25 141	
				PCBs Fish consumtiion advisory for	PCBs	Low	2.5 Miles	
				1 isn consumition advisory for	Nonpoint Source			
4	С	Point Fermin Park Beach	40512000		•			
-	-			Beach Closures		High	1.6 Miles	2002
					Nonpoint Source			
				DDT		Low	1.6 Miles	
				Fish consumption advisory for				
				PCBs	Nonpoint Source	Low	1.6 Miles	
				Fish consumption advisory for	r PCBs	Low	1.0 Miles	
				i ish consumption durisory joi	Nonpoint Source			
4	С	Point Vicente Beach	40511000					
				Beach Closures		High	0.63 Miles	2002
					Nonpoint Source			
4	R	Pole Creek (trib to Santa Clara River Reach 3)	40331000					
		- ,		Sulfates		Low	9 Miles	
					Nonpoint Source			
				Total Dissolved Solids		Low	9 Miles	
					Nonpoint Source			
4	В	Port Hueneme Harbor (Back Basins)	40311000					
				DDT (tissue)		Medium	65 Acres	
					Nonpoint Source			
				PCBs (tissue)		Medium	65 Acres	
					Nonpoint Source			
4	С	Portugese Bend Beach	40511000					
				Beach Closures		High	1.4 Miles	2002
				DDT	Nonpoint Source	Low	1.4 Miles	
				DD1 Fish Consumption Advisory fo	or DDT	Low	1.4 Milles	
				i isn Consumption Advisory JC	Nonnoint Source			

Nonpoint Source

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				PCBs Fish Consumption Advisory fo	r PCB. Nonpoint Source	Low	1.4 Miles	
4	С	Promenade Park Beach	40210000	Bacteria Indicators Area affected is at Oak Street ,		Low uth of drain at Californi	0.37 Miles ia Street.	
4	L	Puddingstone Reservoir	40552000	Chlordane (tissue)		Medium	243 Acres	
				DDT (tissue)	Nonpoint Source Nonpoint Source	Medium	243 Acres	
				Mercury (tissue)	Nonpoint Source	Medium	243 Acres	
				Organic Enrichment/Low Diss PCBs (tissue)	olved Oxygen Nonpoint Source	Low Low	243 Acres 243 Acres	
4	С	Puerco Beach	40431000		Nonpoint Source			
				Beach Closures	Nonpoint Source	High	0.5 Miles	2002
				DDT Fish Consumption Advisory fo	r DDT. Nonpoint Source	Low	0.5 Miles	
				PCBs Fish Consumption Advisory fo	-	Low	0.5 Miles	
4	С	Redondo Beach	40512000	Beach Closures	N	High	1.5 Miles	2002
				DDT Fish Consumption Advisory fo		Low	1.5 Miles	
				High Coliform Count	Nonpoint Source Nonpoint Source	High	1.5 Miles	2002

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				PCBs Fish Consumption Advisory for	· PCBs. Nonpoint Source	Low	1.5 Miles	
4	С	Resort Point Beach	40511000	Beach Closures	Nonpoint Source	High	0.15 Miles	2002
4	С	Rincon Beach	40100010	Bacteria Indicators Area affected is 50 and 150 yan	ds south of mouth of Rincon Cree Nonpoint/Point Source	Low k, and at the end oj	0.09 Miles <i>f the footpath.</i>	
4	4 R R	Rio De Santa Clara/Oxnard Drain No. 3	40311000	ChemA (tissue)	Nonpoint Source	Medium	1.9 Miles	
				Chlordane (tissue)	Nonpoint Source	Medium	1.9 Miles	
				DDT (tissue)	Nonpoint Source	Medium	1.9 Miles	
				Nitrogen	Nonpoint Source	High	1.9 Miles	2002
				PCBs (tissue)	Nonpoint Source	Medium	1.9 Miles	
				Sediment Toxicity	Nonpoint Source	Medium	1.9 Miles	
				Toxaphene (tissue)	Nonpoint Source	Medium	1.9 Miles	
4	R	Rio Hondo Reach 1 (Confl. LA River to Snt Ana Fwy)	40515010					
				Copper	Nonpoint/Point Source	High	4.6 Miles	2003
				High Coliform Count	-	High	4.6 Miles	2002
				Lead	Nonpoint/Point Source	High	4.6 Miles	2002
				рН	Nonpoint/Point Source	High	4.6 Miles	2002
				Nonpoint/Point Source				

Approved by USEPA: July 2003

REGION	TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Trash		Low	4.6 Miles	
				Zinc	Nonpoint/Point Source	High	4.6 Miles	2003
					Nonpoint/Point Source			
4	R	Rio Hondo Reach 2 (At Spreading Grounds)	40515010	High Coliform Count		High	4.9 Miles	2002
					Nonpoint/Point Source			
4	С	Robert H. Meyer Memorial Beach	40441000	Beach Closures		High	1.2 Miles	2002
				DDT	Nonpoint Source	Low	1.2 Miles	
				Fish Consumption Advisory for	· DDT. Nonpoint Source			
				PCBs Fish Consumption Advisory for		Low	1.2 Miles	
4	C		40511000		Nonpoint Source			
4	С	Rocky Point Beach	40511000	Beach Closures		High	0.49 Miles	2002
					Nonpoint Source			
4	С	Royal Palms Beach	40511000	Beach Closures		High	1.1 Miles	2002
				DDT	Nonpoint Source	Low	1.1 Miles	
				Fish consumption advisory for	DDT. Nonpoint Source			
				PCBs Fish consumption advisory for	PCBs. Nonpoint Source	Low	1.1 Miles	
4	D		40220022		Nonpoint Source			
4	R	San Antonio Creek (Tributary to Ventura River Reach 4)	40220023			T	0.0 141	
				Nitrogen	Nonpoint Source	Low	9.8 Miles	
4	С	San Buenaventure Beach	40210000	Bacteria Indicators		Low	0.3 Miles	
					at Kalorama Street and south of drain Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	San Gabriel River Estuary	40516000					
				Abnormal Fish Histology		Medium	3.4 Miles	
					Nonpoint/Point Source			
4	R	San Gabriel River Reach 1 (Estuary to Firestone)	40515010					
				Abnormal Fish Histology		Medium	6.4 Miles	
					Nonpoint/Point Source			
				Algae		High	6.4 Miles	2003
					Nonpoint/Point Source			
				High Coliform Count	N	High	6.4 Miles	2003
				Toxicity	Nonpoint/Point Source	Medium	6.4 Miles	
				This listing was made by USEPA				
					Point Source			
4	R	San Gabriel River Reach 2 (Firestone to Whittier Narrows Dam	40515010					
				Copper, Dissolved		Low	12 Miles	
					Nonpoint Source			
				High Coliform Count	N. I. M. I. C.	High	12 Miles	2003
				Lead	Nonpoint/Point Source	Medium	12 Miles	
					Nonpoint/Point Source			
				Zinc, Dissolved		Low	12 Miles	
					Nonpoint Source			
4	R	San Gabriel River Reach 3 (Whittier Narrows to Ramona)	40531000					
		,		Toxicity		Medium	7.2 Miles	
				This listing was made by USEPA				
					Point Source			
4	R	San Jose Creek Reach 1 (SG Confluence to Temple St.)	40531000					
				Algae		Low	2.7 Miles	
				High California Count	Nonpoint/Point Source	T	27 M ⁽¹⁾	
				High Coliform Count	N	Low	2.7 Miles	
					Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	TYPE	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDI COMPLETION
4	R	San Jose Creek Reach 2 (Temple to I-10 at White Ave.)	40531000					
				Algae		High	17 Miles	2003
				High California Count	Nonpoint/Point Source	11:_h	17 Miles	2002
				High Coliform Count	Nonpoint/Point Source	High	17 Miles	2003
4	в	San Pedro Bay Near/Off Shore Zones	40512000		F			
•	D	Sun Fearo Day Pear, on Shore Lones	10012000	Chromium (sediment)		Low	5758 Acres	
					Nonpoint/Point Source			
				Copper (sediment)		Low	5758 Acres	
				DDT (tissue & sediment)	Nonpoint/Point Source	Medium	5758 Acres	
				Fish Consumption Advisory for				
				DAUs (sodimont)	Nonpoint/Point Source	Madium	5758 Acres	
				PAHs (sediment)	Nonpoint/Point Source	Medium	5756 Acres	
				PCBs	Tomponit, I onit Source	Medium	5758 Acres	
				Fish consumption advisory for				
				Sediment Toxicity	Nonpoint/Point Source	Medium	5758 Acres	
				·	Nonpoint/Point Source			
				Zinc (sediment)		Low	5758 Acres	
					Nonpoint/Point Source			
4	Е	Santa Clara River Estuary	40311000	ChemA		Medium	49 Acres	
					Source Unknown	Wieurum	+) heres	
				High Coliform Count		Medium	49 Acres	
					Nonpoint Source			
				Toxaphene	Nonpoint Source	Medium	49 Acres	
4	R	Santa Clara River Reach 3 (Freeman Diversion to A Street)	40321000		Nonpoint Source			
				Ammonia		High	31 Miles	2003
				Chloride	Nonpoint/Point Source	High	31 Miles	2002
					Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Total Dissolved Solids		Low	31 Miles	
					Nonpoint/Point Source			
4	R	Santa Clara River Reach 7 (Blue Cut to West Pier Hwy 99 Bridge)	40351000					
				Chloride		High	9.4 Miles	2002
				Chloride was relisted by USEPA				
				High Coliform Count	Nonpoint/Point Source	Medium	9.4 Miles	
				Tingii Comornii Count	Nonpoint/Point Source	Meulum	9.4 Wines	
				Nitrate and Nitrite	Nonpoint/1 oint Source	Low	9.4 Miles	
					Nonpoint/Point Source			
4	R	Santa Clara River Reach 8 (W Pier Hwy 99	40351000					
		to Bouquet Cyn Rd.)						
				Chloride		High	5.2 Miles	2002
				Chloride was relisted by USEPA	Nonpoint/Point Source			
				High Coliform Count		Medium	5.2 Miles	
					Nonpoint/Point Source			
4	R	Santa Clara River Reach 9 (Bouquet	40351000					
		Canyon Rd to above Lang Gaging Station)						
				High Coliform Count		Medium	21 Miles	
					Nonpoint/Point Source			
4	L	Santa Fe Dam Park Lake	40531000	C		N7 11	20	
				Copper	N	Medium	20 Acres	
				Lead	Nonpoint Source	Medium	20 Acres	
				Linu	Nonpoint Source		20 110100	
				рН		Medium	20 Acres	
					Nonpoint Source			
4	В	Santa Monica Bay Offshore/Nearshore	40513000					
		-		Chlordane (sediment)		Medium	146645 Acres	
					Nonpoint/Point Source			
				DDT (tissue & sediment)		Low	146645 Acres	
				Centered on Palos Verdes Shelf.	Nonnoint/Point Source			
				Debris	Nonpoint/Point Source	Low	146645 Acres	
					Nonpoint/Point Source			
				Page 46 of 53	point i ont oou co			
				1 uge 70 0j 55				

Approved by USEPA: July 2003

2002 CWA SECTION 303(d) LIST OF WATER QUALITY LIMITED SEGMENT

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Fish Consumption Advisory		Low	146645 Acres	
				PAHs (sediment)	Nonpoint/Point Source	Low	146645 Acres	
				PCBs (tissue & sediment)	Nonpoint/Point Source	Low	146645 Acres	
				Sediment Toxicity	Nonpoint/Point Source	Low	146645 Acres	
4	С	Santa Monica Beach	40513000		Nonpoint/Point Source			
4	C	Santa Monica Beach	40515000	Beach Closures		High	3 Miles	2002
				High Coliform Count	Nonpoint Source	High	3 Miles	2002
					Nonpoint Source			
4	R	Santa Monica Canyon	40513000	High Coliform Count		High	2.7 Miles	2002
				Lead	Nonpoint Source	Medium	2.7 Miles	
					Nonpoint Source			
4	С	Sea Level Beach	40441000	Beach Closures		High	0.21 Miles	2002
				DDT Fish Consumption Advisory fo	Nonpoint Source	Low	0.21 Miles	
				PCBs Fish Consumption Advisory fo	Nonpoint Source	Low	0.21 Miles	
					Nonpoint Source			
4	R	Sepulveda Canyon	405.13	Ammonia		Low	0.83 Miles	
				High Coliform Count	Nonpoint Source	High	0.83 Miles	2002
				Lead	Nonpoint Source	Medium	0.83 Miles	
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	Sespe Creek (tributary to Santa Clara River Reach 3)	40332020					
				Chloride		Low	63 Miles	
				_	Nonpoint Source	_		
				рН	N	Low	63 Miles	
4	D		40.422020		Nonpoint Source			
4	R	Stokes Creek	40422020	High Coliform Count		High	4.7 Miles	2002
					Nonpoint Source	8		
4	С	Surfers Point at Seaside	40210000					
				Bacteria Indicators		Low	0.53 Miles	
				Area affected is the end of the a	access path via a wooden gate. Nonpoint/Point Source			
4	С	Topanga Beach	40413000		Nonpoint/1 oint Source			
4	C	Topanga Beach	40413000	Beach Closures		High	2.5 Miles	2002
					Nonpoint Source	-		
				DDT		Low	2.5 Miles	
				Fish Consumption Advisory fo	or DDT. Nonpoint Source			
				High Coliform Count		High	2.5 Miles	2002
					Nonpoint Source			
				PCBs Fish Consumption Advisory for	" DCDa	Low	2.5 Miles	
				Fish Consumption Advisory joi	Nonpoint Source			
4	R	Topanga Canyon Creek	40411000		•			
				Lead		Medium	8.6 Miles	
					Nonpoint Source			
4	С	Torrance Beach	40512000					
				Beach Closures	Nonnaint Correct	High	1.1 Miles	2002
				High Coliform Count	Nonpoint Source	High	1.1 Miles	2002
				0	Nonpoint Source	8		
4	R	Torrance Carson Channel	40512000					
				Copper		Medium	3.4 Miles	
					Nonpoint Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				High Coliform Count		High	3.4 Miles	2003
				Lead	Nonpoint Source	Medium	3.4 Miles	
					Nonpoint Source			
4	R	Torrey Canyon Creek	40341000	NT*4 4 1 NT*4 *4		11 . 1	17	2003
				Nitrate and Nitrite	Nonpoint Source	High	1.7 Miles	2005
4	С	Trancas Beach (Broad Beach)	40437000		- · · · P · · · · · · · · ·			
				Beach Closures		High	1.7 Miles	2002
				DDT	Nonpoint Source	T	17 Miles	
				Fish Consumption Advisory for	DDT.	Low	1.7 Miles	
					Nonpoint Source			2002
				High Coliform Count	Nonpoint Source	High	1.7 Miles	2002
				PCBs	Nonpoint Source	Low	1.7 Miles	
				Fish Consumption Advisory for	PCBs. Nonpoint Source			
4	R	Triunfo Canyon Creek Reach 1	40424000		Nonpoint Source			
4	N	Thunio Canyon Creek Reach 1	40424000	Lead		High	2.5 Miles	2004
					Nonpoint Source			
				Mercury	Nonpoint Source	High	2.5 Miles	2004
				Sedimentation/Siltation	Nonpoint Source	Low	2.5 Miles	
					Source Unknown			
4	R	Triunfo Canyon Creek Reach 2	40424000			*** *		
				Lead	Nonpoint Source	High	3.3 Miles	2004
				Mercury	Monpoint Source	High	3.3 Miles	2004
					Nonpoint Source	_		
				Sedimentation/Siltation	Source University	Low	3.3 Miles	
4	D	Tujunga Wash (I A Diver to Hanson D)	40521000		Source Unknown			
4	R	Tujunga Wash (LA River to Hansen Dam)	40521000	Ammonia		High	9.7 Miles	2002
					Nonpoint Source			

Approved by USEPA: July 2003

REGION TYI	PE NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
			Copper		High	9.7 Miles	2003
				Nonpoint Source			
			High Coliform Count		High	9.7 Miles	2002
			Odors	Nonpoint Source	High	9.7 Miles	2002
			04015	Nonpoint Source	g.	<i>711</i> 1011103	2002
			Scum/Foam-unnatural		High	9.7 Miles	2002
				Nonpoint Source	Ţ		
			Trash	Nonnaint Course	Low	9.7 Miles	
4 C	Venice Beach	40513000		Nonpoint Source			
4 C	venice beach	40313000	Beach Closures		High	2.5 Miles	2002
				Nonpoint Source			
			High Coliform Count		High	2.5 Miles	2002
				Nonpoint Source			
4 B	Ventura Harbor: Ventura Keys	40311000	High Coliform Count		Medium	179 Acres	
			ingi comorni count	Nonpoint Source	1010utum		
4 R	Ventura River Estuary	40210011		•			
	·		Algae		Medium	0.2 Miles	
				Nonpoint/Point Source	NF N		
			Eutrophic	Nonpoint/Point Source	Medium	0.2 Miles	
			Fecal Coliform	Nonpoint/Foint Source	Low	0.2 Miles	
			Stables and horse property may l				
			Total Coliform	Nonpoint Source	Low	0.2 Miles	
			Stables and horse property may l	be the sources.	2011		
			Turah	Nonpoint Source	Madian	0.2 M ²	
			Trash	Nonpoint/Point Source	Medium	0.2 Miles	
4 R	Ventura River Reach 1 and 2 (Estuary to	40210011		Tompomer one source			
тК	Weldon Canyon)	70210011					
			Algae	N	Medium	4.5 Miles	
				Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	R	Ventura River Reach 3 (Weldon Canyon to Confl. w/ Coyote Cr)	40210011					
				Pumping		Medium	2.8 Miles	
					Nonpoint Source			
				Water Diversion	N	Medium	2.8 Miles	
					Nonpoint Source			
4	R	Ventura River Reach 4 (Coyote Creek to Camino Cielo Rd)	40220021					
				Pumping		Medium	19 Miles	
					Nonpoint Source			
				Water Diversion	N	Medium	19 Miles	
					Nonpoint Source			
4	R	Verdugo Wash Reach 1 (LA River to Verdugo Rd.)	40521000					
				Algae		High	2 Miles	2002
				High Coliform Count	Nonpoint Source	High	2 Miles	2002
				ingi comorni count	Nonpoint Source	gii		2002
				Trash	I Contraction	Low	2 Miles	
					Nonpoint Source			
4	R	Verdugo Wash Reach 2 (Above Verdugo Road)	40524000					
				Algae		High	7.6 Miles	2002
					Nonpoint Source		- /	
				High Coliform Count	N	High	7.6 Miles	2002
				Trash	Nonpoint Source	Low	7.6 Miles	
					Nonpoint Source			
4	R	Walnut Creek Wash (Drains from Puddingstone Res)	40531000					
				рН		High	12 Miles	2003
					Nonpoint/Point Source			
				Toxicity		High	12 Miles	2003
					Nonpoint/Point Source			

Approved by USEPA: July 2003

REGION	ТҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
4	L	Westlake Lake	40425000					
				Algae		High	119 Acres	2003
				Ammonia	Nonpoint Source	High	119 Acres	2002
				Ammonia	Nonpoint Source	Ingu	II) Alts	2002
				Eutrophic	·····	High	119 Acres	2002
					Nonpoint Source			
				Lead	N C	High	119 Acres	2004
				Organic Enrichment/Low Disso	Nonpoint Source lved Oxvgen	High	119 Acres	2002
				0	Nonpoint Source	0		
4	R	Wheeler Canyon/Todd Barranca	40321000					
				Nitrate and Nitrite		High	10 Miles	2003
				Sulfates	Nonpoint Source	Low	10 Miles	
				Sunaus	Nonpoint Source	Low	io mits	
				Total Dissolved Solids		Low	10 Miles	
					Nonpoint Source			
4	С	Whites Point Beach	40511000					2002
				Beach Closures	Nonpoint Source	High	1.1 Miles	2002
				DDT	Nonpoint Source	Low	1.1 Miles	
				Fish Consumption Advisory for				
				PCBs	Nonpoint Source	Low	1.1 Miles	
				Fish Consumption Advisory for	PCBs.			
					Nonpoint Source			
4	С	Will Rogers Beach	40513000	Beach Closures		High	3 Miles	2002
				Deach Clusures	Nonpoint Source	mgn	5 miles	2002
				High Coliform Count		High	3 Miles	2002
					Nonpoint Source			
4	R	Wilmington Drain	40342000					
				Ammonia	N	Medium	0.56 Miles	
					Nonpoint Source			

Approved by USEPA: July 2003

LOS ANGELES REGIONAL WATER QUALITY CONTROL BOARD

REGION 7	ГҮРЕ	NAME	CALWATER WATERSHED	POLLUTANT/STRESSOR	POTENTIAL SOURCES	TMDL PRIORITY	ESTIMATED SIZE AFFECTED	PROPOSED TMDL COMPLETION
				Copper		Medium	0.56 Miles	
					Nonpoint Source			
				High Coliform Count		High	0.56 Miles	2003
					Nonpoint Source			
				Lead		Medium	0.56 Miles	
					Nonpoint Source			
4	С	Zuma Beach (Westward Beach)	40436000					
				Beach Closures		High	1.6 Miles	2002
					Nonpoint Source			
				DDT		Low	1.6 Miles	
				Fish Consumption Advisory fe				
				PCBs	Nonpoint Source	Low	1.6 Miles	
				Fish Consumption Advisory for	or PCBs	LUW	1.0 willes	
				Fish Consumption Auvisory J	Nonpoint Source			

ABBREVIAT	IONS
REGIONAL WATER QUALITY CONTROL BOARDS	WATER BODY TYPE
1 North Coast	B = Bays and Harbors
2 San Francisco Bay	C = Coastal Shorelines/Beaches
3 Central Coast	E = Estuaries
4 Los Angeles	L = Lakes/Reserviors
5 Central Valley	R = Rivers and Streams
6 Lahontan	S = Saline Lakes
7 Colorado River Basin	T = Wetlands, Tidal
8 Santa Ana	W= Wetlands, Freshwater
9 San Diego	

CALWATER WATERSHED

"Calwater Watershed" is the State Water Resources Control Board hydrological subunit area or an even smaller area delineation.

GROUP A PESTICIDES OR CHEM A

aldrin, dieldrin, chlordane, endrin, heptachlor, heptachlor epoxide, hexachlorocyclohexane (including lindane), endosulfan, and toxaphene