





State Water Resources Control Board

July 7, 2016

Mr. Robert Laszcik
Terrible Herbst Oil Company
5195 Las Vegas Boulevard South
Las Vegas, NV 89119
[Via Email] RLaszcik@terribleherbst.com

Dear Mr. Laszcik:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR TERRIBLE HERBST, 706 WEST HARVARD BOULEVARD, SANTA PAULA, VENTURA COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0611100638
- Los Angeles Regional Water Quality Control Board, Case No. C90055
- Ventura County, Environmental Health Division (Ventura County), Case No. 90055
- Underground Storage Tank Cleanup Fund, Claim No. 18734

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

 Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or

FELICIA MARCUS, CHAIR | THOMAS HOWARD, EXECUTIVE DIRECTOR



 Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or Matthew.Cohen@waterboards.ca.gov.

Sincerely,

Karen Larsen, Deputy Director Division of Water Quality

cc: Silvia Lidia et al 1082 Via Pacifica Santa Paula, CA 93060-3112

> Raul's Smog or Current Occupant 706 West Harvard Blvd Santa Paula, CA 93060-3082

Mr. Michael Clegg, P.E. The Westmark Group 3883 Ponderosa Road Shingle Springs, CA 95682

cc: [Via email only]

Mr. Samuel Unger, Executive Officer Los Angeles Regional Water Quality Control Board Samuel.Unger@Waterboards.ca.gov

Mr. Yue Rong
Los Angeles Regional Water Quality Control Board
Yue.Rong@Waterboards.ca.gov

Ms. Paula Rasmussen Los Angeles Regional Water Quality Control Board Paula.Rasmussen@Waterboards.ca.gov

cc: (continued next page)

cc: (continued)

Ms. Frances McChesney State Water Resources Control Board Frances.Mcchesney@Waterboards.ca.gov

Ms. Jennifer Fordyce State Water Resources Control Board Jennifer.Fordyce@Waterboards.ca.gov

Mr. David Coupe State Water Resources Control Board David.Coupe@Waterboards.ca.gov

Ms. Lisa Babcock State Water Resources Control Board Lisa.Babcock@Waterboards.ca.gov

Mr. George Lockwood State Water Resources Control Board George.Lockwood@Waterboards.ca.gov

Mr. Steven Westhoff State Water Resources Control Board Steven.Westhoff@Waterboards.ca.gov

Mr. William Stratton Ventura County Bill.Stratton@Ventura.org

Mr. Rick Bandelin Ventura County Rick.Bandelin@Ventura.org

Ms. Gina Teresa Ventura County Gina.Teresa@Ventura.org