
State Water Resources Control Board

April 6, 2016

Mr. Greg Vogelpohl
ExxonMobil Environmental Service Company
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Dear Mr. Vogelpohl:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR SHELL #204-4164-0107,
15809 IMPERIAL HIGHWAY, LA MIRADA, LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0603703049
- Los Angeles Regional Water Quality Control Board, Case No. I-05204

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or matthew.cohen@waterboards.ca.gov.

Sincerely,



Karen Larsen, Deputy Director
Division of Water Quality

cc: SGLA La Mirada LLC
11911 San Vicente Boulevard, #350
Los Angeles, CA 90049

cc: [Via email only]

Mr. Samuel Unger
Los Angeles Regional Water Quality Control Board
samuel.unger@waterboards.ca.gov

Ms. Paula Rasmussen
Los Angeles Regional Water Quality Control Board
paula.rasmussen@waterboards.ca.gov

Mr. Yue Rong
Los Angeles Regional Water Quality Control Board
yue.rong@waterboards.ca.gov

Mr. Gregg Kwey
Los Angeles Regional Water Quality Control Board
gregg.kwey@waterboards.ca.gov

Ahmad Lamaa
Los Angeles Regional Water Quality Control Board
ahmad.lamaa@waterboards.ca.gov

Ms. Maria Bambico
Los Angeles Regional Water Quality Control Board
maria.bambico@waterboards.ca.gov

Ms. Frances McChesney
State Water Resources Control Board
frances.mcchesney@waterboards.ca.gov

cc: (continued next page)

cc: (continued)

Ms. Jennifer Fordyce
State Water Resources Control Board
jennifer.fordyce@waterboards.ca.gov

Mr. David Coupe
State Water Resources Control Board
david.coupe@waterboards.ca.gov

Mr. Steven Westhoff
State Water Resources Control Board
steven.westhoff@waterboards.ca.gov

Mr. George Lockwood
State Water Resources Control Board
george.lockwood@waterboards.ca.gov

Mr. Tim Smith
Los Angeles County
tsmith@dpw.lacounty.gov

Mr. John Awujo
Los Angeles County
jawujo@dpw.lacounty.gov

Mr. Joseph Liles
AECOM
joseph.liles@aecom.com