





## State Water Resources Control Board

August 19, 2016

Sanesco Oil Company Attn: Ms. Katie Kolpas 17311 South Main Street Gardena, CA 90248

Dear Ms. Kolpas:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR SANESCO #11, 8510 ROSECRANS AVENUE, PARAMOUNT, LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0603705383
- Los Angeles Regional Water Quality Control Board, Case No. R-23108

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

FELICIA MARCUS, CHAIR | THOMAS HOWARD, EXECUTIVE DIRECTOR

1001 | Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 100, Sacramento, Ca 95812-0100 | www.waterboards.ca.gov

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or Matthew.Cohen@waterboards.ca.gov.

Sincerely,

Karen Larsen, Deputy Director Division of Water Quality

cc: Mr. Evan Privett

Frey Environmental, Inc. 2817 A Lafayette Avenue Newport Beach, CA 92663

cc: [Via email only]

Mr. Samuel Unger Los Angeles Regional Water Quality Control Board Samuel.Unger@waterboards.ca.gov

Ms. Paula Rasmussen
Los Angeles Regional Water Quality Control Board
Paula.Rasmussen@waterboards.ca.gov

Mr. Yue Rong
Los Angeles Regional Water Quality Control Board
Yue.Rong@waterboards.ca.gov

Mr. Gregg Kwey
Los Angeles Regional Water Quality Control Board
Gregg.Kwey@waterboards.ca.gov

Mr. Ahmad Lamaa Los Angeles Regional Water Quality Control Board Ahmad.Lamaa@waterboards.ca.gov

Ms. Maria Bambico Los Angeles Regional Water Quality Control Board Maria.Bambico@waterboards.ca.gov

Ms. Frances McChesney
State Water Resources Control Board
Frances.McChesney@waterboards.ca.gov

cc: (continued next page)

## cc: (continued)

Ms. Jennifer Fordyce State Water Resources Control Board Jennifer.Fordyce@waterboards.ca.gov

Mr. David Coupe State Water Resources Control Board David.Coupe@waterboards.ca.gov

Ms. Therese Barakatt State Water Resources Control Board Therese.Barakatt@waterboards.ca.gov

Mr. George Lockwood State Water Resources Control Board George.Lockwood@waterboards.ca.gov

Mr. Tim Smith
Los Angeles County Department of Public Works
<a href="mailto:tsmith@dpw.lacounty.gov">tsmith@dpw.lacounty.gov</a>