



State Water Resources Control Board

March 3, 2015

Mr. Peter Knell KCB Management, LLC 117 East Colorado Boulevard, Suite 400 Pasadena, CA 91105

Dear Mr. Knell:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR SPROUTS MARKET, 1751 WESTWOOD BOULEVARD, WEST HOLLYWOOD, LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board Division of Water Quality (State Water Board), Case No. N/A
- State Water Board, GeoTracker No. T10000005048

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

FELICIA MARCUS, CHAIR | THOMAS HOWARD, EXECUTIVE DIRECTOR



If you have any questions regarding this matter, please contact Mr. Benjamin Heningburg at (916) 341-5749 or <u>Benjamin.Heningburg@waterboards.ca.gov</u>.

Sincerely,

Victoria A. Whitney, Deputy Director **Division of Water Quality**

cc: KCB RE L P 117 East Colorado Boulevard, Suite 400 Pasadena, CA 91105

[Via email only]

Mr. Samuel Unger Los Angeles Regional Water Quality Control Board (Samuel.Unger@waterboards.ca.gov)

Ms. Paula Rasmussen Los Angeles Regional Water Quality Control Board (Paula.Rasmussen@waterboards.ca.gov)

Mr. Yue Rong Los Angeles Regional Water Quality Control Board (Yue.Rong@waterboards.ca.gov)

Ms. Frances McChesney Los Angeles Regional Water Quality Control Board (Frances.McChesney@waterboards.ca.gov)

Ms. Jennifer Fordyce Los Angeles Regional Water Quality Control Board (Jennifer.Fordyce@waterboards.ca.gov)

Mr. David Coupe Los Angeles Regional Water Quality Control Board (David.Coupe@waterboards.ca.gov)

Mr. Benjamin Heningburg State Water Board (Benjamin.Heningburg@waterboards.ca.gov)

Ms. Therese Barakatt State Water Board (<u>Therese.Barakatt@waterboards.ca.gov</u>)

cc: Continued next page

cc: (Continued)

Mr. Matthew Cohen State Water Board (Matthew.Cohen@waterboards.ca.gov)

Mr. William B. Henry Waterstone Environmental, Inc. (whenry@waterstone-env.com)

Mr. Bob Nicksin O'Melveny & Meyers LLP (Bnicksin@oom.com)