



GAVIN NEWSOM
GOVERNOR

JARED BLUMENFELD
SECRETARY FOR
ENVIRONMENTAL PROTECTION

State Water Resources Control Board

JAN 14 2019

Mr. Robert Polito
Frank A. & Carolyn L. Polito Trust
8830 First Lady Avenue
Las Vegas, Nevada 89148

Dear Mr. Polito:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR SUN'S LIQUOR, 3257 EAST GAGE AVENUE, HUNTINGTON PARK, LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0603712632
- Los Angeles Regional Water Quality Control Board, Case No. R-09708
- Los Angeles County Department of Public Works, Case No. 009866-009708

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond

FELICIA MARCUS, CHAIR | EILEEN SOBECK, EXECUTIVE DIRECTOR

that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or Matthew.Cohen@waterboards.ca.gov.

Sincerely,



Karen Mogus, Deputy Director
Division of Water Quality

cc: Mr. Robert Blankenship
Harrison/Roberts Environmental Management
11140 Los Alamitos Boulevard, Suite 203
Los Alamitos, CA 90720

Mr. Kulwinder Saini and Mr. Bikram Sheenh
3257 East Gage Avenue
Huntington Pak, California 90255

[Via email only]

Ms. Deborah Smith
Los Angeles Regional Water Quality Control Board
Deborah.Smith@waterboards.ca.gov

Mr. Yue Rong
Los Angeles Regional Water Quality Control Board
Yue.Rong@waterboards.ca.gov

Mr. Tim Smith
Los Angeles County Department of Public Works
tsmith@dpw.lacounty.gov

Ms. Therese Barakatt
State Water Resources Control Board
Therese.Barakatt@waterboards.ca.gov

Mr. Matthew Cohen
State Water Resources Control Board
Matthew.Cohen@waterboards.ca.gov