
State Water Resources Control Board

May 7, 2018

Mr. John Demas
Mary Ann's Baking Company
8371 Carbide Court
Sacramento, CA 95828

Dear Mr. John Demas:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR MARY ANN'S BAKING, 324 ALHAMBRA BOULEVARD, SACRAMENTO COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, GeoTracker No. T0606701064
- Central Valley Regional Water Quality Control Board, Case No. 341240
- Sacramento County Environmental Management Department, Case No. D551
- Underground Storage Tank Cleanup Fund Claim No. 14302

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Resources Control Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or

- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. Matthew Cohen at (916) 341-5751 or Matthew.Cohen@waterboards.ca.gov.

Sincerely,



Karen Larsen, Deputy Director
Division of Water Quality

cc: [Via email only]

Ms. Pamela Creedon
Central Valley Regional Water Quality Control Board
Pamela.Creedon@waterboards.ca.gov

Mr. Andrew Altevogt
Central Regional Water Quality Control Board
Andrew.Altevogt@waterboards.ca.gov

Ms. Marie Woodin
Sacramento County Environmental Management Department
WoodinM@saccounty.net

Mr. Chris Pace
Sacramento County Environmental Management Department
PaceC@saccounty.net

Mr. Charley Langer
Sacramento County Environmental Management Department
LangerC@saccounty.net

Ms. Therese Barakatt
State Water Resource Control Board
Therese.Barakatt@waterboards.ca.gov

Mr. Daniel Newton
State Water Resources Control Board
Daniel.Newton@waterboards.ca.gov

cc: See next page.

cc: Continuation page

Mr. Matthew Cohen
State Water Resources Control Board
Matthew.Cohen@waterboards.ca.gov

Kurt M. Balasek
Wallace-Kuhl & Associates
kbalasek@wallace-kuhl.com