

2006 MAR 29 PM 3:05

DA  
SACRAMENTO

### PETITION FOR EXTENSION OF TIME

WATER USERS:

Application 25442 Permit 17016

Water Code section 1396 requires an applicant to exercise due diligence in developing a water supply for beneficial use. The State Water Resources Control Board (SWRCB), in considering requests for extension of time, will review the facts presented to determine whether there is good cause for granting an extension of time to complete the project. Where diligence in completing the project is not fully substantiated, the SWRCB may set the matter for hearing to determine the facts upon which to base formal action relating to the permit. Formal action may involve:

1. Revoking the permit for failure to proceed with due diligence in completing the project.
2. Issuing a license for the amount of water heretofore placed to beneficial use under the terms of the permit.
3. Granting a reasonable extension of time to complete construction work and/or full beneficial use of water.

**The time previously allowed in your permit within which to complete construction work and/or use of water has either expired or will expire shortly.**

Please check below the action you wish taken on this permit.

- The project has been abandoned and I request revocation of the permit.  
\_\_\_\_\_  
Signature
- Full use of water has been made, both as to amount and season, and I request license be issued.  
\_\_\_\_\_  
Signature
- The project is not yet complete. I request the SWRCB's consideration of the following petition for an extension of time.

### PETITION FOR EXTENSION OF TIME If START of construction has been delayed

Complete items 1, 2, and 3.

1. What has been done since permit was issued toward commencing construction?  
\_\_\_\_\_  
\_\_\_\_\_
2. Estimate date construction work will begin. \_\_\_\_\_
3. Reasons why construction work was not begun within the time allowed by the permit.  
\_\_\_\_\_  
\_\_\_\_\_

*"The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demands and cut your energy costs, see our web-site at: <http://waterrights.ca.gov>." Additional copies of this form and water right information can be obtained at [www.waterrights.ca.gov](http://www.waterrights.ca.gov).*

3/29/06  
\$1,000.00  
850.00  
DC

PETITION FOR EXTENSION OF TIME  
If construction work is proceeding

If construction work and/or use of water is proceeding but is not complete, an extension of time may be petitioned by completing items 4 through 16. Statements must be restricted to construction or use of water only under this permit.

4. A See attachment - year extension of time is requested to complete construction work and/or beneficial use of water. (Indicate a period of time less than or equal to 10 years. Must be consistent with the time frame allowed in (California Code of Regulations sections 840 through 844)
5. How much water has been used? See attachment acre-feet/year See attachment cfs
6. How many acres have been irrigated? See attachment
7. How many houses or people have been served water? See attachment
8. Extent of past use of water for any other purpose. See attachment
9. What construction work has been completed during the last extension? See attachment
10. Approximate amount spent on project during last extension period. \$ See attachment
11. Estimate date construction work will be completed. See attachment
12. Estimated year in which water will be fully used. See attachment
13. Reasons why construction and/or use of water were not completed within time previously allowed. See attachment

If the use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by public agencies and use of the water has commenced, but additional time is needed to reach full use contemplated, the following information must be provided.

14. What water conservation measures are in effect or feasible within the place of use?  
See attachment
15. How much water is being conserved or is it feasible to conserve using these conservation measures?  
         acre-feet per annum. See attachment
16. How much water per capita is used during the maximum 30-day period?          gpd. See attachment

I (we) declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.

Dated: March 23, 2006 at Point Arena, California

William Hay Jr.  
Signature(s)

707-882-1696  
Telephone No.

PLEASE PRINT YOUR NAME AND ADDRESS

NOTE: A \$1,000 filing fee, for each Application listed, made payable to the State Water Resources Control Board must accompany a petition for an extension of time. An \$850 fee made payable to the Department of Fish and Game must accompany all but the first petition for an extension of time.



**ATTACHMENT TO  
PETITION FOR EXTENSION OF TIME  
PERMIT 17016 (APPLICATION 25442)**

**Item 4**

Permittee is requesting a 33-year extension of time to complete construction and beneficial use of water. This is a municipal water use filing for the City of Point Arena and water use is expected to increase until full build out of the City is complete. Full build out is anticipated to occur by the year 2030. The last extension of time for Permit 17016 (Application 25442) to complete beneficial use of water expired on December 31, 1997. A 33-year extension of time will extend the time to complete beneficial use of water diverted pursuant to this Permit from December 31, 1997 to December 31, 2030.

**Item 5**

The maximum annual amount of water used during the last permit period was 37.5 acre-feet in 1996 with a maximum month use of 4.0 acre-feet in the same year. The average rate of diversion for the maximum month was 0.072 cfs. The maximum annual amount of water used subsequent to December 31, 1997 was 41.2 acre-feet in 2004 with a maximum month use of 4.9 acre-feet in the same year. The average rate of diversion for the maximum month was 0.082 cfs.

**Item 6**

This is a municipal water use filing, irrigation is not a purpose of use.

**Item 7**

About 500 persons were served during the last permit period and about 600 persons are now being served as of the date of this petition.

**Item 8**

Water is used for municipal purposes only.

**Item 9**

Construction is complete.

**Item 10**

Approximately \$20,000 was spent on maintenance and repair of project facilities during the last extension period.

**Item 11**

Construction is completed.

**Item 12**

Complete beneficial use of water is expected to occur by 2030, see Item 4 above.

**ATTACHMENT TO  
PETITION FOR EXTENSION OF TIME  
PERMIT 17016 (APPLICATION 25442)**

**Item 13**

Construction of diversion facility, treatment plant and transmission lines is complete. Beneficial use of water was not completed within time previously allowed because Permit 17016 is a municipal water filing for the City of Point Arena and full build out of City of Point Arena has not occurred. Full build out of the City of Point Arena is anticipated to occur by the year 2030.

**Item 14**

Water conservation measures include metering all water users connections and conservation is encouraged by way of the rate structure. Best management practices are employed in the delivery and use of water.

**Item 15**

The amount of water conserved is unknown.

**Item 16**

The maximum per capita water use during the maximum month prior to December 31, 1997 is about 90 gpd.

The maximum per capita water use during the maximum month subsequent to December 31, 1997 is 88 gpd.



STATE WATER RESOURCES CONTROL BOARD

2006 MAR 29 PM 3:05

DIV OF WATER RIGHTS SACRAMENTO

California Environmental Protection Agency

State Water Resources Control Board

DIVISION OF WATER RIGHTS

P.O. Box 2000, Sacramento, CA 95812-2000

Info: (916) 341-5300, FAX: (916) 341-5400, Web: http://www.waterrights.ca.gov

ENVIRONMENTAL INFORMATION FOR PETITIONS

Petition for Change

Petition for Extension of Time

Before the State Water Resources Control Board (SWRCB) can approve a petition to change your water right permit or a petition for extension of time to complete use, the SWRCB must consider the information contained in an environmental document prepared in compliance with the California Environmental Quality Act (CEQA). This form is not a CEQA document. If a CEQA document has not yet been prepared, a determination must be made of who is responsible for its preparation. As the petitioner, you are responsible for all costs associated with the environmental evaluation and preparation of the required CEQA documents. Please answer the following questions to the best of your ability and submit any studies that have been conducted regarding the environmental evaluation of your project. If you need more space to completely answer the questions, please number and attach additional sheets.

1. DESCRIPTION OF PROPOSED CHANGES OR WORK REMAINING TO BE COMPLETED

For a petition to change, provide a description of the proposed changes to your project including, but not limited to, type of construction activity, structures existing or to be built, area to be graded or excavated, increase in water diversion and use (up to the amount authorized by the permit), changes in land use, and project operational changes, including changes in how the water will be used. For a petition for extension of time, provide a description of what work has been completed and what remains to be done. Include in your description any of the above elements that will occur during the requested extension period.

See attachment

Horizontal lines for providing a description of proposed changes or work remaining to be completed.

See Attachment No. 1

ENVIRONMENTAL INFORMATION FOR PETITIONS

**2. COUNTY PERMITS**

a. Contact your county planning or public works department and provide the following information:

Person contacted: City of Point Arena Date of contact: 3/2006

Department: Planning Department Telephone: ( 707 ) 882-2122

County Zoning Designation: AE, RA-2, SR-1, SR-1/2, UR, MR, C, HWC, HC, I, P & PF

Are any county permits required for your project?  YES  NO If YES, check appropriate box below:

Grading permit  Use permit  Watercourse  Obstruction permit  Change of zoning

General plan change  Other (explain):

See attachment No. 2

b. Have you obtained any of the required permits described above?  YES  NO

If YES, provide a complete copy of each permit obtained.

See Attachment No.     

**3. STATE/FEDERAL PERMITS AND REQUIREMENTS**

a. Check any additional state or federal permits required for your project:

Federal Energy Regulatory Commission  U.S. Forest Service  Bureau of Land Management

Soil Conservation Service  Dept. of Water Resources (Div. of Safety of Dams)  Reclamation Board

Coastal Commission  State Lands Commission  Other (specify) See attached

b. For each agency from which a permit is required, provide the following information:

AGENCY	PERMIT TYPE	PERSON(S) CONTACTED	CONTACT DATE	TELEPHONE NO.
See attached				

See Attachment No.     

c. Does your proposed project involve any construction or grading-related activity that has significantly altered or would significantly alter the bed or bank of any stream or lake?  YES  NO

If YES, explain: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

See Attachment No.



ENVIRONMENTAL INFORMATION FOR PETITIONS

- d. Have you contacted the California Department of Fish and Game concerning your project?  YES  NO  
If YES, name and telephone number of contact: \_\_\_\_\_

**4. ENVIRONMENTAL DOCUMENTS**

- a. Has any California public agency prepared an environmental document for your project?  YES  NO  
If YES, submit a copy of the latest environmental document(s) prepared, including a copy of the notice of determination adopted by the California public agency. Public agency: SWRCB
- b. If NO, check the appropriate box and explain below, if necessary:
- The petitioner is a California public agency and will be preparing the environmental document.\*
  - I expect that the SWRCB will be preparing the environmental document.\*\*
  - I expect that a California public agency other than the State Water Resources Control Board will be preparing the environmental document.\* Public agency: \_\_\_\_\_

See Attachment No. \_\_\_\_\_

\* Note: When completed, submit a copy of the final environmental document (including notice of determination) or notice of exemption to the SWRCB, Division of Water Rights. Processing of your petition cannot proceed until these documents are submitted.

\*\* Note: CEQA requires that the SWRCB, as Lead Agency, prepare the environmental document. The information contained in the environmental document must be developed by the petitioner and at the petitioner's expense under the direction of the SWRCB, Division of Water Rights.

**5. WASTE/WASTEWATER**

- a. Will your project, during construction or operation, (1) generate waste or wastewater containing such things as sewage, industrial chemicals, metals, or agricultural chemicals, or (2) cause erosion, turbidity or sedimentation?  YES  NO  
If YES, or you are unsure of your answer, explain below and contact your local Regional Water Quality Control Board for the following information (See instruction booklet for address and telephone no.):

See Attachment No. 5

- b. Will a waste discharge permit be required for your project?  YES  NO

Person contacted: \_\_\_\_\_ Date of contact: \_\_\_\_\_

- c. What method of treatment and disposal will be used? \_\_\_\_\_

See Attachment No. \_\_\_\_\_

**6. ARCHEOLOGY**

- a. Have any archeological reports been prepared on this project?  YES  NO
- b. Will you be preparing an archeological report to satisfy another public agency?  YES  NO
- c. Do you know of any archeological or historic sites located within the general project area?  YES  NO

ENVIRONMENTAL INFORMATION FOR PETITIONS

If YES, explain: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

See Attachment No. \_\_\_\_

**7. ENVIRONMENTAL SETTING**

Attach **three complete sets of color photographs**, clearly dated and labeled, showing the vegetation that exists at the below-listed three locations. For time extension petitions, the photographs should document only those areas of the project that will be impacted during the requested extension period.

- Along the stream channel immediately downstream from the proposed point(s) of diversion.
- Along the stream channel immediately upstream from the proposed point(s) of diversion.
- At the place(s) where the water is to be used.

**8. CERTIFICATION**

I hereby certify that the statements I have furnished above and in the attachments are complete to the best of my ability and that the facts, statements, and information presented are true and correct to the best of my knowledge.

Date: March 23, 2006      Signature: William Long Jr.



**ATTACHMENT TO  
ENVIRONMENTAL INFORMATION FOR PETITIONS  
PERMIT 17016 (APPLICATION 25442)**

**Item 1**

Permittee is requesting additional time to develop full beneficial use of water under the permit. Full beneficial use will be obtained upon completion of build out of the City of Point Arena. Build out of the City of Point Arena is anticipated to occur by the year 2030. This project involves pumping from the underflow of the Garcia River by the Point Arena Water Works which provides the municipal water supply for the City of Point Arena. The present service area includes 189 connections. Water is pumped from an existing well adjacent to the Garcia River which is equipped with a 15 HP submersible pump. An existing 6-inch and 8-inch pipeline is used to convey water to an existing 125,000 gallon redwood tank. The water is chlorinated before being distributed to two other existing holding tanks, one of which is a 125,000 gallon redwood tank and the other is 285,000 gallon concrete tank. No changes to the existing diversion, treatment or delivery facilities are anticipated. Additional service connections will be constructed as the City of Point Arena develops.

**Item 2**

The attached map, obtained from City of Point Arena website, shows zoning and land use for the City of Point Arena. Point Arena Water Works only supplies water to the City of Point Arena. No county permits are required for the diversion, treatment or delivery of water to the city water system.

**Item 3**

A Domestic Water Supply Permit is required for the project. This permit is obtained from the California Department of Health Services, Division of Drinking Water & Environmental Management Branch.

Permittee currently holds Domestic Water Supply Permit No. 02-03-02P23012, dated August 20, 2002, for the operation of the existing facility.

No other state or federal permits are required for this project.

**Item 4**

See attached Initial Study and Negative Declaration prepared by the State Water Resources Control Board, Division of Water Rights pursuant to Application 25442.

**Item 5**


This project involves the supply and delivery of water to the City of Point Arena. The supply and delivery of water to the City of Point Arena do not generate waste.

Map of City of Point Arena

Referenced in Attachment Item 2



# City of Point Arena Land Use and Development



- Legend**
- AE, Agriculture Exclusive
  - RA-2, Residential Agriculture - 2 Acre
  - SR-1, Suburban Residential - 1 Acre
  - SR-1/2, Suburban Residential - 1/2 Acre
  - UR, Urban Residential
  - MR, Multi-Family Residential
  - C, Commercial Core
  - HWC, Highway Commercial
  - HC, Harbor Commercial
  - I, Industrial
  - P, Park
  - PF, Public Facility
  - City of Point Arena
  - Parcel Boundaries
  - Centerline Roads
  - Creeks
  - Coastline

