1	EXHIBIT C ADDITIONAL MATERIALS CONSIDERED IN PREPARING THIS
2	STATEMENT. MATERIALS NOT CITED HERE ARE CITED IN THE
3	BIBLIOGRAPHY FOR THE STATEMENT
4 5 6 7 8 9	Banks, Michael A., Vanessa K. Rashbrook, Marco J. Calavetta, Cheryl A. Dean, and Dennis Hedgecock. 2000. Analysis of microsatellite DNA resolves genetic structure and diversity of Chinook salmon (<i>Oncorhynchus tshawytscha</i>) in California's Central Valley. Canadian Journal of Fisheries and Aquatic Sciences 57: 915-927.
10 11 12 13	Beechie, T., E. Beamer, and L. Wasserman. 1994. Estimating Coho Salmon Rearing Habitat and Smolt Production Losses in a Large River Basin, and Implications for Habitat Restoration. North American Journal of Fisheries Management 14: 797-811.
14 15 16 17	Berman, C.H. and T.P. Quinn. 1991. Behavioral thermoregulation and homing by spring Chinook salmon (<i>Oncorhynchus tshawytscha</i>) (Walbaum) in the Yakima River. Journal of Fish Biology 39: 301-312.
18 19 20 21	Boles, Gerald R. 1988. Water Temperature Effects on Chinook Salmon (<i>Oncorhynchus tshawytscha</i>); with Emphasis on the Sacramento River. California Dept. of Water Resources, Literature Review.
22 23 24 25	Botsford, Louis W., Cathryn A. Lawrence, and M. Forrest Hill. 2004. Differences in dynamic response of California Current salmon species to changes in ocean conditions. Deep-Sea Research II 52(2005): 331-345.
26 27 28 20	Boyle Engineering. 1986. Central Valley Fish and Wildlife Management Study; Evaluation of the potential of a comprehensive restoration program for the San Joaquin River Salmon Fishery, California. Draft report to the U.S. Bureau of Reclamation.
29 30 31 32 33	Brown, Larry R. 2000. Fish Communities and their associations with environmental variables, lower San Joaquin River drainage, California. Environmental Biology of Fishes 57: 251-269.
34 35 36	Brown, Larry R. and Peter B. Moyle. 1993. Distribution, Ecology, and Status of the Fishes of the San Joaquin River Drainage, California. California Fish and Game 79(3): 96-114.
37 38 39 40	Brown, Larry R. and Tim Ford. 2002. Effects of Flow on the Fish Communities of a Regulated California River: Implications for Managing Native Fishes. Available online (www.interscience.wiley.com).
41 42	Bureau of Marine Fisheries, Division of Fish and Game. Monthly salmon reports, 1941-1950.
43 44 45	Butte Creek Watershed Project. 1998. Butte Creek Watershed Project: Existing Conditions Report. Prepared for Butte Creek Watershed Conservancy.

$\frac{1}{2}$	California Dept. of Fish and Game. Date? Salmon Salvage, Hills Ferry – San Joaquin River.
2 3 4 5	California Dept. of Fish and Game. 1955. Fish and Game Water Problems on the Upper San Joaquin River; potential values and needs. 9-16.
5 6 7 8 9	California Dept. of Fish and Game. 1950. Salmon Counts in the Upper San Joaquin River Passed Mendota Dam, 1939-1950. D- 935 hearing, California Dept. of Fish and Game Exhibit 32
10 11 12	California Dept. of Fish and Game. Flow of the San Joaquin River below Friant Dam (various years). D- 935 hearing, California Dept. of Fish and Game Exhibits 3A – 19.
12 13 14 15 16	California Dept. of Fish and Game. 2004. San Joaquin River Fishery and Aquatic Resources Inventory; Cooperative Agreement 03FC203052; Habitat Sampling Progress Report January – April 2004.
17 18 19 20 21	California Dept. of Fish and Game. 2004. Closing Statement of California Department of Fish and Game. In the Matter of Cachuma Project Hearing, Phase 2 United States Bureau of Reclamation Applications 11331 and 11332, before the State Water Resources Control Board.
22 23 24	California Dept. of Water Resources. 2002. Robinson Reach: Bringing Back the Salmon. Presented by the Office of Water Education.
25 26 27	Cass, A. and B. Riddell. 1999. A life history model for assessing alternative management policies for depressed Chinook salmon. ICES Journal of Marine Science 56: 414-421.
28 28	Central Valley Project authorization act. 1937. 50 Stat. 844. Chapter 832.
30 31	Clark, G.H. 1942. Salmon at Friant Dam. California Dept. of Fish and Game 29 (3): 89-90.
32 33	Congressional Record. July 1, 1937: 6704.
34 35 36 37	EA Engineering, Science, and Technology. 1991. Possible Effects of High Water Temperature on Migrating Chinook Salmon (<i>Oncorhynchus tshawytscha</i>) Smolts in the San Joaquin River. Don Pedro Project, Fisheries Study Report, FERC Article 39, Project No. 2299.
38 39 40	Einum, Sigurd and Ian A. Fleming. 2000. Selection Against Late Emergence and Small Offspring in Atlantic Salmon (<i>Salmo salar</i>). Evolution 54(2): 628-639.
41 42 43 44	Ford, Tim and Larry R. Brown. Distribution and Abundance of Chinook Salmon and Resident Fishes of the Lower Tuolumne River. In Brown, R. ed. Contributions to the Biology of Central Valley Salmonids. California Dept. of Fish and Game. Fish Bulletin 179 (2)
45 46	Friant Water Users Authority, et. al. June 15, 2005. Exhibit B, <u>Corrected</u> Document List (Friant Defendants' Initial Disclosures). <i>NRDC v. Rodgers</i> , Case No. 88-1658, LKK.

1	Em Danald II and William A Dill 1046 1049 Division of Eich and Came field
2 3	correspondence re king salmon in Kings River.
4	
5 6 7	Hatoon, Ross S. and G. H. Clark. 1942. A Second Progress Report on the Central Valley Fisheries Investigations. California Dept. of Fish and Game Bulletin 28 (No 2):116-123.
8 9	Hayhoe, Katherine, et al. 2004. Emissions pathways, climate change, and impacts on California. PNAS (<u>www.pnas.org/cgi/doi/10.1073/pnas.0404500101</u>).
10	
11 12 13	size of winter-run Chinook salmon based on microsatellite analysis of returning
14	spawners. Canadian Journal of Fisheries and Aquate Sciences 57, 2506 2575.
15 16	Hedrick, Phillip W., Dennis Hedgecock, and Scott Hamelberg. June 1995. Effective Population Size in Winter-Run Chinook Salmon. Conservation Biology 9 (3): 615-624.
17 10	
18	Jager, Henriette I. and Kenneth A. Rose. 2003. Designing Optimal Flow Patterns for Fall
19	Chinook Salmon in a Central Valley, California, River. North American Journal of Σ^2
20	Fisheries Management 23: 1-21.
21	Jone and Stolkes December 1076 Accessment of Effects of Altered Stream Flow
22	Characteristics on Fish and Wildlife: Part D: California Derformed for the Western
23	Energy and L and Use Teem, U.S. Eich and Wildlife Service
24 25	Energy and Land Use Team, U.S. Fish and whome Service.
25 26	Jones and Stokes. 1995. Fish Objectives. Prepared for Friant water Users Authority, Lindsay,
20 27	Camornia, and Natural Resources Defense Council, San Francisco.
21	Jones and Stakes 2000. Mans of San Joaquin Diver reaches water temperature and routing
20 20	Son Looguin Diver restoration plan technical workshop
29 20	San Joaquin Kiver restoration plan technical workshop.
30	Kinnison Michael Martin Unwin Nelson Roustand and Thomas Ouinn, 1008, Population
31	specific variation in body dimensions of adult Chinock salmon (Onearhymetus
32	telegente variation in body unitensions of adult Chinook samon (<i>Oncomynetics</i>
33	Canadian Journal of Fisherias and Aquatia Sciences 55: 554 563
34	Canadian Journal of Fisheries and Aquatic Sciences 55, 554-505.
36	Kinnison Michael Martin Unwin William K Herspherger and Thomas Ouinn, 1998, Egg
30	size fecundity and development rate of two introduced New Zealand Chinook salmon
38	(Orncorbynchus Tshawyscha) populations. Canadian Journal of Fisheries and Aquatic
30	Sciences 55: 1046-1053
<i>4</i> 0	Sciences 55. 1740-1755.
41	Marchetti Michael P and Peter B Moyle 2001 Effects of Flow Regime on Fish Assemblages
42	in a Regulated California Stream Ecological Applications 11(2): 530-539
43	m a regulated Camornia Sucani. Leorogical Applications 11(2). 550-557.
т <u>э</u> 44	
45	
46	

1 2 3 4 5 6	Marine, Keith R. October 1992. A background investigation and review of the effects of elevated water temperature on reproductive performance of adult Chinook Salmon (<i>Oncorhynchus tshawytscha</i>); with suggestions for approaches to the assessment of temperature induced reproductive impairment of Chinook salmon stocks in the American River, California. Department of Wildlife and Fisheries Biology, UC Davis.
7 8 9 10	Marine, Keith R. and Joseph J. Cech Jr. 2004. Effects of high water temperature on growth, smoltification, and predator avoidance in juvenile Sacramento River Chinook Salmon. North American Journal of Fisheries Management 24: 198-210.
11 12 13 14	McBain and Trush (eds). 2002. San Joaquin River restoration study background report. Prepared for Friant Water Users Authority, Lindsay, California, and Natural Resources Defense Council, San Francisco.
15 16 17 18	McBain and Trush. March 2000. Habitat Restoration Plan for the Lower Tuolumne River Corridor (Final Report). Prepared for the Tuolumne River Technical Advisory Committee.
19 20 21 22 23	McCullough, Dale A., Shelley Spalding, Debra Sturdevant, and Mark Hicks. 2001. Issue Paper 5: Summary of Technical Literature Examining the Physiological Effects of Temperature on Salmonids. Prepared as part of EPA Region 10 temperature and water quality criteria guidance development project. EPA-910-D-01-005.
24 25 26 27 28	McFarland, Melanie and Doug Weinrich. 1987. Juvenile Chinook Salmon Use of Nearshore Habitats on the San Joaquin River, California. Prepared by the U.S. Fish and Wildlife Service, Sacramento, California, for the U.S. Army Corps of Engineers, Sacramento District.
29 30 31	Mesick, Carl. 2002. Factors that potentially limit the populations of fall-run Chinook Salmon in the San Joaquin River tributaries. In Brown, R. ed. Contributions to the Biology of Central Valley Salmonids. California Dept. of Fish and Game. Fish Bulletin 179.
32 33 34 35	Miller, George P., Executive Secretary, Dept. of Fish and Game. 1942. Letter to U.S. Bureau of Reclamation regarding fall fun fish passing Mendota Dam.
36 37 38	Moyle Peter B. and Robert D. Nichols. 1973. Ecology of Some Native and Introduced Fishes of the Sierra Nevada Foothills in Central California. Copeia 1973(3): 478-490.
39 40 41	Moyle, Peter B. and Paul J. Randall. 1998. Evaluating the Biotic Integrity of Watersheds in the Sierra Nevada, California. Conservation Biology 12 (6): 1318-1326.
42 43 44	Myrick, Christopher A. and Joseph J. Cech Jr. 2004. Temperature effects on juvenile anadromous salmonids in California's central valley: what don't we know? Reviews in Fish Biology and Fisheries 14: 113-123.
45 46	Natural Resources Defense Council v. Patterson, 333 F. Supp. 2d 906, 915-17 (E.D. Cal. 2004)

1	
2	Quinn, Thomas P. and Dean J. Adams. July 2005. Environmental Changes Affecting the
3 4 5	Migratory Timing of American Shad and Sockeye Salmon. Ecology Vol. 77, No. 4: 1151-1162.
6	Quinn Thomas P. and Martin Unwin. 1993. Variation in life history patterns among New
7 8	Zealand Chinook salmon (<i>Oncorhynchus tshawytscha</i>) populations. Canadian Journal of Eisberies and Aquatic Sciences 50 (7): 1414-1421
0 0	Tishenes and Aquate Sciences 50 (7). 1414-1421.
10	Ouinn Thomas P Jennifer Nielsen Christina Gan Martin Unwin Richard Wilmot Charles
11	Guthrie, and Fred M. Utter. 1996. Origin and genetic structure of Chinook salmon
12	(<i>Oncorhynchus tshawytscha</i>) transplanted from California to New Zealand: allozyme and
13	mtDNA evidence. Fishery Bulletin 94: 506-521.
14	
15	Quinn, Thomas P., Jeramie A. Peterson, Vincent F. Gallucci, William K. Hershberger, and
16	Ernest L. Brannon. 2002. Artificial Selection and Environmental Change:
17	Countervailing Factors Affecting the Timing of Spawning by Coho and Chinook Salmon.
18	Transactions of the American Fisheries Society 131: 591-598.
19	•
20	Regional Director, U.S. Bureau of Reclamation. 1952 – 1978. Water Temperatures, Millerton
21	Lake.
22	
23	Robards, Martin D. and Thomas P. Quinn. 2002. The Migratory Timing of Adult Summer-Run
24	Steelhead in the Columbia River over Six Decades of Environmental Change.
25	Transactions of the American Fisheries Society 131: 523-536.
26	· · · · · · · · · · · · · · · · · · ·
27	Rose, Gene.2000. The San Joaquin: a River Betrayed. 2 nd edition. Word Dancer Press, Clovis
28	CA. 150 pp.
29	
30	Saiki, Michael K. 1984. Environmental Conditions and Fish Faunas in Low Elevation Rivers on
31	the Irrigated San Joaquin Valley Floor, California. California Fish and Game 70(3): 145-
32	157.
33	
34	Smith, Felix E. June 1987. Water Development and Management in the Central Valley of
35	California and the Public Trust. U.S. Fish and Wildlife Service.
36	
3/	Stillwater Sciences. February 2002. Merced River Corridor Restoration Plan.
38	
39 40	110stra, Rood and Jim Houk. 2005. Fish Species Distribution in the Lower San Joaquin River:
40 71	Frogress Report. Fowerpoint presentation by the Cantornian Dept. of Fish and Game.
41 12	Titus Pohert G. October 1/ 2003 Testimony of Pohert G. Titus Staff Environmental
+∠ /3	Scientist In the Matter of Cachuma Drojact Haaring Dhase 2 United States Dursey of
+5 11	Reclamation Applications 11331 and 11332 before the State Water Desources Control
44 45	Roard
т Ј	Duara.

1 2	Trepanier, S., M.A. Rodriguez, and P. Magnan. 1996. Spawning migrations in landlocked Atlantic salmon: time series modeling of river discharge and water temperature effects.
3	Journal of Fish Biology 48: 925-936.
4	
5	United States Bureau of Reclamation. June 14, 2005. Federal Defendants Index to Initial
6	Disclosures. NRDC v. Rodgers, Case No. 88-1658.
7	
8	Ward, Paul D., Tracy R. McReynolds and Clint E. Garman. 2002-2003. Butte and Big Chico
9	Creeks Spring-Run Chinook Salmon, Oncoryhnchus Tshawytscha Life History
10	Investigation 2000-2001. California Dept. of Fish and Game Administrative Reports.
11	
12	Wilson, Paul H. June 2003. Using Population Projection Matrices to Evaluate Recovery
13	Strategies for Snake River Spring and Summer Chinook Salmon. Conservation Biology
14	17 (3): 782-794.
15	
16	Yoshiyama, R. M., E. R. Gerstung, F. W. Fisher, and P. B. Moyle. 2000. Chinook salmon in
17	California's Central Valley: an assessment. Fisheries 25(2):6-20.
18	