



# A P P E N D I X B

FALL WATER TRANSFER AND DELIVERY INFORMATION

**INITIAL DAILY SCHEDULE, OCTOBER 19**  
(OCTOBER 1–NOVEMBER 16) • SJRA AND FALL 2000 TRANSFER WATER SCHEDULE

	SJRA Transfer Water			Fall 2000 Transfer Water					
	Shaffer Br/Cressey Base Flow for SJRA Transfer Water	SJRA Transfer Water Schedule	SJRA Transfer Water	Shaffer Br/Cressey Base Flow for Fall 2000 Transfer Water [1] + [2]	Fall 2000 Transfer Water Schedule – RIVER	Shaffer Br/Cressey Target Flow [4] + [5]	Fall 2000 Transfer Water Schedule – BYPASS	Fall 2000 Transfer Water [5] + [7]	Fall 2000 Transfer Balance
	(cfs)	(cfs)	(acre-ft)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	(acre-ft)
	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
Oct 01	0	0	30	0	30	0	0	0	0
Oct 02	30	0	0	30	0	30	0	0	0
Oct 03	30	0	0	30	0	30	0	0	0
Oct 04	30	0	0	30	0	30	0	0	0
Oct 05	30	0	0	30	0	30	0	0	0
Oct 06	30	0	0	30	0	30	0	0	0
Oct 07	30	0	0	30	0	30	0	0	0
Oct 08	30	0	0	30	0	30	0	0	0
Oct 09	30	0	0	30	0	30	0	0	0
Oct 10	30	0	0	30	0	30	0	0	0
Oct 11	30	0	0	30	0	30	0	0	0
Oct 12	30	0	0	30	0	30	0	0	0
Oct 13	30	0	0	30	0	30	0	0	0
Oct 14	30	0	0	30	0	30	0	0	0
Oct 15	30	397	787	427	0	427	0	0	0
Oct 16	85	760	2,295	845	0	845	0	0	0
Oct 17	85	760	3,802	845	0	845	0	0	0
Oct 18	85	760	5,310	845	0	845	0	0	0
Oct 19	85	500	6,301	585	0	585	0	0	0
Oct 20	85	380	7,055	465	0	465	0	0	0
Oct 21	85	265	7,581	350	235	585	0	235	466
Oct 22	85	0	7,581	85	915	1,000	0	915	2,281
Oct 23	85	0	7,581	85	915	1,000	0	915	4,096
Oct 24	85	0	7,581	85	915	1,000	0	915	5,911
Oct 25	85	0	7,581	85	915	1,000	0	915	7,726
Oct 26	85	0	7,581	85	915	1,000	0	915	9,540
Oct 27	85	0	7,581	85	800	885	0	800	11,127
Oct 28	85	0	7,581	85	605	690	0	605	12,327
Oct 29	85	0	7,581	85	400	485	0	400	13,121
Oct 30	85	0	7,581	85	300	385	0	300	13,716
Oct 31	85	0	7,581	85	300	385	0	300	14,311
Nov 01	220	0	7,581	220	155	375	50	205	14,717
Nov 02	220	0	7,581	220	155	375	50	205	15,124
Nov 03	220	0	7,581	220	155	375	50	205	15,531
Nov 04	220	0	7,581	220	155	375	50	205	15,937
Nov 05	220	0	7,581	220	155	375	50	205	16,344
Nov 06	220	0	7,581	220	155	375	50	205	16,750
Nov 07	220	0	7,581	220	155	375	50	205	17,157
Nov 08	220	0	7,581	220	155	375	50	205	17,564
Nov 09	220	0	7,581	220	150	370	50	200	17,960
Nov 10	220	0	7,581	220	150	370	50	200	18,357
Nov 11	220	0	7,581	220	150	370	50	200	18,754
Nov 12	220	0	7,581	220	150	370	50	200	19,150
Nov 13	220	0	7,581	220	150	370	50	200	19,547
Nov 14	220	0	7,581	220	150	370	50	200	19,944
Nov 15	220	0	7,581	220	150	370	50	200	20,340
Nov 16	220	0	7,581	220	100	320	100	200	20,737

**INITIAL DAILY SCHEDULE, OCTOBER 19**  
 (NOVEMBER 17–DECEMBER 31) • SJRA AND FALL 2000 TRANSFER WATER SCHEDULE

	SJRA Transfer Water			Fall 2000 Transfer Water					
	Shaffer Br/Cressey Base Flow for SJRA Transfer Water	SJRA Transfer Water Schedule	SJRA Transfer Water	Shaffer Br/Cressey Base Flow for Fall 2000 Transfer Water [1] + [2]	Fall 2000 Transfer Water Schedule – RIVER	Shaffer Br/Cressey Target Flow [4] + [5]	Fall 2000 Transfer Water Schedule – BYPASS	Fall 2000 Transfer Water [5] + [7]	Fall 2000 Transfer Balance
	(cfs)	(cfs)	(acre-ft)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	(acre-ft)
	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
Nov 17	220	0	7,581	220	100	320	100	200	21,134
Nov 18	220	0	7,581	220	100	320	100	200	21,531
Nov 19	220	0	7,581	220	100	320	100	200	21,927
Nov 20	220	0	7,581	220	100	320	100	200	22,324
Nov 21	220	0	7,581	220	100	320	100	200	22,721
Nov 22	220	0	7,581	220	100	320	100	200	23,117
Nov 23	220	0	7,581	220	100	320	100	200	23,514
Nov 24	220	0	7,581	220	100	320	50	150	23,812
Nov 25	220	0	7,581	220	100	320	0	100	24,010
Nov 26	220	0	7,581	220	100	320	0	100	24,208
Nov 27	220	0	7,581	220	100	320	0	100	24,407
Nov 28	220	0	7,581	220	100	320	0	100	24,605
Nov 29	220	0	7,581	220	100	320	0	100	24,803
Nov 30	220	0	7,581	220	100	320	0	100	25,002
Dec 01	220	80	7,739	300	0	300	0	0	25,002
Dec 02	220	80	7,898	300	0	300	0	0	25,002
Dec 03	220	80	8,057	300	0	300	0	0	25,002
Dec 04	220	80	8,216	300	0	300	0	0	25,002
Dec 05	220	80	8,374	300	0	300	0	0	25,002
Dec 06	220	80	8,533	300	0	300	0	0	25,002
Dec 07	220	80	8,692	300	0	300	0	0	25,002
Dec 08	220	80	8,850	300	0	300	0	0	25,002
Dec 09	220	80	9,009	300	0	300	0	0	25,002
Dec 10	220	80	9,168	300	0	300	0	0	25,002
Dec 11	220	80	9,326	300	0	300	0	0	25,002
Dec 12	220	80	9,485	300	0	300	0	0	25,002
Dec 13	220	80	9,644	300	0	300	0	0	25,002
Dec 14	220	80	9,802	300	0	300	0	0	25,002
Dec 15	220	80	9,961	300	0	300	0	0	25,002
Dec 16	220	80	10,120	300	0	300	0	0	25,002
Dec 17	220	80	10,278	300	0	300	0	0	25,002
Dec 18	220	80	10,437	300	0	300	0	0	25,002
Dec 19	220	80	10,596	300	0	300	0	0	25,002
Dec 20	220	80	10,754	300	0	300	0	0	25,002
Dec 21	220	80	10,913	300	0	300	0	0	25,002
Dec 22	220	80	11,072	300	0	300	0	0	25,002
Dec 23	220	80	11,230	300	0	300	0	0	25,002
Dec 24	220	80	11,389	300	0	300	0	0	25,002
Dec 25	220	80	11,548	300	0	300	0	0	25,002
Dec 26	220	80	11,706	300	0	300	0	0	25,002
Dec 27	220	80	11,865	300	0	300	0	0	25,002
Dec 28	220	80	12,024	300	0	300	0	0	25,002
Dec 29	220	80	12,182	300	0	300	0	0	25,002
Dec 30	220	80	12,341	300	0	300	0	0	25,002
Dec 31	220	80	12,500	300	0	300	0	0	25,002

	Oct	Nov	Dec	Total
SJRA Transfer Water (TAF):	7.58	0.00	4.92	12.50
Fall 2000 Transfer Water (TAF):	14.31	10.69	0	25.00

**REVISED SCHEDULE #1, OCTOBER 31**  
(OCTOBER 1–NOVEMBER 16) • SJRA AND FALL 2000 TRANSFER WATER SCHEDULE

	SJRA Transfer Water			Fall 2000 Transfer Water					
	Shaffer Br/Cressey Base Flow for SJRA Transfer Water	SJRA Transfer Water Schedule	SJRA Transfer Water	Shaffer Br/Cressey Base Flow for Fall 2000 Transfer Water [1] + [2]	Fall 2000 Transfer Water Schedule – RIVER	Shaffer Br/Cressey Target Flow [4] + [5]	Fall 2000 Transfer Water Schedule – BYPASS	Fall 2000 Transfer Water [5] + [7]	Fall 2000 Transfer Balance
	(cfs)	(cfs)	(acre-ft)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	(acre-ft)
	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
Oct 01	30	0	0	30	0	30	0	0	0
Oct 02	30	0	0	30	0	30	0	0	0
Oct 03	30	0	0	30	0	30	0	0	0
Oct 04	30	0	0	30	0	30	0	0	0
Oct 05	30	0	0	30	0	30	0	0	0
Oct 06	30	0	0	30	0	30	0	0	0
Oct 07	30	0	0	30	0	30	0	0	0
Oct 08	30	0	0	30	0	30	0	0	0
Oct 09	30	0	0	30	0	30	0	0	0
Oct 10	30	0	0	30	0	30	0	0	0
Oct 11	30	0	0	30	0	30	0	0	0
Oct 12	30	0	0	30	0	30	0	0	0
Oct 13	30	0	0	30	0	30	0	0	0
Oct 14	30	0	0	30	0	30	0	0	0
Oct 15	30	397	787	427	0	427	0	0	0
Oct 16	85	760	2,295	845	0	845	0	0	0
Oct 17	85	760	3,802	845	0	845	0	0	0
Oct 18	85	760	5,310	845	0	845	0	0	0
Oct 19	85	500	6,301	585	0	585	0	0	0
Oct 20	85	380	7,055	465	0	465	0	0	0
Oct 21	85	265	7,581	350	235	585	0	235	466
Oct 22	85	0	7,581	85	915	1,000	0	915	2,281
Oct 23	85	0	7,581	85	915	1,000	0	915	4,096
Oct 24	85	0	7,581	85	915	1,000	0	915	5,911
Oct 25	85	0	7,581	85	915	1,000	0	915	7,726
Oct 26	85	0	7,581	85	915	1,000	0	915	9,540
Oct 27	85	0	7,581	85	800	885	0	800	11,127
Oct 28	85	0	7,581	85	605	690	0	605	12,327
Oct 29	85	0	7,581	85	400	485	0	400	13,121
Oct 30	85	300	8,176	385	0	385	0	0	13,121
Oct 31	85	300	8,771	385	0	385	0	0	13,121
Nov 01	220	155	9,078	375	0	375	0	0	13,121
Nov 02	220	125	9,326	345	0	345	0	0	13,121
Nov 03	220	100	9,525	320	0	320	0	0	13,121
Nov 04	220	75	9,673	295	0	295	0	0	13,121
Nov 05	220	75	9,822	295	0	295	0	0	13,121
Nov 06	220	75	9,971	295	0	295	0	0	13,121
Nov 07	220	75	10,120	295	0	295	0	0	13,121
Nov 08	220	75	10,268	295	0	295	0	0	13,121
Nov 09	220	75	10,417	295	0	295	0	0	13,121
Nov 10	220	75	10,566	295	0	295	0	0	13,121
Nov 11	220	75	10,715	295	0	295	0	0	13,121
Nov 12	220	75	10,863	295	0	295	0	0	13,121
Nov 13	220	75	11,012	295	0	295	0	0	13,121
Nov 14	220	75	11,161	295	0	295	0	0	13,121
Nov 15	220	75	11,310	295	0	295	0	0	13,121
Nov 16	220	40	11,389	260	0	260	0	0	13,121

**REVISED SCHEDULE #1, OCTOBER 31**  
 (NOVEMBER 17–DECEMBER 31) • SJRA AND FALL 2000 TRANSFER WATER SCHEDULE

	SJRA Transfer Water			Fall 2000 Transfer Water					
	Shaffer Br/Cressey Base Flow for SJRA Transfer Water	SJRA Transfer Water Schedule	SJRA Transfer Water	Shaffer Br/Cressey Base Flow for Fall 2000 Transfer Water [1] + [2]	Fall 2000 Transfer Water Schedule – RIVER	Shaffer Br/Cressey Target Flow [4] + [5]	Fall 2000 Transfer Water Schedule – BYPASS	Fall 2000 Transfer Water [5] + [7]	Fall 2000 Transfer Balance
	(cfs)	(cfs)	(acre-ft)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	(acre-ft)
	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
Nov 17	220	40	11,468	260	0	260	0	0	13,121
Nov 18	220	40	11,548	260	0	260	0	0	13,121
Nov 19	220	40	11,627	260	0	260	0	0	13,121
Nov 20	220	40	11,706	260	0	260	0	0	13,121
Nov 21	220	40	11,786	260	0	260	0	0	13,121
Nov 22	220	40	11,865	260	0	260	0	0	13,121
Nov 23	220	40	11,944	260	0	260	0	0	13,121
Nov 24	220	40	12,024	260	0	260	0	0	13,121
Nov 25	220	40	12,103	260	0	260	0	0	13,121
Nov 26	220	40	12,182	260	0	260	0	0	13,121
Nov 27	220	40	12,262	260	0	260	0	0	13,121
Nov 28	220	40	12,341	260	0	260	0	0	13,121
Nov 29	220	40	12,420	260	0	260	0	0	13,121
Nov 30	220	40	12,500	260	0	260	0	0	13,121
Dec 01	220	0	12,500	220	0	220	0	0	13,121
Dec 02	220	0	12,500	220	0	220	0	0	13,121
Dec 03	220	0	12,500	220	0	220	0	0	13,121
Dec 04	220	0	12,500	220	0	220	0	0	13,121
Dec 05	220	0	12,500	220	0	220	0	0	13,121
Dec 06	220	0	12,500	220	0	220	0	0	13,121
Dec 07	220	0	12,500	220	0	220	0	0	13,121
Dec 08	220	0	12,500	220	0	220	0	0	13,121
Dec 09	220	0	12,500	220	0	220	0	0	13,121
Dec 10	220	0	12,500	220	0	220	0	0	13,121
Dec 11	220	0	12,500	220	0	220	0	0	13,121
Dec 12	220	0	12,500	220	0	220	0	0	13,121
Dec 13	220	0	12,500	220	0	220	0	0	13,121
Dec 14	220	0	12,500	220	0	220	0	0	13,121
Dec 15	220	0	12,500	220	0	220	0	0	13,121
Dec 16	220	0	12,500	220	0	220	0	0	13,121
Dec 17	220	0	12,500	220	0	220	0	0	13,121
Dec 18	220	0	12,500	220	0	220	0	0	13,121
Dec 19	220	0	12,500	220	0	220	0	0	13,121
Dec 20	220	0	12,500	220	0	220	0	0	13,121
Dec 21	220	0	12,500	220	0	220	0	0	13,121
Dec 22	220	0	12,500	220	0	220	0	0	13,121
Dec 23	220	0	12,500	220	0	220	0	0	13,121
Dec 24	220	0	12,500	220	0	220	0	0	13,121
Dec 25	220	0	12,500	220	0	220	0	0	13,121
Dec 26	220	0	12,500	220	0	220	0	0	13,121
Dec 27	220	0	12,500	220	0	220	0	0	13,121
Dec 28	220	0	12,500	220	0	220	0	0	13,121
Dec 29	220	0	12,500	220	0	220	0	0	13,121
Dec 30	220	0	12,500	220	0	220	0	0	13,121
Dec 31	220	0	12,500	220	0	220	0	0	13,121

	Oct	Nov	Dec	Total
SJRA Transfer Water (TAF):	7.58	0.00	4.92	12.50
Fall 2000 Transfer Water (TAF):	14.31	10.69	0	25.00

**REVISED SCHEDULE #2, NOVEMBER 3**  
(OCTOBER 1–NOVEMBER 16) • SJRA AND FALL 2000 TRANSFER WATER SCHEDULE

	SJRA Transfer Water			Fall 2000 Transfer Water					
	Shaffer Br/Cressey Base Flow for SJRA Transfer Water	SJRA Transfer Water Schedule	SJRA Transfer Water	Shaffer Br/Cressey Base Flow for Fall 2000 Transfer Water [1] + [2]	Fall 2000 Transfer Water Schedule – RIVER	Shaffer Br/Cressey Target Flow [4] + [5]	Fall 2000 Transfer Water Schedule – BYPASS	Fall 2000 Transfer Water [5] + [7]	Fall 2000 Transfer Balance
	(cfs)	(cfs)	(acre-ft)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	(acre-ft)
	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
Oct 01	30	0	0	30	0	30	0	0	0
Oct 02	30	0	0	30	0	30	0	0	0
Oct 03	30	0	0	30	0	30	0	0	0
Oct 04	30	0	0	30	0	30	0	0	0
Oct 05	30	0	0	30	0	30	0	0	0
Oct 06	30	0	0	30	0	30	0	0	0
Oct 07	30	0	0	30	0	30	0	0	0
Oct 08	30	0	0	30	0	30	0	0	0
Oct 09	30	0	0	30	0	30	0	0	0
Oct 10	30	0	0	30	0	30	0	0	0
Oct 11	30	0	0	30	0	30	0	0	0
Oct 12	30	0	0	30	0	30	0	0	0
Oct 13	30	0	0	30	0	30	0	0	0
Oct 14	30	0	0	30	0	30	0	0	0
Oct 15	30	397	787	427	0	427	0	0	0
Oct 16	85	760	2,295	845	0	845	0	0	0
Oct 17	85	760	3,802	845	0	845	0	0	0
Oct 18	85	760	5,310	845	0	845	0	0	0
Oct 19	85	500	6,301	585	0	585	0	0	0
Oct 20	85	380	7,055	465	0	465	0	0	0
Oct 21	85	265	7,581	350	235	585	0	235	466
Oct 22	85	0	7,581	85	915	1,000	0	915	2,281
Oct 23	85	0	7,581	85	915	1,000	0	915	4,096
Oct 24	85	0	7,581	85	915	1,000	0	915	5,911
Oct 25	85	0	7,581	85	915	1,000	0	915	7,726
Oct 26	85	0	7,581	85	915	1,000	0	915	9,540
Oct 27	85	0	7,581	85	800	885	0	800	11,127
Oct 28	85	0	7,581	85	605	690	0	605	12,327
Oct 29	85	0	7,581	85	400	485	0	400	13,121
Oct 30	85	300	8,176	385	0	385	0	0	13,121
Oct 31	85	300	8,771	385	0	385	0	0	13,121
Nov 01	220	155	9,078	375	0	375	0	0	13,121
Nov 02	220	125	9,326	345	0	345	0	0	13,121
Nov 03	220	100	9,525	320	0	320	0	0	13,121
Nov 04	220	0	9,525	220	125	345	0	125	13,369
Nov 05	220	0	9,525	220	125	345	0	125	13,617
Nov 06	220	0	9,525	220	125	345	100	225	14,063
Nov 07	220	0	9,525	220	125	345	100	225	14,509
Nov 08	220	0	9,525	220	125	345	100	225	14,955
Nov 09	220	0	9,525	220	125	345	100	225	15,402
Nov 10	220	0	9,525	220	125	345	100	225	15,848
Nov 11	220	0	9,525	220	125	345	100	225	16,294
Nov 12	220	0	9,525	220	125	345	100	225	16,740
Nov 13	220	0	9,525	220	125	345	100	225	17,187
Nov 14	220	0	9,525	220	125	345	100	225	17,633
Nov 15	220	0	9,525	220	125	345	100	225	18,079
Nov 16	220	0	9,525	220	125	345	100	225	18,526

**REVISED SCHEDULE #2, NOVEMBER 3**  
 (NOVEMBER 17–DECEMBER 31) • SJRA AND FALL 2000 TRANSFER WATER SCHEDULE

	SJRA Transfer Water			Fall 2000 Transfer Water					
	Shaffer Br/Cressey Base Flow for SJRA Transfer Water	SJRA Transfer Water Schedule	SJRA Transfer Water	Shaffer Br/Cressey Base Flow for Fall 2000 Transfer Water [1] + [2]	Fall 2000 Transfer Water Schedule – RIVER	Shaffer Br/Cressey Target Flow [4] + [5]	Fall 2000 Transfer Water Schedule – BYPASS	Fall 2000 Transfer Water [5] + [7]	Fall 2000 Transfer Balance
	(cfs)	(cfs)	(acre-ft)	(cfs)	(cfs)	(cfs)	(cfs)	(cfs)	(acre-ft)
	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
Nov 17	220	0	9,525	220	125	345	100	225	18,972
Nov 18	220	0	9,525	220	125	345	100	225	19,418
Nov 19	220	0	9,525	220	125	345	100	225	19,864
Nov 20	220	0	9,525	220	125	345	100	225	20,311
Nov 21	220	0	9,525	220	125	345	100	225	20,757
Nov 22	220	0	9,525	220	125	345	100	225	21,203
Nov 23	220	0	9,525	220	125	345	100	225	21,650
Nov 24	220	0	9,525	220	125	345	100	225	22,096
Nov 25	220	0	9,525	220	125	345	100	225	22,542
Nov 26	220	0	9,525	220	125	345	100	225	22,988
Nov 27	220	0	9,525	220	125	345	100	225	23,435
Nov 28	220	0	9,525	220	125	345	100	225	23,881
Nov 29	220	0	9,525	220	125	345	100	225	24,327
Nov 30	220	0	9,525	220	125	345	100	225	24,774
Dec 01	220	50	9,624	270	0	270	0	0	24,774
Dec 02	220	50	9,723	270	0	270	0	0	24,774
Dec 03	220	50	9,822	270	0	270	0	0	24,774
Dec 04	220	50	9,921	270	0	270	0	0	24,774
Dec 05	220	50	10,020	270	0	270	0	0	24,774
Dec 06	220	50	10,120	270	0	270	0	0	24,774
Dec 07	220	50	10,219	270	0	270	0	0	24,774
Dec 08	220	50	10,318	270	0	270	0	0	24,774
Dec 09	220	50	10,417	270	0	270	0	0	24,774
Dec 10	220	50	10,516	270	0	270	0	0	24,774
Dec 11	220	50	10,616	270	0	270	0	0	24,774
Dec 12	220	50	10,715	270	0	270	0	0	24,774
Dec 13	220	50	10,814	270	0	270	0	0	24,774
Dec 14	220	50	10,913	270	0	270	0	0	24,774
Dec 15	220	50	11,012	270	0	270	0	0	24,774
Dec 16	220	50	11,111	270	0	270	0	0	24,774
Dec 17	220	50	11,211	270	0	270	0	0	24,774
Dec 18	220	50	11,310	270	0	270	0	0	24,774
Dec 19	220	50	11,409	270	0	270	0	0	24,774
Dec 20	220	50	11,508	270	0	270	0	0	24,774
Dec 21	220	50	11,607	270	0	270	0	0	24,774
Dec 22	220	50	11,706	270	0	270	0	0	24,774
Dec 23	220	50	11,806	270	0	270	0	0	24,774
Dec 24	220	50	11,905	270	0	270	0	0	24,774
Dec 25	220	50	12,004	270	0	270	0	0	24,774
Dec 26	220	50	12,103	270	0	270	0	0	24,774
Dec 27	220	50	12,202	270	0	270	0	0	24,774
Dec 28	220	50	12,301	270	0	270	0	0	24,774
Dec 29	220	50	12,401	270	0	270	0	0	24,774
Dec 30	220	25	12,450	245	0	245	0	0	24,774
Dec 31	220	25	12,500	245	0	245	0	0	24,774

	Oct	Nov	Dec	Total
SJRA Transfer Water (TAF):	7.58	0.00	4.92	12.50
Fall 2000 Transfer Water (TAF):	14.31	10.69	0	25.00

**SJRA AND FALL 2000 WATER TRANSFER MONITORING (THROUGH DECEMBER 20)**  
 (OCTOBER 1–NOVEMBER 16) • TRANSFER SCHEDULE REVISED NOVEMBER 3

Shaffer Br/Cressey Base Flow for SJRA Transfer Water	Observed Flow at Cressey	SJRA Transfer Water			Fall 2000 Transfer Water					
		Scheduled SJRA Transfer Water	Observed SJRA Transfer Water	SJRA Transfer Water Cumulative Volume	Scheduled Fall 2000 Transfer Water	Observed Fall 2000 Transfer Water	Scheduled Fall 2000 Transfer Water	Observed Livingston Spill	Observed Fall 2000 Transfer Water	Fall 2000 Transfer Balance
		DWR/CDEC			RIVER		BYPASS			
cfs	cfs	cfs	cfs	ac-ft	cfs	cfs	cfs	cfs	cfs	acre-ft
Oct 01	30	132	0	0	0	0	0	0	0	0
Oct 02	30	145	0	0	0	0	0	0	0	0
Oct 03	30	130	0	0	0	0	0	0	0	0
Oct 04	30	132	0	0	0	0	0	0	0	0
Oct 05	30	131	0	0	0	0	0	0	0	0
Oct 06	30	149	0	0	0	0	0	0	0	0
Oct 07	30	165	0	0	0	0	0	0	0	0
Oct 08	30	182	0	0	0	0	0	0	0	0
Oct 09	30	195	0	0	0	0	0	0	0	0
Oct 10	30	201	0	0	0	0	0	0	0	0
Oct 11	30	232	0	0	0	0	0	0	0	0
Oct 12	30	257	0	0	0	0	0	0	0	0
Oct 13	30	267	0	0	0	0	0	0	0	0
Oct 14	30	266	0	0	0	0	0	0	0	0
Oct 15	30	521	397	397	787	0	0	0	0	0
Oct 16	85	934	760	760	2,295	0	0	0	0	0
Oct 17	85	972	760	760	3,802	0	0	0	0	0
Oct 18	85	993	760	760	5,310	0	0	0	0	0
Oct 19	85	859	500	500	6,301	0	0	0	0	0
Oct 20	85	731	380	380	7,055	0	0	0	0	0
Oct 21	85	759	265	265	7,581	235	235	0	0	466
Oct 22	85	1,330	0	0	7,581	915	915	0	0	2,281
Oct 23	85	1,280	0	0	7,581	915	915	0	0	4,096
Oct 24	85	1,190	0	0	7,581	915	915	0	0	5,911
Oct 25	85	1,140	0	0	7,581	915	915	0	0	7,726
Oct 26	85	1,110	0	0	7,581	915	915	0	0	9,540
Oct 27	85	995	0	0	7,581	800	800	0	0	11,127
Oct 28	85	793	0	0	7,581	605	605	0	0	12,327
Oct 29	85	609	0	0	7,581	400	400	0	0	13,121
Oct 30	85	529	300	300	8,176	0	0	0	0	13,121
Oct 31	85	485	300	300	8,771	0	0	0	0	13,121
Nov 01	220	462	155	155	9,078	0	0	0	51	13,121
Nov 02	220	451	125	125	9,326	0	0	0	34	13,121
Nov 03	220	408	100	100	9,525	0	0	0	10	13,121
Nov 04	220	393	0	0	9,525	125	125	0	6	13,369
Nov 05	220	383	0	0	9,525	125	125	0	73	13,617
Nov 06	220	379	0	0	9,525	125	125	100	94	14,051
Nov 07	220	376	0	0	9,525	125	125	100	123	14,497
Nov 08	220	382	0	0	9,525	125	125	100	122	14,943
Nov 09	220	383	0	0	9,525	125	125	100	115	15,390
Nov 10	220	385	0	0	9,525	125	125	100	113	15,836
Nov 11	220	392	0	0	9,525	125	125	100	114	16,282
Nov 12	220	394	0	0	9,525	125	125	100	113	16,729
Nov 13	220	380	0	0	9,525	125	125	100	111	17,175
Nov 14	220	368	0	0	9,525	125	125	100	111	17,621
Nov 15	220	363	0	0	9,525	125	125	100	110	18,067
Nov 16	220	363	0	0	9,525	125	125	100	111	18,514



**SJRA AND FALL 2000 WATER TRANSFER MONITORING (THROUGH DECEMBER 20)**  
 (NOVEMBER 17–DECEMBER 31) • TRANSFER SCHEDULE REVISED NOVEMBER 3

Shaffer Br/Cressey Base Flow for SJRA Transfer Water	SJRA Transfer Water				Fall 2000 Transfer Water						
	Observed Flow at Cressey	Scheduled SJRA Transfer Water	Observed SJRA Transfer Water	SJRA Transfer Water Cumulative Volume	Scheduled Fall 2000 Transfer Water	Observed Fall 2000 Transfer Water	Scheduled Fall 2000 Transfer Water	Observed Livingston Spill	Observed Fall 2000 Transfer Water	Fall 2000 Transfer Balance	
	DWR/CDEC				RIVER		BYPASS				
cfs	cfs	cfs	cfs	ac-ft	cfs	cfs	cfs	cfs	cfs	acre-ft	
Nov 17	220	363	0	0	9,525	125	125	100	112	100	18,960
Nov 18	220	360	0	0	9,525	125	125	100	110	100	19,406
Nov 19	220	360	0	0	9,525	125	125	100	111	100	19,853
Nov 20	220	365	0	0	9,525	125	125	100	111	100	20,299
Nov 21	220	363	0	0	9,525	125	125	100	111	100	20,745
Nov 22	220	360	0	0	9,525	125	125	100	111	100	21,191
Nov 23	220	363	0	0	9,525	125	125	100	111	100	21,638
Nov 24	220	362	0	0	9,525	125	125	100	111	100	22,084
Nov 25	220	354	0	0	9,525	125	125	100	113	100	22,530
Nov 26	220	358	0	0	9,525	125	125	100	114	100	22,977
Nov 27	220	356	0	0	9,525	125	125	100	111	100	23,423
Nov 28	220	349	0	0	9,525	125	125	100	111	100	23,869
Nov 29	220	346	0	0	9,525	125	125	100	112	100	24,315
Nov 30	220	338	0	0	9,525	125	118	100	112	100	24,748
Dec 01	220	416	50	50	9,624						
Dec 02	220	400	50	50	9,723						
Dec 03	220	393	50	50	9,822						
Dec 04	220	389	50	50	9,921						
Dec 05	220	382	50	50	10,020						
Dec 06	220	383	50	50	10,120						
Dec 07	220	408	50	50	10,219						
Dec 08	220	394	50	50	10,318						
Dec 09	220	387	50	50	10,417						
Dec 10	220	380	50	50	10,516						
Dec 11	220	381	50	50	10,616						
Dec 12	220	400	50	50	10,715						
Dec 13	220	393	50	50	10,814						
Dec 14	220	398	50	50	10,913						
Dec 15	220	390	50	50	11,012						
Dec 16	220	382	50	50	11,111						
Dec 17	220	380	50	50	11,211						
Dec 18	220	380	50	50	11,310						
Dec 19	220	381	50	50	11,409						
Dec 20	220	377	50	50	11,508						
Dec 21	220	372	50								
Dec 22	220	371	50								
Dec 23	220	370	50								
Dec 24	220	370	50								
Dec 25	220	370	50								
Dec 26	220	367	50								
Dec 27	220	369	50								
Dec 28	220	369	50								
Dec 29	220	370	50								
Dec 30	220	359	25								
Dec 31	220	351	25								

**SJRA AND FALL 2000  
WATER TRANSFER MONITORING (THROUGH NOVEMBER 30)  
MERCED RIVER AT CRESSEY**

